

Annex F. Photographs

F.1 Test Sample


Sample Front 211020-01.S01 	Sample Back 211020-01.S01 
Sample Laptop Mode 211020-01.S01 	Sample Laptop Mode 211020-01.S02 
Sample Front211020-01.S02 	Sample Back 211020-01.S02 

F.2 SAR Test position

Laptop



Laptop – Side view






F.3 PD Test position

Back Face @2.5mm	Back Face @2.5mm (close view)
	


F.4 Antenna host platform location and adjacent edge positions relative to the body

All information (diagrams, values and dimensions) in this section are provided by the manufacturer

Antenna Host Platform location #1	Antenna Host Platform location #2																																																																				
																																																																					
Antenna dimensional information for SAR evaluation	Antenna dimensional information for SAR evaluation																																																																				
<table><tr><th colspan="4">Minimum Separation Distance</th></tr><tr><th>Item</th><th>Antenna</th><th>Position</th><th>Distance (mm)</th></tr><tr><td>A</td><td>WLAN-Aux</td><td>to Top</td><td>237.45</td></tr><tr><td>B</td><td>WLAN-Aux</td><td>to Right</td><td>343.62</td></tr><tr><td>C</td><td>WLAN-Aux</td><td>to Left</td><td>5.08</td></tr><tr><td>D</td><td>WLAN-Aux</td><td>to Bottom</td><td>11.03</td></tr><tr><td>E</td><td>WLAN-Aux</td><td>Main Antenna Length</td><td>30</td></tr><tr><td>F</td><td>Main-Aux</td><td>Main to Aux</td><td>331.04</td></tr><tr><td>G</td><td>WLAN-Main</td><td>to Top</td><td>237.45</td></tr><tr><td>H</td><td>WLAN-Main</td><td>to Right</td><td>5.08</td></tr><tr><td>I</td><td>WLAN-Main</td><td>to Left</td><td>343.62</td></tr><tr><td>J</td><td>WLAN-Main</td><td>to Bottom</td><td>11.03</td></tr><tr><td>K</td><td>WLAN-Main</td><td>Aux Antenna Length</td><td>30</td></tr><tr><td>L</td><td>NB</td><td>Bumper thickness</td><td>2.59</td></tr><tr><td>X</td><td>WLAN-Aux</td><td>to User</td><td>13.27</td></tr><tr><td>Y</td><td>WLAN-Main</td><td>to User</td><td>13.27</td></tr><tr><td>Z</td><td>NB</td><td>Keyboard depth</td><td>219</td></tr></table>	Minimum Separation Distance				Item	Antenna	Position	Distance (mm)	A	WLAN-Aux	to Top	237.45	B	WLAN-Aux	to Right	343.62	C	WLAN-Aux	to Left	5.08	D	WLAN-Aux	to Bottom	11.03	E	WLAN-Aux	Main Antenna Length	30	F	Main-Aux	Main to Aux	331.04	G	WLAN-Main	to Top	237.45	H	WLAN-Main	to Right	5.08	I	WLAN-Main	to Left	343.62	J	WLAN-Main	to Bottom	11.03	K	WLAN-Main	Aux Antenna Length	30	L	NB	Bumper thickness	2.59	X	WLAN-Aux	to User	13.27	Y	WLAN-Main	to User	13.27	Z	NB	Keyboard depth	219	
Minimum Separation Distance																																																																					
Item	Antenna	Position	Distance (mm)																																																																		
A	WLAN-Aux	to Top	237.45																																																																		
B	WLAN-Aux	to Right	343.62																																																																		
C	WLAN-Aux	to Left	5.08																																																																		
D	WLAN-Aux	to Bottom	11.03																																																																		
E	WLAN-Aux	Main Antenna Length	30																																																																		
F	Main-Aux	Main to Aux	331.04																																																																		
G	WLAN-Main	to Top	237.45																																																																		
H	WLAN-Main	to Right	5.08																																																																		
I	WLAN-Main	to Left	343.62																																																																		
J	WLAN-Main	to Bottom	11.03																																																																		
K	WLAN-Main	Aux Antenna Length	30																																																																		
L	NB	Bumper thickness	2.59																																																																		
X	WLAN-Aux	to User	13.27																																																																		
Y	WLAN-Main	to User	13.27																																																																		
Z	NB	Keyboard depth	219																																																																		

F.5 Phantom liquid level during measurements

ELI phantom Head liquid SAR SPEAG HBBL600-10000V6 Batch – 191016-02



End of the report

This page is intentionally left blank and marks the last page of the test report.