




Annex F. Photographs

F.1 Test Sample




Sample Front 211020-01.S01	Sample Back 211020-01.S01
	
Sample Laptop Mode 211020-01.S01	Sample Laptop Mode 211020-01.S02
	
Sample Front211020-01.S02	Sample Back 211020-01.S02
	

F.2 Test positions

Laptop	Laptop – Side view
	


F.3 Antenna host platform location and adjacent edge positions relative to the body

Information provided by the customer

Antenna Host Platform location #1	Antenna Host Platform location #2																																																																				
																																																																					
Antenna dimensional information for SAR evaluation	Antenna dimensional information for SAR evaluation																																																																				
<table><tr><th colspan="4">Minimum Separation Distance</th></tr><tr><th>Item</th><th>Antenna</th><th>Position</th><th>Distance (mm)</th></tr><tr><td>A</td><td>WLAN-Aux</td><td>to Top</td><td>237.45</td></tr><tr><td>B</td><td>WLAN-Aux</td><td>to Right</td><td>343.62</td></tr><tr><td>C</td><td>WLAN-Aux</td><td>to Left</td><td>5.08</td></tr><tr><td>D</td><td>WLAN-Aux</td><td>to Bottom</td><td>11.03</td></tr><tr><td>E</td><td>WLAN-Aux</td><td>Main Antenna Length</td><td>30</td></tr><tr><td>F</td><td>Main-Aux</td><td>Main to Aux</td><td>331.04</td></tr><tr><td>G</td><td>WLAN-Main</td><td>to Top</td><td>237.45</td></tr><tr><td>H</td><td>WLAN-Main</td><td>to Right</td><td>5.08</td></tr><tr><td>I</td><td>WLAN-Main</td><td>to Left</td><td>343.62</td></tr><tr><td>J</td><td>WLAN-Main</td><td>to Bottom</td><td>11.03</td></tr><tr><td>K</td><td>WLAN-Main</td><td>Aux Antenna Length</td><td>30</td></tr><tr><td>L</td><td>NB</td><td>Bumper thickness</td><td>2.59</td></tr><tr><td>X</td><td>WLAN-Aux</td><td>to User</td><td>13.27</td></tr><tr><td>Y</td><td>WLAN-Main</td><td>to User</td><td>13.27</td></tr><tr><td>Z</td><td>NB</td><td>Keyboard depth</td><td>219</td></tr></table>	Minimum Separation Distance				Item	Antenna	Position	Distance (mm)	A	WLAN-Aux	to Top	237.45	B	WLAN-Aux	to Right	343.62	C	WLAN-Aux	to Left	5.08	D	WLAN-Aux	to Bottom	11.03	E	WLAN-Aux	Main Antenna Length	30	F	Main-Aux	Main to Aux	331.04	G	WLAN-Main	to Top	237.45	H	WLAN-Main	to Right	5.08	I	WLAN-Main	to Left	343.62	J	WLAN-Main	to Bottom	11.03	K	WLAN-Main	Aux Antenna Length	30	L	NB	Bumper thickness	2.59	X	WLAN-Aux	to User	13.27	Y	WLAN-Main	to User	13.27	Z	NB	Keyboard depth	219	
Minimum Separation Distance																																																																					
Item	Antenna	Position	Distance (mm)																																																																		
A	WLAN-Aux	to Top	237.45																																																																		
B	WLAN-Aux	to Right	343.62																																																																		
C	WLAN-Aux	to Left	5.08																																																																		
D	WLAN-Aux	to Bottom	11.03																																																																		
E	WLAN-Aux	Main Antenna Length	30																																																																		
F	Main-Aux	Main to Aux	331.04																																																																		
G	WLAN-Main	to Top	237.45																																																																		
H	WLAN-Main	to Right	5.08																																																																		
I	WLAN-Main	to Left	343.62																																																																		
J	WLAN-Main	to Bottom	11.03																																																																		
K	WLAN-Main	Aux Antenna Length	30																																																																		
L	NB	Bumper thickness	2.59																																																																		
X	WLAN-Aux	to User	13.27																																																																		
Y	WLAN-Main	to User	13.27																																																																		
Z	NB	Keyboard depth	219																																																																		

F.4 Phantom liquid level during measurements

ELI phantom Body liquid SAR Dasy SPEAG MBBL600-6000V6 Batch -160630-01



End of the report

This page is intentionally left blank and marks the last page of the test report.