






Annex G. Photographs

G.1 Test Sample





Sample S03

<div>Sample Front</div> 	<div>Sample Back</div> 
<div>Notebook Mode - Screen</div> 	<div>Notebook Mode - Keyboard</div> 
<div>Laptop Mode</div> 	



Sample S02

Sample Front	Sample Back
	
Notebook Mode - Screen	Notebook Mode - Keyboard
	
Laptop Mode	
	

G.2 SAR Test position

Top Edge	Back Face
	
Left Edge	Right Edge
	


G.3 PD Test position


Laptop @2.5mm	Laptop @2.5mm (close view)
	


G.4 **Antenna host platform location and adjacent edge positions relative to the body**

All information (diagrams, values and dimensions) in this section are provided by the manufacturer

Information provided by the customer




Antenna Host Platform location			Tablet mode antenna location	
Item	Antenna function	Distance(mm)		
A	Wlan-main to edge	4.635		
B	Wlan-main to right edge	9.75		
C	Wlan-main to edge	195.765		
D	Wlan-aux to edge	4.635		
E	Wlan-aux to left edge	9.75		
F	Wlan-aux to table	195.765		
G	Wlan-main to Wlan-aux	246.2		
H	Wlan-main & Wlan-aux to bottom	16.092		



G.5 Phantom liquid level during measurements

ELI phantom Head liquid SAR SPEAG HBBL600-10000V6 Batch – 210331-1



End of the report

This page is intentionally left blank and marks the last page of the test report.