

Annex F. Photographs

F.1 Test Sample

Front Sample 211228-02.S01		Back Sample 211228-02.S01			
					
Screen Sample 211228-02.S01		Keyboard Sample 211228-02.S01			
					
Laptop Sample 211228-02.S01					
					

Front Sample 211228-02.S02	Back Sample 211228-02.S02
Screen Sample 211228-02.S02	Keyboard Sample 211228-02.S02
Laptop Sample 211228-02.S02	

F.2 Test position


Laptop



Back Face




Front



F.3 Antenna host platform location and adjacent edge positions relative to the body

All information (diagrams, values and dimensions) in this section is provided by the manufacturer




Antenna Host Platform location #1

Minimum Separation Distance			
Item	Antenna	Position	Distance (mm)
A	WLAN-Aux	to Top	204.88
B	WLAN-Aux	to Right	221.71
C	WLAN-Aux	to Left	68.59
D	WLAN-Aux	to Bottom	5.0
E	WLAN-Aux	Aux Antenna Length	30
F	Main-Aux	Main to Aux	114.16
G	WLAN-Main	to Top	204.88
H	WLAN-Main	to Right	62.55
I	WLAN-Main	to Left	212.75
J	WLAN-Main	to Bottom	5.0
K	WLAN-Main	Main Antenna Length	45

Antenna Host Platform location #2


Minimum Separation Distance			
Item	Antenna	Position	Distance (mm)
Q	WLAN-Aux	to Front	1.5
P	WLAN-Aux	to Rear	13.8
R	WLAN-Main	to Front	1.5
S	WLAN-Main	to Rear	13.8

Laptop Position



F.4 Phantom liquid level during measurements

ELI phantom Body liquid SAR Dasy SPEAG MBBL600-6000V6 Batch – 160603-1



End of the report

This page is intentionally left blank and marks the last page of the test report.