



Annex F. Photographs

Test Sample






Test position



Laptop

F.2



Antenna host platform location and adjacent edge positions relative to the body


All information (diagrams, values and dimensions) in this section is provided by the manufacturer

Antenna Host Platform location	Laptop Mode
F.3  The diagram shows a top-down view of the antenna host platform. It features two rectangular areas labeled 'Aux' and 'Main'. A dimension line indicates a distance of 50mm between the bottom of the 'Aux' area and a horizontal line. Below this line is a box labeled 'WLAN'. Arrows point from the 'Aux' and 'Main' labels to their respective areas.	 The diagram shows a side profile of a person sitting at a desk using a laptop. The laptop is open, and the 'Main Antenna' is indicated by an arrow pointing to a small blue component on the bottom edge of the laptop's base. A dimension line with a double-headed arrow indicates a distance of 7.91 mm (Without Bumper) from the bottom edge of the laptop's base to the antenna.


Phantom liquid level during measurements

ELI phantom Body liquid SAR Dasy SPEAG MBBL600-6000V6 Batch – 180206-4

F.4



ELI phantom Body liquid SAR Dasy SPEAG MBBL600-6000V6 Batch - 160603-01



End of the report

This page is intentionally left blank and marks the last page of the test report.