



Annex F. Photographs

F.1 Test Sample

Front Sample 211223-02.S01 	Back Sample 211223-02.S01 
Laptop 211223-02.S01 	Front Sample 211223-02.S02 
Back 211223-02.S02 	Laptop 211223-02.S02 



F.2 Test position

Laptop





F.3 Antenna host platform location and adjacent edge positions relative to the body

All information (diagrams, values and dimensions) in this section is provided by the manufacturer

Antenna Host Platform location	Laptop Mode
 The diagram shows a top-down view of a laptop with its screen open. Two antenna locations are marked: 'Aux' and 'Main'. Both are positioned 6.37mm from the bottom edge of the laptop. The 'Main' antenna is located between the 'Aux' antenna and the right edge of the laptop. The 'Aux' antenna is located between the left edge of the laptop and the 'Main' antenna. The distance from the left edge to the 'Aux' antenna is 6.37mm, and the distance from the 'Main' antenna to the right edge is 6.37mm. The bottom of the laptop is labeled 'Bottom of laptop'.	 The diagram shows a side view of a person sitting at a desk, using a laptop. The laptop is open, and the screen is tilted back. The distance from the bottom of the laptop to the bottom of the screen is labeled '6.37 mm (Without Bumper)'.

F.4 Phantom liquid level during measurements



End of the report

This page is intentionally left blank and marks the last page of the test report.