







Annex F. Photographs

F.1 Test Sample

Front Sample 221025-02. S01	Back Sample 221025-02. S01
	
Laptop 221025-02. S01	
	


Front Sample 221025-02. S03	Back Sample 221025-02. S03
	
Laptop 221025-02. S03	
	

F.3 Antenna host platform location and adjacent edge positions relative to the body

Laptop Mode	Laptop Mode
 Diagram illustrating the laptop dimensions and antenna locations. The laptop is shown in a top-down view. The width is labeled as 30 cm. The bottom edge is labeled "Bottom of". The main antenna location is labeled "Main", and the auxiliary antenna location is labeled "Aux".	 Diagram illustrating a person sitting at a desk with a laptop. The person is shown in profile, sitting on a chair. The laptop is on the desk. The antenna is labeled "Antenna". The distance from the person's arm to the antenna is labeled 215mm. The distance from the antenna to the desk edge is labeled 8.45mm.
Laptop Mode	
 Diagram illustrating the WLAN module and antenna locations. The WLAN module is shown in a top-down view. The distance from the main antenna to the WLAN module is labeled 1.1cm. The distance from the auxiliary antenna to the WLAN module is labeled 1.3cm. The distance between the main and auxiliary antennas is labeled 26.8 cm. The main antenna is labeled "Main", and the auxiliary antenna is labeled "Aux".	

F.4 Phantom liquid level during measurements

ELI phantom Body liquid SAR Dasy SPEAG MBBL600-6000V6 Batch -1-160603-01



End of the report

This page is intentionally left blank and marks the last page of the test report.