


Annex F. Photographs

F.1 Test Sample





Test positions




F.2 Antenna host platform location and adjacent edge positions relative to the body

All information (diagrams, values and dimensions) in this section is provided by the manufacturer

Antenna Host Platform location																																																																				
		<p>Minimum Separation Distance</p> <table border="1"> <thead> <tr> <th>Item</th><th>Antenna</th><th>Position</th><th>Distance (mm)</th></tr> </thead> <tbody> <tr> <td>A</td><td>WLAN-Main</td><td>to Top</td><td>264.17</td></tr> <tr> <td>B</td><td>WLAN-Main</td><td>to Right</td><td>350.17</td></tr> <tr> <td>C</td><td>WLAN-Main</td><td>to Left</td><td>1.89</td></tr> <tr> <td>D</td><td>WLAN-Main</td><td>to Bottom</td><td>6.24</td></tr> <tr> <td>E</td><td>WLAN-Main</td><td>Main Antenna Length</td><td>7.96</td></tr> <tr> <td>F</td><td>Main-Aux</td><td>Main to Aux</td><td>340.46</td></tr> <tr> <td>G</td><td>WLAN-Aux</td><td>to Top</td><td>264.17</td></tr> <tr> <td>H</td><td>WLAN-Aux</td><td>to Right</td><td>1.89</td></tr> <tr> <td>I</td><td>WLAN-Aux</td><td>to Left</td><td>350.17</td></tr> <tr> <td>J</td><td>WLAN-Aux</td><td>to Bottom</td><td>6.24</td></tr> <tr> <td>K</td><td>WLAN-Aux</td><td>Aux Antenna Length</td><td>7.96</td></tr> <tr> <td>L</td><td>NB</td><td>Bumper thickness</td><td>6.05</td></tr> <tr> <td>X</td><td>WLAN-Main</td><td>to User</td><td>42.7</td></tr> <tr> <td>Y</td><td>WLAN-Aux</td><td>to User</td><td>42.7</td></tr> <tr> <td>Z</td><td>NB</td><td>Keyboard depth</td><td>290.1</td></tr> </tbody> </table>			Item	Antenna	Position	Distance (mm)	A	WLAN-Main	to Top	264.17	B	WLAN-Main	to Right	350.17	C	WLAN-Main	to Left	1.89	D	WLAN-Main	to Bottom	6.24	E	WLAN-Main	Main Antenna Length	7.96	F	Main-Aux	Main to Aux	340.46	G	WLAN-Aux	to Top	264.17	H	WLAN-Aux	to Right	1.89	I	WLAN-Aux	to Left	350.17	J	WLAN-Aux	to Bottom	6.24	K	WLAN-Aux	Aux Antenna Length	7.96	L	NB	Bumper thickness	6.05	X	WLAN-Main	to User	42.7	Y	WLAN-Aux	to User	42.7	Z	NB	Keyboard depth	290.1
Item	Antenna	Position	Distance (mm)																																																																	
A	WLAN-Main	to Top	264.17																																																																	
B	WLAN-Main	to Right	350.17																																																																	
C	WLAN-Main	to Left	1.89																																																																	
D	WLAN-Main	to Bottom	6.24																																																																	
E	WLAN-Main	Main Antenna Length	7.96																																																																	
F	Main-Aux	Main to Aux	340.46																																																																	
G	WLAN-Aux	to Top	264.17																																																																	
H	WLAN-Aux	to Right	1.89																																																																	
I	WLAN-Aux	to Left	350.17																																																																	
J	WLAN-Aux	to Bottom	6.24																																																																	
K	WLAN-Aux	Aux Antenna Length	7.96																																																																	
L	NB	Bumper thickness	6.05																																																																	
X	WLAN-Main	to User	42.7																																																																	
Y	WLAN-Aux	to User	42.7																																																																	
Z	NB	Keyboard depth	290.1																																																																	
Laptop Mode																																																																				
																																																																				

F.3 Phantom liquid level during measurements

ELI phantom Body liquid SAR Dasy SPEAG MBBL600-6000V6 Batch – 160630-01



End of the report

This page is intentionally left blank and marks the last page of the test report.