




3. Setup photo






Main Antenna Drawing:



7/22

Technical drawing of a cable assembly with dimensions and labels. The drawing shows a cross-section of the assembly with various components labeled with circled numbers 1 through 14. Key dimensions include:

- Overall length: 240.00 ± 1.5
- Heat shrink length: 170.00 ± 2 (HEAT SHRINK)
- Main cable length: 353.00 ± 2.00 (MAIN)
- Auxiliary cable length: 433.00 ± 2.00 (AUX)
- Dimensions for the left side: 5.00, 10.00, 5.00, 50.00, 30.00, 22.81, 20.25, 10, 2.65 ± 1, 12, 7, 48, 3.00, 20 ± 1, 5.00, 10.00, 5.00, 30.00, 5.31, 2.53, 20.00.
- Dimensions for the right side: 50.00 ± 0.50, 7.00, 50.00 ± 0.50, 10.00.
- Labels: 1, 2, 3, 4, 5, 6, 7, 9, 10, 11, 12, 14.
- Text: Soldering Height, 醋酸布 (Acetic Acid Cloth), 100% MAX.




8/22

Section 4. Antenna Host Platform Location Information


Include a **dimensioned photo(s) or dimensioned drawing(s)** of Main and Aux antenna placements (measurements are not required for receive-only antenna).

Any antenna that transmits must show dimensions to bottom of laptop. Provide a description of the materials that are used for supporting or surrounding transmit antennas; for example, non-conductive plastics vs. conductive coated plastic or metallic materials.



Section 5. Antenna dimensional information for SAR evaluation

Include a **dimensioned photo(s) or dimensioned drawing(s)** showing the distance (mm) between the transmit antennas and the user. For notebook/laptop hosts show lapheld position (example below). For tablet hosts show all orientations including lapheld, primary & secondary portrait, primary & secondary landscape positions. Include a description of any proximity sensors or power throttling implementations that limit or exclude use of any host orientation.



Section 6. Diagram Example of Co-Location Antenna Separation

Include a **dimensioned photo or dimensioned drawing** showing the distance (mm) between all WLAN transmit antennas and other co-located radiator transmit antenna such as Bluetooth, WWAN,..

(Note: Due to the evolving rules regarding co-location, each platform will need to be reviewed on a case by case basis)

