


Annex F. Photographs

F.1 Test Sample

Front Face : 221221-01.S01	Back Face: 221221-01.S01
	

Laptop: 221221-01.S01


Front Face : 221221-01.S02	Back Face: 221221-01.S02
 A black and white photograph of the front face of a TOLSEN monitor. A ruler is placed at the top of the monitor, showing measurements in centimeters. The monitor has a dark bezel with the brand name 'TOLSEN' printed in the center. Several labels are attached to the bezel: a small label on the left reads 'SKU5 HTK', a larger label in the center reads 'DRTU OK', and a small label at the bottom right reads 'TOLSEN 221221-01.S02'.	 A black and white photograph of the back face of a TOLSEN monitor. A ruler is placed at the top of the monitor, showing measurements in centimeters. The monitor has a dark bezel with the brand name 'TOLSEN' printed in the center. The back of the monitor shows a large rectangular area, likely a speaker or a vent, and a small label at the bottom right.

Laptop : 221221-01.S01




F.2 Test Positions

Laptop




F.3 Antenna host platform location and adjacent edge positions relative to the body

All information (diagrams, values and dimensions) in this section is provided by the manufacturer



F.4 Phantom liquid level during measurements

ELI phantom Body liquid SAR Dasy SPEAG MBBL600-6000V6 Batch -1-160630-01



End of the report

This page is intentionally left blank and marks the last page of the test report.