



# Annex G. Photographs

## G.1 Test Sample




## G.2 PD Test positions




### G.3 SAR Test position

Sample Laptop	Sample Back face
 A photograph showing a laptop placed on a white, textured surface inside a dark, enclosed test chamber. The laptop is positioned vertically, with its screen facing the left and its back panel facing the right. The chamber's interior walls are dark, and a circular opening is visible in the background.	 A photograph showing the back panel of the laptop, which is white with some yellowish stains or marks. The laptop is positioned horizontally, with its screen facing the left and its back panel facing the right.
Sample Left edge	Sample Right edge
 A photograph showing the left edge of the laptop, which is dark and appears to be made of a metallic or plastic material. The laptop is positioned vertically, with its screen facing the left and its back panel facing the right.	 A photograph showing the right edge of the laptop, which is dark and appears to be made of a metallic or plastic material. The laptop is positioned vertically, with its screen facing the left and its back panel facing the right.


#### G.4 Antenna host platform location and adjacent edge positions relative to the body

Antenna Host Platform location		
		
Antenna Host Platform location		
Item	Location	Distance (mm)
A	ANT to ANT	274.9
B	ANT to edge	4.80
C	ANT to edge	4.7
D	ANT to edge	290.43
E	ANT to edge	290.43
F	ANT to edge	52.39
G	ANT to edge	52.39
H	ANT to edge	2.65
I	ANT to edge	127.4
J	ANT to edge	(有腳墊)3.78 (無腳墊)3.14
K	SYSTEM	209.79



## G.5 Phantom liquid level during measurements

ELI ELI phantom Head liquid SAR SPEAG HBBL600-10000V6 Batch – 210421-02



**End of the report**

**This page is intentionally left blank and marks the last page of the test report.**