Regulatory WLAN Antenna Information (Template)

English Language Required for Intel Regulatory Review / Approval

(OEM/ODM or antenna vendor is required to complete this document with platform antenna information.

Remove Intel references and make this your own document)

Platform	n informatio	n										
Brand ODM		M RMN			Intel platform (ex: Yes, No or NA)		Pla (ex: regula	Platform type (ex: regular NB, convertible PC, AIOetc)		*SAR minimum separation (mm)		
HP Inc. Wistro			on	n TPN-W157			Yes		Convertible PC (NB)		3.5	
******Please fill in exact product model name and make sure the model name is visible on product cover or any parts for end users recognize for authority inspection.												
Antenna information												
Vendor Type Antenna Part number Antenna Part number (Main/Tx2) (Aux/Tx1)												
								25.9027Q.0001 A-P-LE-03-017)				
Peak gain w/ cable loss (dBi)*												
	2.4GHz 2400-2483.5 MHz	5.2GHz 5150-5250MHz	5.3GHz 5250-5350MHz				5.9GHz 5850-5895MHz	6.2GHz 5925-6425MHz	6.5GHz 6425-6525MHz	6.7GHz 6525-6875MHz	7.0 GHz 6875-7125MHz	
Main	2.17	1.29	2.15	2.62	2.55	;	2.12	2.17	1.53	1.59	2.05	
Aux	2.36	1.46	1.48	1.66 2.5		•	2.32	1.21	2.22	1.87	2.46	
Module Information												
Model			Form factor and suffixes									
AX211N	GW		Intel Garfield Peak 2 AX211 Wi-Fi 6e +Bluetooth 5.2 M.2 2230 160MHz CNVi WW WLAN									
Antenna	a Vendor Ad	dress										

No. 106, Ligong St., Beitou Dist., Taipei City 112019, Taiwan (R.O.C.)


3. Setup photo




Section 2. Dimensioned Photos and Drawings of Antennas

Include the dimensioned photo and drawing of Main antenna here.

Main Antenna Drawing:




Main Antenna Photo (Front/Back):




Note: antenna photo should include L type ruler

Include the dimensioned photo and drawing of Aux antenna here.

Aux Antenna Drawing:



Aux Antenna Photo (Front/Back):




Note: antenna photo should include L type ruler


Section 4. Antenna Host Platform Location Information

Include a **dimensioned photo(s) or dimensioned drawing(s)** of Main and Aux antenna placements (measurements are not required for <u>receive-only</u> antenna).

Any antenna that transmits must show dimensions to bottom of laptop. Provide a description of the materials that are used for supporting or surrounding transmit antennas; for example, non-conductive plastics vs. conductive coated plastic or metallic materials.




Dimension:	1	2	3	4	5	6	7	8	9	10	11
(mm)	3.5	3.5	50.5	50.5	142	199.7	199.7	316.71	241.6	232.5	232.5




Dimension:	1	2	3	4	5	6	7	8	9	10	11
(mm)	3.5	3.5	50.5	50.5	142	199.7	199.7	251.42	143.46	232.5	232.5

Section 5. Antenna dimensional information for SAR evaluation

Include a **dimensioned photo(s) or dimensioned drawing(s)** showing the distance (mm) between the transmit antennas and the user. For notebook/laptop hosts show lapheld position (example below). For tablet hosts show all orientations including lapheld, primary & secondary portrait, primary & secondary landscape positions. Include a description of any proximity sensors or power throttling implementations that limit or exclude use of any host orientation.







Section 6. Diagram Example of Co-Location Antenna Separation

Include a **dimensioned photo or dimensioned drawing** showing the distance (mm) between **all WLAN transmit antennas** and other co-located radiator transmit antenna such as Bluetooth, WWAN,...

(Note: Due to the evolving rules regarding co-location, each platform will need to be reviewed on a case by case basis)



NB	WLAN module to TX2	316.71		
Dimension:				
(mm)	WLAN module to TX1	241.6		



NB	WLAN module to TX2	251.42		
Dimension:				
(mm)	WLAN module to TX1	143.46		