Regulatory WLAN Antenna Information (Template)

English Language Required for Intel Regulatory Review / Approval

(OEM/ODM or antenna vendor is required to complete this document with platform antenna information.

Remove Intel references and make this your own document)

Platform information								
Brand	ODM	RMN	Intel platform (ex: Yes, No or NA)	Platform type (ex: regular NB, convertible PC, AIOetc)	*SAR minimum separation (mm)			
HP Inc.	Wistron	TPN-W168	YES	Regular NB	12.65			
*****Please fill in exact product model name and make sure the model name is visible on product cover or any parts for end users recognize for								

Antenna information

*****Please fill in exact product model name and make sure the model name is visible on product cover or any parts for end users recognize for authority inspection.

Vendor		Туре			Antenna Pa (Main	art number /Tx2)	Ant	Antenna Part number (Aux/Tx1)		
WNC		PIFA			025.902I1.0001 (81EAB615.G56)		025.902I2.0001 (81EAB615.G57)			
P				Peak ga	in w/ cabl	e loss (dBi)*		·		
	2.4GHz 2400-2483.5 MHz	5.2GHz 5150-5250MHz	5.3GHz 5250-5350MHz	5.6GHz 5470-5725MHz	5.8GHz 5725-5850MHz	5.9GHz 5850-5895MHz	6.2GHz 5925-6425MHz	6.5GHz 6425-6525MHz	6.7GHz 6525-6875MHz	7.0 GHz 6875-7125MHz
Main	2.47	2.37	2.55	2.38	2.42	2.69	2.69	2.76	2.09	1.98
Aux	2.53	2.44	2.67	2.17	2.22	2.76	2.76	2.63	2.08	1.98

Module Information					
	Model	Form factor and suffixes			
	AX211NGW	Intel Garfield Peak 2 AX211 Wi-Fi 6e +Bluetooth 5.2 M.2 2230 160MHz CNVi WW WLAN			
	BE201NGW	Intel Fillmore Peak 2 BE201 M.2 2230 Wi-Fi 7 +Bluetooth 5.4 non-vPro WW WLAN			
	Antenna Vendor Address				

20 Park Avenue II, Hsinchu Science Park, Hsinchu, Taiwan, R.O.C.

Antenna manufacturer	Company name	WNC
	Address	No. 20, Yuanqu 2nd Rd., Baoshan Township, Hsinchu County 300092 , Taiwan (R.O.C.)
Test location	Company name	SGS
	Address	1F., No. 8, Aly. 15, Ln. 120, Sec. 1, Neihu Rd., Neihu Dist., Taipei City , Taiwan (R.O.C.)
Test Personnel	Name(Full name)	Willy.Lee
	E-mail	Willy.Lee@sgs.com
	Tel/Mobile	+886 2299 3279 #1690
Testing date		2024/10/09

3. Setup photo





Antenna Manufacturer Information

20 Park Avenue II, Hsinchu Science Park, Hsinchu, Taiwan, R.O.C.

Tel: +886-3-666-7799 www.wnc.com.tw


Section 2. Dimensioned Photos and Drawings of Antennas

Include the dimensioned photo and drawing of Main antenna here.

Main Antenna Drawing:



Main Antenna Photo (Front/Back):






Note: antenna photo should include L type ruler

Include the dimensioned photo and drawing of Aux antenna here.

Aux Antenna Drawing:



Aux Antenna Photo (Front/Back):






Note: antenna photo should include L type ruler

Section 4. Antenna Host Platform Location Information

Include a **dimensioned photo(s) or dimensioned drawing(s)** of Main and Aux antenna placements (measurements are not required for <u>receive-only</u> antenna).


Any antenna that transmits must show dimensions to bottom of laptop. Provide a description of the materials that are used for supporting or surrounding transmit antennas; for example, non-conductive plastics vs. conductive coated plastic or metallic materials.



Dimension:	1	2	3	4	5	6	7
(mm)	9.45	9.45	179.06	76.94	25	249.70	249.70

Section 5. Antenna dimensional information for SAR evaluation


Include a **dimensioned photo(s) or dimensioned drawing(s)** showing the distance (mm) between the transmit antennas and the user. For notebook/laptop hosts show lapheld position (example below). For tablet hosts show all orientations including lapheld, primary & secondary portrait, primary & secondary landscape positions. Include a description of any proximity sensors or power throttling implementations that limit or exclude use of any host orientation.



Section 6. Diagram Example of Co-Location Antenna Separation

Include a **dimensioned photo or dimensioned drawing** showing the distance (mm) between **all WLAN transmit antennas** and other co-located radiator transmit antenna such as Bluetooth, WWAN,...

(Note: Due to the evolving rules regarding co-location, each platform will need to be reviewed on a case by case basis)



Dimension:	1	2	3	4	5	6	7
(mm)	9.45	9.45	179.06	76.94	25	249.70	249.70