




Annex F. Photographs




F.1 Test Sample

NGW Module: (Front) 210611-02.S06 	NGW Module: (Back) 210611-02.S06 
Platform Extender: 210611-02. S30 	Laptop Mode 170000-01. S14 

F.2 Test positions


Top Edge (15mm)	Bottom Edge (15mm)
	
Left Edge (15mm)	Right Edge (15mm)
	
Front Face (15mm)	Back Face (15mm)
	

F.3 Antenna host platform location and adjacent edge positions relative to the body

Antenna Front View	Antenna Positions
 A photograph of the antenna's front view. A ruler is placed above the antenna for scale. The antenna is a rectangular white PCB with a yellow antenna element on the left. It features the 'SkyCross' logo and the following text: 'Company Name: SkyCross Electronics (Shenzhen) Co., Ltd. Shanghai Branch', 'Antenna Type: WIMAX / WLAN', 'Date:', and 'TEL: +86-21-6434 8850 EXT.101'.	 A photograph of the antenna with labels indicating its edges and faces. The labels are: 'TOP EDGE' at the top, 'BOTTOM EDGE' at the bottom, 'LEFT EDGE' on the left, and 'RIGHT EDGE' on the right. The 'BACK FACE' is indicated by a red arrow pointing to the top-right corner, and the 'FRONT FACE' is indicated by a red arrow pointing to the bottom-right corner. The antenna has the 'SkyCross' logo and the same company information as the front view.
General Setup	
 A photograph of the general setup for the antenna test. It shows a measurement chamber with a yellow antenna on a stand, a green PCB on a red surface, and various cables and equipment.	

F.4 Phantom liquid level during measurements

ELI phantom Body liquid SAR Dasy SPEAG MBBL600-6000V6 Batch -160630-01



End of the report

This page is intentionally left blank and marks the last page of the test report.