




Annex F. Photographs



F.1 Test Sample

NGW Module: (Front) 210611-02.S06 	NGW Module: (Back) 210611-02.S06 
Platform Extender: 210611-02. S30 	Laptop Mode 170000-01. S14 

F.2 Test positions


Top Edge (15mm)	Bottom Edge (15mm)
 A photograph showing the top edge of a device being measured with a 15cm ruler. The device is a small, rectangular, light-colored object with a black label. The label contains the following text: "Company Name: SkyCross Electronics (Shenzhen) Co., Ltd. Shanghai Branch", "Antenna Type: WIMAX / WLAN", and "Date: TEL: +86-21-6434 8850 EXT.101". The ruler is positioned vertically to the right of the device, showing a measurement of approximately 15mm.	 A photograph showing the bottom edge of the device being measured with a 15cm ruler. The device is the same as in the top edge measurement. The ruler is positioned vertically to the right of the device, showing a measurement of approximately 15mm.
Left Edge (15mm)	Right Edge (15mm)
 A photograph showing the left edge of the device being measured with a 15cm ruler. The device is the same as in the top edge measurement. The ruler is positioned vertically to the right of the device, showing a measurement of approximately 15mm.	 A photograph showing the right edge of the device being measured with a 15cm ruler. The device is the same as in the top edge measurement. The ruler is positioned vertically to the right of the device, showing a measurement of approximately 15mm.
Front Face (15mm)	Back Face (15mm)
 A photograph showing the front face of the device being measured with a 15cm ruler. The device is the same as in the top edge measurement. The ruler is positioned vertically to the right of the device, showing a measurement of approximately 15mm.	 A photograph showing the back face of the device being measured with a 15cm ruler. The device is the same as in the top edge measurement. The ruler is positioned vertically to the right of the device, showing a measurement of approximately 15mm.

F.3 Antenna host platform location and adjacent edge positions relative to the body

Antenna Front View	Antenna Positions
 A photograph of the antenna's front view. A ruler is placed above the antenna for scale. The antenna is a rectangular white PCB with a yellow conductive pad on the left. It features the 'SkyCross' logo and the following text: 'Company Name: SkyCross Electronics (Shenzhen) Co., Ltd. Shanghai Branch', 'Antenna Type: WIMAX / WLAN', 'Date:', and 'TEL: +86-21-6434 8850 EXT.101'.	 A diagram of the antenna showing its edges and faces. The edges are labeled: 'TOP EDGE', 'LEFT EDGE', 'RIGHT EDGE', and 'BOTTOM EDGE'. The faces are labeled: 'FRONT FACE' (in red) and 'BACK FACE' (in red, with a red arrow pointing to the top edge area). The 'SkyCross' logo and company information are visible on the front face.
General Setup	
 A photograph of the general setup for the antenna test. The antenna is mounted on a test fixture, which is placed on a table. A green PCB with electronic components is visible on the right side of the setup.	

F.4 Phantom liquid level during measurements

ELI phantom Body liquid SAR Dasy SPEAG MBBL600-6000V6 Batch -160630-01



End of the report

This page is intentionally left blank and marks the last page of the test report.