



Annex G. Photographs

G.1 Test Sample




G.2 PD Test positions



G.3 SAR Test position


Laptop




Laptop – Side view




G.4 Antenna host platform location and adjacent edge positions relative to the body



Antennas location information				Laptop Mode
Minimum Separation Distance				
Item	Antenna	Position	Distance (mm)	
A	WLAN-Main	to Top	227.58	
B	WLAN-Main	to Right	307.26	
C	WLAN-Main	to Left	1.71	
D	WLAN-Main	to Bottom	5.26	
E	WLAN-Main	Main Antenna Length	7.75	
F	Main-Aux	Main to Aux	297.8	
G	WLAN-Aux	to Top	227.58	
H	WLAN-Aux	to Right	1.71	
I	WLAN-Aux	to Left	307.26	
J	WLAN-Aux	to Bottom	5.26	
K	WLAN-Aux	Aux Antenna Length	7.75	
L	NB	Bumper thickness	3.46	
X	WLAN-Main	to User	15.02	
Y	WLAN-Aux	to User	15.02	
Z	NB	Keyboard depth	260.47	

G.5 Phantom liquid level during measurements

ELI phantom Head liquid SAR SPEAG HBBL600-10000V6 Batch – 210421-02



End of the report

This page is intentionally left blank and marks the last page of the test report.