


# Annex E. Photographs

## E.1 Test Sample



Test Report N° 240806-03.TR05



Laptop Sample 240806-03.S07




## E.2 Test positions

Laptop - SAR



Laptop - PD



### E.3 Antenna host platform location and adjacent edge positions relative to the body


Antenna positions			
Minimum Separation Distance			
Item	Antenna	Position	Distance (mm)
A	WLAN-Main	to Top	1.16mm
B	WLAN-Main	to Right	218.55mm
C	WLAN-Main	to Left	29.95mm
D-1	WLAN-Main	to Bottom of Laptop (Include Bumper)	3.35mm
D-2	WLAN-Main	to Bottom of Laptop (NOT include Bumper)	1.25mm
E	WLAN-Aux	to Top	1.16mm
F	WLAN-Aux	to Right	29.95 mm
G	WLAN-Aux	to Left	218.55mm
H-1	WLAN-Aux	to Bottom of Laptop (Include Bumper)	3.35mm
H-1	WLAN-Aux	to Bottom of Laptop (NOT include Bumper)	1.25mm
K	WLAN Main	to WLAN Aux	117.2mm

Laptop Mode			
	Main Antenna	3.35mm (Include Bumper)	197.7mm

**E.4 Phantom liquid level during measurements**

ELI phantom Head liquid SPEAG HBBL600-10000V6 Batch -210331-1



**End of the report**

**This page is intentionally left blank and marks the last page of the test report.**