

5. PHOTOGRAPHS

5.1. Photos of Powerline Conducted Measurement

Test Mode: Via D-Sub VGA Data Cable



FRONT VIEW OF CONDUCTED TEST



BACK VIEW OF CONDUCTED TEST

Test Mode: Via D-Sub VGA Data Cable



FRONT VIEW OF CONDUCTED TEST




BACK VIEW OF CONDUCTED TEST

5.2. Photos of Radiated Measurement at Open Field Test Site

Test Mode: Via D-Sub VGA Data Cable



FRONT VIEW OF RADIATED TEST



BACK VIEW OF RADIATED TEST

Test Mode: Via D-Sub VGA Data Cable (60KHz, 1024*768/75Hz)



SETUP WITH MAXIMUM DETECTED EMISSION AT HORIZONTAL POLARIZATION




SETUP WITH MAXIMUM DETECTED EMISSION AT VERTICAL POLARIZATION

Test Mode: Via AV or S-Video Data Cable



FRONT VIEW OF RADIATED TEST




BACK VIEW OF RADIATED TEST

Test Mode: Via AV Data Cable (15KHz, 60Hz)



SETUP WITH MAXIMUM DETECTED EMISSION AT HORIZONTAL POLARIZATION



SETUP WITH MAXIMUM DETECTED EMISSION AT VERTICAL POLARIZATION