



TEST REPORT

Application No.: SZEM2009009876CR
Applicant: Airspan Networks Inc
Address of Applicant: 777 Yamato Rd Suite 310, Boca Raton, Florida 33431, United States
Manufacturer: Airspan Networks Inc
Address of Manufacturer: 777 Yamato Rd Suite 310, Boca Raton, Florida 33431, United States
Equipment Under Test (EUT):
EUT Name: B42H/B43L/B48
Model No.: My-Pro-FC-B42H-43L-48-C12-CB
Trademark: Airspan
FCC ID: PIDASPOT5410
Standard(s) : 47 CFR Part 2
47 CFR Part 96
Date of Receipt: 2020-08-10
Date of Test: 2020-08-10 to 2020-09-29
Date of Issue: 2020-12-16

Test Result:	Pass
---------------------	-------------

* In the configuration tested, the EUT complied with the standards specified above.

Keny Xu

Keny Xu
EMC Laboratory Manager



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch EMC Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

Revision Record				
Version	Chapter	Date	Modifier	Remark
01		2020-12-16		Original

Authorized for issue by:			
			
		Calvin Weng /Project Engineer	
			
		Eric Fu /Reviewer	



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (SGS-CSTC Laboratory)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

2 Test Summary

Test Item	FCC Rule No.	Requirements	Verdict
Effective (Isotropic) Radiated Power Output Data	§2.1046, §96.41	EIRP ≤ 47dBm/10MHz PSD ≤ 37dBm/MHz (LTE Band 48)	PASS
Peak-Average Ratio	§96.41	≤13dB	PASS
Modulation Characteristics	§2.1047	Digital modulation	PASS
Bandwidth	§96.41	OBW: No limit EBW: No limit	PASS
Band Edge Compliance	§2.1051, §96.41	0-10 MHz: -13 dBm; 10-operating band edge MHz: -25 dBm; other: -40 dBm	PASS
Spurious emissions at antenna terminals	§2.1051, §96.41	≤ -40dBm (LTE Band 48)	PASS
Field strength of spurious radiation	§2.1051, §96.41	≤ -40dBm (LTE Band 48)	PASS
Frequency stability	§2.1055,	Fundamental emission stays within authorized frequency block	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch, Testing Center, EMC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

3 Contents

	Page
1 COVER PAGE	1
2 TEST SUMMARY	3
3 CONTENTS	4
4 GENERAL INFORMATION	6
4.1 Details of E.U.T.....	6
4.2 Test Frequency.....	7
4.3 Test Environment.....	7
4.4 Description of Support Units.....	7
4.5 Measurement Uncertainty	8
4.6 Test Location	9
4.7 Test Facility.....	9
4.8 Deviation from Standards.....	9
4.9 Abnormalities from Standard Conditions.....	9
5 EQUIPMENT LIST	10
6 RADIO SPECTRUM MATTER TEST RESULTS	13
6.1 Effective (Isotropic) Radiated Power Output Data	13
6.1.1 E.U.T. Operation	13
6.1.2 Test Setup Diagram	14
6.1.3 Measurement Data.....	15
6.2 Peak-Average Ratio	16
6.2.1 E.U.T. Operation	16
6.2.2 Test Setup Diagram	16
6.2.3 Measurement Data.....	16
6.3 Bandwidth.....	17
6.3.1 E.U.T. Operation	17
6.3.2 Test Setup Diagram	17
6.3.3 Measurement Data.....	17
6.4 Band Edge Compliance.....	18
6.4.1 E.U.T. Operation	18
6.4.2 Test Setup Diagram	19
6.4.3 Measurement Data.....	19
6.5 Spurious emissions at antenna terminals.....	20
6.5.1 E.U.T. Operation	20
6.5.2 Test Setup Diagram	21
6.5.3 Measurement Data.....	21
6.6 Field strength of spurious radiation.....	22
6.6.1 E.U.T. Operation	22
6.6.2 Test Setup Diagram	22
6.6.3 Measurement Procedure and Data.....	23



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

6.7	Frequency stability	34
6.7.1	E.U.T. Operation	34
6.7.2	Test Setup Diagram	34
6.7.3	Measurement Data	34
6.8	Modulation Characteristics	35
6.8.1	E.U.T. Operation	35
6.8.2	Test Setup Diagram	35
6.8.3	Measurement Data	35
7	PHOTOGRAPHS	36
7.1	Setup photo	36
7.2	EUT Constructional Details (EUT Photos)	36
8	APPENDIX F.....	37
8.1	Frequency stability	37
8.2	Modulation Characteristics	42-43



4 General Information

4.1 Details of E.U.T.

Power supply:	Adapter Model NO.: G0720-480-050 Input: 100-240V~50/60Hz, 0.75A Output: 48.0V, 0.5A
Test voltage:	AC 120V, 60Hz
Cable:	AC cable: 0.6m unshielded
Sample Type:	Fixed production
LTE Operation Frequency Band:	48
Frequency range:	3550-3700 MHz
Modulation Type:	UL: QPSK, 16QAM, 64QAM DL: QPSK, 16QAM, 64QAM, 256QAM
LTE Release Version:	R11
LTE Power Class:	Level 3
CA Capability MIMO:	DL 4CC 2X2 MIMO DL 3CC 2X2 MIMO DL 2CC 2X2 MIMO DL 2CC 4X4 MIMO DL 1CC 2X2 MIMO DL 1CC 4X4 MIMO UL 1CC 2X2 MIMO UL 2CC SISO Support Intra-band contiguous/non-contiguous CA and support UL MIMO
Antenna Type:	Panel Antenna Ant 4: RX Ant 3: TX & RX Ant 2: TX & RX Ant 1: RX
Antenna Gain:	18dBi
SIM Card:	This device has only one SIM Card sockets.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (SGS-CSTC Laboratory)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

4.2 Test Frequency

Test mode:	Nominal Bandwidth (MHz)	RF Channel		
		Low (L)	Middle (M)	High (H)
		MHz	MHz	MHz
LTE TDD Band 48	5	3552.5	3625.0	3697.5
	10	3550.0	3625.0	3695.0
	15	3557.5	3625.0	3692.5
	20	3560	3625.0	3690.0

4.3 Test Environment

Environment Parameter	Selected Values During Tests	
Relative Humidity	52%	
Atmospheric Pressure:	1015Pa	
Temperature:	TL	-30 °C
	TN	+20 °C
	TH	+50°C
Voltage:	VL	40.8 V
	VN	48.0 V
	VH	55.2 V

NOTE: VL= lower extreme test voltage
 VN= nominal voltage
 VH= upper extreme test voltage
 TL= lower extreme test temperature
 TN= normal temperature
 TH= upper extreme test temperature

4.4 Description of Support Units

Description	Manufacturer	Model No.	Serial No.
Laptop	Lenovo	T430u	REF. No.SEA1800



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

4.5 Measurement Uncertainty

No.	Item	Measurement Uncertainty
1	Radio Frequency	$\pm 7.25 \times 10^{-8}$
2	Duty cycle	$\pm 0.37\%$
3	Occupied Bandwidth	$\pm 3\%$
4	RF conducted power	$\pm 0.75\text{dB}$
5	RF power density	$\pm 2.84\text{dB}$
6	Conducted Spurious emissions	$\pm 0.75\text{dB}$
7	RF Radiated power	$\pm 4.5\text{dB}$ (below 1GHz)
		$\pm 4.8\text{dB}$ (above 1GHz)
8	Radiated Spurious emission test	$\pm 4.5\text{dB}$ (Below 1GHz)
		$\pm 4.8\text{dB}$ (Above 1GHz)
9	Temperature test	$\pm 1^{\circ}\text{C}$
10	Humidity test	$\pm 3\%$
11	Supply voltages	$\pm 1.5\%$
12	Time	$\pm 3\%$

4.6 Test Location

All tests were performed at:

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen Branch

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, Guangdong, China. 518057.

Tel: +86 755 2601 2053 Fax: +86 755 2671 0594

No tests were sub-contracted.

4.7 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

- **A2LA (Certificate No. 3816.01)**

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 3816.01.

- **VCCI**

The 3m Fully-anechoic chamber for above 1GHz, 10m Semi-anechoic chamber for below 1GHz, Shielded Room for Mains Port Conducted Interference Measurement and Telecommunication Port Conducted Interference Measurement of SGS-CSTC Standards Technical Services Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: G-20026, R-14188, C-12383 and T-11153 respectively.

- **FCC –Designation Number: CN1178**

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized as an accredited testing laboratory.

Designation Number: CN1178. Test Firm Registration Number: 406779.

- **Innovation, Science and Economic Development Canada**

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0006.

IC#: 4620C.

4.8 Deviation from Standards

None

4.9 Abnormalities from Standard Conditions

None



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch EMC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

5 Equipment List

RF test system					
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. Date	Cal. Due date
Shielding Room	SAEMC	MSR733	SEM001-09	2019-06-13	2022-06-12
Spectrum Analyzer	Rohde & Schwarz	FSU43	SEM004-08	2020-04-01	2021-03-31
DC Power Supply	Rohde & Schwarz	NGSM 32/10	SEM011-04	2020-03-24	2021-03-23
Manual Step Attenuator	KEYSIGHT	8494B	SEM021-05	2020-04-09	2021-04-08
Manual Step Attenuator	KEYSIGHT	8496B	SEM021-06	2020-04-09	2021-04-08
Power Sensor	KEYSIGHT	U2021XA	SEM009-20	2020-05-21	2021-05-20
Power Sensor	KEYSIGHT	U2021XA	SEM009-21	2020-05-21	2021-05-20
Programmable Temperature & Humidity Chamber	Votsch Industrietechnik GmbH	VT 4002	SEM002-15	2020-03-25	2021-03-24
Universal Radio Communication Tester	Rohde & Schwarz	CMW 500	SEM010-03	2020-04-01	2021-03-31
Measurement Software	TST	TST PASS V1.0.5	N/A	N/A	N/A
Coaxial Cable	SGS	N/A	SEM031-03	2020-07-10	2021-07-09



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

RE in Chamber (Above 1GHz)					
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. Date	Cal. Due date
3m Semi-Anechoic Chamber	AUDIX	N/A	SEM001-02	2018-03-13	2021-03-12
EXA Signal Analyzer (10Hz-44GHz)	Agilent Technologies Inc	N9010A	SEM004-12	2020-04-09	2021-04-08
BiConiLog Antenna (26-3000MHz)	ETS-Lindgren	3142C	SEM003-01	2020-06-27	2023-06-26
Horn Antenna (800MHz-18GHz)	Rohde & Schwarz	HF907	SEM003-07	2018-04-13	2021-04-12
Horn Antenna (15-40GHz)	Schwarzbeck	BBHA 9170	SEM003-15	2017-10-17	2020-10-16
Amplifier (0.1-1300MHz)	HP	8447D	SEM005-02	2019-09-24	2020-09-23
Amplifier (0.1-1300MHz)	HP	8447D	SEM005-02	2020-09-23	2021-09-22
Pre-Amplifier (0.1-26.5GHz)	Compliance Directions Systems Inc.	PAP-0126	SEM004-11	2019-09-24	2020-09-23
Pre-Amplifier (0.1-26.5GHz)	Compliance Directions Systems Inc.	PAP-0126	SEM004-11	2020-09-23	2021-09-22
Pre-amplifier (26-40GHz)	Compliance Directions Systems Inc.	PAP-2640-50	SEM005-08	2020-04-01	2021-03-31
Measurement Software	AUDIX	e3 V8.2014-6-27	N/A	N/A	N/A
Coaxial Cable	SGS	N/A	SEM026-01	2020-07-10	2021-07-09
Universal Radio Communication Tester	Rohde & Schwarz	CMW 500	SEM010-03	2020-04-01	2021-03-31



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

RE in Chamber (Below 1GHz)					
Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. Date	Cal. Due date
3m Semi-Anechoic Chamber	ETS-LINDGREN	N/A	SEM001-01	2020-08-04	2023-08-03
MXE EMI receiver (3Hz-3.6GHz)	KEYSIGHT	N9038A	SEM004-15	2019-12-16	2020-12-15
BiConiLog Antenna (26-3000MHz)	ETS-LINDGREN	3142C	SEM003-02	2019-05-24	2022-05-23
Pre-amplifier (0.1-1300MHz)	Agilent Technologies	8447D	SEM005-01	2020-04-01	2021-03-31
Measurement Software	AUDIX	e3 V8.2014-6-27	N/A	N/A	N/A
Coaxial Cable	SGS	N/A	SEM025-01	2020-07-10	2021-07-09
Universal Radio Communication Tester	Rohde & Schwarz	CMW 500	SEM010-03	2020-04-01	2021-03-31

General used equipment					
Equipment	Manufacturer	Model No	Inventory No	Cal Date	Cal Due Date
Humidity/ Temperature Indicator	Shanghai Meteorological Industry Factory	ZJ1-2B	SEM002-04	2019-09-16	2020-09-15
Humidity/ Temperature Indicator	Shanghai Meteorological Industry Factory	ZJ1-2B	SEM002-04	2020-09-15	2021-09-14
Humidity/ Temperature Indicator	Mingle	N/A	SEM002-08	2019-09-16	2020-09-15
Humidity/ Temperature Indicator	Mingle	N/A	SEM002-08	2020-09-15	2021-09-14
Barometer	Changchun Meteorological Industry Factory	DYM3	SEM002-01	2020-04-07	2021-04-06



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

6 Radio Spectrum Matter Test Results

6.1 Effective (Isotropic) Radiated Power Output Data

Test Requirement: §2.1046, §96.41
Test Method: ANSI C63.26, KDB 971168 D01 v03
Limit: EIRP≤ 47dBm/10MHz, PSD≤ 37dBm/MHz (LTE Band 48)

6.1.1 E.U.T. Operation

Operating Environment:
Temperature: 22.5 °C Humidity: 68.1 % RH Atmospheric Pressure: 1010 mbar
Test mode: 00: Tx mode: Keep the EUT in transmitting mode.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (SGS-CSTC Laboratory)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

6.1.2 Test Setup Diagram



Test setup for Power measurement



Test setup for PSD measurement

6.1.3 Measurement Data

Please refer to Appendix A-Output power



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
 Shenzhen Branch (SGS-CSTC Laboratory)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


6.2 Peak-Average Ratio

Test Requirement: §96.41
Test Method: ANSI C63.26, KDB 971168 D01 v03
Limit: ≤13dB

6.2.1 E.U.T. Operation

Operating Environment:
Temperature: 22.5 °C Humidity: 68.1 % RH Atmospheric Pressure: 1010 mbar
Test mode: 00: Tx mode: Keep the EUT in transmitting mode.

6.2.2 Test Setup Diagram



6.2.3 Measurement Data

Please refer to Appendix B- Peak-Average Ratio

6.3 Bandwidth

Test Requirement: S2.1049(h)
Test Method: ANSI C63.26, KDB 971168 D01 v03
Limit: OBW: No limit
EBW: No limit


6.3.1 E.U.T. Operation

Operating Environment:

Temperature: 22.5 °C Humidity: 68.1 % RH Atmospheric Pressure: 1010 mbar

Test mode: 00: Tx mode: Keep the EUT in transmitting mode.

6.3.2 Test Setup Diagram



6.3.3 Measurement Data

Please refer to Appendix C- Bandwidth

6.4 Band Edge Compliance

Test Requirement: §2.1051, §96.41

Test Method: ANSI C63.26, KDB 971168 D01 v03

Limit: Except as otherwise specified in paragraph (e)(2) of this section, for channel and frequency assignments made by the SAS to CBSDs, the conducted power of any CBSD emission outside the fundamental emission bandwidth as specified in paragraph (e)(3) of this section (whether the emission is inside or outside of the authorized band) shall not exceed -13 dBm/MHz within 0-10 megahertz above the upper SAS-assigned channel edge and within 0-10 megahertz below the lower SAS-assigned channel edge. At all frequencies greater than 10 megahertz above the upper SAS assigned channel edge and less than 10 MHz below the lower SAS assigned channel edge, the conducted power of any CBSD emission shall not exceed -25 dBm/MHz. The upper and lower SAS assigned channel edges are the upper and lower limits of any channel assigned to a CBSD by an SAS, or in the case of multiple contiguous channels, the upper and lower limits of the combined contiguous channels.

Additional protection levels. Notwithstanding paragraph (e)(1) of this section, for CBSDs and End User Devices, the conducted power of emissions below 3540 MHz or above 3710 MHz shall not exceed -25 dBm/MHz, and the conducted power of emissions below 3530 MHz or above 3720 MHz shall not exceed -40dBm/MHz.

6.4.1 E.U.T. Operation

Operating Environment:

Temperature: 22.5 °C Humidity: 68.1 % RH Atmospheric Pressure: 1010 mbar

Test mode: 00: Tx mode: Keep the EUT in transmitting mode.




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

6.4.2 Test Setup Diagram



6.4.3 Measurement Data

Please refer to Appendix D- Band Edge

6.5 Spurious emissions at antenna terminals

Test Requirement: §2.1051, §96.41

Test Method: ANSI C63.26, KDB 971168 D01 v03

Limit: Except as otherwise specified in paragraph (e)(2) of this section, for channel and frequency assignments made by the SAS to CBSDs, the conducted power of any CBSD emission outside the fundamental emission bandwidth as specified in paragraph (e)(3) of this section (whether the emission is inside or outside of the authorized band) shall not exceed -13 dBm/MHz within 0-10 megahertz above the upper SAS-assigned channel edge and within 0-10 megahertz below the lower SAS-assigned channel edge. At all frequencies greater than 10 megahertz above the upper SAS assigned channel edge and less than 10 MHz below the lower SAS assigned channel edge, the conducted power of any CBSD emission shall not exceed -25 dBm/MHz. The upper and lower SAS assigned channel edges are the upper and lower limits of any channel assigned to a CBSD by an SAS, or in the case of multiple contiguous channels, the upper and lower limits of the combined contiguous channels.

Additional protection levels. Notwithstanding paragraph (e)(1) of this section, for CBSDs and End User Devices, the conducted power of emissions below 3540 MHz or above 3710 MHz shall not exceed -25 dBm/MHz, and the conducted power of emissions below 3530 MHz or above 3720 MHz shall not exceed -40dBm/MHz.

6.5.1 E.U.T. Operation


Operating Environment:

Temperature: 22.5 °C Humidity: 68.1 % RH Atmospheric Pressure: 1010 mbar

Test mode: 00: Tx mode: Keep the EUT in transmitting mode.



6.5.2 Test Setup Diagram



6.5.3 Measurement Data

Please refer to Appendix D- Spurious emissions at antenna terminals

6.6 Field strength of spurious radiation

Test Requirement: §2.1051, §96.41

Test Method: ANSI C63.26, KDB 971168 D01 v03

Limit: Except as otherwise specified in paragraph (e)(2) of this section, for channel and frequency assignments made by the SAS to CBSDs, the conducted power of any CBSD emission outside the fundamental emission bandwidth as specified in paragraph (e)(3) of this section (whether the emission is inside or outside of the authorized band) shall not exceed -13 dBm/MHz within 0-10 megahertz above the upper SAS-assigned channel edge and within 0-10 megahertz below the lower SAS-assigned channel edge. At all frequencies greater than 10 megahertz above the upper SAS assigned channel edge and less than 10 MHz below the lower SAS assigned channel edge, the conducted power of any CBSD emission shall not exceed -25 dBm/MHz. The upper and lower SAS assigned channel edges are the upper and lower limits of any channel assigned to a CBSD by an SAS, or in the case of multiple contiguous channels, the upper and lower limits of the combined contiguous channels.

Additional protection levels. Notwithstanding paragraph (e)(1) of this section, for CBSDs and End User Devices, the conducted power of emissions below 3540 MHz or above 3710 MHz shall not exceed -25 dBm/MHz, and the conducted power of emissions below 3530 MHz or above 3720 MHz shall not exceed -40dBm/MHz.


6.6.1 E.U.T. Operation

Operating Environment:

Temperature: 23.5 °C Humidity: 68.5 % RH Atmospheric Pressure: 1010 mbar

Test mode: 00: Tx mode: Keep the EUT in transmitting mode.

6.6.2 Test Setup Diagram



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: C.N.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

6.6.3 Measurement Procedure and Data

Test Procedure:

- (1) On a test site, the EUT shall be placed on a turntable and in the position closest to the normal use as declared by the user.
- (2) The test antenna shall be oriented initially for vertical polarization located 3m from the EUT to correspond to the transmitter.
- (3) The output of the antenna shall be connected to the measuring receiver and either a peak or quasi-peak detector was used for the measurement as indicated on the report. The detector selection is based on how close the emission level was approaching the limit.
- (4) The transmitter shall be switched on; if possible, without the modulation and the measurement receiver shall be tuned to the frequency of the transmitter under test.
- (5) The test antenna shall be raised and lowered through the specified range of height until the measuring receiver detects a maximum signal level.
- (6) The transmitter shall then be rotated through 360° in the horizontal plane, until the maximum signal level is detected by the measuring receiver.
- (7) The test antenna shall be raised and lowered again through the specified range of height until the measuring receiver detects a maximum signal level.
- (8) The maximum signal level detected by the measuring receiver shall be noted.
- (9) The measurement shall be repeated with the test antenna set to horizontal polarization.
- (10) Replace the antenna with a proper Antenna (substitution antenna).
- (11) The substitution antenna shall be oriented for vertical polarization and, if necessary, the length of the substitution antenna shall be adjusted to correspond to the frequency of transmitting.
- (12) The substitution antenna shall be connected to a calibrated signal generator.
- (13) If necessary, the input attenuator setting of the measuring receiver shall be adjusted in order to increase the sensitivity of the measuring receiver.
- (14) The test antenna shall be raised and lowered through the specified range of the height to ensure that the maximum signal is received.
- (15) The input signal to substitution antenna shall be adjusted to the level that produces a level detected by the measuring receiver, that is equal to the level noted while the transmitter radiated power was measured, corrected for the change of input attenuation setting of the measuring receiver.
- (16) The input level to the substitution antenna shall be recorded as power level in dBm, corrected for any change of input attenuator setting of the measuring receiver.
- (17) The measurement shall be repeated with the test antenna and the substitution antenna oriented for horizontal polarization.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SISO Ant 3

LTE Band 48_QPSK_5MHz_Low Channel								
Frequency (MHz)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	Polarization (H/V)	Result
7105	-61.5	1	12.9	-49.6	-40	-9.6	Horizontal	Pass
10657.5	-63.99	1.49	13.5	-51.98	-40	-11.98	Horizontal	Pass
14210	-63.39	1.67	13.6	-51.46	-40	-11.46	Horizontal	Pass
7105	-61.08	1	12.9	-49.18	-40	-9.18	Vertical	Pass
10657.5	-64.5	1.49	13.5	-52.49	-40	-12.49	Vertical	Pass
14210	-63.27	1.67	13.6	-51.34	-40	-11.34	Vertical	Pass

LTE Band 48_QPSK_5MHz_Middle Channel								
Frequency (MHz)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	Polarization (H/V)	Result
7250	-61.23	1	12.9	-49.33	-40	-9.33	Horizontal	Pass
10875	-64.11	1.49	13.5	-52.1	-40	-12.1	Horizontal	Pass
14500	-60.54	1.37	12.4	-49.51	-40	-9.51	Horizontal	Pass
7250	-60.14	1	12.9	-48.24	-40	-8.24	Vertical	Pass
10875	-64.18	1.49	13.5	-52.17	-40	-12.17	Vertical	Pass
14500	-60.33	1.37	12.4	-49.3	-40	-9.3	Vertical	Pass

LTE Band 48_QPSK_5MHz_High Channel								
Frequency (MHz)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	Polarization (H/V)	Result
7395	-60.02	1	12.9	-48.12	-40	-8.12	Horizontal	Pass
11092.5	-61.5	1.59	13.6	-49.49	-40	-9.49	Horizontal	Pass
14790	-57.12	1.37	12.4	-46.09	-40	-6.09	Horizontal	Pass
7395	-60.26	1	12.9	-48.36	-40	-8.36	Vertical	Pass
11092.5	-61.29	1.59	13.6	-49.28	-40	-9.28	Vertical	Pass
14790	-57.63	1.37	12.4	-46.6	-40	-6.6	Vertical	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: C.N.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

LTE Band 48_QPSK_10MHz_Low Channel								
Frequency (MHz)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	Polarization (H/V)	Result
7110	-60.95	1	12.9	-49.05	-40	-9.05	Horizontal	Pass
10665	-63.09	1.49	13.5	-51.08	-40	-11.08	Horizontal	Pass
14220	-62.43	1.67	13.6	-50.5	-40	-10.5	Horizontal	Pass
7110	-60.9	1	12.9	-49	-40	-9	Vertical	Pass
10665	-63.75	1.49	13.5	-51.74	-40	-11.74	Vertical	Pass
14220	-62.6	1.67	13.6	-50.67	-40	-10.67	Vertical	Pass

LTE Band 48_QPSK_10MHz_Middle Channel								
Frequency (MHz)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	Polarization (H/V)	Result
7250	-74.44	1	12.9	-62.54	-40	-22.54	Horizontal	Pass
10875	-84.1	1.49	13.5	-72.09	-40	-32.09	Horizontal	Pass
14500	-80.99	1.37	12.4	-69.96	-40	-29.96	Horizontal	Pass
7250	-74.6	1	12.9	-62.7	-40	-22.7	Vertical	Pass
10875	-84.96	1.49	13.5	-72.95	-40	-32.95	Vertical	Pass
14500	-80.16	1.37	12.4	-69.13	-40	-29.13	Vertical	Pass

LTE Band 48_QPSK_10MHz_High Channel								
Frequency (MHz)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	Polarization (H/V)	Result
7390	-60.98	1	12.9	-49.08	-40	-9.08	Horizontal	Pass
11085	-62.72	1.59	13.6	-50.71	-40	-10.71	Horizontal	Pass
14780	-57.86	1.37	12.4	-46.83	-40	-6.83	Horizontal	Pass
7390	-61.38	1	12.9	-49.48	-40	-9.48	Vertical	Pass
11085	-63.38	1.59	13.6	-51.37	-40	-11.37	Vertical	Pass
14780	-58.1	1.37	12.4	-47.07	-40	-7.07	Vertical	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: C.N.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

LTE Band 48_QPSK_15MHz_Low Channel								
Frequency (MHz)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	Polarization (H/V)	Result
7115	-62.12	1	12.9	-50.22	-40	-10.22	Horizontal	Pass
10672.5	-64.23	1.49	13.5	-52.22	-40	-12.22	Horizontal	Pass
14230	-62.82	1.67	13.6	-50.89	-40	-10.89	Horizontal	Pass
7115	-62.02	1	12.9	-50.12	-40	-10.12	Vertical	Pass
10672.5	-63.31	1.49	13.5	-51.3	-40	-11.3	Vertical	Pass
14230	-63.07	1.67	13.6	-51.14	-40	-11.14	Vertical	Pass

LTE Band 48_QPSK_15MHz_Middle Channel								
Frequency (MHz)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	Polarization (H/V)	Result
7250	-61.5	1	12.9	-49.6	-40	-9.6	Horizontal	Pass
10875	-62.79	1.49	13.5	-50.78	-40	-10.78	Horizontal	Pass
14500	-61.04	1.37	12.4	-50.01	-40	-10.01	Horizontal	Pass
7250	-61.07	1	12.9	-49.17	-40	-9.17	Vertical	Pass
10875	-64.17	1.49	13.5	-52.16	-40	-12.16	Vertical	Pass
14500	-60.26	1.37	12.4	-49.23	-40	-9.23	Vertical	Pass

LTE Band 48_QPSK_15MHz_High Channel								
Frequency (MHz)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	Polarization (H/V)	Result
7385	-61.78	1	12.9	-49.88	-40	-9.88	Horizontal	Pass
11077.5	-61.53	1.59	13.6	-49.52	-40	-9.52	Horizontal	Pass
14770	-57.2	1.37	12.4	-46.17	-40	-6.17	Horizontal	Pass
7385	-61.13	1	12.9	-49.23	-40	-9.23	Vertical	Pass
11077.5	-61.02	1.59	13.6	-49.01	-40	-9.01	Vertical	Pass
14770	-57.71	1.37	12.4	-46.68	-40	-6.68	Vertical	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: C.N.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

LTE Band 48_QPSK_20MHz_Low Channel								
Frequency (MHz)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	Polarization (H/V)	Result
7120	-61.25	1	12.9	-49.35	-40	-9.35	Horizontal	Pass
10680	-62.98	1.49	13.5	-50.97	-40	-10.97	Horizontal	Pass
14240	-62.15	1.67	13.6	-50.22	-40	-10.22	Horizontal	Pass
7120	-60.09	1	12.9	-48.19	-40	-8.19	Vertical	Pass
10680	-64.07	1.49	13.5	-52.06	-40	-12.06	Vertical	Pass
14240	-63.1	1.67	13.6	-51.17	-40	-11.17	Vertical	Pass

LTE Band 48_QPSK_20MHz_Middle Channel								
Frequency (MHz)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	Polarization (H/V)	Result
7250	-61.3	1	12.9	-49.4	-40	-9.4	Horizontal	Pass
10875	-64.07	1.49	13.5	-52.06	-40	-12.06	Horizontal	Pass
14500	-60.97	1.37	12.4	-49.94	-40	-9.94	Horizontal	Pass
7250	-60.24	1	12.9	-48.34	-40	-8.34	Vertical	Pass
10875	-63.19	1.49	13.5	-51.18	-40	-11.18	Vertical	Pass
14500	-60.95	1.37	12.4	-49.92	-40	-9.92	Vertical	Pass

LTE Band 48_QPSK_20MHz_High Channel								
Frequency (MHz)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	Polarization (H/V)	Result
7380	-60.27	1	12.9	-48.37	-40	-8.37	Horizontal	Pass
11070	-61.77	1.59	13.6	-49.76	-40	-9.76	Horizontal	Pass
14760	-57.39	1.37	12.4	-46.36	-40	-6.36	Horizontal	Pass
7380	-60.45	1	12.9	-48.55	-40	-8.55	Vertical	Pass
11070	-62.11	1.59	13.6	-50.1	-40	-10.1	Vertical	Pass
14760	-57.3	1.37	12.4	-46.27	-40	-6.27	Vertical	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: C.N.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

LTE Band 48_QPSK_ Intra-band CA non-contiguous_5+5MHz _Low Channel								
Frequency (MHz)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	Polarization (H/V)	Result
7105	-60.66	1	12.9	-48.76	-40	-8.76	Horizontal	Pass
10657.5	-64.53	1.49	13.5	-52.52	-40	-12.52	Horizontal	Pass
14210	-63.34	1.67	13.6	-51.41	-40	-11.41	Horizontal	Pass
7105	-60.34	1	12.9	-48.44	-40	-8.44	Vertical	Pass
10657.5	-64.79	1.49	13.5	-52.78	-40	-12.78	Vertical	Pass
14210	-62.98	1.67	13.6	-51.05	-40	-11.05	Vertical	Pass

LTE Band 48_QPSK_ Intra-band CA non-contiguous_5+5MHz _ Middle Channel								
Frequency (MHz)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	Polarization (H/V)	Result
7250	-62.02	1	12.9	-50.12	-40	-10.12	Horizontal	Pass
10875	-64.18	1.49	13.5	-52.17	-40	-12.17	Horizontal	Pass
14500	-61.15	1.37	12.4	-50.12	-40	-10.12	Horizontal	Pass
7250	-61.37	1	12.9	-49.47	-40	-9.47	Vertical	Pass
10875	-64.05	1.49	13.5	-52.04	-40	-12.04	Vertical	Pass
14500	-60.9	1.37	12.4	-49.87	-40	-9.87	Vertical	Pass

LTE Band 48_QPSK_ Intra-band CA non-contiguous_5+5MHz _ High Channel								
Frequency (MHz)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	Polarization (H/V)	Result
7395	-61.45	1	12.9	-49.55	-40	-9.55	Horizontal	Pass
11092.5	-61.1	1.59	13.6	-49.09	-40	-9.09	Horizontal	Pass
14790	-57.66	1.37	12.4	-46.63	-40	-6.63	Horizontal	Pass
7395	-60.35	1	12.9	-48.45	-40	-8.45	Vertical	Pass
11092.5	-62.05	1.59	13.6	-50.04	-40	-10.04	Vertical	Pass
14790	-56.92	1.37	12.4	-45.89	-40	-5.89	Vertical	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: C.N.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

LTE Band 48_QPSK_ Intra-band CA contiguous_5+5 MHz Low Channel								
Frequency (MHz)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	Polarization (H/V)	Result
7105	-61.92	1	12.9	-50.02	-40	-10.02	Horizontal	Pass
10657.5	-64.99	1.49	13.5	-52.98	-40	-12.98	Horizontal	Pass
14210	-63.69	1.67	13.6	-51.76	-40	-11.76	Horizontal	Pass
7105	-59	1	12.9	-47.1	-40	-7.1	Vertical	Pass
10657.5	-65.23	1.49	13.5	-53.22	-40	-13.22	Vertical	Pass
14210	-62.51	1.67	13.6	-50.58	-40	-10.58	Vertical	Pass

LTE Band 48_QPSK_ Intra-band CA contiguous_5+5 MHz Middle Channel								
Frequency (MHz)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	Polarization (H/V)	Result
7250	-60.19	1	12.9	-48.29	-40	-8.29	Horizontal	Pass
10875	-62.43	1.49	13.5	-50.42	-40	-10.42	Horizontal	Pass
14500	-61.29	1.37	12.4	-50.26	-40	-10.26	Horizontal	Pass
7250	-60.01	1	12.9	-48.11	-40	-8.11	Vertical	Pass
10875	-64.02	1.49	13.5	-52.01	-40	-12.01	Vertical	Pass
14500	-60.61	1.37	12.4	-49.58	-40	-9.58	Vertical	Pass

LTE Band 48_QPSK_ Intra-band CA contiguous_5+5 MHz High Channel								
Frequency (MHz)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	Polarization (H/V)	Result
7395	-60.59	1	12.9	-48.69	-40	-8.69	Horizontal	Pass
11092.5	-61.53	1.59	13.6	-49.52	-40	-9.52	Horizontal	Pass
14790	-57.77	1.37	12.4	-46.74	-40	-6.74	Horizontal	Pass
7395	-61.65	1	12.9	-49.75	-40	-9.75	Vertical	Pass
11092.5	-61.7	1.59	13.6	-49.69	-40	-9.69	Vertical	Pass
14790	-57.36	1.37	12.4	-46.33	-40	-6.33	Vertical	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: C.N.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

MIMO:

LTE Band 48_QPSK_5MHz_Low Channel								
Frequency (MHz)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	Polarization (H/V)	Result
7105	-61.98	1	12.9	-50.08	-40	-10.08	Horizontal	Pass
10657.5	-64.38	1.49	13.5	-52.37	-40	-12.37	Horizontal	Pass
14210	-62.88	1.67	13.6	-50.95	-40	-10.95	Horizontal	Pass
7105	-61.27	1	12.9	-49.37	-40	-9.37	Vertical	Pass
10657.5	-65.12	1.49	13.5	-53.11	-40	-13.11	Vertical	Pass
14210	-62.84	1.67	13.6	-50.91	-40	-10.91	Vertical	Pass

LTE Band 48_QPSK_5MHz_Middle Channel								
Frequency (MHz)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	Polarization (H/V)	Result
7250	-60.48	1	12.9	-48.58	-40	-8.58	Horizontal	Pass
10875	-64.45	1.49	13.5	-52.44	-40	-12.44	Horizontal	Pass
14500	-60.56	1.37	12.4	-49.53	-40	-9.53	Horizontal	Pass
7250	-59.25	1	12.9	-47.35	-40	-7.35	Vertical	Pass
10875	-63.92	1.49	13.5	-51.91	-40	-11.91	Vertical	Pass
14500	-60.46	1.37	12.4	-49.43	-40	-9.43	Vertical	Pass

LTE Band 48_QPSK_5MHz_High Channel								
Frequency (MHz)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	Polarization (H/V)	Result
7395	-60.18	1	12.9	-48.28	-40	-8.28	Horizontal	Pass
11092.5	-60.78	1.59	13.6	-48.77	-40	-8.77	Horizontal	Pass
14790	-56.72	1.37	12.4	-45.69	-40	-5.69	Horizontal	Pass
7395	-59.68	1	12.9	-47.78	-40	-7.78	Vertical	Pass
11092.5	-61.63	1.59	13.6	-49.62	-40	-9.62	Vertical	Pass
14790	-56.69	1.37	12.4	-45.66	-40	-5.66	Vertical	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: C.N.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

LTE Band 48_QPSK_10MHz_Low Channel								
Frequency (MHz)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	Polarization (H/V)	Result
7110	-60.38	1	12.9	-48.48	-40	-8.48	Horizontal	Pass
10665	-63.92	1.49	13.5	-51.91	-40	-11.91	Horizontal	Pass
14220	-61.45	1.67	13.6	-49.52	-40	-9.52	Horizontal	Pass
7110	-61.39	1	12.9	-49.49	-40	-9.49	Vertical	Pass
10665	-63.54	1.49	13.5	-51.53	-40	-11.53	Vertical	Pass
14220	-62.51	1.67	13.6	-50.58	-40	-10.58	Vertical	Pass

LTE Band 48_QPSK_10MHz_Middle Channel								
Frequency (MHz)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	Polarization (H/V)	Result
7250	-61.47	1	12.9	-49.57	-40	-9.57	Horizontal	Pass
10875	-63.6	1.49	13.5	-51.59	-40	-11.59	Horizontal	Pass
14500	-62.03	1.37	12.4	-51	-40	-11	Horizontal	Pass
7250	-60.9	1	12.9	-49	-40	-9	Vertical	Pass
10875	-63.42	1.49	13.5	-51.41	-40	-11.41	Vertical	Pass
14500	-60.92	1.37	12.4	-49.89	-40	-9.89	Vertical	Pass

LTE Band 48_QPSK_10MHz_High Channel								
Frequency (MHz)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	Polarization (H/V)	Result
7390	-60.93	1	12.9	-49.03	-40	-9.03	Horizontal	Pass
11085	-61.8	1.59	13.6	-49.79	-40	-9.79	Horizontal	Pass
14780	-57.92	1.37	12.4	-46.89	-40	-6.89	Horizontal	Pass
7390	-62.19	1	12.9	-50.29	-40	-10.29	Vertical	Pass
11085	-63.31	1.59	13.6	-51.3	-40	-11.3	Vertical	Pass
14780	-57.92	1.37	12.4	-46.89	-40	-6.89	Vertical	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: C.N.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

LTE Band 48_QPSK_15MHz_Low Channel								
Frequency (MHz)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	Polarization (H/V)	Result
7115	-62.3	1	12.9	-50.4	-40	-10.4	Horizontal	Pass
10672.5	-63.56	1.49	13.5	-51.55	-40	-11.55	Horizontal	Pass
14230	-62.42	1.67	13.6	-50.49	-40	-10.49	Horizontal	Pass
7115	-61.42	1	12.9	-49.52	-40	-9.52	Vertical	Pass
10672.5	-62.61	1.49	13.5	-50.6	-40	-10.6	Vertical	Pass
14230	-63.45	1.67	13.6	-51.52	-40	-11.52	Vertical	Pass

LTE Band 48_QPSK_15MHz_Middle Channel								
Frequency (MHz)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	Polarization (H/V)	Result
7250	-61.85	1	12.9	-49.95	-40	-9.95	Horizontal	Pass
10875	-63.36	1.49	13.5	-51.35	-40	-11.35	Horizontal	Pass
14500	-62.02	1.37	12.4	-50.99	-40	-10.99	Horizontal	Pass
7250	-60.42	1	12.9	-48.52	-40	-8.52	Vertical	Pass
10875	-63.97	1.49	13.5	-51.96	-40	-11.96	Vertical	Pass
14500	-60.31	1.37	12.4	-49.28	-40	-9.28	Vertical	Pass

LTE Band 48_QPSK_15MHz_High Channel								
Frequency (MHz)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	Polarization (H/V)	Result
7385	-61.01	1	12.9	-49.11	-40	-9.11	Horizontal	Pass
11077.5	-62.01	1.59	13.6	-50	-40	-10	Horizontal	Pass
14770	-58	1.37	12.4	-46.97	-40	-6.97	Horizontal	Pass
7385	-60.21	1	12.9	-48.31	-40	-8.31	Vertical	Pass
11077.5	-61.09	1.59	13.6	-49.08	-40	-9.08	Vertical	Pass
14770	-58.6	1.37	12.4	-47.57	-40	-7.57	Vertical	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: C.N.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

LTE Band 48_QPSK_20MHz_Low Channel								
Frequency (MHz)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	Polarization (H/V)	Result
7120	-61.36	1	12.9	-49.46	-40	-9.46	Horizontal	Pass
10680	-63.75	1.49	13.5	-51.74	-40	-11.74	Horizontal	Pass
14240	-61.65	1.67	13.6	-49.72	-40	-9.72	Horizontal	Pass
7120	-59.38	1	12.9	-47.48	-40	-7.48	Vertical	Pass
10680	-64.21	1.49	13.5	-52.2	-40	-12.2	Vertical	Pass
14240	-62.62	1.67	13.6	-50.69	-40	-10.69	Vertical	Pass

LTE Band 48_QPSK_20MHz_Middle Channel								
Frequency (MHz)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	Polarization (H/V)	Result
7250	-61.21	1	12.9	-49.31	-40	-9.31	Horizontal	Pass
10875	-64.47	1.49	13.5	-52.46	-40	-12.46	Horizontal	Pass
14500	-60.61	1.37	12.4	-49.58	-40	-9.58	Horizontal	Pass
7250	-61.24	1	12.9	-49.34	-40	-9.34	Vertical	Pass
10875	-62.2	1.49	13.5	-50.19	-40	-10.19	Vertical	Pass
14500	-60.19	1.37	12.4	-49.16	-40	-9.16	Vertical	Pass

LTE Band 48_QPSK_20MHz_High Channel								
Frequency (MHz)	S.G. Power (dBm)	Cable loss (dB)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	Polarization (H/V)	Result
7380	-60.95	1	12.9	-49.05	-40	-9.05	Horizontal	Pass
11070	-61.52	1.59	13.6	-49.51	-40	-9.51	Horizontal	Pass
14760	-57.58	1.37	12.4	-46.55	-40	-6.55	Horizontal	Pass
7380	-59.81	1	12.9	-47.91	-40	-7.91	Vertical	Pass
11070	-62.58	1.59	13.6	-50.57	-40	-10.57	Vertical	Pass
14760	-57.84	1.37	12.4	-46.81	-40	-6.81	Vertical	Pass

Remark:

- 1) Pretest with normal and extreme conditions, only the worst case data was showed in the test report.
- 2) We have tested all modulation and all Channel, but only the worst case data displayed in this report.
- 3) For CA test, only recorded the worst case of 5+5MHz configuration for contiguous and non-contiguous mode.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: C.N.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

6.7 Frequency stability

Test Requirement: §2.1055

Test Method: ANSI C63.26, KDB 971168 D01 v03

Limit: Fundamental emission stays within authorized frequency block


6.7.1 E.U.T. Operation

Operating Environment:

Temperature: 22.5 °C Humidity: 68.1 % RH Atmospheric Pressure: 1010 mbar

Test mode: 00: Tx mode: Keep the EUT in transmitting mode.

6.7.2 Test Setup Diagram



6.7.3 Measurement Data

Please refer to Appendix F


6.8 Modulation Characteristics

Test Requirement: S2.1047
Test Method: ANSI C63.26, KDB 971168 D01 v03
Limit: Digital modulation

6.8.1 E.U.T. Operation

Operating Environment:
Temperature: 22.5 °C Humidity: 68.1 % RH Atmospheric Pressure: 1010 mbar
Test mode: 00: Tx mode: Keep the EUT in transmitting mode.

6.8.2 Test Setup Diagram



6.8.3 Measurement Data

Please refer to Appendix F

7 Photographs

7.1 Setup photo

Please refer to setup photos.

7.2 EUT Constructional Details (EUT Photos)

Please Refer to external and internal photos for details.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
 Shenzhen Branch (SGS-CSTC Laboratory)

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

8 Appendix F

8.1 Frequency stability

Remark: only recorded worst case of MIMO mode @ant 3.

Test Band: 48 _ 5MHz Bandwidth (Frequency Error VS. Voltage)												
Test Mode	RB Allocation		Test Temp.	Test Volt.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
	Size	Offset			LCH	MCH	HCH	LCH	MCH	HCH		
64QAM	25	0	NT	LV	-1	-3	-8	-0.0003	-0.0007	-0.0023	2.50	PASS
				NV	-5	-7	-4	-0.0014	-0.0020	-0.0010	2.50	PASS
				HV	-6	6	-5	-0.0018	0.0018	-0.0013	2.50	PASS
16QAM	25	0	NT	LV	2	6	5	0.0005	0.0017	0.0015	2.50	PASS
				NV	5	-3	2	0.0013	-0.0009	0.0004	2.50	PASS
				HV	0	-1	5	0.0001	-0.0003	0.0013	2.50	PASS
QPSK	25	0	NT	LV	6	-9	-3	0.0018	-0.0024	-0.0009	2.50	PASS
				NV	5	9	-8	0.0014	0.0024	-0.0021	2.50	PASS
				HV	1	3	4	0.0003	0.0008	0.0010	2.50	PASS

Test Band: 48 _ 5MHz Bandwidth (Frequency Error VS. Temperature)												
Test Mode	RB Allocation		Test Temp.	Test Volt.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
	Size	Offset			LCH	MCH	HCH	LCH	MCH	HCH		
64QAM	25	0	NV	-30.00	6	-7	7	0.0017	-0.0020	0.0019	2.50	PASS
				-20.00	7	9	4	0.0019	0.0024	0.0010	2.50	PASS
				-10.00	-8	9	0	-0.0022	0.0024	0.0000	2.50	PASS
				0.00	2	-1	-6	0.0006	-0.0004	-0.0018	2.50	PASS
				10.00	-6	6	-3	-0.0017	0.0016	-0.0009	2.50	PASS
				20.00	4	7	9	0.0012	0.0021	0.0023	2.50	PASS
				30.00	0	6	2	0.0000	0.0017	0.0005	2.50	PASS
				40.00	-9	5	-5	-0.0025	0.0013	-0.0013	2.50	PASS
				50.00	-1	-9	-1	-0.0003	-0.0025	-0.0001	2.50	PASS
16QAM	25	0	NV	-30.00	3	0	-2	0.0010	-0.0001	-0.0005	2.50	PASS
				-20.00	9	-7	-4	0.0025	-0.0018	-0.0012	2.50	PASS
				-10.00	8	-8	0	0.0022	-0.0023	0.0001	2.50	PASS
				0.00	-2	5	6	-0.0007	0.0014	0.0016	2.50	PASS
				10.00	6	-8	-6	0.0018	-0.0023	-0.0016	2.50	PASS
				20.00	0	8	0	0.0000	0.0021	0.0001	2.50	PASS
				30.00	6	0	-8	0.0017	0.0000	-0.0022	2.50	PASS
				40.00	6	6	-2	0.0018	0.0015	-0.0005	2.50	PASS
				50.00	-6	-5	-1	-0.0017	-0.0013	-0.0002	2.50	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

QPSK	25	0	NV	-30.00	8	6	-3	0.0023	0.0016	-0.0007	2.50	PASS
				-20.00	3	6	-5	0.0010	0.0016	-0.0013	2.50	PASS
				-10.00	3	3	4	0.0008	0.0009	0.0010	2.50	PASS
				0.00	-9	4	4	-0.0024	0.0012	0.0010	2.50	PASS
				10.00	7	-9	-7	0.0019	-0.0024	-0.0020	2.50	PASS
				20.00	-3	4	-6	-0.0009	0.0012	-0.0015	2.50	PASS
				30.00	3	8	-5	0.0008	0.0022	-0.0014	2.50	PASS
				40.00	-4	-7	5	-0.0012	-0.0019	0.0014	2.50	PASS
				50.00	8	2	2	0.0021	0.0006	0.0005	2.50	PASS

Test Band: 48 _ 10MHz Bandwidth (Frequency Error VS. Voltage)

Test Mode	RB Allocation		Test Temp.	Test Volt.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
	Size	Offset			LCH	MCH	HCH	LCH	MCH	HCH		
64QAM	50	0	NT	LV	-4	-8	3	-0.0012	-0.0022	0.0007	2.50	PASS
				NV	3	7	-5	0.0009	0.0020	-0.0013	2.50	PASS
				HV	5	9	-9	0.0014	0.0025	-0.0024	2.50	PASS
16QAM	50	0	NT	LV	9	6	-4	0.0025	0.0016	-0.0010	2.50	PASS
				NV	-8	1	-2	-0.0023	0.0003	-0.0005	2.50	PASS
				HV	8	5	7	0.0022	0.0013	0.0020	2.50	PASS
QPSK	50	0	NT	LV	8	2	2	0.0021	0.0006	0.0006	2.50	PASS
				NV	8	-4	-7	0.0023	-0.0012	-0.0019	2.50	PASS
				HV	8	4	-3	0.0021	0.0011	-0.0007	2.50	PASS

Test Band: 48 _ 10MHz Bandwidth (Frequency Error VS. Temperature)

Test Mode	RB Allocation		Test Temp.	Test Volt.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
	Size	Offset			LCH	MCH	HCH	LCH	MCH	HCH		
64QAM	50	0	NV	-30.00	1	-8	2	0.0002	-0.0023	0.0006	2.50	PASS
				-20.00	8	8	-1	0.0022	0.0022	-0.0003	2.50	PASS
				-10.00	-8	1	8	-0.0023	0.0003	0.0022	2.50	PASS
				0.00	4	-7	-4	0.0013	-0.0019	-0.0012	2.50	PASS
				10.00	-9	-8	5	-0.0024	-0.0022	0.0013	2.50	PASS
				20.00	3	0	-7	0.0009	0.0000	-0.0018	2.50	PASS
				30.00	1	6	3	0.0003	0.0016	0.0009	2.50	PASS
				40.00	-9	-7	8	-0.0024	-0.0020	0.0021	2.50	PASS
				50.00	8	-2	-5	0.0021	-0.0005	-0.0014	2.50	PASS
16QAM	50	0	NV	-30.00	4	7	8	0.0010	0.0020	0.0023	2.50	PASS
				-20.00	3	9	8	0.0008	0.0024	0.0021	2.50	PASS
				-10.00	7	6	-3	0.0020	0.0017	-0.0009	2.50	PASS
				0.00	-6	0	2	-0.0016	0.0001	0.0006	2.50	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report / certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

				10.00	-2	6	3	-0.0006	0.0016	0.0007	2.50	PASS
				20.00	6	4	1	0.0018	0.0010	0.0004	2.50	PASS
				30.00	-4	2	-3	-0.0011	0.0005	-0.0009	2.50	PASS
				40.00	-3	2	-3	-0.0008	0.0007	-0.0008	2.50	PASS
				50.00	1	5	7	0.0002	0.0015	0.0019	2.50	PASS
QPSK	50	0	NV	-30.00	-7	8	-8	-0.0021	0.0021	-0.0022	2.50	PASS
				-20.00	6	8	-5	0.0018	0.0023	-0.0013	2.50	PASS
				-10.00	6	-4	0	0.0016	-0.0012	0.0000	2.50	PASS
				0.00	9	2	5	0.0024	0.0004	0.0013	2.50	PASS
				10.00	-9	9	1	-0.0024	0.0024	0.0003	2.50	PASS
				20.00	3	0	-4	0.0010	0.0000	-0.0012	2.50	PASS
				30.00	-8	3	-6	-0.0023	0.0009	-0.0017	2.50	PASS
				40.00	-8	1	-5	-0.0023	0.0002	-0.0015	2.50	PASS
				50.00	4	-5	-6	0.0011	-0.0013	-0.0017	2.50	PASS

Test Band: 48 _ 15MHz Bandwidth (Frequency Error VS. Voltage)

Test Mode	RB Allocation		Test Temp.	Test Volt.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
	Size	Offset			LCH	MCH	HCH	LCH	MCH	HCH		
64QAM	75	0	NT	LV	-8	-3	-3	-0.0023	-0.0007	-0.0009	2.50	PASS
				NV	1	3	-5	0.0003	0.0008	-0.0012	2.50	PASS
				HV	-3	7	-5	-0.0008	0.0020	-0.0014	2.50	PASS
16QAM	75	0	NT	LV	-6	0	8	-0.0018	0.0000	0.0020	2.50	PASS
				NV	5	7	4	0.0015	0.0018	0.0010	2.50	PASS
				HV	5	5	-3	0.0015	0.0013	-0.0008	2.50	PASS
QPSK	75	0	NT	LV	-1	7	-9	-0.0003	0.0020	-0.0023	2.50	PASS
				NV	-6	1	9	-0.0018	0.0002	0.0024	2.50	PASS
				HV	0	-6	-4	0.0000	-0.0017	-0.0010	2.50	PASS

Test Band: 48 _ 15MHz Bandwidth (Frequency Error VS. Temperature)

Test Mode	RB Allocation		Test Temp.	Test Volt.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
	Size	Offset			LCH	MCH	HCH	LCH	MCH	HCH		
64QAM	75	0	NV	-30.00	4	7	-9	0.0012	0.0019	-0.0024	2.50	PASS
				-20.00	5	8	4	0.0015	0.0021	0.0010	2.50	PASS
				-10.00	-6	0	1	-0.0018	0.0000	0.0004	2.50	PASS
				0.00	0	3	8	0.0000	0.0008	0.0020	2.50	PASS
				10.00	-8	6	7	-0.0024	0.0017	0.0018	2.50	PASS
				20.00	-8	-7	7	-0.0023	-0.0020	0.0019	2.50	PASS
				30.00	-8	2	-8	-0.0022	0.0004	-0.0021	2.50	PASS
				40.00	6	4	-4	0.0018	0.0011	-0.0012	2.50	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

				50.00	-2	4	5	-0.0006	0.0012	0.0014	2.50	PASS
16QAM	75	0	NV	-30.00	6	-4	1	0.0017	-0.0011	0.0004	2.50	PASS
				-20.00	5	-6	8	0.0013	-0.0017	0.0023	2.50	PASS
				-10.00	4	-3	0	0.0012	-0.0007	0.0000	2.50	PASS
				0.00	6	-3	5	0.0017	-0.0008	0.0013	2.50	PASS
				10.00	6	5	2	0.0016	0.0013	0.0007	2.50	PASS
				20.00	-5	3	4	-0.0013	0.0008	0.0011	2.50	PASS
				30.00	3	-4	-4	0.0009	-0.0010	-0.0012	2.50	PASS
				40.00	-7	7	5	-0.0020	0.0019	0.0015	2.50	PASS
				50.00	-5	-6	-4	-0.0014	-0.0016	-0.0012	2.50	PASS
QPSK	75	0	NV	-30.00	8	0	-3	0.0023	0.0001	-0.0009	2.50	PASS
				-20.00	0	-8	4	0.0001	-0.0023	0.0012	2.50	PASS
				-10.00	2	1	4	0.0006	0.0004	0.0010	2.50	PASS
				0.00	9	8	-1	0.0025	0.0023	-0.0003	2.50	PASS
				10.00	0	7	-4	-0.0001	0.0020	-0.0012	2.50	PASS
				20.00	-2	7	6	-0.0006	0.0019	0.0017	2.50	PASS
				30.00	-3	3	4	-0.0009	0.0009	0.0011	2.50	PASS
				40.00	3	7	4	0.0007	0.0020	0.0011	2.50	PASS
				50.00	4	8	-4	0.0011	0.0021	-0.0010	2.50	PASS

Test Band: 48 _ 20MHz Bandwidth (Frequency Error VS. Voltage)

Test Mode	RB Allocation		Test Temp.	Test Volt.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
	Size	Offset			LCH	MCH	HCH	LCH	MCH	HCH		
64QAM	100	0	NT	LV	1	3	9	0.0002	0.0008	0.0023	2.50	PASS
				NV	2	-7	-7	0.0005	-0.0019	-0.0019	2.50	PASS
				HV	-8	5	5	-0.0023	0.0014	0.0014	2.50	PASS
16QAM	100	0	NT	LV	-4	-4	6	-0.0010	-0.0011	0.0016	2.50	PASS
				NV	-3	9	5	-0.0007	0.0024	0.0013	2.50	PASS
				HV	-4	-5	5	-0.0010	-0.0013	0.0013	2.50	PASS
QPSK	100	0	NT	LV	1	4	-8	0.0003	0.0011	-0.0023	2.50	PASS
				NV	-8	2	-1	-0.0023	0.0005	-0.0004	2.50	PASS
				HV	8	-7	-2	0.0023	-0.0021	-0.0005	2.50	PASS

Test Band: 48 _ 20MHz Bandwidth (Frequency Error VS. Temperature)

Test Mode	RB Allocation		Test Temp.	Test Volt.	Freq. Error (Hz)			Freq. vs. rated (ppm)			Limit (ppm)	Verdict
	Size	Offset			LCH	MCH	HCH	LCH	MCH	HCH		
64QAM	100	0	NV	-30.00	-8	4	-1	-0.0023	0.0011	-0.0002	2.50	PASS
				-20.00	-5	2	5	-0.0015	0.0006	0.0014	2.50	PASS
				-10.00	8	5	-7	0.0021	0.0014	-0.0019	2.50	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.ssgsgroup.com.cn
中国·深圳·科技园中区M-10栋一号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


				0.00	-3	8	-5	-0.0009	0.0022	-0.0014	2.50	PASS
				10.00	1	-2	9	0.0003	-0.0005	0.0023	2.50	PASS
				20.00	-6	2	0	-0.0017	0.0006	0.0001	2.50	PASS
				30.00	0	5	-5	-0.0001	0.0012	-0.0013	2.50	PASS
				40.00	-8	-5	-1	-0.0023	-0.0013	-0.0002	2.50	PASS
				50.00	-1	-1	9	-0.0003	-0.0002	0.0023	2.50	PASS
16QAM	100	0	NV	-30.00	-2	-7	5	-0.0004	-0.0019	0.0014	2.50	PASS
				-20.00	-3	0	-2	-0.0007	0.0001	-0.0006	2.50	PASS
				-10.00	2	5	4	0.0006	0.0014	0.0010	2.50	PASS
				0.00	-4	-7	2	-0.0012	-0.0020	0.0005	2.50	PASS
				10.00	-9	-4	-5	-0.0025	-0.0012	-0.0013	2.50	PASS
				20.00	-1	0	6	-0.0004	-0.0001	0.0016	2.50	PASS
				30.00	-2	-1	-5	-0.0004	-0.0004	-0.0012	2.50	PASS
				40.00	-6	-8	-4	-0.0016	-0.0022	-0.0011	2.50	PASS
QPSK	100	0	NV	50.00	7	5	6	0.0019	0.0013	0.0016	2.50	PASS
				-30.00	1	-6	-8	0.0004	-0.0017	-0.0021	2.50	PASS
				-20.00	-3	5	3	-0.0008	0.0014	0.0008	2.50	PASS
				-10.00	6	2	-7	0.0016	0.0006	-0.0020	2.50	PASS
				0.00	-9	1	5	-0.0024	0.0004	0.0013	2.50	PASS
				10.00	8	-1	4	0.0023	-0.0002	0.0011	2.50	PASS
				20.00	-1	-6	-3	-0.0002	-0.0017	-0.0009	2.50	PASS
				30.00	6	-5	-5	0.0017	-0.0015	-0.0014	2.50	PASS
				40.00	0	8	8	-0.0001	0.0021	0.0022	2.50	PASS
				50.00	-8	-8	5	-0.0023	-0.0021	0.0013	2.50	PASS




8.2 Modulation Characteristics


Remark: only recorded worst case of MIMO mode @ant 3.

LTE Band 48 QPSK 10MHz MCH



LTE Band 48 16QAM 10MHz MCH





- End of the Report -