









HERMON LABORATORIES

| | | | |
|----------------------------|--|-------------------------------|------------------------------|
| Test specification: | Section 96.41(e), Emission mask | | |
| Test procedure: | Section 96.41(e)(3) | | |
| Test mode: | Compliance | Verdict: | PASS |
| Date(s): | 19-Feb-23 - 16-Feb-23 | | |
| Temperature: 21 °C | Relative Humidity: 54 % | Air Pressure: 1012 hPa | Power: 110 VAC, 50 Hz |
| Remarks: | | | |

Plot 7.4.12 Emission mask test results at high carrier frequency




CHANNEL SPACING:
ANTENNA CHAIN:
Modulation: QPSK





HERMON LABORATORIES

| | |
|--|--------------------------------|
| Test specification: Section 96.41(e), Emission mask | |
| Test procedure: Section 96.41(e)(3) | |
| Test mode: Compliance | Verdict: PASS |
| Date(s): 19-Feb-23 - 16-Feb-23 | |
| Temperature: 21 °C | Relative Humidity: 54 % |
| Remarks: | |

Plot 7.4.13 Emission mask test results at low carrier frequency**CHANNEL SPACING:****ANTENNA CHAIN:****Modulation: QPSK****20 MHz****1****Modulation: 256QAM**



HERMON LABORATORIES

| | |
|--|--------------------------------|
| Test specification: Section 96.41(e), Emission mask | |
| Test procedure: Section 96.41(e)(3) | |
| Test mode: Compliance | Verdict: PASS |
| Date(s): 19-Feb-23 - 16-Feb-23 | |
| Temperature: 21 °C | Relative Humidity: 54 % |
| Air Pressure: 1013 hPa | Power: 48 VAC |
| Remarks: | |






Plot 7.4.14 Emission mask test results at low carrier frequency

CHANNEL SPACING:
ANTENNA CHAIN:
Modulation: QPSK

20 MHz

2

Modulation: 256QAM





HERMON LABORATORIES

| Test specification: Section 96.41(e), Emission mask | |
|---|-------------------------|
| Test procedure: | Section 96.41(e)(3) |
| Test mode: | Compliance |
| Date(s): | 19-Feb-23 - 16-Feb-23 |
| Temperature: 21 °C | Relative Humidity: 54 % |
| | Air Pressure: 1013 hPa |
| Remarks: | Power: 48 VAC |

Plot 7.4.15 Emission mask test results at low carrier frequency

CHANNEL SPACING:
ANTENNA CHAIN:
Modulation: QPSK

20 MHz

3

Modulation: 256QAM





HERMON LABORATORIES

| Test specification: Section 96.41(e), Emission mask | |
|---|-------------------------|
| Test procedure: | Section 96.41(e)(3) |
| Test mode: | Compliance |
| Date(s): | 19-Feb-23 - 16-Feb-23 |
| Temperature: 21 °C | Relative Humidity: 54 % |
| | Air Pressure: 1013 hPa |
| Remarks: | Power: 48 VAC |







Plot 7.4.16 Emission mask test results at low carrier frequency

CHANNEL SPACING:
ANTENNA CHAIN:
Modulation: QPSK

20 MHz

4

Modulation: 256QAM






HERMON LABORATORIES

| Test specification: Section 96.41(e), Emission mask | |
|---|-------------------------|
| Test procedure: | Section 96.41(e)(3) |
| Test mode: | Compliance |
| Date(s): | 19-Feb-23 - 16-Feb-23 |
| Temperature: 21 °C | Relative Humidity: 54 % |
| | Air Pressure: 1013 hPa |
| Remarks: | Power: 48 VAC |



Plot 7.4.17 Emission mask test results at mid carrier frequency

CHANNEL SPACING:
ANTENNA CHAIN:
Modulation: QPSK





HERMON LABORATORIES

Test specification: Section 96.41(e), Emission mask**Test procedure:** Section 96.41(e)(3)**Test mode:** Compliance**Date(s):** 19-Feb-23 - 16-Feb-23**Verdict:** **PASS****Temperature:** 21 °C **Relative Humidity:** 54 %**Air Pressure:** 1013 hPa**Power:** 48 VAC**Remarks:****Plot 7.4.18 Emission mask test results at mid carrier frequency****CHANNEL SPACING:**
ANTENNA CHAIN:
Modulation: QPSK**20 MHz****3****Modulation: 256QAM**