



GS Series multi-function displays

Internal Photographs

INDEX

Figure 1 – Unit Front.....	3
Figure 2 - Rear of unit.....	4
Figure 3 – Connectors	5
Figure 4 – Rear of LCD module	6
Figure 5 – Processor module rear	7
Figure 6 – Processor module front.....	8
Figure 7 – Processor module and internal cover	9
Figure 8 – I/O board in unit, CPU board removed	10
Figure 9 – I/O board removed	11
Figure 10 – Rear of I/O board	12
Figure 11 – Front of I/O board.....	13
Figure 12 – Front of CPU board.....	14
Figure 13 – Rear of CPU board	15
Figure 14 – Rear of CPU board, heatsink removed	16

Note: All photographs are of the 16 inch version, the only difference between the displays is the LCD module, all PCBs and rear hardware are identical.



Figure 1 – Unit Front



Figure 2 - Rear of unit



Figure 3 – Connectors



Figure 4 – Rear of LCD module



Figure 5 – Processor module rear




Figure 6 – Processor module front




Figure 7 – Processor module and internal cover




Figure 8 – I/O board in unit, CPU board removed




Figure 9 – I/O board removed




Figure 10 – Rear of I/O board



Figure 11 – Front of I/O board



Figure 12 – Front of CPU board



Figure 13 – Rear of CPU board




Figure 14 – Rear of CPU board, heatsink removed