


# Appendix-D Field Strength of Spurious Radiation

For GSM:

Project Information			
Mode:	GSM 850	Band:	/
Bandwidth:	/	Channel:	Mid
IMEI:	867809066631454	Engineer:	申状
Remark:		Polarity:	X


## Test Graph



## Data List


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1674.00	52.64	-114.14	-61.50	-13.00	48.50	Horizontal	PASS
2	2510.80	72.97	-111.36	-38.39	-13.00	25.39	Horizontal	PASS
3	3348.00	47.41	-108.38	-60.97	-13.00	47.97	Horizontal	PASS

Project Information			
Mode:	GSM 850	Band:	/
Bandwidth:	/	Channel:	Mid
IMEI:	867809066631454	Engineer:	申状
Remark:		Polarity:	X

**Test Graph****Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1674.00	52.06	-114.14	-62.08	-13.00	49.08	Vertical	PASS
2	2511.20	70.57	-111.36	-40.79	-13.00	27.79	Vertical	PASS
3	3348.00	53.14	-108.38	-55.24	-13.00	42.24	Vertical	PASS

Project Information			
Mode:	GSM 1900	Band:	/
Bandwidth:	/	Channel:	Mid
IMEI:	867809066631454	Engineer:	申状
Remark:		Polarity:	X

**Test Graph****Data List**

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1880.00	111.37	-95.02	16.35	-	-	Horizontal	NA
2	3760.00	48.35	-107.25	-58.90	-13.00	45.90	Horizontal	PASS
3	5640.00	47.51	-100.83	-53.32	-13.00	40.32	Horizontal	PASS
4	17345.00	33.32	-82.62	-49.30	-13.00	36.30	Horizontal	PASS

Project Information			
Mode:	GSM 1900	Band:	/
Bandwidth:	/	Channel:	Mid
IMEI:	867809066631454	Engineer:	申状
Remark:		Polarity:	X


**Test Graph****Data List**

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1880.00	117.31	-95.02	22.29	-	-	Vertical	NA
2	5640.00	50.42	-100.83	-50.41	-13.00	37.41	Vertical	PASS
3	9400.00	40.29	-93.34	-53.05	-13.00	40.05	Vertical	PASS
4	11280.00	39.39	-90.63	-51.24	-13.00	38.24	Vertical	PASS

## For WCDMA:

Project Information			
Mode:	WCDMA	Band:	Band II
Bandwidth:	/	Channel:	Mid
IMEI:	867809066631454	Engineer:	申状
Remark:		Polarity:	X


## Test Graph



## Data List


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1880.20	100.37	-95.02	5.35	-	-	Horizontal	NA
2	1961.60	45.40	-94.63	-49.23	-	-	Horizontal	NA
3	3758.50	43.60	-107.27	-63.67	-13.00	50.67	Horizontal	PASS
4	14661.00	34.02	-85.64	-51.62	-13.00	38.62	Horizontal	PASS
5	17342.00	33.61	-82.77	-49.16	-13.00	36.16	Horizontal	PASS

Project Information			
Mode:	WCDMA	Band:	Band II
Bandwidth:	/	Channel:	Mid
IMEI:	867809066631454	Engineer:	申状
Remark:	Polarity: X		

**Test Graph****Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1880.00	105.23	-95.02	10.21	-	-	Vertical	NA
2	1959.60	49.33	-94.61	-45.28	-	-	Vertical	NA
3	3762.00	48.59	-107.22	-58.63	-13.00	45.63	Vertical	PASS
4	9404.00	40.60	-93.36	-52.76	-13.00	39.76	Vertical	PASS
5	11287.00	38.53	-90.65	-52.12	-13.00	39.12	Vertical	PASS

Project Information			
Mode:	WCDMA	Band:	Band V
Bandwidth:	/	Channel:	Mid
IMEI:	867809066631454	Engineer:	申状
Remark:		Polarity:	X

**Test Graph****Data List**

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1674.80	49.71	-114.14	-64.43	-13.00	51.43	Horizontal	PASS
2	4800.40	38.69	-102.89	-64.20	-13.00	51.20	Horizontal	PASS
3	8910.00	37.20	-93.35	-56.15	-13.00	43.15	Horizontal	PASS

Project Information			
Mode:	WCDMA	Band:	Band V
Bandwidth:	/	Channel:	Mid
IMEI:	867809066631454	Engineer:	申状
Remark:		Polarity:	X


**Test Graph**

Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1671.60	51.39	-114.13	-62.74	-13.00	49.74	Vertical	PASS
2	4786.00	39.29	-102.96	-63.67	-13.00	50.67	Vertical	PASS
3	8868.80	36.82	-92.98	-56.16	-13.00	43.16	Vertical	PASS

## For LTE:

Project Information			
Mode:	LTE	Band:	Band 2
Bandwidth:	20MHz	Channel:	Mid
IMEI:	867809066631454	Engineer:	申状
Remark:		Polarity:	X


## Test Graph



## Data List


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.00	102.18	-95.06	7.12	-	-	Horizontal	NA
2	7484.50	45.21	-96.83	-51.62	-13.00	38.62	Horizontal	PASS
3	9355.50	44.52	-93.24	-48.72	-13.00	35.72	Horizontal	PASS
4	11226.50	43.84	-90.64	-46.80	-13.00	33.80	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 2
Bandwidth:	20MHz	Channel:	Mid
IMEI:	867809066631454	Engineer:	申状
Remark:		Polarity:	X

**Test Graph****Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1871.00	115.57	-95.06	20.51	-	-	Vertical	NA
2	7484.50	48.06	-96.83	-48.77	-13.00	35.77	Vertical	PASS
3	9355.50	49.04	-93.24	-44.20	-13.00	31.20	Vertical	PASS
4	11226.50	49.85	-90.64	-40.79	-13.00	27.79	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 4
Bandwidth:	20MHz	Channel:	Mid
IMEI:	867809066631454	Engineer:	申状
Remark:	Polarity: X		

**Test Graph****Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.60	109.81	-95.01	14.80	-	-	Horizontal	NA
2	3447.00	47.85	-107.30	-59.45	-13.00	46.45	Horizontal	PASS
3	6894.00	46.64	-97.40	-50.76	-13.00	37.76	Horizontal	PASS
4	10341.50	38.64	-91.52	-52.88	-13.00	39.88	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 4
Bandwidth:	20MHz	Channel:	Mid
IMEI:	867809066631454	Engineer:	申状
Remark:	Polarity: X		

**Test Graph****Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1723.80	115.52	-95.01	20.51	-	-	Vertical	NA
2	2138.40	46.78	-94.68	-47.90	-	-	Vertical	NA
3	3447.00	49.82	-107.30	-57.48	-13.00	44.48	Vertical	PASS
4	6894.50	50.18	-97.40	-47.22	-13.00	34.22	Vertical	PASS
5	10341.50	43.20	-91.52	-48.32	-13.00	35.32	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 5
Bandwidth:	10MHz	Channel:	Mid
IMEI:	867809066631454	Engineer:	申状
Remark:		Polarity:	X

**Test Graph****Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1664.00	62.57	-114.12	-51.55	-13.00	38.55	Horizontal	PASS
2	2496.40	44.43	-111.37	-66.94	-13.00	53.94	Horizontal	PASS
3	8898.80	37.04	-93.16	-56.12	-13.00	43.12	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 5
Bandwidth:	10MHz	Channel:	Mid
IMEI:	867809066631454	Engineer:	申状
Remark:		Polarity:	X

**Test Graph****Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1664.00	63.71	-114.12	-50.41	-13.00	37.41	Vertical	PASS
2	2496.00	47.55	-111.38	-63.83	-13.00	50.83	Vertical	PASS
3	8900.40	37.09	-93.18	-56.09	-13.00	43.09	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 7
Bandwidth:	20MHz	Channel:	Mid
IMEI:	867809066631454	Engineer:	申状
Remark:	Polarity: X		

**Test Graph****Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2526.20	98.92	-93.37	5.55	-	-	Horizontal	NA
2	5052.50	41.18	-102.81	-61.63	-25.00	36.63	Horizontal	PASS
3	7578.50	49.16	-96.57	-47.41	-25.00	22.41	Horizontal	PASS
4	10104.00	40.60	-92.07	-51.47	-25.00	26.47	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 7
Bandwidth:	20MHz	Channel:	Mid
IMEI:	867809066631454	Engineer:	申状
Remark:	Polarity: X		

**Test Graph****Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2526.10	108.89	-93.37	15.52	-	-	Vertical	NA
2	5052.00	44.62	-102.82	-58.20	-25.00	33.20	Vertical	PASS
3	7578.50	53.97	-96.57	-42.60	-25.00	17.60	Vertical	PASS
4	10104.50	44.40	-92.07	-47.67	-25.00	22.67	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 12
Bandwidth:	10MHz	Channel:	Mid
IMEI:	867809066631454	Engineer:	申状
Remark:		Polarity:	X

**Test Graph****Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1406.40	56.36	-114.33	-57.97	-13.00	44.97	Horizontal	PASS
2	2109.60	45.13	-113.21	-68.08	-13.00	55.08	Horizontal	PASS
3	8862.00	36.61	-92.95	-56.34	-13.00	43.34	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 12
Bandwidth:	10MHz	Channel:	Mid
IMEI:	867809066631454	Engineer:	申状
Remark:		Polarity:	X

**Test Graph****Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1406.00	65.27	-114.33	-49.06	-13.00	36.06	Vertical	PASS
2	2109.20	52.55	-113.21	-60.66	-13.00	47.66	Vertical	PASS
3	3282.40	43.41	-108.29	-64.88	-13.00	51.88	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 13
Bandwidth:	10MHz	Channel:	Mid
IMEI:	867809066631454	Engineer:	申状
Remark:		Polarity:	X

**Test Graph**


Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1548.00	45.19	-114.05	-68.86	-13.00	55.86	Horizontal	PASS
2	2332.80	47.84	-112.39	-64.55	-13.00	51.55	Horizontal	PASS
3	8988.80	38.34	-93.61	-55.27	-13.00	42.27	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 13
Bandwidth:	10MHz	Channel:	Mid
IMEI:	867809066631454	Engineer:	申状
Remark:		Polarity:	X

**Test Graph****Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1555.20	48.49	-114.07	-65.58	-13.00	52.58	Vertical	PASS
2	2332.80	49.08	-112.39	-63.31	-13.00	50.31	Vertical	PASS
3	8851.20	37.64	-92.89	-55.25	-13.00	42.25	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 17
Bandwidth:	10MHz	Channel:	Mid
IMEI:	867809066631454	Engineer:	申状
Remark:		Polarity:	X

**Test Graph****Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1411.20	59.74	-114.35	-54.61	-13.00	41.61	Horizontal	PASS
2	2116.40	43.48	-113.21	-69.73	-13.00	56.73	Horizontal	PASS
3	8856.40	37.10	-92.91	-55.81	-13.00	42.81	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 17
Bandwidth:	10MHz	Channel:	Mid
IMEI:	867809066631454	Engineer:	申状
Remark:		Polarity:	X

**Test Graph****Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1411.20	68.76	-114.35	-45.59	-13.00	32.59	Vertical	PASS
2	2116.40	49.51	-113.21	-63.70	-13.00	50.70	Vertical	PASS
3	8871.20	37.24	-93.01	-55.77	-13.00	42.77	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 26(814-824MHz)
Bandwidth:	10MHz	Channel:	Mid
IMEI:	867809066631454	Engineer:	申状
Remark:		Polarity:	X

**Test Graph**


Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1629.20	53.09	-114.17	-61.08	-13.00	48.08	Horizontal	PASS
2	2444.00	45.81	-111.24	-65.43	-13.00	52.43	Horizontal	PASS
3	8904.40	37.32	-93.25	-55.93	-13.00	42.93	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 26(814-824MHz)
Bandwidth:	10MHz	Channel:	Mid
IMEI:	867809066631454	Engineer:	申状
Remark:		Polarity:	X

**Test Graph****Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1629.20	59.98	-114.17	-54.19	-13.00	41.19	Vertical	PASS
2	2443.60	50.31	-111.26	-60.95	-13.00	47.95	Vertical	PASS
3	8906.80	37.00	-93.29	-56.29	-13.00	43.29	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 26(824-849MHz)
Bandwidth:	15MHz	Channel:	Mid
IMEI:	867809066631454	Engineer:	申状
Remark:		Polarity:	X

**Test Graph**


Data List								
NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1659.60	56.57	-114.11	-57.54	-13.00	44.54	Horizontal	PASS
2	2489.60	49.58	-111.34	-61.76	-13.00	48.76	Horizontal	PASS
3	8899.60	36.71	-93.17	-56.46	-13.00	43.46	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 26(824-849MHz)
Bandwidth:	15MHz	Channel:	Mid
IMEI:	867809066631454	Engineer:	申状
Remark:		Polarity:	X

**Test Graph****Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1659.60	59.23	-114.11	-54.88	-13.00	41.88	Vertical	PASS
2	2489.60	48.38	-111.34	-62.96	-13.00	49.96	Vertical	PASS
3	8904.00	37.37	-93.25	-55.88	-13.00	42.88	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 38
Bandwidth:	20MHz	Channel:	Mid
IMEI:	867809066631454	Engineer:	申状
Remark:		Polarity:	X

**Test Graph****Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2586.20	98.84	-93.29	5.55	-	-	Horizontal	NA
2	5172.00	43.20	-102.06	-58.86	-25.00	33.86	Horizontal	PASS
3	7758.50	41.76	-96.43	-54.67	-25.00	29.67	Horizontal	PASS
4	10344.00	38.46	-91.52	-53.06	-25.00	28.06	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 38
Bandwidth:	20MHz	Channel:	Mid
IMEI:	867809066631454	Engineer:	申状
Remark:		Polarity:	X

**Test Graph****Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2586.00	109.01	-93.29	15.72	-	-	Vertical	NA
2	5172.00	48.02	-102.06	-54.04	-25.00	29.04	Vertical	PASS
3	7758.50	52.15	-96.43	-44.28	-25.00	19.28	Vertical	PASS
4	10344.00	44.37	-91.52	-47.15	-25.00	22.15	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 41
Bandwidth:	20MHz	Channel:	Mid
IMEI:	867809066631454	Engineer:	申状
Remark:	Polarity: X		

**Test Graph****Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	2584.20	98.39	-93.31	5.08	-	-	Horizontal	NA
2	5168.00	41.41	-102.04	-60.63	-25.00	35.63	Horizontal	PASS
3	7752.00	42.93	-96.49	-53.56	-25.00	28.56	Horizontal	PASS
4	10336.50	39.60	-91.51	-51.91	-25.00	26.91	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 41
Bandwidth:	20MHz	Channel:	Mid
IMEI:	867809066631454	Engineer:	申状
Remark:		Polarity:	X

**Test Graph****Data List**


NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1007.50	38.39	-95.19	-56.80	-	-	Vertical	NA
2	2584.10	109.37	-93.31	16.06	-	-	Vertical	NA
3	5168.00	45.73	-102.04	-56.31	-25.00	31.31	Vertical	PASS
4	7752.00	47.19	-96.49	-49.30	-25.00	24.30	Vertical	PASS
5	10336.50	42.76	-91.51	-48.75	-25.00	23.75	Vertical	PASS

Project Information			
Mode:	LTE	Band:	Band 66
Bandwidth:	20MHz	Channel:	Mid
IMEI:	867809066631454	Engineer:	申状
Remark:		Polarity:	X

**Test Graph****Data List**

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.20	112.43	-94.91	17.52	-	-	Horizontal	NA
2	6944.00	42.23	-97.80	-55.57	-13.00	42.57	Horizontal	PASS
3	8680.50	38.59	-94.18	-55.59	-13.00	42.59	Horizontal	PASS
4	10416.00	38.65	-91.55	-52.90	-13.00	39.90	Horizontal	PASS

Project Information			
Mode:	LTE	Band:	Band 66
Bandwidth:	20MHz	Channel:	Mid
IMEI:	867809066631454	Engineer:	申状
Remark:		Polarity:	X

**Test Graph****Data List**

NO.	Freq. [MHz]	Reading [dBuV]	Factor [dB]	Level [dBm]	Limit [dBm]	Margin [dB]	Polarity	Verdict
1	1736.30	116.23	-94.91	21.32	-	-	Vertical	NA
2	2142.40	45.84	-94.67	-48.83	-	-	Vertical	NA
3	6944.00	48.48	-97.80	-49.32	-13.00	36.32	Vertical	PASS
4	8680.50	41.24	-94.18	-52.94	-13.00	39.94	Vertical	PASS
5	10416.00	43.05	-91.55	-48.50	-13.00	35.50	Vertical	PASS

~The End~