


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH149	5745	17.80	17.80	>=500
CH157	5785	17.80	17.80	>=500
CH165	5825	17.80	17.80	>=500

TX CH 149




Date: 1.JUL.2016 21:03:18

TX CH 157



Date: 1.JUL.2016 21:06:23

TX CH 165




Date: 1.JUL.2016 21:09:27

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH151	5755	36.50	36.40	>=500
CH159	5795	36.50	36.40	>=500

TX CH 151



Date: 1.JUL.2016 21:46:42

TX CH 159




Date: 1.JUL.2016 21:49:49

Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH36	5180	25.00	18.40
CH40	5200	25.09	18.50
CH48	5240	24.69	18.40

TX CH36




Date: 1.JUL.2016 21:15:33

TX CH40



Date: 1.JUL.2016 21:20:26

TX CH48




Date: 1.JUL.2016 21:23:39

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH38	5190	42.60	36.40
CH46	5230	42.40	36.40

TX CH38



Date: 1.JUL.2016 21:53:10

TX CH46




Date: 1.JUL.2016 21:57:57

Test Mode: UNII-1/TX AC80 Mode_CH42


Channel	Frequency (MHz)	26dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)
CH42	5210	84.60	75.60

TX CH42




Date: 1.JUL.2016 22:11:15

TX CH 157



Date: 1.JUL.2016 21:30:41

TX CH 165




Date: 1.JUL.2016 21:33:51

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159


Channel	Frequency (MHz)	6dB Bandwidth (MHz)	99% Occupied Bandwidth (MHz)	Limit (kHz)
CH151	5755	36.50	36.40	>=500
CH159	5795	36.50	36.40	>=500

TX CH 151



Date: 1.JUL.2016 22:02:43

TX CH 159



Date: 1.JUL.2016 22:06:47

ATTACHMENTF - MAXIMUM OUTPUT POWER

Test Mode: UNII-1/TX A Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	16.87	0.04	16.91	30.00	1.00
CH40	5200	16.26	0.04	16.30	30.00	1.00
CH48	5240	16.73	0.04	16.77	30.00	1.00

Test Mode: UNII-1/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	16.35	0.07	16.42	30.00	1.00
CH40	5200	15.72	0.07	15.79	30.00	1.00
CH48	5240	15.99	0.07	16.06	30.00	1.00

Test Mode: UNII-1/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	16.87	0.07	16.94	30.00	1.00
CH40	5200	16.29	0.07	16.36	30.00	1.00
CH48	5240	16.39	0.07	16.46	30.00	1.00

Test Mode: UNII-1/TX N20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	16.03	0.07	16.10	30.00	1.00
CH40	5200	15.12	0.07	15.19	30.00	1.00
CH48	5240	15.81	0.07	15.88	30.00	1.00

Test Mode: UNII-1/TX N20 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	16.31	0.07	16.38	30.00	1.00
CH40	5200	15.76	0.07	15.83	30.00	1.00
CH48	5240	16.44	0.07	16.51	30.00	1.00

Test Mode: UNII-1/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	22.49	30.00	1.00
CH40	5200	21.83	30.00	1.00
CH48	5240	22.25	30.00	1.00

Test Mode: UNII-1/TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	9.08	0.10	9.18	30.00	1.00
CH46	5230	16.33	0.10	16.43	30.00	1.00

Test Mode: UNII-1/TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	10.75	0.10	10.85	30.00	1.00
CH46	5230	16.92	0.10	17.02	30.00	1.00

Test Mode: UNII-1/TX N40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	9.81	0.10	9.91	24.00	0.25
CH46	5230	16.08	0.10	16.18	24.00	0.25

Test Mode: UNII-1/TX N40 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	9.33	0.10	9.43	24.00	0.25
CH46	5230	16.89	0.10	16.99	24.00	0.25

Test Mode: UNII-1/TX N40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	15.91	30.00	1.00
CH46	5230	22.69	30.00	1.00

Test Mode: UNII-3/ TX A Mode

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	16.72	0.04	16.76	30.00	1.00
CH157	5785	16.36	0.04	16.40	30.00	1.00
CH165	5825	16.63	0.04	16.67	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	16.61	0.07	16.68	30.00	1.00
CH157	5785	16.37	0.07	16.44	30.00	1.00
CH165	5825	16.78	0.07	16.85	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	16.45	0.07	16.52	30.00	1.00
CH157	5785	16.89	0.07	16.96	30.00	1.00
CH165	5825	16.47	0.07	16.54	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	14.35	0.07	14.42	30.00	1.00
CH157	5785	16.17	0.07	16.24	30.00	1.00
CH165	5825	16.54	0.07	16.61	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	15.36	0.07	15.43	30.00	1.00
CH157	5785	16.14	0.07	16.21	30.00	1.00
CH165	5825	16.42	0.07	16.49	30.00	1.00

Test Mode: UNII-3/TX N20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	21.87	30.00	1.00
CH157	5785	22.49	30.00	1.00
CH165	5825	22.64	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	16.77	0.10	16.87	30.00	1.00
CH159	5795	15.82	0.10	15.92	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	16.93	0.10	17.03	30.00	1.00
CH159	5795	16.08	0.10	16.18	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	16.38	0.10	16.48	30.00	1.00
CH159	5795	15.57	0.10	15.67	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	15.75	0.10	15.85	30.00	1.00
CH159	5795	15.23	0.10	15.33	30.00	1.00

Test Mode: UNII-3/ TX N40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	22.60	30.00	1.00
CH159	5795	21.81	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	16.43	0.05	16.48	30.00	1.00
CH40	5200	15.77	0.05	15.82	30.00	1.00
CH48	5240	15.87	0.05	15.92	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	16.75	0.05	16.80	30.00	1.00
CH40	5200	16.37	0.05	16.42	30.00	1.00
CH48	5240	16.44	0.05	16.49	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	16.02	0.05	16.07	30.00	1.00
CH40	5200	15.23	0.05	15.28	30.00	1.00
CH48	5240	15.94	0.05	15.99	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	16.28	0.05	16.33	30.00	1.00
CH40	5200	15.83	0.05	15.88	30.00	1.00
CH48	5240	16.49	0.05	16.54	30.00	1.00

Test Mode: UNII-1/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH36	5180	22.45	30.00	1.00
CH40	5200	21.89	30.00	1.00
CH48	5240	22.26	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	8.46	0.18	8.64	30.00	1.00
CH46	5230	16.16	0.18	16.34	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	9.12	0.18	9.30	30.00	1.00
CH46	5230	16.39	0.18	16.57	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	10.01	0.18	10.19	30.00	1.00
CH46	5230	16.14	0.18	16.32	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	9.04	0.18	9.22	30.00	1.00
CH46	5230	16.25	0.18	16.43	30.00	1.00

Test Mode: UNII-1/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH38	5190	14.20	30.00	1.00
CH46	5230	21.19	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	9.96	0.28	10.24	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	10.89	0.28	11.17	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	9.66	0.28	9.94	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	9.50	0.28	9.78	30.00	1.00

Test Mode: UNII-1/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH42	5210	16.34	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	16.54	0.05	16.59	30.00	1.00
CH157	5785	16.43	0.05	16.48	30.00	1.00
CH165	5825	16.75	0.05	16.80	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	16.37	0.05	16.42	30.00	1.00
CH157	5785	16.89	0.05	16.94	30.00	1.00
CH165	5825	16.65	0.05	16.70	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	14.88	0.05	14.93	30.00	1.00
CH157	5785	15.99	0.05	16.04	30.00	1.00
CH165	5825	16.47	0.05	16.52	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	15.68	0.05	15.73	30.00	1.00
CH157	5785	16.27	0.05	16.32	30.00	1.00
CH165	5825	16.51	0.05	16.56	30.00	1.00

Test Mode: UNII-3/TX AC20 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH149	5745	21.98	30.00	1.00
CH157	5785	22.48	30.00	1.00
CH165	5825	22.66	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	16.28	0.18	16.46	30.00	1.00
CH159	5795	16.51	0.18	16.69	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	16.51	0.18	16.69	30.00	1.00
CH159	5795	16.35	0.18	16.53	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	16.17	0.18	16.35	30.00	1.00
CH159	5795	16.29	0.18	16.47	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_ANT 4

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	16.25	0.18	16.43	30.00	1.00
CH159	5795	16.07	0.18	16.25	30.00	1.00

Test Mode: UNII-3/TX AC40 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH151	5755	22.51	30.00	1.00
CH159	5795	22.51	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_ANT 1

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	16.39	0.28	16.67	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_ANT 2

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	16.24	0.28	16.52	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	15.88	0.28	16.16	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_ANT 3

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power+Duty Factor (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	15.63	0.28	15.91	30.00	1.00

Test Mode: UNII-3/TX AC80 Mode_Total

Channel	Frequency (MHz)	Output Power (dBm)	Limit (dBm)	Limit (Watt)
CH155	5775	22.35	30.00	1.00

ATTACHMENTG - POWER SPECTRAL DENSITY


Test Mode: UNII-1/ TX A Mode_CH36/CH40/CH48

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.04	0.04	2.08	17.00
CH40	5200	0.90	0.04	0.94	17.00
CH48	5240	1.13	0.04	1.17	17.00




Date: 1.JUL.2016 20:39:09

CH40



Date: 1.JUL.2016 20:40:53

CH48



Date: 1.JUL.2016 20:44:05


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.64	0.07	2.71	17.00
CH40	5200	1.86	0.07	1.93	17.00
CH48	5240	1.99	0.07	2.06	17.00




Date: 1.JUL.2016 20:53:11

CH40



Date: 1.JUL.2016 20:57:18

CH48



Date: 1.JUL.2016 21:00:02


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.58	0.07	2.65	17.00
CH40	5200	1.81	0.07	1.88	17.00
CH48	5240	2.04	0.07	2.11	17.00




Date: 1.JUL.2016 20:53:45

CH40



Date: 1.JUL.2016 20:57:52

CH48



Date: 1.JUL.2016 21:00:36


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.56	0.07	2.63	17.00
CH40	5200	1.83	0.07	1.90	17.00
CH48	5240	2.02	0.07	2.09	17.00




Date: 1.JUL.2016 20:54:20

CH40



Date: 1.JUL.2016 20:58:28

CH48



Date: 1.JUL.2016 21:01:10


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.52	0.07	2.59	17.00
CH40	5200	1.80	0.07	1.87	17.00
CH48	5240	2.00	0.07	2.07	17.00




Date: 1.JUL.2016 20:54:55

CH40



Date: 1.JUL.2016 20:59:02

CH48



Date: 1.JUL.2016 21:01:45


Test Mode: UNII-1/TX N20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.66	17.00
CH40	5200	7.91	17.00
CH48	5240	8.10	17.00

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-3.05	0.10	-2.95	17.00
CH46	5230	-0.64	0.10	-0.54	17.00

CH38



Date: 1.JUL.2016 21:39:17

CH46




Date: 1.JUL.2016 21:42:44

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-3.11	0.10	-3.01	17.00
CH46	5230	-0.83	0.10	-0.73	17.00

CH38



Date: 1.JUL.2016 21:39:53

CH46




Date: 1.JUL.2016 21:43:22

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-3.10	0.10	-3.00	17.00
CH46	5230	-0.83	0.10	-0.73	17.00

CH38



Date: 1.JUL.2016 21:40:30

CH46




Date: 1.JUL.2016 21:43:59

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-3.14	0.10	-3.04	17.00
CH46	5230	-0.82	0.10	-0.72	17.00

CH38



Date: 1.JUL.2016 21:41:06

CH46




Date: 1.JUL.2016 21:44:35

Test Mode: UNII-1/TX N40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	3.02	17.00
CH46	5230	5.34	17.00


Test Mode: UNII-3/TX A Mode_CH149/CH157/CH165

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	2.12	0.04	2.16	30.00
CH157	5785	1.16	0.04	1.20	30.00
CH165	5825	0.15	0.04	0.19	30.00

TX CH149



Date: 1.JUL.2016 20:45:02

TX CH157



Date: 1.JUL.2016 20:46:45

TX CH165



Date: 1.JUL.2016 20:47:44


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	1.08	0.07	1.15	30.00
CH157	5785	0.65	0.07	0.72	30.00
CH165	5825	0.37	0.07	0.44	30.00




Date: 1.JUL.2016 21:03:28

TX CH157



Date: 1.JUL.2016 21:06:32

TX CH165




Date: 1.JUL.2016 21:09:36

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	1.10	0.07	1.17	30.00
CH157	5785	0.66	0.07	0.73	30.00
CH165	5825	0.31	0.07	0.38	30.00

TX CH149




Date: 1.JUL.2016 21:04:08

TX CH157



Date: 1.JUL.2016 21:07:12

TX CH165




Date: 1.JUL.2016 21:10:16

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	1.21	0.07	1.28	30.00
CH157	5785	0.62	0.07	0.69	30.00
CH165	5825	0.34	0.07	0.41	30.00

TX CH149




Date: 1.JUL.2016 21:04:48

TX CH157



Date: 1.JUL.2016 21:07:53

TX CH165




Date: 1.JUL.2016 21:10:54

Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	1.21	0.07	1.28	30.00
CH157	5785	0.64	0.07	0.71	30.00
CH165	5825	0.30	0.07	0.37	30.00

TX CH149




Date: 1.JUL.2016 21:05:28

TX CH157



Date: 1.JUL.2016 21:08:34

TX CH165



Date: 1.JUL.2016 21:11:34


Test Mode: UNII-3/ TX N20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	7.24	30.00
CH157	5785	6.73	30.00
CH165	5825	6.42	30.00

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-1.31	0.10	-1.21	30.00
CH159	5795	-2.54	0.10	-2.44	30.00

TX CH151



Date: 1.JUL.2016 21:46:51

TX CH159




Date: 1.JUL.2016 21:49:59

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-1.38	0.10	-1.28	30.00
CH159	5795	-2.49	0.10	-2.39	30.00

TX CH151



Date: 1.JUL.2016 21:47:31

TX CH159




Date: 1.JUL.2016 21:50:38

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-1.22	0.10	-1.12	30.00
CH159	5795	-2.50	0.10	-2.40	30.00

TX CH151



Date: 1.JUL.2016 21:48:12

TX CH159




Date: 1.JUL.2016 21:51:17

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-1.18	0.10	-1.08	30.00
CH159	5795	-2.33	0.10	-2.23	30.00

TX CH151



Date: 1.JUL.2016 21:48:52

TX CH159



Date: 1.JUL.2016 21:51:55

Test Mode: UNII-3/ TX N40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	4.85	30.00
CH159	5795	3.66	30.00


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.72	0.05	2.77	17.00
CH40	5200	1.73	0.05	1.78	17.00
CH48	5240	3.11	0.05	3.16	17.00




Date: 1.JUL.2016 21:15:42

CH40



Date: 1.JUL.2016 21:20:36

CH48



Date: 1.JUL.2016 21:23:49


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.62	0.05	2.67	17.00
CH40	5200	1.77	0.05	1.82	17.00
CH48	5240	3.07	0.05	3.12	17.00




Date: 1.JUL.2016 21:16:18

CH40



Date: 1.JUL.2016 21:21:11

CH48



Date: 1.JUL.2016 21:24:23


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.54	0.05	2.59	17.00
CH40	5200	1.78	0.05	1.83	17.00
CH48	5240	3.05	0.05	3.10	17.00




Date: 1.JUL.2016 21:16:53

CH40



Date: 1.JUL.2016 21:21:45

CH48



Date: 1.JUL.2016 21:24:57


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	2.47	0.05	2.52	17.00
CH40	5200	1.77	0.05	1.82	17.00
CH48	5240	3.17	0.05	3.22	17.00




Date: 1.JUL.2016 21:17:28

CH40



Date: 1.JUL.2016 21:22:21

CH48



Date: 1.JUL.2016 21:25:33


Test Mode: UNII-1/TX AC20 Mode_CH36/CH40/CH48_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH36	5180	8.66	17.00
CH40	5200	7.83	17.00
CH48	5240	9.17	17.00

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-3.13	0.18	-2.95	17.00
CH46	5230	-1.04	0.18	-0.86	17.00

CH38



Date: 1.JUL.2016 21:53:20

CH46




Date: 1.JUL.2016 21:58:07

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-3.22	0.18	-3.04	17.00
CH46	5230	-0.62	0.18	-0.44	17.00

CH38



Date: 1.JUL.2016 21:53:56

CH46




Date: 1.JUL.2016 21:58:44

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-3.23	0.18	-3.05	17.00
CH46	5230	-0.60	0.18	-0.42	17.00

CH38



Date: 1.JUL.2016 21:54:32

CH46




Date: 1.JUL.2016 21:59:23

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	-3.20	0.18	-3.02	17.00
CH46	5230	-0.71	0.18	-0.53	17.00

CH38



Date: 1.JUL.2016 21:55:09

CH46



Date: 1.JUL.2016 22:00:00

Test Mode: UNII-1/TX AC40 Mode_CH38/CH46_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH38	5190	1.76	17.00
CH46	5230	4.21	17.00

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-6.02	0.28	-5.74	17.00



Date: 1.JUL.2016 22:11:28

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-5.82	0.28	-5.54	17.00



Date: 1.JUL.2016 22:12:10

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-5.59	0.28	-5.31	17.00



Date: 1.JUL.2016 22:12:53

Test Mode: UNII-1/TX AC80 Mode_CH42_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Duty Factor	Power Density+Duty Factor (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	-5.85	0.28	-5.57	17.00



Date: 1.JUL.2016 22:13:36


Test Mode: UNII-1/TX AC80 Mode_CH42_Total

Channel	Frequency (MHz)	Power Density (dBm/MHz)	Limit (dBm/MHz)
CH42	5210	0.48	17.00

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	1.36	0.05	1.41	30.00
CH157	5785	0.63	0.05	0.68	30.00
CH165	5825	-0.02	0.05	0.03	30.00

TX CH149




Date: 1.JUL.2016 21:27:50

TX CH157



Date: 1.JUL.2016 21:30:51

TX CH165




Date: 1.JUL.2016 21:34:00

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	1.50	0.05	1.55	30.00
CH157	5785	0.65	0.05	0.70	30.00
CH165	5825	-0.04	0.05	0.01	30.00

TX CH149




Date: 1.JUL.2016 21:28:30

TX CH157



Date: 1.JUL.2016 21:31:32

TX CH165




Date: 1.JUL.2016 21:34:39

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	1.57	0.05	1.62	30.00
CH157	5785	0.69	0.05	0.74	30.00
CH165	5825	-0.04	0.05	0.01	30.00

TX CH149




Date: 1.JUL.2016 21:29:09

TX CH157



Date: 1.JUL.2016 21:32:13

TX CH165




Date: 1.JUL.2016 21:35:18

Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	1.58	0.05	1.63	30.00
CH157	5785	0.68	0.05	0.73	30.00
CH165	5825	-0.07	0.05	-0.02	30.00

TX CH149




Date: 1.JUL.2016 21:29:49

TX CH157



Date: 1.JUL.2016 21:32:53

TX CH165



Date: 1.JUL.2016 21:35:57


Test Mode: UNII-3/ TX AC20 Mode_CH149/CH157/CH165_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH149	5745	7.57	30.00
CH157	5785	6.73	30.00
CH165	5825	6.03	30.00

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 1


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-1.48	0.18	-1.30	30.00
CH159	5795	-1.79	0.18	-1.61	30.00

TX CH151



Date: 1.JUL.2016 22:02:53

TX CH159




Date: 1.JUL.2016 22:06:56

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 2


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-1.33	0.18	-1.15	30.00
CH159	5795	-1.88	0.18	-1.70	30.00

TX CH151



Date: 1.JUL.2016 22:03:34

TX CH159




Date: 1.JUL.2016 22:07:35

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 3


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-1.31	0.18	-1.13	30.00
CH159	5795	-1.84	0.18	-1.66	30.00

TX CH151



Date: 1.JUL.2016 22:04:15

TX CH159




Date: 1.JUL.2016 22:08:14

Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_ANT 4


Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	-1.24	0.18	-1.06	30.00
CH159	5795	-1.80	0.18	-1.62	30.00

TX CH151



Date: 1.JUL.2016 22:04:55

TX CH159



Date: 1.JUL.2016 22:08:53


Test Mode: UNII-3/ TX AC40 Mode_CH151/CH159_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH151	5755	4.87	30.00
CH159	5795	4.38	30.00

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 1

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-4.04	0.28	-3.76	30.00

TX CH155




Date: 1.JUL.2016 22:15:36

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 2

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-4.27	0.28	-3.99	30.00

TX CH155




Date: 1.JUL.2016 22:16:21

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 3

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-4.36	0.28	-4.08	30.00

TX CH155




Date: 1.JUL.2016 22:17:12

Test Mode: UNII-3/ TX AC80 Mode_CH155_ANT 4

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Duty Factor	Power Density+Duty Factor (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	-4.57	0.28	-4.29	30.00

TX CH155



Date: 1.JUL.2016 22:17:58

Test Mode: UNII-3/ TX AC80 Mode_CH155_Total

Channel	Frequency (MHz)	Power Density (dBm/500kHz)	Limit (dBm/500kHz)
CH155	5775	2.00	30.00

ATTACHMENT-FREQUENCY STABILITY

Test Mode:	UNII-1
-------------------	---------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
132	5179.9799
120	5179.9751
108	5179.9798
Max. Deviation (MHz)	0.0249
Max. Deviation (ppm)	4.8069

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5180.0000
-5	5179.9799
5	5179.9797
15	5179.9796
25	5179.9798
35	5179.9799
45	5179.9798
50	5179.9751
Max. Deviation (MHz)	0.0249
Max. Deviation (ppm)	4.8069

Test Mode:	UNII-3
-------------------	---------------

Voltage vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
132	5744.9799
120	5744.9750
108	5744.9599
Max. Deviation (MHz)	0.0401
Max. Deviation (ppm)	6.9800

Temperature vs. Frequency Stability

Voltage	Measurement Frequency (MHz)
(°C)	5745.0000
-5	5744.9599
5	5744.9550
15	5744.9750
25	5744.9599
35	5744.9550
45	5744.9799
50	5744.9550
Max. Deviation (MHz)	0.0450
Max. Deviation (ppm)	7.8329