




3F #34Bldg. No.680 GuiPing Rd.,
CaoHeJing Hi-Tech Park,
Shanghai, China
Tel:+86-21-64955500
Fax:+86-21-64955491
aciemc@audix.com

Data#: 48 File#: E:\EMI_TEST\Data\L\longstar.EMI

Date: 2003-05-11 Time: 15:31:38



Site : audix-aci NO.3 CHAMBER
Condition : FCC PART18 LIGHTING 3m
Project No. : AOE-000368
Applicant : XIAMEN LONGSTAR LIGHTING CO.,LTD
EUT : Energy Saving Lamp
M/N : FE-1SD-30W
Power Supply : 120V/60Hz
Ambient : 20.7C, 53%
Test Mode : on
S/N :
Test Engineer:

Solon Gong

Page: 1


		Read		Limit	Over
	Freq	Level	Level	Line	Limit
	MHz	dBuV	dBuV/m	dBuV/m	dB
1	0.016	32.76	32.76	63.50	-30.74
2	0.026	37.52	37.52	63.50	-25.98
3	0.158	29.71	29.71	63.50	-33.79
4	0.373	29.22	29.22	63.50	-34.28
5	0.601	37.02	37.02	63.50	-26.48
6	2.877	25.72	25.72	63.50	-37.78



3F #34Bldg. No.680 GuiPing Rd.,
CaoHeJing Hi-Tech Park,
Shanghai, China
Tel:+86-21-64955500
Fax:+86-21-64955491
aciemc@audix.com

Data#: 186 File#: E:\EMI_TEST\Data\L\longstar.EMI

Date: 2003-05-11 Time: 16:00:24



Site : audix-aci NO.3 CHAMBER
Condition : FCC PART18 LIGHTING 3m
Project No. : AOE-000368
Applicant : XIAMEN LONGSTAR LIGHTING CO.,LTD
EUT : Energy Saving Lamp
M/N : FE-R20D-9W
Power Supply : 120V/60Hz
Ambient : 20.7C, 53%
Test Mode : on
S/N :
Test Engineer:

Solon Gong

Page: 1


		Read		Limit	Over
	Freq	Level	Level	Line	Limit
	MHz	dBuV	dBuV/m	dBuV/m	dB
1	0.016	31.51	31.51	63.50	-31.99
2	0.026	35.65	35.65	63.50	-27.85
3	0.231	25.74	25.74	63.50	-37.76
4	0.373	25.06	25.06	63.50	-38.44
5	0.587	28.17	28.17	63.50	-35.33
6	2.925	23.62	23.62	63.50	-39.88



3F #34Bldg. No.680 GuiPing Rd.,
CaoHeJing Hi-Tech Park,
Shanghai, China
Tel:+86-21-64955500
Fax:+86-21-64955491
aciemc@audix.com

Data#: 187 File#: E:\EMI_TEST\Data\L\longstar.EMI

Date: 2003-05-11 Time: 16:12:28



Site : audix-aci NO.3 CHAMBER
Condition : FCC PART18 LIGHTING 3m
Project No. : AOE-000368
Applicant : XIAMEN LONGSTAR LIGHTING CO.,LTD
EUT : Energy Saving Lamp
M/N : FE-R20D-11W
Power Supply : 120V/60Hz
Ambient : 20.7C, 53%
Test Mode : on
S/N :
Test Engineer:

Solon Gong

Page: 1


		Read		Limit	Over
	Freq	Level	Level	Line	Limit
	MHz	dBuV	dBuV/m	dBuV/m	dB
1	0.010	32.49	32.49	63.50	-31.01
2	0.015	33.74	33.74	63.50	-29.76
3	0.026	44.63	44.63	63.50	-18.87
4	0.033	25.41	25.41	63.50	-38.09
5	0.233	27.04	27.04	63.50	-36.46
6	0.573	34.55	34.55	63.50	-28.95



3F #34Bldg. No.680 GuiPing Rd.,
CaoHeJing Hi-Tech Park,
Shanghai, China
Tel:+86-21-64955500
Fax:+86-21-64955491
aciemc@audix.com

Data#: 189 File#: E:\EMI_TEST\Data\L\longstar.EMI

Date: 2003-05-11 Time: 16:25:16



Site : audix-aci NO.3 CHAMBER
Condition : FCC PART18 LIGHTING 3m
Project No. : AOE-000368
Applicant : XIAMEN LONGSTAR LIGHTING CO.,LTD
EUT : Energy Saving Lamp
M/N : FE-R25D-11W
Power Supply : 120V/60Hz
Ambient : 20.7C, 53%
Test Mode : on
S/N :
Test Engineer:

Solon Gong

Page: 1


		Read		Limit	Over
	Freq	Level	Level	Line	Limit
	MHz	dBuV	dBuV/m	dBuV/m	dB
1	0.016	30.14	30.14	63.50	-33.36
2	0.026	44.88	44.88	63.50	-18.62
3	0.233	25.28	25.28	63.50	-38.22
4	0.373	25.77	25.77	63.50	-37.73
5	0.568	33.47	33.47	63.50	-30.03
6	2.901	24.78	24.78	63.50	-38.72



3F #34Bldg. No.680 GuiPing Rd.,
CaoHeJing Hi-Tech Park,
Shanghai, China
Tel:+86-21-64955500
Fax:+86-21-64955491
aciemc@audix.com

Data#: 188 File#: E:\EMI_TEST\Data\L\longstar.EMI

Date: 2003-05-11 Time: 15:15:44



Site : audix-aci NO.3 CHAMBER
Condition : FCC PART18 LIGHTING 3m
Project No. : AOE-000368
Applicant : XIAMEN LONGSTAR LIGHTING CO.,LTD
EUT : Energy Saving Lamp
M/N : FE-R25D-13W
Power Supply : 120V/60Hz
Ambient : 20.7C, 53%
Test Mode : on
S/N :
Test Engineer:

Salon Gong

Page: 1


		Read	Limit	Over
Freq	Level	Level	Line	Limit
MHz	dBuV	dBuV/m	dBuV/m	dB
1	0.016	33.50	33.50	63.50 -30.00
2	0.025	39.77	39.77	63.50 -23.73
3	0.032	28.41	28.41	63.50 -35.09
4	0.231	29.18	29.18	63.50 -34.32
5	0.631	34.11	34.11	63.50 -29.39
6	2.901	24.89	24.89	63.50 -38.61



3F #34Bldg. No.680 GuiPing Rd.,
CaoHeJing Hi-Tech Park,
Shanghai, China
Tel:+86-21-64955500
Fax:+86-21-64955491
aciemc@audix.com

Data#: 216 File#: E:\EMI_TEST\Data\L\longstar.EMI

Date: 2003-05-11 Time: 16:38:17



Site : audix-aci NO.3 CHAMBER
Condition : FCC PART18 LIGHTING 3m
Project No. : AOE-000368
Applicant : XIAMEN LONGSTAR LIGHTING CO.,LTD
EUT : Energy Saving Lamp
M/N : FE-R30D-13W
Power Supply : 120V/60Hz
Ambient : 20.7C, 53%
Test Mode : on
S/N :
Test Engineer:

Solon Gong

Page: 1


		Read		Limit	Over
	Freq	Level	Level	Line	Limit
	MHz	dBuV	dBuV/m	dBuV/m	dB
1	0.016	30.48	30.48	63.50	-33.02
2	0.026	42.71	42.71	63.50	-20.79
3	0.162	21.69	21.69	63.50	-41.81
4	0.233	24.85	24.85	63.50	-38.65
5	0.577	34.32	34.32	63.50	-29.18
6	2.831	23.28	23.28	63.50	-40.22



3F #34Bldg. No.680 GuiPing Rd.,
CaoHeJing Hi-Tech Park,
Shanghai, China
Tel:+86-21-64955500
Fax:+86-21-64955491
aciemc@audix.com

Data#: 190 File#: E:\EMI_TEST\Data\L\longstar.EMI

Date: 2003-05-11 Time: 16:12:28



Site : audix-aci NO.3 CHAMBER
Condition : FCC PART18 LIGHTING 3m
Project No. : AOE-000368
Applicant : XIAMEN LONGSTAR LIGHTING CO.,LTD
EUT : Energy Saving Lamp
M/N : FE-R30D-15W
Power Supply : 120V/60Hz
Ambient : 20.7C, 53%
Test Mode : on
S/N :
Test Engineer:

Solon Gong

Page: 1


		Read		Limit	Over
	Freq	Level	Level	Line	Limit
	MHz	dBuV	dBuV/m	dBuV/m	dB
1	0.015	32.74	32.74	63.50	-30.76
2	0.026	43.47	43.47	63.50	-20.03
3	0.158	23.44	23.44	63.50	-40.06
4	0.233	27.04	27.04	63.50	-36.46
5	0.564	36.03	36.03	63.50	-27.47
6	2.854	26.02	26.02	63.50	-37.48



3F #34Bldg. No.680 GuiPing Rd.,
CaoHeJing Hi-Tech Park,
Shanghai, China
Tel:+86-21-64955500
Fax:+86-21-64955491
aciemc@audix.com

Data#: 163 File#: E:\EMI_TEST\Data\L\longstar.EMI

Date: 2003-05-11 Time: 17:31:07



Site : audix-aci NO.3 CHAMBER
Condition : FCC PART18 LIGHTING 3m
Project No. : AOE-000368
Applicant : XIAMEN LONGSTAR LIGHTING CO.,LTD
EUT : Energy Saving Lamp
M/N : FE-R38D-16W
Power Supply : 120V/60Hz
Ambient : 20.7C, 53%
Test Mode : on
S/N :
Test Engineer:

Salon Gong

Page: 1


		Read	Limit	Over
Freq	Level	Level	Line	Limit
MHz	dBuV	dBuV/m	dBuV/m	dB
1	0.010	32.45	32.45	63.50 -31.05
2	0.016	31.59	31.59	63.50 -31.91
3	0.026	46.82	46.82	63.50 -16.68
4	0.235	26.97	26.97	63.50 -36.53
5	0.564	36.20	36.20	63.50 -27.30
6	2.901	26.32	26.32	63.50 -37.18



3F #34Bldg. No.680 GuiPing Rd.,
CaoHeJing Hi-Tech Park,
Shanghai, China
Tel:+86-21-64955500
Fax:+86-21-64955491
aciemc@audix.com

Data#: 164 File#: E:\EMI_TEST\Data\L\longstar.EMI

Date: 2003-05-11 Time: 17:31:07



Site : audix-aci NO.3 CHAMBER
Condition : FCC PART18 LIGHTING 3m
Project No. : AOE-000368
Applicant : XIAMEN LONGSTAR LIGHTING CO.,LTD
EUT : Energy Saving Lamp
M/N : FE-R38D-20W
Power Supply : 120V/60Hz
Ambient : 20.7C, 53%
Test Mode : on
S/N :
Test Engineer:

Solon Gong

Page: 1


		Read		Limit	Over
	Freq	Level	Level	Line	Limit
	MHz	dBuV	dBuV/m	dBuV/m	dB
1	0.016	31.79	31.79	63.50	-31.71
2	0.026	46.82	46.82	63.50	-16.68
3	0.158	22.52	22.52	63.50	-40.98
4	0.235	26.97	26.97	63.50	-36.53
5	0.564	36.20	36.20	63.50	-27.30
6	2.901	26.32	26.32	63.50	-37.18



3F #34Bldg. No.680 GuiPing Rd.,
CaoHeJing Hi-Tech Park,
Shanghai, China
Tel:+86-21-64955500
Fax:+86-21-64955491
aciemc@audix.com

Data#: 191 File#: E:\EMI_TEST\Data\L\longstar.EMI

Date: 2003-05-11 Time: 16:33:47



Site : audix-aci NO.3 CHAMBER
Condition : FCC PART18 LIGHTING 3m
Project No. : AOE-000368
Applicant : XIAMEN LONGSTAR LIGHTING CO.,LTD
EUT : Energy Saving Lamp
M/N : FE-R40D-16W
Power Supply : 120V/60Hz
Ambient : 20.7C, 53%
Test Mode : on
S/N :
Test Engineer:

Solon Gong

Page: 1


		Read	Limit	Over
Freq	Level	Level	Line	Limit
MHz	dBuV	dBuV/m	dBuV/m	dB
1	0.011	29.02	29.02	63.50 -34.48
2	0.015	27.83	27.83	63.50 -35.67
3	0.026	44.29	44.29	63.50 -19.21
4	0.233	20.64	20.64	63.50 -42.86
5	0.559	33.67	33.67	63.50 -29.83
6	0.707	35.51	35.51	63.50 -27.99



3F #34Bldg. No.680 GuiPing Rd.,
CaoHeJing Hi-Tech Park,
Shanghai, China
Tel:+86-21-64955500
Fax:+86-21-64955491
aciemc@audix.com

Data#: 192 File#: E:\EMI_TEST\Data\L\longstar.EMI

Date: 2003-05-11 Time: 16:38:17



Site : audix-aci NO.3 CHAMBER
Condition : FCC PART18 LIGHTING 3m
Project No. : AOE-000368
Applicant : XIAMEN LONGSTAR LIGHTING CO.,LTD
EUT : Energy Saving Lamp
M/N : FE-R40D-20W
Power Supply : 120V/60Hz
Ambient : 20.7C, 53%
Test Mode : on
S/N :
Test Engineer:

Solon Gong

Page: 1


		Read		Limit	Over
	Freq	Level	Level	Line	Limit
	MHz	dBuV	dBuV/m	dBuV/m	dB
1	0.016	30.48	30.48	63.50	-33.02
2	0.026	42.78	42.78	63.50	-20.72
3	0.229	26.00	26.00	63.50	-37.50
4	0.367	25.98	25.98	63.50	-37.52
5	0.577	34.32	34.32	63.50	-29.18
6	2.831	23.28	23.28	63.50	-40.22



3F #34Bldg. No.680 GuiPing Rd.,
CaoHeJing Hi-Tech Park,
Shanghai, China
Tel:+86-21-64955500
Fax:+86-21-64955491
aciemc@audix.com

Data#: 193 File#: E:\EMI_TEST\Data\L\longstar.EMI

Date: 2003-05-11 Time: 15:54:43



Site : audix-aci NO.3 CHAMBER
Condition : FCC PART18 LIGHTING 3m
Project No. : AOE-000368
Applicant : XIAMEN LONGSTAR LIGHTING CO.,LTD
EUT : Energy Saving Lamp
M/N : FE-G25DA-9W
Power Supply : 120V/60Hz
Ambient : 20.7C, 53%
Test Mode : on
S/N :
Test Engineer:

Solon Gong

Page: 1


		Read		Limit	Over
	Freq	Level	Level	Line	Limit
	MHz	dBuV	dBuV/m	dBuV/m	dB
1	0.010	32.74	32.74	63.50	-30.76
2	0.016	36.08	36.08	63.50	-27.42
3	0.026	37.13	37.13	63.50	-26.37
4	0.158	20.90	20.90	63.50	-42.60
5	0.235	25.31	25.31	63.50	-38.19
6	0.636	32.30	32.30	63.50	-31.20



3F #34Bldg. No.680 GuiPing Rd.,
CaoHeJing Hi-Tech Park,
Shanghai, China
Tel:+86-21-64955500
Fax:+86-21-64955491
aciemc@audix.com

Data#: 194 File#: E:\EMI_TEST\Data\L\longstar.EMI

Date: 2003-05-11 Time: 16:15:54



Site : audix-aci NO.3 CHAMBER
Condition : FCC PART18 LIGHTING 3m
Project No. : AOE-000368
Applicant : XIAMEN LONGSTAR LIGHTING CO.,LTD
EUT : Energy Saving Lamp
M/N : FE-G25DA-11W
Power Supply : 120V/60Hz
Ambient : 20.7C, 53%
Test Mode : on
S/N :
Test Engineer:

Solon Gong

Page: 1


		Read		Limit	Over
	Freq	Level	Level	Line	Limit
	MHz	dBuV	dBuV/m	dBuV/m	dB
1	0.016	33.13	33.13	63.50	-30.37
2	0.026	44.06	44.06	63.50	-19.44
3	0.158	22.89	22.89	63.50	-40.61
4	0.235	26.50	26.50	63.50	-37.00
5	0.550	35.05	35.05	63.50	-28.45
6	2.948	25.91	25.91	63.50	-37.59



3F #34Bldg. No.680 GuiPing Rd.,
CaoHeJing Hi-Tech Park,
Shanghai, China
Tel:+86-21-64955500
Fax:+86-21-64955491
aciemc@audix.com

Data#: 195 File#: E:\EMI_TEST\Data\L\longstar.EMI

Date: 2003-05-11 Time: 15:51:12



Site : audix-aci NO.3 CHAMBER
Condition : FCC PART18 LIGHTING 3m
Project No. : AOE-000368
Applicant : XIAMEN LONGSTAR LIGHTING CO.,LTD
EUT : Energy Saving Lamp
M/N : FE-G25DB-13W
Power Supply : 120V/60Hz
Ambient : 20.7C, 53%
Test Mode : on
S/N :
Test Engineer:

Solon Gong

Page: 1


		Read		Limit	Over
	Freq	Level	Level	Line	Limit
	MHz	dBuV	dBuV/m	dBuV/m	dB
1	0.016	35.71	35.71	63.50	-27.79
2	0.026	37.96	37.96	63.50	-25.54
3	0.235	28.49	28.49	63.50	-35.01
4	0.370	29.03	29.03	63.50	-34.47
5	0.606	35.93	35.93	63.50	-27.57
6	2.972	28.06	28.06	63.50	-35.44



3F #34Bldg. No.680 GuiPing Rd.,
CaoHeJing Hi-Tech Park,
Shanghai, China
Tel:+86-21-64955500
Fax:+86-21-64955491
aciemc@audix.com

Data#: 196 File#: E:\EMI_TEST\Data\L\longstar.EMI

Date: 2003-05-11 Time: 15:37:57



Site : audix-aci NO.3 CHAMBER
Condition : FCC PART18 LIGHTING 3m
Project No. : AOE-000368
Applicant : XIAMEN LONGSTAR LIGHTING CO.,LTD
EUT : Energy Saving Lamp
M/N : FE-G25DB-16W
Power Supply : 120V/60Hz
Ambient : 20.7C, 53%
Test Mode : on
S/N :
Test Engineer:

Solon Gong

Page: 1


		Read		Limit	Over
	Freq	Level	Level	Line	Limit
	MHz	dBuV	dBuV/m	dBuV/m	dB
1	0.026	36.97	36.97	63.50	-26.53
2	0.154	25.56	25.56	63.50	-37.94
3	0.235	26.90	26.90	63.50	-36.60
4	0.361	25.66	25.66	63.50	-37.84
5	0.636	33.25	33.25	63.50	-30.25
6	2.972	24.64	24.64	63.50	-38.86



3F #34Bldg. No.680 GuiPing Rd.,
CaoHeJing Hi-Tech Park,
Shanghai, China
Tel:+86-21-64955500
Fax:+86-21-64955491
aciemc@audix.com

Data#: 197 File#: E:\EMI_TEST\Data\L\longstar.EMI

Date: 2003-05-11 Time: 16:03:59



Site : audix-aci NO.3 CHAMBER
Condition : FCC PART18 LIGHTING 3m
Project No. : AOE-000368
Applicant : XIAMEN LONGSTAR LIGHTING CO.,LTD
EUT : Energy Saving Lamp
M/N : FE-G30DA-15W
Power Supply : 120V/60Hz
Ambient : 20.7C, 53%
Test Mode : on
S/N :
Test Engineer:

Solon Gong

Page: 1


		Read		Limit	Over
	Freq	Level	Level	Line	Limit
	MHz	dBuV	dBuV/m	dBuV/m	dB
1	0.026	37.72	37.72	63.50	-25.78
2	0.155	22.75	22.75	63.50	-40.75
3	0.229	25.77	25.77	63.50	-37.73
4	0.367	26.99	26.99	63.50	-36.51
5	0.573	33.15	33.15	63.50	-30.35
6	2.901	26.39	26.39	63.50	-37.11



3F #34Bldg. No.680 GuiPing Rd.,
CaoHeJing Hi-Tech Park,
Shanghai, China
Tel:+86-21-64955500
Fax:+86-21-64955491
aciemc@audix.com

Data#: 198 File#: E:\EMI_TEST\Data\L\longstar.EMI

Date: 2003-05-11 Time: 15:54:43



Site : audix-aci NO.3 CHAMBER
Condition : FCC PART18 LIGHTING 3m
Project No. : AOE-000368
Applicant : XIAMEN LONGSTAR LIGHTING CO.,LTD
EUT : Energy Saving Lamp
M/N : FE-G30DA-18W
Power Supply : 120V/60Hz
Ambient : 20.7C, 53%
Test Mode : on
S/N :
Test Engineer:

Solon Gong

Page: 1


		Read		Limit	Over
	Freq	Level	Level	Line	Limit
	MHz	dBuV	dBuV/m	dBuV/m	dB
1	0.016	36.08	36.08	63.50	-27.42
2	0.026	36.76	36.76	63.50	-26.74
3	0.159	20.52	20.52	63.50	-42.98
4	0.233	25.22	25.22	63.50	-38.28
5	0.370	26.23	26.23	63.50	-37.27
6	0.631	31.85	31.85	63.50	-31.65



3F #34Bldg. No.680 GuiPing Rd.,
CaoHeJing Hi-Tech Park,
Shanghai, China
Tel:+86-21-64955500
Fax:+86-21-64955491
aciemc@audix.com

Data#: 199 File#: E:\EMI_TEST\Data\L\longstar.EMI

Date: 2003-05-11 Time: 15:23:46



Site : audix-aci NO.3 CHAMBER
Condition : FCC PART18 LIGHTING 3m
Project No. : AOE-000368
Applicant : XIAMEN LONGSTAR LIGHTING CO.,LTD
EUT : Energy Saving Lamp
M/N : FE-G30DB-20W
Power Supply : 120V/60Hz
Ambient : 20.7C, 53%
Test Mode : on
S/N :
Test Engineer:

Solon Gong

Page: 1


		Read		Limit	Over
	Freq	Level	Level	Line	Limit
	MHz	dBuV	dBuV/m	dBuV/m	dB
1	0.016	30.45	30.45	63.50	-33.05
2	0.026	35.98	35.98	63.50	-27.52
3	0.233	24.60	24.60	63.50	-38.90
4	0.373	26.34	26.34	63.50	-37.16
5	0.631	30.06	30.06	63.50	-33.44
6	2.901	25.95	25.95	63.50	-37.55



3F #34Bldg. No.680 GuiPing Rd.,
CaoHeJing Hi-Tech Park,
Shanghai, China
Tel:+86-21-64955500
Fax:+86-21-64955491
aciemc@audix.com

Data#: 200 File#: E:\EMI_TEST\Data\L\longstar.EMI

Date: 2003-05-11 Time: 16:06:37



Site : audix-aci NO.3 CHAMBER
Condition : FCC PART18 LIGHTING 3m
Project No. : AOE-000368
Applicant : XIAMEN LONGSTAR LIGHTING CO.,LTD
EUT : Energy Saving Lamp
M/N : FE-G30DB-23W
Power Supply : 120V/60Hz
Ambient : 20.7C, 53%
Test Mode : on
S/N :
Test Engineer:

Solon Gong

Page: 1


		Read		Limit	Over
	Freq	Level	Level	Line	Limit
	MHz	dBuV	dBuV/m	dBuV/m	dB
1	0.016	33.35	33.35	63.50	-30.15
2	0.026	38.03	38.03	63.50	-25.47
3	0.235	27.42	27.42	63.50	-36.08
4	0.373	27.74	27.74	63.50	-35.76
5	0.573	33.81	33.81	63.50	-29.69
6	2.854	24.36	24.36	63.50	-39.14



3F #34Bldg. No.680 GuiPing Rd.,
CaoHeJing Hi-Tech Park,
Shanghai, China
Tel:+86-21-64955500
Fax:+86-21-64955491
aciemc@audix.com

Data#: 176 File#: E:\EMI_TEST\Data\L\longstar.EMI

Date: 2003-05-11 Time: 17:32:50



Site : audix-aci NO.3 CHAMBER
Condition : FCC PART18 LIGHTING 3m
Project No. : AOE-000368
Applicant : XIAMEN LONGSTAR LIGHTING CO.,LTD
EUT : Energy Saving Lamp
M/N : FE-G40D-20W
Power Supply : 120V/60Hz
Ambient : 20.7C, 53%
Test Mode : on
S/N :
Test Engineer:

Solon Gong

Page: 1


		Read	Limit	Over
Freq	Level	Level	Line	Limit
MHz	dBuV	dBuV/m	dBuV/m	dB
1	0.010	30.49	30.49	63.50 -33.01
2	0.015	31.60	31.60	63.50 -31.90
3	0.026	44.59	44.59	63.50 -18.91
4	0.229	26.68	26.68	63.50 -36.82
5	0.364	26.60	26.60	63.50 -36.90
6	0.554	35.82	35.82	63.50 -27.68



3F #34Bldg. No.680 GuiPing Rd.,
CaoHeJing Hi-Tech Park,
Shanghai, China
Tel:+86-21-64955500
Fax:+86-21-64955491
aciemc@audix.com

Data#: 172 File#: E:\EMI_TEST\Data\L\longstar.EMI

Date: 2003-05-11 Time: 17:32:50



Site : audix-aci NO.3 CHAMBER
Condition : FCC PART18 LIGHTING 3m
Project No. : AOE-000368
Applicant : XIAMEN LONGSTAR LIGHTING CO.,LTD
EUT : Energy Saving Lamp
M/N : FE-G40D-23W
Power Supply : 120V/60Hz
Ambient : 20.7C, 53%
Test Mode : on
S/N :
Test Engineer:

Solon Gong

Page: 1


		Read	Limit	Over
Freq	Level	Level	Line	Limit
MHz	dBuV	dBuV/m	dBuV/m	dB
1	0.010	30.83	30.83	63.50 -32.67
2	0.016	30.90	30.90	63.50 -32.60
3	0.026	45.40	45.40	63.50 -18.10
4	0.233	26.99	26.99	63.50 -36.51
5	0.554	35.82	35.82	63.50 -27.68
6	2.901	26.71	26.71	63.50 -36.79



3F #34Bldg. No.680 GuiPing Rd.,
CaoHeJing Hi-Tech Park,
Shanghai, China
Tel:+86-21-64955500
Fax:+86-21-64955491
aciemc@audix.com

Data#: 171 File#: E:\EMI_TEST\Data\L\longstar.EMI

Date: 2003-05-11 Time: 17:32:50



Site : audix-aci NO.3 CHAMBER
Condition : FCC PART18 LIGHTING 3m
Project No. : AOE-000368
Applicant : XIAMEN LONGSTAR LIGHTING CO.,LTD
EUT : Energy Saving Lamp
M/N : FE-G40D-26W
Power Supply : 120V/60Hz
Ambient : 20.7C, 53%
Test Mode : on
S/N :
Test Engineer:

Solon Gong

Page: 1


		Read		Limit	Over
	Freq	Level	Level	Line	Limit
	MHz	dBuV	dBuV/m	dBuV/m	dB
1	0.010	30.49	30.49	63.50	-33.01
2	0.015	31.60	31.60	63.50	-31.90
3	0.026	45.40	45.40	63.50	-18.10
4	0.160	22.66	22.66	63.50	-40.84
5	0.370	26.37	26.37	63.50	-37.13
6	0.554	35.82	35.82	63.50	-27.68



3F #34Bldg. No.680 GuiPing Rd.,
CaoHeJing Hi-Tech Park,
Shanghai, China
Tel:+86-21-64955500
Fax:+86-21-64955491
aciemc@audix.com

Data#: 170 File#: E:\EMI_TEST\Data\L\longstar.EMI

Date: 2003-05-11 Time: 17:32:50



Site : audix-aci NO.3 CHAMBER
Condition : FCC PART18 LIGHTING 3m
Project No. : AOE-000368
Applicant : XIAMEN LONGSTAR LIGHTING CO.,LTD
EUT : Energy Saving Lamp
M/N : FE-G40D-32W
Power Supply : 120V/60Hz
Ambient : 20.7C, 53%
Test Mode : on
S/N :
Test Engineer:

Salon Gong

Page: 1


		Read		Limit	Over
	Freq	Level	Level	Line	Limit
	MHz	dBuV	dBuV/m	dBuV/m	dB
1	0.010	30.49	30.49	63.50	-33.01
2	0.016	30.90	30.90	63.50	-32.60
3	0.026	45.40	45.40	63.50	-18.10
4	0.233	26.99	26.99	63.50	-36.51
5	0.370	26.37	26.37	63.50	-37.13
6	0.554	35.82	35.82	63.50	-27.68



3F #34Bldg. No.680 GuiPing Rd.,
CaoHeJing Hi-Tech Park,
Shanghai, China
Tel:+86-21-64955500
Fax:+86-21-64955491
aciemc@audix.com

Data#: 161 File#: E:\EMI_TEST\Data\L\longstar.EMI

Date: 2003-05-11 Time: 17:28:40



Site : audix-aci NO.3 CHAMBER
Condition : FCC PART18 LIGHTING 3m
Project No. : AOE-000368
Applicant : XIAMEN LONGSTAR LIGHTING CO.,LTD
EUT : Energy Saving Lamp
M/N : FE-ALD-20W
Power Supply : 120V/60Hz
Ambient : 20.7C, 53%
Test Mode : on
S/N :
Test Engineer:

Solon Gong

Page: 1


		Read	Limit	Over
Freq	Level	Level	Line	Limit
MHz	dBuV	dBuV/m	dBuV/m	dB
1	0.015	30.22	30.22	63.50 -33.28
2	0.026	44.88	44.88	63.50 -18.62
3	0.229	27.47	27.47	63.50 -36.03
4	0.546	36.74	36.74	63.50 -26.76
5	2.831	26.92	26.92	63.50 -36.58
6	5.417	20.76	20.76	63.50 -42.74



3F #34Bldg. No.680 GuiPing Rd.,
CaoHeJing Hi-Tech Park,
Shanghai, China
Tel:+86-21-64955500
Fax:+86-21-64955491
aciemc@audix.com

Data#: 160 File#: E:\EMI_TEST\Data\L\longstar.EMI

Date: 2003-05-11 Time: 17:28:40



Site : audix-aci NO.3 CHAMBER
Condition : FCC PART18 LIGHTING
Project No. : AOE-000368
Applicant : XIAMEN LONGSTAR LIGHTING CO.,LTD
EUT : Energy Saving Lamp
M/N : FE-ALD-24W
Power Supply : 120V/60Hz
Ambient : 20.7C, 53%
Test Mode : on
S/N :
Test Engineer:

Solon Gong

Page: 1


		Read		Limit	Over
	Freq	Level	Level	Line	Limit
	MHz	dBuV	dBuV/m	dBuV/m	dB
1	0.026	44.88	44.88	63.50	-18.62
2	0.033	22.07	22.07	63.50	-41.43
3	0.233	27.35	27.35	63.50	-36.15
4	0.367	27.75	27.75	63.50	-35.75
5	0.546	36.74	36.74	63.50	-26.76
6	2.831	26.92	26.92	63.50	-36.58



3F #34Bldg. No.680 GuiPing Rd.,
CaoHeJing Hi-Tech Park,
Shanghai, China
Tel:+86-21-64955500
Fax:+86-21-64955491
aciemc@audix.com

Data#: 46 File#: E:\EMI_TEST\Data\L\longstar.EMI

Date: 2003-05-11 Time: 15:23:46



Site : audix-aci NO.3 CHAMBER
Condition : FCC PART18 LIGHTING 3m
Project No. : AOE-000368
Applicant : XIAMEN LONGSTAR LIGHTING CO.,LTD
EUT : Energy Saving Lamp
M/N : FE-T9D-22W
Power Supply : 120V/60Hz
Ambient : 20.7C, 53%
Test Mode : on
S/N :
Test Engineer:

Solon Gong

Page: 1


		Read		Limit	Over
	Freq	Level	Level	Line	Limit
	MHz	dBuV	dBuV/m	dBuV/m	dB
1	0.016	30.45	30.45	63.50	-33.05
2	0.026	35.98	35.98	63.50	-27.52
3	0.233	24.60	24.60	63.50	-38.90
4	0.373	26.34	26.34	63.50	-37.16
5	0.631	30.06	30.06	63.50	-33.44
6	2.901	25.95	25.95	63.50	-37.55



3F #34Bldg. No.680 GuiPing Rd.,
CaoHeJing Hi-Tech Park,
Shanghai, China
Tel:+86-21-64955500
Fax:+86-21-64955491
aciemc@audix.com

Data#: 44 File#: E:\EMI_TEST\Data\L\longstar.EMI

Date: 2003-05-11 Time: 15:15:44



Site : audix-aci NO.3 CHAMBER
Condition : FCC PART18 LIGHTING 3m
Project No. : AOE-000368
Applicant : XIAMEN LONGSTAR LIGHTING CO.,LTD
EUT : Energy Saving Lamp
M/N : FE-T9D-32W
Power Supply : 120V/60Hz
Ambient : 20.7C, 53%
Test Mode : on
S/N :
Test Engineer:

Solon Gong

Page: 1

		Read		Limit	Over
	Freq	Level	Level	Line	Limit
	MHz	dBuV	dBuV/m	dBuV/m	dB
1	0.015	35.48	35.48	63.50	-28.02
2	0.026	39.27	39.27	63.50	-24.23
3	0.151	22.94	22.94	63.50	-40.56
4	0.229	29.33	29.33	63.50	-34.17
5	0.631	34.11	34.11	63.50	-29.39
6	3.303	25.70	25.70	63.50	-37.80