





LTE Band 13 / 5MHz

Highest Channel / QPSK



Date: 6 MAY 2019 05:07:40


Highest Channel / 16QAM



Date: 6 MAY 2019 05:06:46


LTE Band 13 / 10MHz

Middle Channel / QPSK



Date: 6 MAY 2019 05:08:33

Middle Channel / 16QAM




Date: 6 MAY 2019 05:09:26




LTE Band 13 / 5MHz

Lowest Channel / 64QAM




Date: 6 MAY. 2019 05:36:16

Middle Channel / 64QAM




Date: 6 MAY. 2019 05:37:09

Highest Channel / 64QAM




Date: 6 MAY. 2019 05:38:02






LTE Band 66 / 1.4MHz

Lowest Channel / QPSK




Date: 6 MAY 2019 23:18:55

Lowest Channel / 16QAM




Date: 6 MAY 2019 23:21:36

Middle Channel / QPSK



Date: 6 MAY 2019 23:17:27

Middle Channel / 16QAM




Date: 6 MAY 2019 23:16:49




LTE Band 66 / 1.4MHz

Highest Channel / QPSK



Date: 6 MAY 2019 23:37:32


Highest Channel / 16QAM



Date: 6 MAY 2019 23:36:46


LTE Band 66 / 3MHz

Lowest Channel / QPSK



Date: 7 MAY 2019 00:07:28

Lowest Channel / 16QAM




Date: 7 MAY 2019 00:08:13




LTE Band 66 / 3MHz

Middle Channel / QPSK




Date: 7.MAY.2019 00:06:38

Middle Channel / 16QAM




Date: 7.MAY.2019 00:05:57

Highest Channel / QPSK



Date: 7.MAY.2019 00:23:41

Highest Channel / 16QAM




Date: 7.MAY.2019 00:23:01




LTE Band 66 / 5MHz

Lowest Channel / QPSK




Date: 7.MAY.2019 00:32:38

Lowest Channel / 16QAM




Date: 7.MAY.2019 00:33:43

Middle Channel / QPSK



Date: 7.MAY.2019 00:31:35

Middle Channel / 16QAM




Date: 7.MAY.2019 00:30:44




LTE Band 66 / 5MHz

Highest Channel / QPSK



Date: 7.MAY.2019 00:41:12


Highest Channel / 16QAM



Date: 7.MAY.2019 00:40:25


LTE Band 66 / 10MHz

Lowest Channel / QPSK



Date: 7.MAY.2019 00:47:58

Lowest Channel / 16QAM




Date: 7.MAY.2019 00:49:03




LTE Band 66 / 10MHz

Middle Channel / QPSK




Date: 7.MAY.2019 00:47:08

Middle Channel / 16QAM




Date: 7.MAY.2019 00:46:22

Highest Channel / QPSK



Date: 7.MAY.2019 00:57:46

Highest Channel / 16QAM




Date: 7.MAY.2019 00:56:37




LTE Band 66 / 15MHz

Lowest Channel / QPSK




Date: 7.MAY.2019 01:36:37

Lowest Channel / 16QAM




Date: 7.MAY.2019 01:37:47

Middle Channel / QPSK



Date: 7.MAY.2019 01:04:29


Middle Channel / 16QAM



Date: 7.MAY.2019 01:03:50


LTE Band 66 / 15MHz

Highest Channel / QPSK



Date: 7.MAY.2019 01:44:47


Highest Channel / 16QAM



Date: 7.MAY.2019 01:43:57


LTE Band 66 / 20MHz

Lowest Channel / QPSK



Date: 7.MAY.2019 01:57:14

Lowest Channel / 16QAM




Date: 7.MAY.2019 02:17:40




LTE Band 66 / 20MHz

Middle Channel / QPSK




Date: 7.MAY.2019 01:55:22

Middle Channel / 16QAM




Date: 7.MAY.2019 01:54:31

Highest Channel / QPSK



Date: 7.MAY.2019 02:28:05

Highest Channel / 16QAM




Date: 7.MAY.2019 02:27:16




LTE Band 66 / 1.4MHz

Lowest Channel / 64QAM




Date: 6 MAY. 2019 23:24:17

Middle Channel / 64QAM



Date: 6 MAY. 2019 23:15:18

Highest Channel / 64QAM




Date: 6 MAY. 2019 23:36:03




LTE Band 66 / 3MHz

Lowest Channel / 64QAM




Date: 7.MAY.2019 00:10:20

Middle Channel / 64QAM



Date: 7.MAY.2019 00:05:22

Highest Channel / 64QAM




Date: 7.MAY.2019 00:20:29




LTE Band 66 / 5MHz

Lowest Channel / 64QAM




Date: 7.MAY.2019 00:34:51

Middle Channel / 64QAM



Date: 7.MAY.2019 00:29:59

Highest Channel / 64QAM




Date: 7.MAY.2019 00:39:46




LTE Band 66 / 10MHz

Lowest Channel / 64QAM




Date: 7.MAY.2019 00:50:43

Middle Channel / 64QAM



Date: 7.MAY.2019 00:45:40

Highest Channel / 64QAM




Date: 7.MAY.2019 00:55:51




LTE Band 66 / 15MHz

Lowest Channel / 64QAM




Date: 7.MAY.2019 01:38:47

Middle Channel / 64QAM



Date: 7.MAY.2019 01:02:47

Highest Channel / 64QAM




Date: 7.MAY.2019 01:43:16




LTE Band 66 / 20MHz

Lowest Channel / 64QAM




Date: 7.MAY.2019 02:22:02

Middle Channel / 64QAM



Date: 7.MAY.2019 01:53:41

Highest Channel / 64QAM



Date: 7.MAY.2019 02:26:30

**Frequency Stability**

Test Conditions		LTE Band 2 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0008	PASS
40	Normal Voltage	0.0033	
30	Normal Voltage	0.0007	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0016	
0	Normal Voltage	0.0007	
-10	Normal Voltage	0.0016	
-20	Normal Voltage	0.0024	
-30	Normal Voltage	0.0031	
20	Maximum Voltage	0.0002	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0012	

Note:

1. Normal Voltage =5 V. ; Battery End Point (BEP) =4.75 V. ; Maximum Voltage =5.25 V.
2. Note: The frequency fundamental emissions stay within the authorized frequency block.



Test Conditions		LTE Band 5 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	2.5ppm
		Deviation (ppm)	Result
50	Normal Voltage	0.0005	PASS
40	Normal Voltage	0.0022	
30	Normal Voltage	0.0050	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0056	
0	Normal Voltage	0.0069	
-10	Normal Voltage	0.0051	
-20	Normal Voltage	0.0028	
-30	Normal Voltage	0.0010	
20	Maximum Voltage	0.0051	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0012	

Note: Normal Voltage =5 V. ; Battery End Point (BEP) =4.75 V. ; Maximum Voltage =5.25 V.



Test Conditions		LTE Band 7 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0033	PASS
40	Normal Voltage	0.0028	
30	Normal Voltage	0.0008	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0019	
0	Normal Voltage	0.0032	
-10	Normal Voltage	0.0005	
-20	Normal Voltage	0.0004	
-30	Normal Voltage	0.0020	
20	Maximum Voltage	0.0016	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0033	

Note:

1. Normal Voltage =5 V. ; Battery End Point (BEP) =4.75 V. ; Maximum Voltage =5.25 V.
2. Note: The frequency fundamental emissions stay within the authorized frequency block.



Test Conditions		LTE Band 12 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0011	PASS
40	Normal Voltage	0.0024	
30	Normal Voltage	0.0080	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0102	
0	Normal Voltage	0.0006	
-10	Normal Voltage	0.0023	
-20	Normal Voltage	0.0086	
-30	Normal Voltage	0.0058	
20	Maximum Voltage	0.0011	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0096	

Note:

1. Normal Voltage =5 V. ; Battery End Point (BEP) =4.75 V. ; Maximum Voltage =5.25 V.
2. Note: The frequency fundamental emissions stay within the authorized frequency block.



Test Conditions		LTE Band 13 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0014	PASS
40	Normal Voltage	0.0004	
30	Normal Voltage	0.0055	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0054	
0	Normal Voltage	0.0072	
-10	Normal Voltage	0.0010	
-20	Normal Voltage	0.0058	
-30	Normal Voltage	0.0061	
20	Maximum Voltage	0.0006	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0046	

Note:

1. Normal Voltage =5 V. ; Battery End Point (BEP) =4.75 V. ; Maximum Voltage =5.25 V.
2. Note: The frequency fundamental emissions stay within the authorized frequency block.



Test Conditions		LTE Band 66 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 10MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0022	PASS
40	Normal Voltage	0.0015	
30	Normal Voltage	0.0003	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0044	
0	Normal Voltage	0.0005	
-10	Normal Voltage	0.0002	
-20	Normal Voltage	0.0020	
-30	Normal Voltage	0.0005	
20	Maximum Voltage	0.0039	
20	Normal Voltage	0.0000	
20	Battery End Point	0.0007	

Note:

1. Normal Voltage =5 V. ; Battery End Point (BEP) =4.75 V. ; Maximum Voltage =5.25 V.
2. Note: The frequency fundamental emissions stay within the authorized frequency block.



Appendix B. Test Results of Radiated Test

Radiated Spurious Emission

LTE Band 2 / 20MHz / QPSK								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3702	-56.70	-13	-43.70	-68.96	2.641	14.90	H
	5553	-46.92	-13	-33.92	-58.78	2.94	14.80	H
	7404	-52.21	-13	-39.21	-61.98	3.39	13.16	H
	3702	-53.87	-13	-40.87	-66.13	2.64	14.90	V
	5553	-55.43	-13	-42.43	-67.29	2.94	14.80	V
	7404	-51.90	-13	-38.90	-61.67	3.39	13.16	V
Middle	3741	-39.75	-13	-26.75	-52.01	2.641	14.90	H
	5613	-36.73	-13	-23.73	-48.59	2.94	14.80	H
	7488	-52.41	-13	-39.41	-62.18	3.39	13.16	H
	3741	-41.45	-13	-28.45	-53.71	2.64	14.90	V
	5613	-46.93	-13	-33.93	-58.79	2.94	14.80	V
	7488	-51.75	-13	-38.75	-61.52	3.39	13.16	V
Highest	3783	-39.91	-13	-26.91	-52.17	2.641	14.90	H
	5673	-44.55	-13	-31.55	-56.41	2.94	14.80	H
	7560	-53.05	-13	-40.05	-62.82	3.39	13.16	H
	3783	-42.17	-13	-29.17	-54.43	2.64	14.90	V
	5673	-51.33	-13	-38.33	-63.19	2.94	14.80	V
	7560	-52.21	-13	-39.21	-61.98	3.39	13.16	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 5 / 10MHz / QPSK/								
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1650	-68.34	-13	-55.34	-75.31	1.58	10.70	H
	2474	-60.56	-13	-47.56	-68.81	2.102	12.50	H
	3300	-64.24	-13	-51.24	-73.13	2.856	13.90	H
	1650	-68.39	-13	-55.39	-75.36	1.58	10.70	V
	2474	-61.07	-13	-48.07	-69.32	2.10	12.50	V
	3300	-64.50	-13	-51.50	-73.39	2.86	13.90	V
Middle	1664	-61.72	-13	-48.72	-68.69	1.58	10.70	H
	2496	-63.79	-13	-50.79	-72.04	2.102	12.50	H
	3330	-64.64	-13	-51.64	-73.53	2.856	13.90	H
	1664	-60.63	-13	-47.63	-67.60	1.58	10.70	V
	2496	-64.09	-13	-51.09	-72.34	2.10	12.50	V
	3330	-64.37	-13	-51.37	-73.26	2.86	13.90	V
Highest	1680	-68.39	-13	-55.39	-75.36	1.58	10.70	H
	2518	-61.21	-13	-48.21	-69.46	2.102	12.50	H
	3360	-64.52	-13	-51.52	-73.41	2.856	13.90	H
	1679.18	-68.57	-13	-55.57	-75.54	1.58	10.70	V
	2518	-62.18	-13	-49.18	-70.43	2.10	12.50	V
	3360	-64.24	-13	-51.24	-73.13	2.86	13.90	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 7 / 20MHz / QPSK								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	5000	-63.68	-25	-38.68	-73.89	3.03	13.24	H
	7504	-59.64	-25	-34.64	-69.09	3.56	13.01	H
	10004	-45.43	-25	-20.43	-54.95	3.92	13.44	H
	12504	-48.28	-25	-23.28	-58.20	4.44	14.36	H
	5000	-52.12	-25	-27.12	-62.33	3.03	13.24	V
	7504	-55.83	-25	-30.83	-65.28	3.56	13.01	V
	10004	-41.57	-25	-16.57	-51.09	3.92	13.44	V
	12504	-40.92	-25	-15.92	-50.84	4.44	14.36	V
Middle	5052	-60.73	-25	-35.73	-70.94	3.03	13.24	H
	7578.27	-60.51	-25	-35.51	-69.96	3.56	13.01	H
	10104	-47.05	-25	-22.05	-56.57	3.92	13.44	H
	12630	-47.83	-25	-22.83	-57.75	4.44	14.36	H
	5052	-49.11	-25	-24.11	-59.32	3.03	13.24	V
	7580	-56.87	-25	-31.87	-66.32	3.56	13.01	V
	10104	-42.54	-25	-17.54	-52.06	3.92	13.44	V
	12630	-41.62	-25	-16.62	-51.54	4.44	14.36	V
Highest	5100	-62.98	-25	-37.98	-73.19	3.03	13.24	H
	7652	-60.12	-25	-35.12	-69.57	3.56	13.01	H
	10204	-48.80	-25	-23.80	-58.32	3.92	13.44	H
	12756	-48.54	-25	-23.54	-58.46	4.44	14.36	H
	5100	-51.42	-25	-26.42	-61.63	3.03	13.24	V
	7652	-56.23	-25	-31.23	-65.68	3.56	13.01	V
	10204	-43.38	-25	-18.38	-52.90	3.92	13.44	V
	12756	-41.80	-25	-16.80	-51.72	4.44	14.36	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 12 / 10MHz / QPSK								
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1400	-64.79	-13	-51.79	-70.81	1.40	9.57	H
	2098	-58.34	-13	-45.34	-65.75	1.87	11.44	H
	2798	-64.77	-13	-51.77	-73.66	2.31	13.35	H
	1400	-60.56	-13	-47.56	-66.58	1.40	9.57	V
	2098	-57.49	-13	-44.49	-64.90	1.87	11.44	V
	2798.36	-64.76	-13	-51.76	-73.65	2.31	13.35	V
Middle	1406	-67.81	-13	-54.81	-73.83	1.40	9.57	H
	2109.27	-67.22	-13	-54.22	-74.63	1.87	11.44	H
	2812	-64.02	-13	-51.02	-72.91	2.31	13.35	H
	1406	-66.32	-13	-53.32	-72.34	1.40	9.57	V
	2110	-62.16	-13	-49.16	-69.57	1.87	11.44	V
	2812	-64.19	-13	-51.19	-73.08	2.31	13.35	V
Highest	1414	-65.90	-13	-52.90	-71.92	1.40	9.57	H
	2120	-58.25	-13	-45.25	-65.66	1.87	11.44	H
	2826	-63.87	-13	-50.87	-72.76	2.31	13.35	H
	1414	-64.16	-13	-51.16	-70.18	1.40	9.57	V
	2120	-59.45	-13	-46.45	-66.86	1.87	11.44	V
	2826	-64.21	-13	-51.21	-73.10	2.31	13.35	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 13 / 5MHz / QPSK								
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	1554	-67.00	-13	-54.00	-69.63	1.09	5.87	H
	2332	-65.44	-13	-52.44	-67.84	1.37	5.92	H
	3108	-64.03	-13	-51.03	-67.92	1.64	7.68	H
	1554	-66.43	-13	-53.43	-69.06	1.09	5.87	V
	2332	-61.08	-13	-48.08	-63.48	1.37	5.92	V
	3108	-64.05	-13	-51.05	-67.94	1.64	7.68	V
Middle	1560	-65.39	-42.15	-23.24	-68.02	1.09	5.87	H
	2340	-62.25	-13	-49.25	-64.65	1.37	5.92	H
	3120	-64.69	-13	-51.69	-68.58	1.64	7.68	H
	1560	-65.25	-42.15	-23.10	-67.88	1.09	5.87	V
	2340	-62.03	-13	-49.03	-64.43	1.37	5.92	V
	3120	-64.57	-13	-51.57	-68.46	1.64	7.68	V
Highest	1564	-66.86	-42.15	-24.71	-69.49	1.09	5.87	H
	2348	-64.64	-13	-51.64	-67.04	1.37	5.92	H
	3132	-63.93	-13	-50.93	-67.82	1.64	7.68	H
	1564	-66.59	-42.15	-24.44	-69.22	1.09	5.87	V
	2348	-62.57	-13	-49.57	-64.97	1.37	5.92	V
	3132	-64.27	-13	-51.27	-68.16	1.64	7.68	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 13 / 10MHz / QPSK								
Channel	Frequency (MHz)	ERP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Middle	1556	-67.71	-13	-54.71	-70.34	1.09	5.87	H
	2332	-65.97	-13	-52.97	-68.37	1.37	5.92	H
	3108	-63.64	-13	-50.64	-67.53	1.64	7.68	H
	1556	-67.64	-13	-54.64	-70.27	1.09	5.87	V
	2332	-64.04	-13	-51.04	-66.44	1.37	5.92	V
	3108	-64.12	-13	-51.12	-68.01	1.64	7.68	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.



LTE Band 66 / 10MHz / QPSK								
Channel	Frequency (MHz)	EIRP (dBm)	Limit (dBm)	Over Limit (dB)	S.G. Power (dBm)	TX Cable loss (dB)	TX Antenna Gain (dBi)	Polarization (H/V)
Lowest	3423	-57.51	-13	-44.51	-68.25	2.604	13.34	H
	5133	-43.66	-13	-30.66	-54.17	3.011	13.52	H
	6840	-46.18	-13	-33.18	-56.38	3.271	13.47	H
	3423	-57.86	-13	-44.86	-68.60	2.604	13.34	V
	5133	-42.98	-13	-29.98	-53.49	3.011	13.52	V
	6840	-46.40	-13	-33.40	-56.60	3.271	13.47	V
Middle	3472.18	-58.04	-13	-45.04	-68.78	2.604	13.34	H
	5208	-41.01	-13	-28.01	-51.52	3.011	13.52	H
	6948	-50.07	-13	-37.07	-60.27	3.271	13.47	H
	3471	-58.42	-13	-45.42	-69.16	2.604	13.34	V
	5208	-40.01	-13	-27.01	-50.52	3.011	13.52	V
	6948	-49.87	-13	-36.87	-60.07	3.271	13.47	V
Highest	3522	-57.77	-13	-44.77	-68.51	2.604	13.34	H
	5283	-40.32	-13	-27.32	-50.83	3.011	13.52	H
	7044	-50.75	-13	-37.75	-60.95	3.271	13.47	H
	3522	-58.08	-13	-45.08	-68.82	2.604	13.34	V
	5283	-41.26	-13	-28.26	-51.77	3.011	13.52	V
	7044	-49.80	-13	-36.80	-60.00	3.271	13.47	V

Remark: Spurious emissions within 30-1000MHz were found more than 20dB below limit line.