


**FR1 n71 / 15MHz / DFT-s-OFDM / 16QAM / Full RB****Lowest Band Edge**

09:55:50 PM 03/18/2025

Highest Band Edge


10:02:52 PM 03/18/2025

FR1 n71 / 15MHz / DFT-s-OFDM / 64QAM / Full RB**Lowest Band Edge**

09:54:51 PM 03/18/2025

Highest Band Edge


10:03:51 PM 03/18/2025

**FR1 n71 / 15MHz / DFT-s-OFDM / 256QAM / Full RB****Lowest Band Edge**

09:53:50 PM 03/18/2025

Highest Band Edge


10:04:52 PM 03/18/2025

FR1 n71 / 15MHz / CP OFDM / QPSK / Full RB**Lowest Band Edge**

09:58:48 PM 03/18/2025

Highest Band Edge

09:59:53 PM 03/18/2025

**FR1 n71 / 20MHz / DFT-s-OFDM / PI/2 BPSK / Full RB****Lowest Band Edge**

10:09:56 PM 03/18/2025

Highest Band Edge

10:13:14 PM 03/18/2025

FR1 n71 / 20MHz / DFT-s-OFDM / QPSK / Full RB**Lowest Band Edge**

10:09:58 PM 03/18/2025


Highest Band Edge

10:14:13 PM 03/18/2025




FR1 n71 / 20MHz / DFT-s-OFDM / 16QAM / Full RB

Lowest Band Edge



10:07:59 PM 03/18/2025


Highest Band Edge



10:15:12 PM 03/18/2025

FR1 n71 / 20MHz / DFT-s-OFDM / 64QAM / Full RB

Lowest Band Edge





10:06:59 PM 03/18/2025

Highest Band Edge



10:16:11 PM 03/18/2025


**FR1 n71 / 20MHz / DFT-s-OFDM / 256QAM / Full RB****Lowest Band Edge****Highest Band Edge****FR1 n71 / 20MHz / CP OFDM / QPSK / Full RB****Lowest Band Edge****Highest Band Edge**




Conducted Spurious Emission

FR1 n71 / 5MHz / DFT-S OFDM / QPSK / 1RB1


Lowest Channel



Middle Channel



Highest Channel



Frequency Stability

Test Conditions		FR1 n71 (BPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 20MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0119	PASS
40	Normal Voltage	0.0004	
30	Normal Voltage	0.0210	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0041	
0	Normal Voltage	0.0024	
-10	Normal Voltage	0.0048	
-20	Normal Voltage	0.0001	
-30	Normal Voltage	0.0235	
20	Maximum Voltage	0.0021	
20	Normal Voltage	0.0000	
20	Minimum Voltage	0.0063	

Note:

1. Normal Voltage = 3.85 V. ; Minimum Voltage = 3.30 V. ; Maximum Voltage = 4.40 V.
2. The frequency fundamental emissions stay within the authorized frequency block.


**<MIMO Mode>****MIMO <Ant. 0+1> (Ant. 0)****Peak-to-Average Ratio**

Mode	FR1 n71 / 20MHz / CP OFDM				
Mod.	QPSK	16QAM	64QAM	256QAM	Limit: 13dB
RB Size	Full RB	Full RB	Full RB	Full RB	Result
Middle CH	7.28	7.24	7.84	8.60	PASS



FR1 n71 / 20MHz /CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM



**26dB Bandwidth**


Mode	FR1 n71 : 26dB BW(MHz) / CP OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	5.28	5.28	10.17	10.26	15.25	15.26	20.37	20.40
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Middle CH	5.19	5.27	10.17	10.28	15.26	15.16	20.34	20.45






FR1 n71 / 10MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM




64QAM



256QAM









FR1 n71 / 20MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM



256QAM




**Occupied Bandwidth**

Mode	FR1 n71 : OB BW(MHz) / CP OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	4.52	4.53	9.31	9.31	14.11	14.11	18.96	19.04
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Middle CH	4.49	4.52	9.31	9.31	14.14	14.15	19.00	18.95




FR1 n71 / 5MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n71 / 10MHz / CP OFDM / Middle Channel / Full RB

QPSK




16QAM



64QAM




256QAM






FR1 n71 / 15MHz / CP OFDM / Middle Channel / Full RB

QPSK




02:42:09 PM 04/22/2025

16QAM



02:42:36 PM 04/22/2025

64QAM



02:43:04 PM 04/22/2025

256QAM




02:43:33 PM 04/22/2025




FR1 n71 / 20MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM



**Conducted Band Edge**

FR1 n71 / 5MHz / CP OFDM / QPSK


Lowest Band Edge / 1RB0**Highest Band Edge / 1RBmax****Lowest Band Edge / Full RB****Highest Band Edge / Full RB**



FR1 n71 / 5MHz / CP OFDM / 16QAM


Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n71 / 5MHz / CP OFDM / 64QAM

Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB

Highest Band Edge / Full RB





FR1 n71 / 5MHz / CP OFDM / 256QAM

Lowest Band Edge / 1RB0




02:07:23 PM 04/22/2025

Highest Band Edge / 1RBmax



01:57:50 PM 04/22/2025

Lowest Band Edge / Full RB



02:10:41 PM 04/22/2025

Highest Band Edge / Full RB




02:14:12 PM 04/22/2025




FR1 n71 / 10MHz / CP OFDM / QPSK

Highest Band Edge / Full RB



FR1 n71 / 10MHz / CP OFDM / 16QAM

Highest Band Edge / Full RB





FR1 n71 / 10MHz / CP OFDM / 64QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n71 / 10MHz / CP OFDM / 256QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB





FR1 n71 / 15MHz / CP OFDM / QPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB



FR1 n71 / 15MHz / CP OFDM / 16QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB





FR1 n71 / 15MHz / CP OFDM / 64QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n71 / 15MHz / CP OFDM / 256QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB





FR1 n71 / 20MHz / CP OFDM / QPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB



FR1 n71 / 20MHz / CP OFDM / 16QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB






FR1 n71 / 20MHz / CP OFDM / 64QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB



FR1 n71 / 20MHz / CP OFDM / 256QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB







Conducted Spurious Emission

FR1 n71 / 5MHz / CP OFDM / QPSK / 1RB1


Lowest Channel



Middle Channel



Highest Channel



Frequency Stability

Test Conditions		FR1 n71 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 20MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0005	PASS
40	Normal Voltage	0.0001	
30	Normal Voltage	0.0046	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0079	
0	Normal Voltage	0.0082	
-10	Normal Voltage	0.0100	
-20	Normal Voltage	0.0102	
-30	Normal Voltage	0.0068	
20	Maximum Voltage	0.0093	
20	Normal Voltage	0.0000	
20	Minimum Voltage	0.0078	

Note:

1. Normal Voltage = 3.85 V. ; Minimum Voltage = 3.30 V. ; Maximum Voltage = 4.40 V.
2. The frequency fundamental emissions stay within the authorized frequency block.


**<MIMO Mode>****MIMO <Ant. 0+1> (Ant. 1)****Peak-to-Average Ratio**

Mode	FR1 n71 / 20MHz / CP OFDM				
Mod.	QPSK	16QAM	64QAM	256QAM	Limit: 13dB
RB Size	Full RB	Full RB	Full RB	Full RB	Result
Middle CH	6.60	6.62	7.16	8.26	PASS




FR1 n71 / 20MHz /CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM



256QAM




**26dB Bandwidth**

Mode	FR1 n71 : 26dB BW(MHz) / CP OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	5.33	5.42	10.26	10.25	15.25	15.15	20.37	20.37
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Middle CH	5.02	5.25	10.31	10.26	15.21	15.31	20.43	20.40




FR1 n71 / 5MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n71 / 10MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n71 / 15MHz / CP OFDM / Middle Channel / Full RB

QPSK




04:01:21 PM 04/22/2025

16QAM




04:01:48 PM 04/22/2025

64QAM



04:02:15 PM 04/22/2025

256QAM




04:02:44 PM 04/22/2025




FR1 n71 / 20MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM



256QAM




**Occupied Bandwidth**

Mode	FR1 n71 : OB BW(MHz) / CP OFDM							
BW	5MHz		10MHz		15MHz		20MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	4.50	4.54	9.31	9.33	14.15	14.14	19.02	19.02
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Middle CH	4.48	4.50	9.33	9.33	14.20	14.14	19.07	19.06




FR1 n71 / 5MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n71 / 10MHz / CP OFDM / Middle Channel / Full RB


QPSK



16QAM



64QAM




256QAM






FR1 n71 / 15MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n71 / 20MHz / CP OFDM / Middle Channel / Full RB

QPSK




03:55:40 PM 04/22/2025

16QAM



03:56:07 PM 04/22/2025

64QAM




03:56:35 PM 04/22/2025

256QAM



03:57:04 PM 04/22/2025



**Conducted Band Edge****FR1 n71 / 5MHz / CP OFDM / QPSK****Lowest Band Edge / 1RB0****Highest Band Edge / 1RBmax****Lowest Band Edge / Full RB****Highest Band Edge / Full RB**



FR1 n71 / 5MHz / CP OFDM / 16QAM



Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n71 / 5MHz / CP OFDM / 64QAM


Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB

Highest Band Edge / Full RB





FR1 n71 / 5MHz / CP OFDM / 256QAM

Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB

Highest Band Edge / Full RB





FR1 n71 / 10MHz / CP OFDM / QPSK

Lowest Band Edge / Full RB



03:23:18 PM 04/22/2025

Highest Band Edge / Full RB



03:26:53 PM 04/22/2025


FR1 n71 / 10MHz / CP OFDM / 16QAM

Lowest Band Edge / Full RB



03:24:07 PM 04/22/2025

Highest Band Edge / Full RB



03:27:41 PM 04/22/2025



FR1 n71 / 10MHz / CP OFDM / 64QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n71 / 10MHz / CP OFDM / 256QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB





FR1 n71 / 15MHz / CP OFDM / QPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n71 / 15MHz / CP OFDM / 16QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB





FR1 n71 / 15MHz / CP OFDM / 64QAM

Lowest Band Edge / Full RB



03:31:59 PM 04/22/2025

Highest Band Edge / Full RB



03:35:18 PM 04/22/2025

FR1 n71 / 15MHz / CP OFDM / 256QAM

Lowest Band Edge / Full RB



03:32:49 PM 04/22/2025

Highest Band Edge / Full RB



03:36:08 PM 04/22/2025



FR1 n71 / 20MHz / CP OFDM / QPSK

Lowest Band Edge / Full RB




Highest Band Edge / Full RB



FR1 n71 / 20MHz / CP OFDM / 16QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB






FR1 n71 / 20MHz / CP OFDM / 64QAM

Lowest Band Edge / Full RB




Highest Band Edge / Full RB




FR1 n71 / 20MHz / CP OFDM / 256QAM

Lowest Band Edge / Full RB



Highest Band Edge / Full RB







Conducted Spurious Emission

FR1 n71 / 5MHz / CP OFDM / QPSK / 1RB1


Lowest Channel



Middle Channel



Highest Channel



Frequency Stability

Test Conditions		FR1 n71 (QPSK) / Middle Channel	Limit
Temperature (°C)	Voltage (Volt)	BW 20MHz	Note 2.
		Deviation (ppm)	Result
50	Normal Voltage	0.0119	PASS
40	Normal Voltage	0.0022	
30	Normal Voltage	0.0016	
20(Ref.)	Normal Voltage	0.0000	
10	Normal Voltage	0.0003	
0	Normal Voltage	0.0128	
-10	Normal Voltage	0.0112	
-20	Normal Voltage	0.0029	
-30	Normal Voltage	0.0040	
20	Maximum Voltage	0.0078	
20	Normal Voltage	0.0000	
20	Minimum Voltage	0.0029	

Note:

1. Normal Voltage = 3.85 V. ; Minimum Voltage = 3.30 V. ; Maximum Voltage = 4.40 V.
2. The frequency fundamental emissions stay within the authorized frequency block.



FR1 n77_Part270

<SISO Mode>

Peak-to-Average Ratio

Mode	FR1 n77 / 20MHz / DFT-S OFDM				
Mod.	PI/2 BPSK	QPSK	16QAM	64QAM	Limit: 13dB
RB Size	Full RB	Full RB	Full RB	Full RB	Result
Middle CH	3.48	4.26	5.10	5.58	PASS
Mode	FR1 n77 / 20MHz / DFT-S OFDM				
Mod.	256QAM				Limit: 13dB
RB Size	Full RB				Result
Middle CH	6.12				PASS




FR1 n77 / 20MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




QPSK




16QAM



64QAM



256QAM



**26dB Bandwidth**


Mode	FR1 n77 : 26dB BW(MHz) / DFT-S OFDM							
BW	10MHz	15MHz	20MHz	25MHz	30MHz	40MHz	50MHz	60MHz
Mod.	PI/2 BPSK	PI/2 BPSK	PI/2 BPSK	PI/2 BPSK	PI/2 BPSK	PI/2 BPSK	PI/2 BPSK	PI/2 BPSK
Middle CH	10.18	15.00	19.91	24.97	29.87	38.66	48.68	63.04
BW	70MHz	80MHz	90MHz	100MHz				
Mod.	PI/2 BPSK	PI/2 BPSK	PI/2 BPSK	PI/2 BPSK				
Middle CH	69.37	80.18	92.04	101.70				

Mode	FR1 n77 : 26dB BW(MHz) / CP OFDM							
BW	10MHz		15MHz		20MHz		25MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	10.51	10.57	16.86	15.65	21.02	21.21	28.59	25.39
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Middle CH	10.18	10.19	15.48	15.55	21.04	20.25	27.14	25.45
BW	30MHz		40MHz		50MHz		60MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	33.04	34.05	41.29	41.64	50.59	50.75	63.64	67.11
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Middle CH	31.31	30.75	45.50	41.06	52.98	50.32	67.53	62.62
BW	70MHz		80MHz		90MHz		100MHz	
Mod.	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM	QPSK	16QAM
Middle CH	73.04	73.08	80.92	80.78	92.84	94.58	103.38	103.27
Mod.	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM	64QAM	256QAM
Middle CH	75.14	72.45	82.74	80.67	95.00	92.56	102.99	102.78




FR1 n77 / 10MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n77 / 10MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n77 / 15MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n77 / 15MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n77 / 20MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n77 / 20MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n77 / 25MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n77 / 25MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n77 / 30MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n77 / 30MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n77 / 40MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n77 / 40MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n77 / 50MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n77 / 50MHz / CP OFDM / Middle Channel / Full RB


QPSK




16QAM



64QAM




256QAM






FR1 n77 / 60MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




FR1 n77 / 60MHz / CP OFDM / Middle Channel / Full RB


QPSK



16QAM



64QAM



256QAM

