




Tx1_ANT 3

Part 27M Mode 23

NR SA n41 SMSL 20M Ch518598 1RB1 BPSK

M




Site : 03CH11-HY

Condition: -25 1m SHF_1224_240624 Horizontal

: 5GNR n41 SMSL 20M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin		Pol
				Factor	1							
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5169.00	-53.80	RMS		33.12	-22.45	0.56	-95.23	30.20	-25.00	-28.80	Horizontal
2	7753.00	-48.44	RMS		36.51	-20.52	0.58	-95.23	30.22	-25.00	-23.44	Horizontal
3	10337.00	-44.37	RMS		38.57	-17.33	0.33	-95.23	29.29	-25.00	-19.37	Horizontal



Site : 03CH11-HY

Condition: -25 1m SHF_1224_240624 Vertical

: 5GNR n41 SMSL 20M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin		Pol
				Factor	1							
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5169.00	-53.40	RMS		33.12	-22.45	0.56	-95.23	30.60	-25.00	-28.40	Vertical
2	7753.00	-48.23	RMS		36.51	-20.52	0.58	-95.23	30.43	-25.00	-23.23	Vertical
3	10337.00	-44.16	RMS		38.57	-17.33	0.33	-95.23	29.50	-25.00	-19.16	Vertical




Tx1_ANT 3


Part 27M Mode 23

NR SA n41 SMSL 20M Ch535998 1RB1 BPSK

H



	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5343.00	-55.28	RMS	32.90	-22.44	0.42	-95.23	29.07	-25.00	-30.28 Horizontal
2	8014.00	-48.76	RMS	36.90	-20.82	0.36	-95.23	30.03	-25.00	-23.76 Horizontal
3	10685.00	-44.65	RMS	39.03	-17.27	0.33	-95.23	28.49	-25.00	-19.65 Horizontal



	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Reading	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5343.00	-55.27	RMS	32.90	-22.44	0.42	-95.23	29.08	-25.00	-30.27 Vertical
2	8014.00	-48.70	RMS	36.90	-20.82	0.36	-95.23	30.09	-25.00	-23.70 Vertical
3	10685.00	-44.60	RMS	39.03	-17.27	0.33	-95.23	28.54	-25.00	-19.60 Vertical




Tx1_ANT 7

Part 270 Mode 24


NR SA n77 SMSL 20M Ch647334 1RB1 BPSK

L



Site : 03CH11-HY
Condition: -13 1m SHF_1224_240624 Horizontal
: 5GNR n77 SMSL 20M Ch647334 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	7403.00	-47.42 RMS	36.39	-20.83	0.66	-95.23	31.59	-13.00	-34.42	Horizontal
2	11104.00	-42.77 RMS	38.60	-17.38	0.35	-95.23	30.89	-13.00	-29.77	Horizontal
3	14805.00	-40.53 RMS	39.99	-15.34	0.35	-95.23	29.70	-13.00	-27.53	Horizontal
4	22208.00	-61.78 RMS	37.95	-34.96	-9.54	-95.23	40.00	-13.00	-48.78	Horizontal
5	25912.00	-54.53 RMS	39.30	-32.18	-9.54	-95.23	43.12	-13.00	-41.53	Horizontal
6	29612.00	-61.72 RMS	40.48	-30.68	-9.54	-95.23	33.25	-13.00	-48.72	Horizontal



Site : 03CH11-HY
Condition: -13 1m SHF_1224_240624 Vertical
: 5GNR n77 SMSL 20M Ch647334 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	7403.00	-38.99 RMS	36.39	-20.83	0.66	-95.23	40.02	-13.00	-25.99	Vertical
2	11104.00	-41.89 RMS	38.60	-17.38	0.35	-95.23	31.77	-13.00	-28.89	Vertical
3	14805.00	-40.54 RMS	39.99	-15.34	0.35	-95.23	29.69	-13.00	-27.54	Vertical
4	22208.00	-60.18 RMS	37.95	-34.96	-9.54	-95.23	41.60	-13.00	-47.18	Vertical
5	25912.00	-53.02 RMS	39.30	-32.18	-9.54	-95.23	44.63	-13.00	-40.02	Vertical
6	29612.00	-58.53 RMS	40.48	-30.68	-9.54	-95.23	36.44	-13.00	-45.53	Vertical




Tx1_ANT 7

Part 270 Mode 24


NR SA n77 SMSL 20M Ch656000 1RB1 BPSK

M



Site : 03CH11-HY
Condition: -13 1m SHF_1224_240624 Horizontal
: 5GNR n77 SMSL 20M Ch656000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	7663.00	-46.82 RMS	36.23	-20.58	0.80	-95.23	31.96	-13.00	-33.82	Horizontal
2	11494.00	-43.69 RMS	38.99	-17.28	0.36	-95.23	29.47	-13.00	-30.69	Horizontal
3	15325.00	-41.97 RMS	38.30	-15.07	0.34	-95.23	29.69	-13.00	-28.97	Horizontal
4	19160.00	-58.11 RMS	38.06	-39.05	-9.54	-95.23	47.65	-13.00	-45.11	Horizontal
5	22992.00	-60.96 RMS	38.80	-34.24	-9.54	-95.23	39.25	-13.00	-47.96	Horizontal
6	26826.00	-61.86 RMS	39.94	-31.97	-9.54	-95.23	34.94	-13.00	-48.86	Horizontal



Site : 03CH11-HY
Condition: -13 1m SHF_1224_240624 Vertical
: 5GNR n77 SMSL 20M Ch656000 1RB1 BPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	7663.00	-46.03 RMS	36.23	-20.58	0.80	-95.23	32.75	-13.00	-33.03	Vertical
2	11494.00	-43.89 RMS	38.99	-17.28	0.36	-95.23	29.27	-13.00	-30.89	Vertical
3	15325.00	-41.82 RMS	38.30	-15.07	0.34	-95.23	29.84	-13.00	-28.82	Vertical
4	19160.00	-50.52 RMS	38.06	-39.05	-9.54	-95.23	55.24	-13.00	-37.52	Vertical
5	22992.00	-58.69 RMS	38.80	-34.24	-9.54	-95.23	41.52	-13.00	-45.69	Vertical
6	26826.00	-54.29 RMS	39.94	-31.97	-9.54	-95.23	42.51	-13.00	-41.29	Vertical




Tx1_ANT 7

Part 270 Mode 24

NR SA n77 SMSL 20M Ch664666 1RB1 BPSK

H




Site : 03CH11-HY

Condition: -13 1m SHF_1224_240624 Horizontal

: 5GNR n77 SMSL 20M Ch664666 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	Amp\Cb						
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	7923.00	-48.84	RMS	36.80	-20.70	0.80	-95.23	29.49	-13.00	-35.84	Horizontal
2	11884.00	-44.25	RMS	38.57	-17.19	0.38	-95.23	29.22	-13.00	-31.25	Horizontal
3	15845.00	-42.27	RMS	37.60	-14.84	0.32	-95.23	29.88	-13.00	-29.27	Horizontal
4	19808.00	-62.88	RMS	37.62	-38.20	-9.54	-95.23	42.47	-13.00	-49.88	Horizontal
5	23768.00	-59.04	RMS	38.64	-33.28	-9.54	-95.23	40.37	-13.00	-46.04	Horizontal



Site : 03CH11-HY

Condition: -13 1m SHF_1224_240624 Vertical

: 5GNR n77 SMSL 20M Ch664666 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	Amp\Cb						
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	7923.00	-48.85	RMS	36.80	-20.70	0.80	-95.23	29.48	-13.00	-35.85	Vertical
2	11884.00	-44.20	RMS	38.57	-17.19	0.38	-95.23	29.27	-13.00	-31.20	Vertical
3	15845.00	-42.28	RMS	37.60	-14.84	0.32	-95.23	29.87	-13.00	-29.28	Vertical
4	19808.00	-57.44	RMS	37.62	-38.20	-9.54	-95.23	47.91	-13.00	-44.44	Vertical
5	23768.00	-62.49	RMS	38.64	-33.28	-9.54	-95.23	36.92	-13.00	-49.49	Vertical




Tx1_ANT 7

Part 27Q Mode 25


NR SA n77 SMSL 20M Ch630668 1RB1 BPSK

L



Site : 03CH11-HY
Condition: -13 1m SHF_1224_240624 Horizontal
: 5GNR n77 SMSL 20M Ch630668 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6902.58	-42.87	RMS	35.80	-20.76	1.22	-95.23	36.10	-13.00	-29.87	Horizontal
2	10353.87	-41.62	RMS	38.60	-17.73	0.32	-95.23	32.42	-13.00	-28.62	Horizontal
3	13805.16	-41.14	RMS	40.18	-15.82	0.37	-95.23	29.36	-13.00	-28.14	Horizontal
4	24160.00	-57.30	RMS	38.66	-32.98	-9.54	-95.23	41.79	-13.00	-44.30	Horizontal
5	27624.00	-60.89	RMS	39.60	-32.02	-9.54	-95.23	36.30	-13.00	-47.89	Horizontal



Site : 03CH11-HY
Condition: -13 1m SHF_1224_240624 Vertical
: 5GNR n77 SMSL 20M Ch630668 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6902.58	-40.59	RMS	35.80	-20.76	1.22	-95.23	38.38	-13.00	-27.59	Vertical
2	10353.87	-38.87	RMS	38.60	-17.73	0.32	-95.23	35.17	-13.00	-25.87	Vertical
3	13805.16	-41.03	RMS	40.18	-15.82	0.37	-95.23	29.47	-13.00	-28.03	Vertical
4	24160.00	-56.73	RMS	38.66	-32.98	-9.54	-95.23	42.36	-13.00	-43.73	Vertical
5	27624.00	-57.05	RMS	39.60	-32.02	-9.54	-95.23	40.14	-13.00	-44.05	Vertical




Tx1_ANT 7

Part 27Q Mode 25

NR SA n77 SMSL 20M Ch633334 1RB1 BPSK

M




Site : 03CH11-HY

Condition: -13 1m SHF_1224_240624 Horizontal

: 5GNR n77 SMSL 20M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6982.56	-44.43	RMS	35.87	-20.86	1.17	-95.23	34.62	-13.00	-31.43	Horizontal
2	10473.84	-40.48	RMS	38.60	-17.20	0.33	-95.23	33.02	-13.00	-27.48	Horizontal
3	13965.12	-40.84	RMS	40.26	-15.58	0.37	-95.23	29.34	-13.00	-27.84	Horizontal
4	24440.00	-54.01	RMS	39.24	-32.91	-9.54	-95.23	44.43	-13.00	-41.01	Horizontal
5	27932.00	-60.74	RMS	39.66	-31.75	-9.54	-95.23	36.12	-13.00	-47.74	Horizontal



Site : 03CH11-HY

Condition: -13 1m SHF_1224_240624 Vertical

: 5GNR n77 SMSL 20M Ch633334 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	6982.56	-38.08	RMS	35.87	-20.86	1.17	-95.23	40.97	-13.00	-25.08	Vertical
2	10473.84	-40.04	RMS	38.60	-17.20	0.33	-95.23	33.46	-13.00	-27.04	Vertical
3	13965.12	-40.91	RMS	40.26	-15.58	0.37	-95.23	29.27	-13.00	-27.91	Vertical
4	24440.00	-52.64	RMS	39.24	-32.91	-9.54	-95.23	45.80	-13.00	-39.64	Vertical
5	27932.00	-57.99	RMS	39.66	-31.75	-9.54	-95.23	38.87	-13.00	-44.99	Vertical




Tx1_ANT 7

Part 27Q Mode 25

NR SA n77 SMSL 20M Ch636000 1RB1 BPSK

H




Site : 03CH11-HY

Condition: -13 1m SHF_1224_240624 Horizontal

: 5GNR n77 SMSL 20M Ch636000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	7062.54	-43.80	RMS	35.98	-20.87	1.06	-95.23	35.26	-13.00	-30.80
2	10593.81	-42.80	RMS	38.96	-17.22	0.33	-95.23	30.36	-13.00	-29.80
3	14125.08	-39.15	RMS	40.60	-15.53	0.37	-95.23	30.64	-13.00	-26.15
4	24720.00	-54.69	RMS	39.34	-32.74	-9.54	-95.23	43.48	-13.00	-41.69
5	28254.00	-60.57	RMS	39.69	-31.59	-9.54	-95.23	36.10	-13.00	-47.57



Site : 03CH11-HY

Condition: -13 1m SHF_1224_240624 Vertical

: 5GNR n77 SMSL 20M Ch636000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	7062.54	-37.28	RMS	35.98	-20.87	1.06	-95.23	41.78	-13.00	-24.28
2	10593.81	-38.61	RMS	38.96	-17.22	0.33	-95.23	34.55	-13.00	-25.61
3	14125.08	-38.62	RMS	40.60	-15.53	0.37	-95.23	31.17	-13.00	-25.62
4	24720.00	-53.92	RMS	39.34	-32.74	-9.54	-95.23	44.25	-13.00	-40.92
5	28254.00	-59.40	RMS	39.69	-31.59	-9.54	-95.23	37.27	-13.00	-46.40




Tx0_ANT 0

Part 27M Mode 11


NR SA n41 HPUE 20M Ch535998 1RB1 BPSK

H



Site : 03CH11-HY
Condition: -25 3m Bilog_35414_241005 Horizontal
: NR n41 HPUE 20M Ch535998 1RB0 QPSK
: #1 is fundamental signal which can be ignored.

1	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB		dBuV	dBm		
1	2672.00	23.80	RMS	28.40	7.57	0.00	-95.23	83.06	-25.00	48.80	Horizontal



Site : 03CH11-HY
Condition: -25 3m Bilog_35414_241005 Vertical
: NR n41 HPUE 20M Ch535998 1RB0 QPSK
: #1 is fundamental signal which can be ignored.

1	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB		dBuV	dBm		
1	2672.00	21.53	RMS	28.40	7.57	0.00	-95.23	80.79	-25.00	46.53	Vertical

Remark: #1 is fundamental signal which can be ignored.