





FR1 n70 / 15MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK




QPSK




16QAM



64QAM



256QAM




**26dB Bandwidth**

Mode	FR1 n70 : 26dB BW(MHz) / DFT-S OFDM							
BW	5MHz		10MHz		15MHz			
Mod.	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK		
Middle CH	5.23	5.24	9.88	9.91	14.53	14.70		
Mod.	16QAM		16QAM		16QAM			
Middle CH	5.28		9.91		14.56			




FR1 n70 / 5MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK




16QAM






FR1 n70 / 10MHz / DFT-S OFDM / Middle Channel / Full RB


PI/2 BPSK



QPSK




16QAM






FR1 n70 / 15MHz / DFT-S OFDM / Middle Channel / Full RB


QPSK



QPSK



16QAM




**Occupied Bandwidth**

Mode	FR1 n70 : 99%OBW(MHz) / DFT-S OFDM							
BW	5MHz		10MHz		15MHz			
Mod.	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK	PI/2 BPSK	QPSK		
Middle CH	4.52	4.51	9.00	8.97	13.46	13.47		
Mod.	16QAM		16QAM		16QAM			
Middle CH	4.52		9.02		13.48			




FR1 n70 / 5MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




08:43:18 PM 08/13/2025

QPSK



08:44:12 PM 08/13/2025

16QAM




08:45:06 PM 08/13/2025




FR1 n70 / 10MHz / DFT-S OFDM / Middle Channel / Full RB

PI/2 BPSK




08:48:58 PM 08/13/2025

QPSK



08:49:52 PM 08/13/2025

16QAM




08:50:47 PM 08/13/2025




FR1 n70 / 15MHz / DFT-S OFDM / Middle Channel / Full RB

QPSK




09:00:50 PM 08/13/2025

QPSK



09:01:45 PM 08/13/2025

16QAM



09:02:39 PM 08/13/2025




Conducted Band Edge

FR1 n70 / 5MHz / DFT-S OFDM / PI/2 BPSK


Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n70 / 5MHz / DFT-S OFDM / QPSK



Lowest Band Edge / 1RB0

Highest Band Edge / 1RBmax



Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n70 / 10MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n70 / 10MHz / DFT-S OFDM / QPSK

Lowest Band Edge / Full RB

Highest Band Edge / Full RB







FR1 n70 / 15MHz / DFT-S OFDM / PI/2 BPSK

Lowest Band Edge / Full RB



Highest Band Edge / Full RB



FR1 n70 / 15MHz / DFT-S OFDM / QPSK

Lowest Band Edge / Full RB

Highest Band Edge / Full RB






Conducted Spurious Emission


FR1 n70 / 5MHz / DFT-S OFDM / QPSK / 1RB1

Lowest Channel

Middle Channel




08:15:53 PM 08/13/2025



09:30:12 PM 08/13/2025

Highest Channel



08:23:28 PM 08/13/2025

Frequency Stability

Test Conditions		FR1 n70 (BPSK) / Middle Channel 10M			
Temperature (°C)	Voltage (Volt)	Deviation (ppm)	Frequency Offset (Δf) (Hz)	Within Authorized Frequency Block(Hz)	Result
50	Normal Voltage	0.0080	-13.7	Yes	PASS
40	Normal Voltage	0.0019	-3.3	Yes	
30	Normal Voltage	0.0006	1.1	Yes	
20(Ref.)	Normal Voltage	0.0000	0	Yes	
10	Normal Voltage	0.0003	0.5	Yes	
0	Normal Voltage	0.0004	-0.6	Yes	
-10	Normal Voltage	0.0001	0.2	Yes	
-20	Normal Voltage	0.0006	1.1	Yes	
-30	Normal Voltage	0.0014	2.4	Yes	
20	Maximum Voltage	0.0012	-2.1	Yes	
20	Normal Voltage	0.0000	0	Yes	
20	Minimum Voltage	0.0070	-11.9	Yes	

Note:

1. Normal Voltage = 3.85 V. ; Minimum Voltage = 3.30 V. ; Maximum Voltage = 4.40 V.
2. The frequency fundamental emissions stay within the authorized frequency block.
3. The frequency variation is sufficient to ensure that the occupied bandwidth of all operation channels stay within the operating frequency block or frequency block group.



Appendix B. Test Results of Radiated Test

B1. Summary of each worse mode

Mode	Band	Part	Ch	Freq (MHz)	Level (dBm)	Det	Ant Factor (dB)	AmplCbl (dB)	Filter (dB)	EIRPCF (dB)	Reading (dBuV)	Limit (dBm)	Margin (dB)	Pol	Ant
1	EN-DC B2+n5	Part 22H	M	3311	-62.41	RMS	29.52	-26.12	0.43	-95.23	28.99	-13.00	-49.41	V	3+0
2	EN-DC B7+n5	Part 22H	M	2483	-61.72	RMS	27.93	-27.50	0.41	-95.23	32.67	-13.00	-48.72	H	3+0
3	EN-DC B30+n5	Part 22H	M	3311	-62.47	RMS	29.52	-26.12	0.43	-95.23	28.93	-13.00	-49.47	H	3+0
4	EN-DC B48+n5	Part 22H	M	2483	-51.90	RMS	27.93	-27.50	0.41	-95.23	42.49	-13.00	-38.90	V	5+0
5	EN-DC B66+n5	Part 22H	M	2483	-53.55	RMS	27.93	-27.50	0.41	-95.23	40.84	-13.00	-40.55	H	3+0
6	EN-DC B4+n2	Part 24E	M	7485	-55.84	RMS	36.34	-23.07	0.40	-95.23	25.72	-13.00	-42.84	V	0+3
7	EN-DC B14+n2	Part 24E	M	7485	-55.86	RMS	36.34	-23.07	0.40	-95.23	25.70	-13.00	-42.86	V	0+3
8	EN-DC B30+n2	Part 24E	M	7485	-55.76	RMS	36.34	-23.07	0.40	-95.23	25.80	-13.00	-42.76	V	0+3
9	EN-DC B48+n2	Part 24E	M	7485	-56.21	RMS	36.34	-23.07	0.40	-95.23	25.35	-13.00	-43.21	V	5+0
10	EN-DC B5+n25	Part 24E	M	7495	-56.04	RMS	36.38	-23.07	0.40	-95.23	25.48	-13.00	-43.04	V	0+3
11	EN-DC B7+n25	Part 24E	M	7495	-55.83	RMS	36.38	-23.07	0.40	-95.23	25.69	-13.00	-42.83	V	0+3
12	EN-DC B12+n25	Part 24E	M	7495	-56.19	RMS	36.38	-23.07	0.40	-95.23	25.33	-13.00	-43.19	H	0+3
13	EN-DC B13+n25	Part 24E	M	7495	-55.77	RMS	36.38	-23.07	0.40	-95.23	25.75	-13.00	-42.77	H	0+3
14	EN-DC B26+n25	Part 24E	M	7495	-55.40	RMS	36.38	-23.07	0.40	-95.23	26.12	-13.00	-42.40	H	0+3
15	EN-DC B66+n25	Part 24E	M	7495	-56.12	RMS	36.38	-23.07	0.40	-95.23	25.40	-13.00	-43.12	H	0+3
16	EN-DC B71+n25	Part 24E	M	7495	-55.97	RMS	36.38	-23.07	0.40	-95.23	25.55	-13.00	-42.97	H	0+3
17	EN-DC B2+n66	Part 27L	M	6945	-56.14	RMS	35.80	-23.25	0.58	-95.23	25.96	-13.00	-43.14	H	0+3
18	EN-DC B5+n66	Part 27L	M	6945	-56.37	RMS	35.80	-23.25	0.58	-95.23	25.73	-13.00	-43.37	H	0+3
19	EN-DC B7+n66	Part 27L	M	6945	-55.94	RMS	35.80	-23.25	0.58	-95.23	26.16	-13.00	-42.94	H	0+3
20	EN-DC B12+n66	Part 27L	M	6945	-56.04	RMS	35.80	-23.25	0.58	-95.23	26.06	-13.00	-43.04	H	0+3
21	EN-DC B13+n66	Part 27L	M	6945	-55.74	RMS	35.80	-23.25	0.58	-95.23	26.36	-13.00	-42.74	H	0+3
22	EN-DC B14+n66	Part 27L	M	6945	-56.52	RMS	35.80	-23.25	0.58	-95.23	25.58	-13.00	-43.52	H	0+3
23	EN-DC B30+n66	Part 27L	M	6945	-56.32	RMS	35.80	-23.25	0.58	-95.23	25.78	-13.00	-43.32	V	0+3
24	EN-DC B48+n66	Part 27L	M	6945	-57.26	RMS	35.80	-23.25	0.58	-95.23	24.84	-13.00	-44.26	H	5+0
25	EN-DC B71+n66	Part 27L	M	6945	-56.35	RMS	35.80	-23.25	0.58	-95.23	25.75	-13.00	-43.35	V	0+3
26	NR SA n30	Part 27D	H	9242	-53.20	RMS	38.05	-23.08	0.42	-95.23	26.64	-40.00	-13.20	H	0
27	NR MIMO n30	Part 27D	H	9242	-53.58	RMS	38.05	-23.08	0.42	-95.23	26.26	-40.00	-13.58	V	0+3



Mode	Band	Part	Ch	Freq (MHz)	Level (dBm)	Det	Ant Factor (dB)	AmplCbl (dB)	Filter (dB)	EIRPCF (dB)	Reading (dBuV)	Limit (dBm)	Margin (dB)	Pol	Ant
28	NR SMSL n30	Part 27D	H	9242	-53.33	RMS	38.05	-23.08	0.42	-95.23	26.51	-40.00	-13.33	H	3
29	NR SA n13	Part 27F	M	1559	-65.29	RMS	25.11	-28.90	0.55	-95.23	33.18	-42.15	-23.14	V	0
30	EN-DC B2+n12	Part 27H	M	2103	-44.25	RMS	27.46	-28.10	0.25	-95.23	51.37	-13.00	-31.25	V	3+0
31	EN-DC B7+n12	Part 27H	M	2103	-47.97	RMS	27.46	-28.10	0.25	-95.23	47.65	-13.00	-34.97	H	3+0
32	EN-DC B48+n12	Part 27H	M	2103	-41.47	RMS	27.46	-28.10	0.25	-95.23	54.15	-13.00	-28.47	V	5+0
33	EN-DC B66+n12	Part 27H	M	2103	-38.86	RMS	27.46	-28.10	0.25	-95.23	56.76	-13.00	-25.86	H	3+0
34	EN-DC B7+n71	Part 27N	M	1343	-57.07	RMS	25.60	-29.29	0.73	-95.23	41.12	-13.00	-44.07	H	0+1
35	EN-DC B48+n71	Part 27N	M	2687	-63.50	RMS	28.23	-27.03	0.37	-95.23	30.16	-13.00	-50.50	V	5+0
36	NR SA n7	Part 27M	H	10200	-52.99	RMS	38.70	-23.03	0.40	-95.23	26.17	-25.00	-27.99	V	0
37	EN-DC B2+n7	Part 27M	M	7579	-44.99	RMS	36.14	-23.06	0.38	-95.23	36.78	-25.00	-19.99	V	0+3
38	EN-DC B4+n7	Part 27M	M	7579	-43.36	RMS	36.18	-23.06	0.38	-95.23	38.37	-25.00	-18.36	V	0+3
39	EN-DC B5+n7	Part 27M	M	7579	-51.39	RMS	36.18	-23.06	0.38	-95.23	30.34	-25.00	-26.39	V	0+3
40	EN-DC B12+n7	Part 27M	M	10105	-52.71	RMS	38.50	-23.07	0.40	-95.23	26.69	-25.00	-27.71	V	0+3
41	EN-DC B13+n7	Part 27M	M	10105	-53.31	RMS	38.50	-23.07	0.40	-95.23	26.09	-25.00	-28.31	V	0+3
42	EN-DC B66+n7	Part 27M	M	10105	-53.02	RMS	38.50	-23.07	0.40	-95.23	26.38	-25.00	-28.02	V	0+3
43	EN-DC B71+n7	Part 27M	M	10105	-53.05	RMS	38.50	-23.07	0.40	-95.23	26.35	-25.00	-28.05	V	0+3
44	EN-DC B2+n41	Part 27M	M	10337	-52.62	RMS	38.77	-22.97	0.40	-95.23	26.41	-25.00	-27.62	H	3+0
45	EN-DC B4+n41	Part 27M	M	10337	-52.64	RMS	38.77	-22.97	0.40	-95.23	26.39	-25.00	-27.64	H	3+0
46	EN-DC B5+n41	Part 27M	M	10337	-52.78	RMS	38.77	-22.97	0.40	-95.23	26.25	-25.00	-27.78	V	0+3
47	EN-DC B12+n41	Part 27M	M	10337	-52.65	RMS	38.77	-22.97	0.40	-95.23	26.38	-25.00	-27.65	H	0+3
48	EN-DC B25+n41	Part 27M	M	10337	-52.67	RMS	38.77	-22.97	0.40	-95.23	26.36	-25.00	-27.67	V	3+0
49	EN-DC B26+n41	Part 27M	M	10337	-52.37	RMS	38.77	-22.97	0.40	-95.23	26.66	-25.00	-27.37	H	0+3
50	EN-DC B66+n41	Part 27M	M	10337	-52.25	RMS	38.77	-22.97	0.40	-95.23	26.78	-25.00	-27.25	H	3+0
51	EN-DC B71+n41	Part 27M	M	10337	-52.70	RMS	38.77	-22.97	0.40	-95.23	26.33	-25.00	-27.70	V	0+3
52	EN-DC B2+n77 HPUE	Part 27Q	M	6982	-29.80	RMS	35.93	-23.23	1.07	-95.23	51.66	-13.00	-16.80	H	0+5
53	EN-DC B5+n77 HPUE	Part 27Q	M	6982	-28.42	RMS	35.93	-23.23	1.07	-95.23	53.04	-13.00	-15.42	H	0+5
54	EN-DC B7+n77	Part 27Q	M	6982	-29.01	RMS	35.93	-23.23	1.07	-95.23	52.45	-13.00	-16.01	V	0+5
55	EN-DC B12+n77 HPUE	Part 27Q	M	6982	-28.80	RMS	35.93	-23.23	1.07	-95.23	52.66	-13.00	-15.80	V	0+5



Mode	Band	Part	Ch	Freq (MHz)	Level (dBm)	Det	Ant Factor (dB)	AmplCbl (dB)	Filter (dB)	EIRPCF (dB)	Reading (dBuV)	Limit (dBm)	Margin (dB)	Pol	Ant
56	EN-DC B13+n77 HPUE	Part 27Q	M	6982	-28.70	RMS	35.93	-23.23	1.07	-95.23	52.76	-13.00	-15.70	V	0+5
57	EN-DC B14+n77 HPUE	Part 27Q	M	6982	-30.57	RMS	35.93	-23.23	1.07	-95.23	50.89	-13.00	-17.57	H	0+5
58	EN-DC B25+n77	Part 27Q	M	6983	-28.77	RMS	35.93	-23.23	1.07	-95.23	52.69	-13.00	-15.77	H	0+5
59	EN-DC B30+n77 HPUE	Part 27Q	M	6983	-30.56	RMS	35.93	-23.23	1.07	-95.23	50.90	-13.00	-17.56	H	0+5
60	EN-DC B41+n77	Part 27Q	M	6983	-28.35	RMS	35.93	-23.23	1.07	-95.23	53.11	-13.00	-15.35	H	0+5
61	EN-DC B66+n77 HPUE	Part 27Q	M	6983	-29.04	RMS	35.93	-23.23	1.07	-95.23	52.42	-13.00	-16.04	V	0+5
62	EN-DC B71+n77	Part 27Q	M	6983	-30.63	RMS	35.93	-23.23	1.07	-95.23	50.83	-13.00	-17.63	H	0+5
63	EN-DC B7+n78 HPUE	Part 27Q	M	6983	-31.29	RMS	35.93	-23.23	1.07	-95.23	50.17	-13.00	-18.29	V	0+5
64	EN-DC B4+n78	Part 27Q	M	6983	-29.87	RMS	35.93	-23.23	1.07	-95.23	51.59	-13.00	-16.87	V	0+5
65	EN-DC B38+n78	Part 27Q	M	6983	-30.99	RMS	35.93	-23.23	1.07	-95.23	50.47	-13.00	-17.99	V	0+5
66	EN-DC B2+n77 HPUE	Part 27O	M	7662	-41.13	RMS	36.30	-23.06	0.74	-95.23	40.12	-13.00	-28.13	V	0+5
67	EN-DC B5+n77 HPUE	Part 27O	M	7662	-40.79	RMS	36.30	-23.06	0.74	-95.23	40.46	-13.00	-27.79	V	0+5
68	EN-DC B7+n77	Part 27O	M	7662	-40.09	RMS	36.30	-23.06	0.74	-95.23	41.16	-13.00	-27.09	V	0+5
69	EN-DC B12+n77 HPUE	Part 27O	M	7662	-41.67	RMS	36.30	-23.06	0.74	-95.23	39.58	-13.00	-28.67	H	0+5
70	EN-DC B13+n77 HPUE	Part 27O	M	7662	-39.67	RMS	36.30	-23.06	0.74	-95.23	41.58	-13.00	-26.67	V	0+5
71	EN-DC B14+n77 HPUE	Part 27O	M	7662	-39.91	RMS	36.30	-23.06	0.74	-95.23	41.34	-13.00	-26.91	V	0+5
72	EN-DC B25+n77	Part 27O	M	7662	-41.38	RMS	36.30	-23.06	0.74	-95.23	39.87	-13.00	-28.38	V	0+5
73	EN-DC B30+n77 HPUE	Part 27O	M	7662	-41.45	RMS	36.30	-23.06	0.74	-95.23	39.80	-13.00	-28.45	H	0+5
74	EN-DC B41+n77	Part 27O	M	7662	-42.14	RMS	36.30	-23.06	0.74	-95.23	39.11	-13.00	-29.14	H	0+5
75	EN-DC B66+n77 HPUE	Part 27O	M	7662	-38.13	RMS	36.30	-23.06	0.74	-95.23	43.12	-13.00	-25.13	V	0+5
76	EN-DC B71+n77	Part 27O	M	7662	-38.61	RMS	36.30	-23.06	0.74	-95.23	42.64	-13.00	-25.61	V	0+5
77	EN-DC B7+n78 HPUE	Part 27O	M	7483	-29.93	RMS	36.33	-23.07	0.82	-95.23	51.22	-13.00	-16.93	V	0+5
78	EN-DC B4+n78	Part 27O	M	7483	-32.84	RMS	36.33	-23.07	0.82	-95.23	48.31	-13.00	-19.84	H	0+5
79	EN-DC B38+n78	Part 27O	M	7483	-34.19	RMS	36.33	-23.07	0.82	-95.23	46.96	-13.00	-21.19	V	0+5
80	NR SA n14	Part 90R	H	1587	-66.28	RMS	25.40	-28.86	0.53	-95.23	31.88	-42.15	-24.13	V	0




TX0+1_Ant. 3+0

Part 22H Mode 1


EN-DC B2+n5 10M + 20M Ch18900 1RB0 QPSK + Ch167300 1RB1 BPSK

M



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_241101 Horizontal
: SA N5 20M Ch167300 1RB1 BPSK
: LTE Band 2 10M Ch18900 1RB0 QPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB		dB	dBuV	dBm	dB	
1	1656.00	-67.06	RMS	25.26	-28.76	0.47	-95.23	31.20	-13.00	-54.06	Horizontal
2	2483.00	-63.84	RMS	27.93	-27.50	0.41	-95.23	30.55	-13.00	-50.84	Horizontal
3	3311.00	-62.51	RMS	29.52	-26.12	0.43	-95.23	28.89	-13.00	-49.51	Horizontal



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_241101 Vertical
: SA N5 20M Ch167300 1RB1 BPSK
: LTE Band 2 10M Ch18900 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1656.00	-66.97	RMS	25.26	-28.76	0.47	-95.23	31.29	-13.00	-53.97	Vertical
2	2483.00	-63.35	RMS	27.93	-27.50	0.41	-95.23	31.04	-13.00	-50.35	Vertical
3	3311.00	-62.41	RMS	29.52	-26.12	0.43	-95.23	28.99	-13.00	-49.41	Vertical




TX0+1_Ant. 3+0

Part 22H Mode 2


EN-DC B7+n5 10M + 20M Ch21100 1RB0 QPSK + Ch167300 1RB1 BPSK

M



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_241101 Horizontal
: LTE B7 10M Ch21100 1RB0 QPSK
: SA N5 20M Ch167300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1656.00	-65.58	RMS	25.26	-28.76	0.47	-95.23	0.00	-13.00	-52.58	Horizontal
2	2483.00	-61.72	RMS	27.93	-27.50	0.41	-95.23	32.67	-13.00	-48.72	Horizontal
3	3311.00	-62.24	RMS	29.52	-26.12	0.43	-95.23	29.16	-13.00	-49.24	Horizontal



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_241101 Vertical
: LTE B7 10M Ch21100 1RB0 QPSK
: SA N5 20M Ch167300 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol
	Factor	1								
	MHz	dBm		dB/m	dB	dB	dBuV	dBm	dB	
1	1656.00	-67.10	RMS	25.26	-28.76	0.47	-95.23	31.16	-13.00	-54.10 Vertical
2	2483.00	-62.14	RMS	27.93	-27.50	0.41	-95.23	32.25	-13.00	-49.14 Vertical
3	3311.00	-62.38	RMS	29.52	-26.12	0.43	-95.23	29.02	-13.00	-49.38 Vertical




TX0+1_Ant. 3+0

Part 22H Mode 3


EN-DC B30+n5 10M + 20M Ch27710 1RB0 QPSK + Ch167300 1RB1 BPSK

M



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_241101 Horizontal
: LTE B30 10M Ch27710 1RB0 QPSK
: SA N5 20M Ch167300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	1656.00	-67.12	RMS	25.26	-28.76	0.47	-95.23	31.14	-13.00	-54.12	Horizontal
2	2483.00	-63.42	RMS	27.93	-27.50	0.41	-95.23	30.97	-13.00	-50.42	Horizontal
3	3311.00	-62.47	RMS	29.52	-26.12	0.43	-95.23	28.93	-13.00	-49.47	Horizontal



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_241101 Vertical
: LTE B30 10M Ch27710 1RB0 QPSK
: SA N5 20M Ch167300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	1656.00	-66.68	RMS	25.26	-28.76	0.47	-95.23	31.58	-13.00	-53.68	Vertical
2	2483.00	-63.66	RMS	27.93	-27.50	0.41	-95.23	30.73	-13.00	-50.66	Vertical
3	3311.00	-62.48	RMS	29.52	-26.12	0.43	-95.23	28.92	-13.00	-49.48	Vertical




TX0+1_Ant. 5+0

Part 22H Mode 4


EN-DC B48+n5 10M + 20M Ch55990 1RB0 QPSK + Ch167300 1RB1 BPSK

M



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_241101 Horizontal
: LTE B48 10M Ch55990 1RB0 QPSK
: SA N5 20M Ch167300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	1656.00	-64.53	RMS	25.26	-28.76	0.47	-95.23	33.73	-13.00	-51.53	Horizontal
2	2483.00	-58.29	RMS	27.93	-27.50	0.41	-95.23	36.10	-13.00	-45.29	Horizontal
3	3311.00	-62.34	RMS	29.52	-26.12	0.43	-95.23	29.06	-13.00	-49.34	Horizontal



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_241101 Vertical
: LTE B48 10M Ch55990 1RB0 QPSK
: SA N5 20M Ch167300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	1656.00	-66.14	RMS	25.26	-28.76	0.47	-95.23	32.12	-13.00	-53.14	Vertical
2	2483.00	-51.90	RMS	27.93	-27.50	0.41	-95.23	42.49	-13.00	-38.90	Vertical
3	3311.00	-62.35	RMS	29.52	-26.12	0.43	-95.23	29.05	-13.00	-49.35	Vertical




TX0+1_Ant. 3+0

Part 22H Mode 5


EN-DC B66+n5 10M + 20M Ch132322 1RB0 QPSK + Ch167300 1RB1 BPSK

M



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_241101 Horizontal
: LTE B66 10M Ch132322 1RB0 QPSK
: SA N5 20M Ch167300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	1656.00	-63.93	RMS	25.26	-28.76	0.47	-95.23	34.33	-13.00	-50.93	Horizontal
2	2483.00	-53.55	RMS	27.93	-27.50	0.41	-95.23	40.84	-13.00	-40.55	Horizontal
3	3311.00	-62.31	RMS	29.52	-26.12	0.43	-95.23	29.09	-13.00	-49.31	Horizontal



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_241101 Vertical
: LTE B66 10M Ch132322 1RB0 QPSK
: SA N5 20M Ch167300 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	1656.00	-65.98	RMS	25.26	-28.76	0.47	-95.23	32.28	-13.00	-52.98	Vertical
2	2483.00	-59.07	RMS	27.93	-27.50	0.41	-95.23	35.32	-13.00	-46.07	Vertical
3	3311.00	-62.24	RMS	29.52	-26.12	0.43	-95.23	29.16	-13.00	-49.24	Vertical




TX0+1_Ant. 0+3

Part 24E Mode 6

EN-DC B4+n2 10M + 20M Ch20175 1RB0 QPSK + Ch376000 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: LTE B4 10M Ch20175 1RB0 QPSK

: NR SA n2 20M Ch376000 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	Amp\Cb		1						
	MHz	dBm							g				
1	3743.00	-61.81	RMS	30.13	-25.61	0.70	-95.23	28.20	-13.00	-48.81	Horizontal		
2	5614.00	-58.85	RMS	33.06	-24.56	0.47	-95.23	27.41	-13.00	-45.85	Horizontal		
3	7485.00	-56.14	RMS	36.34	-23.07	0.40	-95.23	25.42	-13.00	-43.14	Horizontal		



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: LTE B4 10M Ch20175 1RB0 QPSK

: NR SA n2 20M Ch376000 1RB1 BPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	Amp\Cb		1						
	MHz	dBm							g				
1	3743.00	-61.94	RMS	30.13	-25.61	0.70	-95.23	28.07	-13.00	-48.94	Vertical		
2	5614.00	-58.63	RMS	33.06	-24.56	0.47	-95.23	27.63	-13.00	-45.63	Vertical		
3	7485.00	-55.84	RMS	36.34	-23.07	0.40	-95.23	25.72	-13.00	-42.84	Vertical		




TX0+1_Ant. 0+3

Part 24E Mode 7

EN-DC B14+n2 10M + 20M Ch23330 1RB0 QPSK + Ch376000 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: LTE B14 10M Ch23330 1RB0 QPSK

: NR SA n2 20M Ch376000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin Pol	
				Factor	1		dB	dB				
	MHz	dBm							dBuV	dBm	dB	
1	3743.00	-61.53	RMS	30.13	-25.61	0.70	-95.23	28.48	-13.00	-48.53	Horizontal	
2	5614.00	-58.41	RMS	33.06	-24.56	0.47	-95.23	27.85	-13.00	-45.41	Horizontal	
3	7485.00	-55.95	RMS	36.34	-23.07	0.40	-95.23	25.61	-13.00	-42.95	Horizontal	



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: LTE B14 10M Ch23330 1RB0 QPSK

: NR SA n2 20M Ch376000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin Pol	
				Factor	1		dB	dB				
	MHz	dBm							dBuV	dBm	dB	
1	3743.00	-61.77	RMS	30.13	-25.61	0.70	-95.23	28.24	-13.00	-48.77	Vertical	
2	5614.00	-58.67	RMS	33.06	-24.56	0.47	-95.23	27.59	-13.00	-45.67	Vertical	
3	7485.00	-55.86	RMS	36.34	-23.07	0.40	-95.23	25.70	-13.00	-42.86	Vertical	




TX0+1_Ant. 0+3

Part 24E Mode 8

EN-DC B30+n2 10M + 20M Ch27710 1RB0 QPSK + Ch376000 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: LTE B30 10M Ch27710 1RB0 QPSK

: NR SA n2 20M Ch376000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm							dBuV	dBm	dB		
1	3743.00	-61.98	RMS	30.13	-25.61	0.70	-95.23	28.03	-13.00	-48.98	Horizontal		
2	5614.00	-59.06	RMS	33.06	-24.56	0.47	-95.23	27.20	-13.00	-46.06	Horizontal		
3	7485.00	-55.92	RMS	36.34	-23.07	0.40	-95.23	25.64	-13.00	-42.92	Horizontal		



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: LTE B30 10M Ch27710 1RB0 QPSK

: NR SA n2 20M Ch376000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm							dBuV	dBm	dB		
1	3743.00	-61.64	RMS	30.13	-25.61	0.70	-95.23	28.37	-13.00	-48.64	Vertical		
2	5614.00	-58.69	RMS	33.06	-24.56	0.47	-95.23	27.57	-13.00	-45.69	Vertical		
3	7485.00	-55.76	RMS	36.34	-23.07	0.40	-95.23	25.80	-13.00	-42.76	Vertical		




TX0+1_Ant. 5+0

Part 24E Mode 9


EN-DC B48+n2 10M + 20M Ch55990 1RB0 QPSK + Ch376000 1RB1 BPSK

M



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Horizontal
: LTE B48 10M Ch55990 1RB0 QPSK
: NR SA n2 20M Ch376000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3743.00	-62.30	RMS	30.13	-25.61	0.70	-95.23	27.71	-13.00	-49.30	Horizontal
2	5614.00	-59.74	RMS	33.06	-24.56	0.47	-95.23	26.52	-13.00	-46.74	Horizontal
3	7485.00	-56.44	RMS	36.34	-23.07	0.40	-95.23	25.12	-13.00	-43.44	Horizontal



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Vertical
: LTE B48 10M Ch55990 1RB0 QPSK
: NR SA n2 20M Ch376000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3743.00	-62.60	RMS	30.13	-25.61	0.70	-95.23	27.41	-13.00	-49.60	Vertical
2	5614.00	-59.69	RMS	33.06	-24.56	0.47	-95.23	26.57	-13.00	-46.69	Vertical
3	7485.00	-56.21	RMS	36.34	-23.07	0.40	-95.23	25.35	-13.00	-43.21	Vertical




TX0+1_Ant. 0+3

Part 24E Mode 10

EN-DC B5+n25 10M + 20M Ch20525 1RB0 QPSK + Ch376500 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: LTE B5 10M Ch20525 1RB0 QPSK

: NR SA n25 20M Ch376500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin Pol	
				Factor	1		dB	dB				
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3748.00	-61.51	RMS		30.18	-25.61	0.70	-95.23	28.45	-13.00	-48.51	Horizontal
2	5621.00	-58.90	RMS		33.08	-24.55	0.47	-95.23	27.33	-13.00	-45.90	Horizontal
3	7495.00	-56.07	RMS		36.38	-23.07	0.40	-95.23	25.45	-13.00	-43.07	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: LTE B5 10M Ch20525 1RB0 QPSK

: NR SA n25 20M Ch376500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin Pol	
				Factor	1		dB	dB				
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3748.00	-61.65	RMS		30.18	-25.61	0.70	-95.23	28.31	-13.00	-48.65	Vertical
2	5621.00	-59.04	RMS		33.08	-24.55	0.47	-95.23	27.19	-13.00	-46.04	Vertical
3	7495.00	-56.04	RMS		36.38	-23.07	0.40	-95.23	25.48	-13.00	-43.04	Vertical




TX0+1_Ant. 0+3

Part 24E Mode 11

EN-DC B7+n25 10M + 20M Ch21100 1RB0 QPSK + Ch376500 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: LTE B7 10M Ch21100 1RB0 QPSK

: NR SA n25 20M Ch376500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin Pol	
				Factor	1		dB	dB				
	MHz	dBm							dBuV	dBm	dB	
1	3748.00	-61.56	RMS	30.18	-25.61	0.70	-95.23	28.40	-13.00	-48.56	Horizontal	
2	5621.00	-59.01	RMS	33.08	-24.55	0.47	-95.23	27.22	-13.00	-46.01	Horizontal	
3	7495.00	-56.17	RMS	36.38	-23.07	0.40	-95.23	25.35	-13.00	-43.17	Horizontal	



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: LTE B7 10M Ch21100 1RB0 QPSK

: NR SA n25 20M Ch376500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin Pol	
				Factor	1		dB	dB				
	MHz	dBm							dBuV	dBm	dB	
1	3748.00	-61.40	RMS	30.18	-25.61	0.70	-95.23	28.56	-13.00	-48.40	Vertical	
2	5621.00	-58.96	RMS	33.08	-24.55	0.47	-95.23	27.27	-13.00	-45.96	Vertical	
3	7495.00	-55.83	RMS	36.38	-23.07	0.40	-95.23	25.69	-13.00	-42.83	Vertical	




TX0+1_Ant. 0+3

Part 24E Mode 12

EN-DC B12+n25 10M + 20M Ch23095 1RB0 QPSK + Ch376500 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: LTE B12 10M Ch23095 1RB0 QPSK

: NR SA n25 20M Ch376500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	dB	
1	3748.00	-61.53	RMS		30.18	-25.61	0.70	-95.23	28.43	-13.00	-48.53		Horizontal
2	5621.00	-58.73	RMS		33.08	-24.55	0.47	-95.23	27.50	-13.00	-45.73		Horizontal
3	7495.00	-56.19	RMS		36.38	-23.07	0.40	-95.23	25.33	-13.00	-43.19		Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: LTE B12 10M Ch23095 1RB0 QPSK

: NR SA n25 20M Ch376500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	dB	
1	3748.00	-61.41	RMS		30.18	-25.61	0.70	-95.23	28.55	-13.00	-48.41		Vertical
2	5621.00	-59.24	RMS		33.08	-24.55	0.47	-95.23	26.99	-13.00	-46.24		Vertical
3	7495.00	-56.21	RMS		36.38	-23.07	0.40	-95.23	25.31	-13.00	-43.21		Vertical




TX0+1_Ant. 0+3

Part 24E Mode 13


EN-DC B13+n25 10M + 20M Ch23230 1RB0 QPSK + Ch376500 1RB1 BPSK

M



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Horizontal
: LTE B13 10M Ch23230 1RB0 QPSK
: NR SA n25 20M Ch376500 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin	Pol
				Factor	1					
1	3748.00	-61.40	RMS	30.18	-25.61	0.70 -95.23	28.56	-13.00	-48.40	Horizontal
2	5621.00	-58.84	RMS	33.08	-24.55	0.47 -95.23	27.39	-13.00	-45.84	Horizontal
3	7495.00	-55.77	RMS	36.38	-23.07	0.40 -95.23	25.75	-13.00	-42.77	Horizontal



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Vertical
: LTE B13 10M Ch23230 1RB0 QPSK
: NR SA n25 20M Ch376500 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin	Pol
				Factor	1					
1	3748.00	-61.42	RMS	30.18	-25.61	0.70 -95.23	28.54	-13.00	-48.42	Vertical
2	5621.00	-58.69	RMS	33.08	-24.55	0.47 -95.23	27.54	-13.00	-45.69	Vertical
3	7495.00	-56.00	RMS	36.38	-23.07	0.40 -95.23	25.52	-13.00	-43.00	Vertical




TX0+1_Ant. 0+3

Part 24E Mode 14

EN-DC B26+n25 10M + 20M Ch26915 1RB0 QPSK + Ch376500 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: LTE B26 10M Ch26915 1RB0 QPSK

: NR SA n25 20M Ch376500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin Pol	
				Factor	1		dB	dB				
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3748.00	-61.14	RMS		30.18	-25.61	0.70	-95.23	28.82	-13.00	-48.14	Horizontal
2	5621.00	-59.14	RMS		33.08	-24.55	0.47	-95.23	27.09	-13.00	-46.14	Horizontal
3	7495.00	-55.40	RMS		36.38	-23.07	0.40	-95.23	26.12	-13.00	-42.40	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: LTE B26 10M Ch26915 1RB0 QPSK

: NR SA n25 20M Ch376500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin Pol	
				Factor	1		dB	dB				
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3748.00	-61.36	RMS		30.18	-25.61	0.70	-95.23	28.60	-13.00	-48.36	Vertical
2	5621.00	-59.23	RMS		33.08	-24.55	0.47	-95.23	27.00	-13.00	-46.23	Vertical
3	7495.00	-56.24	RMS		36.38	-23.07	0.40	-95.23	25.28	-13.00	-43.24	Vertical




TX0+1_Ant. 0+3

Part 24E Mode 15

EN-DC B66+n25 10M + 20M Ch132322 1RB0 QPSK + Ch376500 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: LTE B66 10M Ch132322 1RB0 QPSK

: NR SA n25 20M Ch376500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin	Limit	Margin Pol	
				Factor	1			g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3748.00	-61.47	RMS	30.18	-25.61	0.70	-95.23	28.49	-13.00	-48.47	Horizontal
2	5621.00	-58.94	RMS	33.08	-24.55	0.47	-95.23	27.29	-13.00	-45.94	Horizontal
3	7495.00	-56.12	RMS	36.38	-23.07	0.40	-95.23	25.40	-13.00	-43.12	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: LTE B66 10M Ch132322 1RB0 QPSK

: NR SA n25 20M Ch376500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin	Limit	Margin Pol	
				Factor	1			g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3748.00	-61.23	RMS	30.18	-25.61	0.70	-95.23	28.73	-13.00	-48.23	Vertical
2	5621.00	-58.95	RMS	33.08	-24.55	0.47	-95.23	27.28	-13.00	-45.95	Vertical
3	7495.00	-56.22	RMS	36.38	-23.07	0.40	-95.23	25.30	-13.00	-43.22	Vertical




TX0+1_Ant. 0+3

Part 24E Mode 16

EN-DC B71+n25 10M + 20M Ch133297 1RB0 QPSK + Ch376500 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: LTE B71 10M Ch133297 1RB0 QPSK

: NR SA n25 20M Ch376500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm				dB/m	dB	dB	dB	dB	dB
1	3748.00	-61.45	RMS	30.18	-25.61	0.70	-95.23	28.51	-13.00	-48.45	Horizontal
2	5621.00	-58.49	RMS	33.08	-24.55	0.47	-95.23	27.74	-13.00	-45.49	Horizontal
3	7495.00	-55.97	RMS	36.38	-23.07	0.40	-95.23	25.55	-13.00	-42.97	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: LTE B71 10M Ch133297 1RB0 QPSK

: NR SA n25 20M Ch376500 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm				dB/m	dB	dB	dB	dB	dB
1	3748.00	-61.40	RMS	30.18	-25.61	0.70	-95.23	28.56	-13.00	-48.40	Vertical
2	5621.00	-59.06	RMS	33.08	-24.55	0.47	-95.23	27.17	-13.00	-46.06	Vertical
3	7495.00	-55.98	RMS	36.38	-23.07	0.40	-95.23	25.54	-13.00	-42.98	Vertical




TX0+1_Ant. 0+3

Part 27L Mode 17


EN-DC B2+n66 10M + 20M Ch18900 1RB0 QPSK + Ch349000 1RB1 BPSK

M



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_241101 Horizontal
: LTE B2 10M Ch18900 1RB0 QPSK
: NR SA n66 20M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			1			g			
1	3472.00	-61.43	RMS	29.46	-25.93	0.58	-95.23	29.69	-13.00	-48.43	Horizontal
2	5208.00	-59.16	RMS	32.82	-24.89	0.53	-95.23	27.61	-13.00	-46.16	Horizontal
3	6945.00	-56.14	RMS	35.80	-23.25	0.58	-95.23	25.96	-13.00	-43.14	Horizontal



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_241101 Vertical
: LTE B2 10M Ch18900 1RB0 QPSK
: NR SA n66 20M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			1			g			
1	3472.00	-60.97	RMS	29.46	-25.93	0.58	-95.23	30.15	-13.00	-47.97	Vertical
2	5208.00	-59.11	RMS	32.82	-24.89	0.53	-95.23	27.66	-13.00	-46.11	Vertical
3	6945.00	-56.39	RMS	35.80	-23.25	0.58	-95.23	25.71	-13.00	-43.39	Vertical




TX0+1_Ant. 0+3

Part 27L Mode 18


EN-DC B5+n66 10M + 20M Ch20525 1RB0 QPSK + Ch349000 1RB1 BPSK

M



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_241101 Horizontal
: LTE B5 10M Ch20525 1RB0 QPSK
: NR SA n66 20M Ch349000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
				Factor	1					
1	3472.00	-62.36	RMS	29.46	-25.93	0.58 -95.23	28.76	-13.00	-49.36	Horizontal
2	5208.00	-59.18	RMS	32.82	-24.89	0.53 -95.23	27.59	-13.00	-46.18	Horizontal
3	6945.00	-56.37	RMS	35.80	-23.25	0.58 -95.23	25.73	-13.00	-43.37	Horizontal



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_241101 Vertical
: LTE B5 10M Ch20525 1RB0 QPSK
: NR SA n66 20M Ch349000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
				Factor	1					
1	3472.00	-62.43	RMS	29.46	-25.93	0.58 -95.23	28.69	-13.00	-49.43	Vertical
2	5208.00	-58.86	RMS	32.82	-24.89	0.53 -95.23	27.91	-13.00	-45.86	Vertical
3	6945.00	-56.39	RMS	35.80	-23.25	0.58 -95.23	25.71	-13.00	-43.39	Vertical




TX0+1_Ant. 0+3

Part 27L Mode 19


EN-DC B7+n66 10M + 20M Ch21100 1RB0 QPSK + Ch349000 1RB1 BPSK

M



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_241101 Horizontal
: LTE B7 10M Ch21100 1RB0 QPSK
: NR SA n66 20M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1			g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3472.00	-62.14	RMS	29.46	-25.93	0.58	-95.23	28.98	-13.00	-49.14	Horizontal
2	5208.00	-59.18	RMS	32.82	-24.89	0.53	-95.23	27.59	-13.00	-46.18	Horizontal
3	6945.00	-55.94	RMS	35.80	-23.25	0.58	-95.23	26.16	-13.00	-42.94	Horizontal



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_241101 Vertical
: LTE B7 10M Ch21100 1RB0 QPSK
: NR SA n66 20M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1			g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3472.00	-62.36	RMS	29.46	-25.93	0.58	-95.23	28.76	-13.00	-49.36	Vertical
2	5208.00	-58.99	RMS	32.82	-24.89	0.53	-95.23	27.78	-13.00	-45.99	Vertical
3	6945.00	-56.11	RMS	35.80	-23.25	0.58	-95.23	25.99	-13.00	-43.11	Vertical




TX0+1_Ant. 0+3

Part 27L Mode 20


EN-DC B12+n66 10M + 20M Ch23095 1RB0 QPSK + Ch349000 1RB1 BPSK

M



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_241101 Horizontal
: LTE B12 10M Ch23095 1RB0 QPSK
: NR SA n66 20M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3472.00	-61.97	RMS	29.46	-25.93	0.58	-95.23	29.15	-13.00	-48.97	Horizontal
2	5208.00	-58.88	RMS	32.82	-24.89	0.53	-95.23	27.89	-13.00	-45.88	Horizontal
3	6945.00	-56.04	RMS	35.80	-23.25	0.58	-95.23	26.06	-13.00	-43.04	Horizontal



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_241101 Vertical
: LTE B12 10M Ch23095 1RB0 QPSK
: NR SA n66 20M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	3472.00	-62.31	RMS	29.46	-25.93	0.58	-95.23	28.81	-13.00	-49.31	Vertical
2	5208.00	-59.16	RMS	32.82	-24.89	0.53	-95.23	27.61	-13.00	-46.16	Vertical
3	6945.00	-56.20	RMS	35.80	-23.25	0.58	-95.23	25.90	-13.00	-43.20	Vertical




TX0+1_Ant. 0+3

Part 27L Mode 21


EN-DC B13+n66 10M + 20M Ch23230 1RB0 QPSK + Ch349000 1RB1 BPSK

M



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_241101 Horizontal
: LTE B13 10M Ch23230 1RB0 QPSK
: NR SA n66 20M Ch349000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1					
1	3472.00	-62.17	RMS	29.46	-25.93	0.58 -95.23	28.95	-13.00	-49.17	Horizontal
2	5208.00	-59.00	RMS	32.82	-24.89	0.53 -95.23	27.77	-13.00	-46.00	Horizontal
3	6945.00	-55.74	RMS	35.80	-23.25	0.58 -95.23	26.36	-13.00	-42.74	Horizontal



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_241101 Vertical
: LTE B13 10M Ch23230 1RB0 QPSK
: NR SA n66 20M Ch349000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1					
1	3472.00	-61.98	RMS	29.46	-25.93	0.58 -95.23	29.14	-13.00	-48.98	Vertical
2	5208.00	-59.11	RMS	32.82	-24.89	0.53 -95.23	27.66	-13.00	-46.11	Vertical
3	6945.00	-56.05	RMS	35.80	-23.25	0.58 -95.23	26.05	-13.00	-43.05	Vertical




TX0+1_Ant. 0+3

Part 27L Mode 22


EN-DC B14+n66 10M + 20M Ch23330 1RB0 QPSK + Ch349000 1RB1 BPSK

M



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_241101 Horizontal
: LTE B14 10M Ch23330 1RB0 QPSK
: NR SA n66 20M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			1			g			
1	3472.00	-61.97	RMS	29.46	-25.93	0.58	-95.23	29.15	-13.00	-48.97	Horizontal
2	5208.00	-58.46	RMS	32.82	-24.89	0.53	-95.23	28.31	-13.00	-45.46	Horizontal
3	6945.00	-56.52	RMS	35.80	-23.25	0.58	-95.23	25.58	-13.00	-43.52	Horizontal



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_241101 Vertical
: LTE B14 10M Ch23330 1RB0 QPSK
: NR SA n66 20M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			1			g			
1	3472.00	-62.10	RMS	29.46	-25.93	0.58	-95.23	29.02	-13.00	-49.10	Vertical
2	5208.00	-58.92	RMS	32.82	-24.89	0.53	-95.23	27.85	-13.00	-45.92	Vertical
3	6945.00	-56.54	RMS	35.80	-23.25	0.58	-95.23	25.56	-13.00	-43.54	Vertical




TX0+1_Ant. 0+3

Part 27L Mode 23


EN-DC B30+n66 10M + 20M Ch27710 1RB0 QPSK + Ch349000 1RB1 BPSK

M



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_241101 Horizontal
: LTE B30 10M Ch27710 1RB0 QPSK
: NR SA n66 20M Ch349000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
				Factor	1					
1	3472.00	-62.46	RMS	29.46	-25.93	0.58 -95.23	28.66	-13.00	-49.46	Horizontal
2	5208.00	-59.39	RMS	32.82	-24.89	0.53 -95.23	27.38	-13.00	-46.39	Horizontal
3	6945.00	-56.55	RMS	35.80	-23.25	0.58 -95.23	25.55	-13.00	-43.55	Horizontal



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_241101 Vertical
: LTE B30 10M Ch27710 1RB0 QPSK
: NR SA n66 20M Ch349000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit dBm	Margin dB	Pol
				Factor	1					
1	3472.00	-62.21	RMS	29.46	-25.93	0.58 -95.23	28.91	-13.00	-49.21	Vertical
2	5208.00	-59.22	RMS	32.82	-24.89	0.53 -95.23	27.55	-13.00	-46.22	Vertical
3	6945.00	-56.32	RMS	35.80	-23.25	0.58 -95.23	25.78	-13.00	-43.32	Vertical




TX0+1_Ant. 5+0

Part 27L Mode 24


EN-DC B48+n66 10M + 20M Ch55990 1RB0 QPSK + Ch349000 1RB1 BPSK

M



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_241101 Horizontal
: LTE B48 10M Ch55990 1RB0 QPSK
: NR SA n66 20M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	3472.00	-60.99	RMS		29.46	-25.93	0.58	-95.23	30.13	-13.00	-47.99 Horizontal
2	5208.00	-59.69	RMS		32.82	-24.89	0.53	-95.23	27.08	-13.00	-46.69 Horizontal
3	6945.00	-57.26	RMS		35.80	-23.25	0.58	-95.23	24.84	-13.00	-44.26 Horizontal



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_241101 Vertical
: LTE B48 10M Ch55990 1RB0 QPSK
: NR SA n66 20M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB	dBm	dB	
1	3472.00	-63.30	RMS		29.46	-25.93	0.58	-95.23	27.82	-13.00	-50.30 Vertical
2	5208.00	-59.99	RMS		32.82	-24.89	0.53	-95.23	26.78	-13.00	-46.99 Vertical
3	6945.00	-57.40	RMS		35.80	-23.25	0.58	-95.23	24.70	-13.00	-44.40 Vertical




TX0+1_Ant. 0+3

Part 27L Mode 25


EN-DC B71+n66 10M + 20M Ch133297 1RB0 QPSK + Ch349000 1RB1 BPSK

M



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_241101 Horizontal
: LTE B71 10M Ch133297 1RB0 QPSK
: NR SA n66 20M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm				dB/m	dB	dB	dB	dB	dB
1	3472.00	-60.95	RMS	29.46	-25.93	0.58	-95.23	30.17	-13.00	-47.95	Horizontal
2	5208.00	-59.35	RMS	32.82	-24.89	0.53	-95.23	27.42	-13.00	-46.35	Horizontal
3	6945.00	-56.54	RMS	35.80	-23.25	0.58	-95.23	25.56	-13.00	-43.54	Horizontal



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_241101 Vertical
: LTE B71 10M Ch133297 1RB0 QPSK
: NR SA n66 20M Ch349000 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm				dB/m	dB	dB	dB	dB	dB
1	3472.00	-60.77	RMS	29.46	-25.93	0.58	-95.23	30.35	-13.00	-47.77	Vertical
2	5208.00	-59.10	RMS	32.82	-24.89	0.53	-95.23	27.67	-13.00	-46.10	Vertical
3	6945.00	-56.35	RMS	35.80	-23.25	0.58	-95.23	25.75	-13.00	-43.35	Vertical




TX0_Ant. 0

Part 27D Mode 26

NR SA n30 5M Ch461500 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -40 1m BBHA9170_1223_250702 Horizontal

NR SA n30 5M Ch461500 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF		Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB		dBm	dB	
1	4611.00	-60.53	RMS	31.82	-25.30	0.74	-95.23	27.44	-40.00	-20.53	Horizontal	
2	6917.00	-56.46	RMS	35.80	-23.27	0.59	-95.23	25.65	-40.00	-16.46	Horizontal	
3	9222.00	-53.97	RMS	37.93	-23.08	0.42	-95.23	25.99	-40.00	-13.97	Horizontal	



Site : 03CH20-HY

Condition: -40 1m BBHA9170_1223_250702 Vertical

NR SA n30 5M Ch461500 1RB1 BPSK

	Freq Level		Detector	Ant Factor	Amp\Cb Filter 1		EIRPCF		Readin g	Limit	Margin	Pol
	MHz	dBm			dB/m	dB	dB	dB		dBm	dB	
1	4611.00	-60.49	RMS	31.82	-25.30	0.74	-95.23	27.48	-40.00	-20.49	Vertical	
2	6917.00	-56.30	RMS	35.80	-23.27	0.59	-95.23	25.81	-40.00	-16.30	Vertical	
3	9222.00	-53.96	RMS	37.93	-23.08	0.42	-95.23	26.00	-40.00	-13.96	Vertical	




TX0_Ant. 0

Part 27D Mode 26

NR SA n30 5M Ch462000 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -40 1m BBHA9170_1223_250702 Horizontal

NR SA n30 5M Ch462000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm		
1	4616.00	-61.03	RMS	31.83	-25.30	0.74	-95.23	26.93	-40.00	-21.03	Horizontal
2	6924.00	-56.34	RMS	35.80	-23.27	0.59	-95.23	25.77	-40.00	-16.34	Horizontal
3	9232.00	-53.99	RMS	37.99	-23.08	0.42	-95.23	25.91	-40.00	-13.99	Horizontal



Site : 03CH20-HY

Condition: -40 1m BBHA9170_1223_250702 Vertical

NR SA n30 5M Ch462000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1			dBuV	dBm		
1	4616.00	-60.42	RMS	31.83	-25.30	0.74	-95.23	27.54	-40.00	-20.42	Vertical
2	6924.00	-56.71	RMS	35.80	-23.27	0.59	-95.23	25.40	-40.00	-16.71	Vertical
3	9232.00	-53.94	RMS	37.99	-23.08	0.42	-95.23	25.96	-40.00	-13.94	Vertical




TX0_Ant. 0

Part 27D Mode 26

NR SA n30 5M Ch462500 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -40 1m BBHA9170_1223_250702 Horizontal

NR SA n30 5M Ch462500 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	dB	dB	dB		dBuV	dBm	dB	
1	4621.00	-60.32	RMS	31.84	-25.30	0.74	-95.23	27.63	-40.00	-20.32	Horizontal	
2	6932.00	-56.41	RMS	35.80	-23.26	0.58	-95.23	25.70	-40.00	-16.41	Horizontal	
3	9242.00	-53.20	RMS	38.05	-23.08	0.42	-95.23	26.64	-40.00	-13.20	Horizontal	



Site : 03CH20-HY

Condition: -40 1m BBHA9170_1223_250702 Vertical

NR SA n30 5M Ch462500 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	dB	dB	dB		dBuV	dBm	dB	
1	4621.00	-60.30	RMS	31.84	-25.30	0.74	-95.23	27.65	-40.00	-20.30	Vertical	
2	6932.00	-56.30	RMS	35.80	-23.26	0.58	-95.23	25.81	-40.00	-16.30	Vertical	
3	9242.00	-53.85	RMS	38.05	-23.08	0.42	-95.23	25.99	-40.00	-13.85	Vertical	




TX0+1_Ant. 0+3

Part 27D Mode 27

NR MIMO n30 5M Ch461500 1RB1 QPSK

L




Site : 03CH20-HY

Condition: -40 1m BBHA9170_1223_250702 Horizontal

: NR SA n30 5M Ch461500 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1	dB	dB		dBuV	dBm	dB	
1	4611.00	-60.58	RMS	31.82	-25.30	0.74	-95.23	27.39	-40.00	-20.58	Horizontal	
2	6917.00	-56.43	RMS	35.80	-23.27	0.59	-95.23	25.68	-40.00	-16.43	Horizontal	
3	9222.00	-53.92	RMS	37.93	-23.08	0.42	-95.23	26.04	-40.00	-13.92	Horizontal	



Site : 03CH20-HY

Condition: -40 1m BBHA9170_1223_250702 Vertical

: NR SA n30 5M Ch461500 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit		Margin	Pol
	MHz	dBm		Factor	1	dB	dB		dBuV	dBm	dB	
1	4611.00	-60.01	RMS	31.82	-25.30	0.74	-95.23	27.96	-40.00	-20.01	Vertical	
2	6917.00	-56.55	RMS	35.80	-23.27	0.59	-95.23	25.56	-40.00	-16.55	Vertical	
3	9222.00	-54.23	RMS	37.93	-23.08	0.42	-95.23	25.73	-40.00	-14.23	Vertical	




TX0+1_Ant. 0+3

Part 27D Mode 27

NR MIMO n30 5M Ch462000 1RB1 QPSK

M




Site : 03CH20-HY

Condition: -40 1m BBHA9170_1223_250702 Horizontal

: NR SA n30 5M Ch462000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit	Margin	Pol
	MHz	dBm		Factor	1	dB	dB		dBm	dB	
1	4616.00	-60.69	RMS	31.83	-25.30	0.74	-95.23	27.27	-40.00	-20.69	Horizontal
2	6924.00	-56.35	RMS	35.80	-23.27	0.59	-95.23	25.76	-40.00	-16.35	Horizontal
3	9232.00	-53.99	RMS	37.99	-23.08	0.42	-95.23	25.91	-40.00	-13.99	Horizontal



Site : 03CH20-HY

Condition: -40 1m BBHA9170_1223_250702 Vertical

: NR SA n30 5M Ch462000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit	Margin	Pol
	MHz	dBm		Factor	1	dB	dB		dBm	dB	
1	4616.00	-60.50	RMS	31.83	-25.30	0.74	-95.23	27.46	-40.00	-20.50	Vertical
2	6924.00	-56.56	RMS	35.80	-23.27	0.59	-95.23	25.55	-40.00	-16.56	Vertical
3	9232.00	-53.98	RMS	37.99	-23.08	0.42	-95.23	25.92	-40.00	-13.98	Vertical




TX0+1_Ant. 0+3

Part 27D Mode 27

NR MIMO n30 5M Ch462500 1RB1 QPSK

H




Site : 03CH20-HY

Condition: -40 1m BBHA9170_1223_250702 Horizontal

: NR SA n30 5M Ch462500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin	Limit	Margin Pol	
				Factor	1			g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4621.00	-60.05	RMS	31.84	-25.30	0.74	-95.23	27.90	-40.00	-20.05	Horizontal
2	6932.00	-56.46	RMS	35.80	-23.26	0.58	-95.23	25.65	-40.00	-16.46	Horizontal
3	9242.00	-53.82	RMS	38.05	-23.08	0.42	-95.23	26.02	-40.00	-13.82	Horizontal



Site : 03CH20-HY

Condition: -40 1m BBHA9170_1223_250702 Vertical

: NR SA n30 5M Ch462500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin	Limit	Margin Pol	
				Factor	1			g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4621.00	-60.56	RMS	31.84	-25.30	0.74	-95.23	27.39	-40.00	-20.56	Vertical
2	6932.00	-56.37	RMS	35.80	-23.26	0.58	-95.23	25.74	-40.00	-16.37	Vertical
3	9242.00	-53.58	RMS	38.05	-23.08	0.42	-95.23	26.26	-40.00	-13.58	Vertical




TX1_Ant. 3

Part 27D Mode 28

NR SMSL n30 5M Ch461500 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -40 1m BBHA9170_1223_250702 Horizontal

NR SA n30 5M Ch461500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin	Limit	Margin	Pol
				Factor	1			g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4611.00	-60.06	RMS	31.82	-25.30	0.74	-95.23	27.91	-40.00	-20.06	Horizontal
2	6917.00	-56.24	RMS	35.80	-23.27	0.59	-95.23	25.87	-40.00	-16.24	Horizontal
3	9222.00	-53.68	RMS	37.93	-23.08	0.42	-95.23	26.28	-40.00	-13.68	Horizontal



Site : 03CH20-HY

Condition: -40 1m BBHA9170_1223_250702 Vertical

NR SA n30 5M Ch461500 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin	Limit	Margin	Pol
				Factor	1			g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	4611.00	-60.23	RMS	31.82	-25.30	0.74	-95.23	27.74	-40.00	-20.23	Vertical
2	6917.00	-56.27	RMS	35.80	-23.27	0.59	-95.23	25.84	-40.00	-16.27	Vertical
3	9222.00	-53.59	RMS	37.93	-23.08	0.42	-95.23	26.37	-40.00	-13.59	Vertical




TX1_Ant. 3

Part 27D Mode 28

NR SMLS n30 5M Ch462000 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -40 1m BBHA9170_1223_250702 Horizontal

: NR SA n30 5M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4616.00	-60.79	RMS	31.83	-25.30	0.74	-95.23	27.17	-40.00	-20.79
2	6924.00	-56.57	RMS	35.80	-23.27	0.59	-95.23	25.54	-40.00	-16.57
3	9232.00	-53.76	RMS	37.99	-23.08	0.42	-95.23	26.14	-40.00	-13.76



Site : 03CH20-HY

Condition: -40 1m BBHA9170_1223_250702 Vertical

: NR SA n30 5M Ch462000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	4616.00	-60.63	RMS	31.83	-25.30	0.74	-95.23	27.33	-40.00	-20.63
2	6924.00	-56.59	RMS	35.80	-23.27	0.59	-95.23	25.52	-40.00	-16.59
3	9232.00	-53.44	RMS	37.99	-23.08	0.42	-95.23	26.46	-40.00	-13.44




TX1_Ant. 3

Part 27D Mode 28

NR SMSL n30 5M Ch462500 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -40 1m BBHA9170_1223_250702 Horizontal

: NR SA n30 5M Ch462500 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit	Margin Pol	
	MHz	dBm		Factor	1	dB	dB				
1	4621.00	-60.16	RMS	31.84	-25.30	0.74	-95.23	27.79	-40.00	-20.16	Horizontal
2	6932.00	-56.55	RMS	35.80	-23.26	0.58	-95.23	25.56	-40.00	-16.55	Horizontal
3	9242.00	-53.33	RMS	38.05	-23.08	0.42	-95.23	26.51	-40.00	-13.33	Horizontal



Site : 03CH20-HY

Condition: -40 1m BBHA9170_1223_250702 Vertical

: NR SA n30 5M Ch462500 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit	Margin Pol	
	MHz	dBm		Factor	1	dB	dB				
1	4621.00	-60.20	RMS	31.84	-25.30	0.74	-95.23	27.75	-40.00	-20.20	Vertical
2	6932.00	-56.54	RMS	35.80	-23.26	0.58	-95.23	25.57	-40.00	-16.54	Vertical
3	9242.00	-53.74	RMS	38.05	-23.08	0.42	-95.23	26.10	-40.00	-13.74	Vertical