




TX0_Ant. 0

Part 27F Mode 29

NR SA n13 5M Ch155900 1RB1 BPSK

L




Site : 03CH20-HY

Condition: 700 AC BAND 3m HF_9120D_02360_241101 Horizontal

Mode : SA N13 5M Ch155900 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm				dB	dB	dBuV	dBm	dB	
1	1554.00	-65.63	RMS	25.16	-28.91	0.56	-95.23	32.79	-13.00	-52.63	Horizontal
2	2332.00	-62.46	RMS	27.28	-27.74	0.37	-95.23	32.86	-13.00	-49.46	Horizontal
3	3109.00	-62.20	RMS	29.64	-26.23	0.32	-95.23	29.30	-13.00	-49.20	Horizontal



Site : 03CH20-HY

Condition: 700 AC BAND 3m HF_9120D_02360_241101 Vertical

Mode : SA N13 5M Ch155900 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm				dB	dB	dBuV	dBm	dB	
1	1554.00	-65.78	RMS	25.16	-28.91	0.56	-95.23	32.64	-13.00	-52.78	Vertical
2	2332.00	-63.69	RMS	27.28	-27.74	0.37	-95.23	31.63	-13.00	-50.69	Vertical
3	3109.00	-62.41	RMS	29.64	-26.23	0.32	-95.23	29.09	-13.00	-49.41	Vertical




TX0_Ant. 0

Part 27F Mode 29

NR SA n13 5M Ch156400 1RB1 BPSK

M




Site : 03CH20-HY

Condition: 700 AC BAND 3m HF_9120D_02360_241101 Horizontal

Mode : SA N13 5M Ch156400 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm				dB/m	dB	dB	dB	dB	
1	1559.00	-65.54	RMS	25.11	-28.90	0.55	-95.23	32.93	-42.15	-23.39	Horizontal
2	2339.00	-61.15	RMS	27.21	-27.72	0.38	-95.23	34.21	-13.00	-48.15	Horizontal
3	3119.00	-62.53	RMS	29.68	-26.23	0.32	-95.23	28.93	-13.00	-49.53	Horizontal



Site : 03CH20-HY

Condition: 700 AC BAND 3m HF_9120D_02360_241101 Vertical

Mode : SA N13 5M Ch156400 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm				dB/m	dB	dB	dB	dB	
1	1559.00	-65.29	RMS	25.11	-28.90	0.55	-95.23	33.18	-42.15	-23.14	Vertical
2	2339.00	-59.71	RMS	27.21	-27.72	0.38	-95.23	35.65	-13.00	-46.71	Vertical
3	3119.00	-62.56	RMS	29.68	-26.23	0.32	-95.23	28.90	-13.00	-49.56	Vertical




TX0_Ant. 0

Part 27F Mode 29

NR SA n13 5M Ch156900 1RB1 BPSK

H




Site : 03CH20-HY

Condition: 700 AC BAND 3m HF_9120D_02360_241101 Horizontal

Mode : SA N13 5M Ch156900 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	1564.00	-65.88	RMS	25.14	-28.90	0.54	-95.23	32.57	-42.15	-23.73	Horizontal
2	2347.00	-41.11	RMS	27.27	-27.71	0.38	-95.23	54.18	-13.00	-28.11	Horizontal
3	3129.00	-62.40	RMS	29.72	-26.23	0.32	-95.23	29.02	-13.00	-49.40	Horizontal



Site : 03CH20-HY

Condition: 700 AC BAND 3m HF_9120D_02360_241101 Vertical

Mode : SA N13 5M Ch156900 1RB1 BPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm									
1	1564.00	-66.09	RMS	25.14	-28.90	0.54	-95.23	32.36	-42.15	-23.94	Vertical
2	2347.00	-63.76	RMS	27.27	-27.71	0.38	-95.23	31.53	-13.00	-50.76	Vertical
3	3129.00	-62.32	RMS	29.72	-26.23	0.32	-95.23	29.10	-13.00	-49.32	Vertical




TX0+1_Ant. 3+0

Part 27H Mode 30

EN-DC B2+n12 10M + 15M Ch18900 1RB0 QPSK + Ch141500 1RB1 BPSK

M




Site : 03CH20-HY

Condition: 700 AC BAND 3m HF_9120D_02360_241101 Horizontal

: LTE B2 10M Ch18900 1RB0 QPSK

: NR SA n12 15M Ch141500 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin g	Limit	Margin	Pol
				Factor	1		dB	dB				
1	1402.00	-59.71	RMS	25.68	-29.17	0.61	-95.23	38.40	-13.00	-46.71	Horizontal	
2	2103.00	-47.99	RMS	27.46	-28.10	0.25	-95.23	47.63	-13.00	-34.99	Horizontal	
3	2804.00	-63.85	RMS	28.60	-26.75	0.36	-95.23	29.17	-13.00	-50.85	Horizontal	



Site : 03CH20-HY

Condition: 700 AC BAND 3m HF_9120D_02360_241101 Vertical

: LTE B2 10M Ch18900 1RB0 QPSK

: NR SA n12 15M Ch141500 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin g	Limit	Margin	Pol
				Factor	1		dB	dB				
1	1402.00	-58.75	RMS	25.68	-29.17	0.61	-95.23	39.36	-13.00	-45.75	Vertical	
2	2103.00	-44.25	RMS	27.46	-28.10	0.25	-95.23	51.37	-13.00	-31.25	Vertical	
3	2804.00	-63.65	RMS	28.60	-26.75	0.36	-95.23	29.37	-13.00	-50.65	Vertical	




TX0+1_Ant. 3+0

Part 27H Mode 31

EN-DC B7+n12 10M + 15M Ch21100 1RB0 QPSK + Ch141500 1RB1 BPSK

M




Site : 03CH20-HY

Condition: 700 AC BAND 3m HF_9120D_02360_241101 Horizontal

: LTE B7 10M Ch21100 1RB0 QPSK

: NR SA n12 15M Ch141500 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin g	Limit	Margin	Pol
				Factor	1		dB	dB		dBm	dB	
1	1402.00	-64.46	RMS	25.68	-29.17	0.61	-95.23	-95.23	33.65	-13.00	-51.46	Horizontal
2	2103.00	-47.97	RMS	27.46	-28.10	0.25	-95.23	-95.23	47.65	-13.00	-34.97	Horizontal
3	2804.00	-63.75	RMS	28.60	-26.75	0.36	-95.23	-95.23	29.27	-13.00	-50.75	Horizontal



Site : 03CH20-HY

Condition: 700 AC BAND 3m HF_9120D_02360_241101 Vertical

: LTE B7 10M Ch21100 1RB0 QPSK

: NR SA n12 15M Ch141500 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin g	Limit	Margin	Pol
				Factor	1		dB	dB		dBm	dB	
1	1402.00	-59.35	RMS	25.68	-29.17	0.61	-95.23	-95.23	38.76	-13.00	-46.35	Vertical
2	2103.00	-54.71	RMS	27.46	-28.10	0.25	-95.23	-95.23	40.91	-13.00	-41.71	Vertical
3	2804.00	-63.90	RMS	28.60	-26.75	0.36	-95.23	-95.23	29.12	-13.00	-50.90	Vertical




TX0+1_Ant. 5+0

Part 27H Mode 32


EN-DC B48+n12 10M + 15M Ch55990 1RB0 QPSK + Ch141500 1RB1 BPSK

M



Site : 03CH20-HY
Condition: 700 AC BAND 3m HF_9120D_02360_241101 Horizontal
: LTE B48 10M Ch55990 1RB0 QPSK
: NR SA n12 15M Ch141500 1RB1 BPSK

	Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		Factor	1	dB		dB	g		
1	1402.00	-59.40	RMS	25.68	-29.17	0.61	-95.23	38.71	-13.00	-46.40	Horizontal
2	2103.00	-55.28	RMS	27.46	-28.10	0.25	-95.23	40.34	-13.00	-42.28	Horizontal
3	2804.00	-64.54	RMS	28.60	-26.75	0.36	-95.23	28.48	-13.00	-51.54	Horizontal



Site : 03CH20-HY
Condition: 700 AC BAND 3m HF_9120D_02360_241101 Vertical
: LTE B48 10M Ch55990 1RB0 QPSK
: NR SA n12 15M Ch141500 1RB1 BPSK

	Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		Factor	l	dB		g	dBm		
1	1402.00	-62.29	RMS	25.68	-29.17	0.61	-95.23	35.82	-13.00	-49.29	Vertical
2	2103.00	-41.47	RMS	27.46	-28.10	0.25	-95.23	54.15	-13.00	-28.47	Vertical
3	2804.00	-64.38	RMS	28.60	-26.75	0.36	-95.23	28.64	-13.00	-51.38	Vertical




TX0+1_Ant. 3+0

Part 27H Mode 33


EN-DC B66+n12 10M + 15M Ch132322 1RB0 QPSK + Ch141500 1RB1 BPSK

M



Site : 03CH20-HY
Condition: 700 AC BAND 3m HF_9120D_02360_241101 Horizontal
: LTE B66 10M Ch132322 1RB0 QPSK
: NR SA n12 15M Ch141500 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin g	Limit	Margin	Pol
				Factor	1		dB	dB		dBm	dB	
1	1402.00	-61.27	RMS	25.68	-29.17	0.61	-95.23	36.84	-13.00	-48.27	Horizontal	
2	2103.00	-38.86	RMS	27.46	-28.10	0.25	-95.23	56.76	-13.00	-25.86	Horizontal	
3	2804.00	-63.86	RMS	28.60	-26.75	0.36	-95.23	29.16	-13.00	-50.86	Horizontal	



Site : 03CH20-HY
Condition: 700 AC BAND 3m HF_9120D_02360_241101 Vertical
: LTE B66 10M Ch132322 1RB0 QPSK
: NR SA n12 15M Ch141500 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin g	Limit	Margin	Pol
				Factor	1		dB	dB		dBm	dB	
1	1402.00	-62.61	RMS	25.68	-29.17	0.61	-95.23	35.50	-13.00	-49.61	Vertical	
2	2103.00	-45.07	RMS	27.46	-28.10	0.25	-95.23	50.55	-13.00	-32.07	Vertical	
3	2804.00	-63.48	RMS	28.60	-26.75	0.36	-95.23	29.54	-13.00	-50.48	Vertical	




TX0+1_Ant. 0+1

Part 27N Mode 34

EN-DC B7+n71 10M + 20M Ch21100 1RB0 QPSK + Ch136100 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_241101 Horizontal

: LTE B7 10M Ch21100 1RB0 QPSK

: NR SA n71 20M Ch136100 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB				
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1343.00	-57.07	RMS	25.60	-29.29	0.73	-95.23	41.12	-13.00	-44.07	Horizontal	
2	2015.00	-64.79	RMS	26.60	-28.25	0.20	-95.23	31.89	-13.00	-51.79	Horizontal	
3	2687.00	-63.71	RMS	28.23	-27.03	0.37	-95.23	29.95	-13.00	-50.71	Horizontal	



Site : 03CH20-HY

Condition: -13 3m HF_9120D_02360_241101 Vertical

: LTE B7 10M Ch21100 1RB0 QPSK

: NR SA n71 20M Ch136100 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB				
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1343.00	-62.62	RMS	25.60	-29.29	0.73	-95.23	35.57	-13.00	-49.62	Vertical	
2	2015.00	-65.45	RMS	26.60	-28.25	0.20	-95.23	31.23	-13.00	-52.45	Vertical	
3	2687.00	-63.69	RMS	28.23	-27.03	0.37	-95.23	29.97	-13.00	-50.69	Vertical	




TX0+1_Ant. 5+0

Part 27N Mode 35


EN-DC B48+n71 10M + 20M Ch55990 1RB0 QPSK + Ch136100 1RB1 BPSK

M



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_241101 Horizontal
: LTE B48 10M Ch55990 1RB0 QPSK
: NR SA n71 20M Ch136100 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1						
1	1343.00	-66.36	RMS	25.60	-29.29	0.73	-95.23	31.83	-13.00	-53.36	Horizontal
2	2015.00	-65.19	RMS	26.60	-28.25	0.20	-95.23	31.49	-13.00	-52.19	Horizontal
3	2687.00	-63.61	RMS	28.23	-27.03	0.37	-95.23	30.05	-13.00	-50.61	Horizontal



Site : 03CH20-HY
Condition: -13 3m HF_9120D_02360_241101 Vertical
: LTE B48 10M Ch55990 1RB0 QPSK
: NR SA n71 20M Ch136100 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin g	Limit	Margin	Pol
				Factor	1						
1	1343.00	-66.55	RMS	25.60	-29.29	0.73	-95.23	31.64	-13.00	-53.55	Vertical
2	2015.00	-65.23	RMS	26.60	-28.25	0.20	-95.23	31.45	-13.00	-52.23	Vertical
3	2687.00	-63.50	RMS	28.23	-27.03	0.37	-95.23	30.16	-13.00	-50.50	Vertical




TX0_Ant. 0

Part 27M Mode 36

NR SA n7 20M Ch502000 1RB1 BPSK

L




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Horizontal

: NR SA n7 20M Ch502000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5002.00	-58.92	RMS	33.40	-25.06	0.62	-95.23	27.35	-25.00	-33.92 Horizontal
2	7503.00	-56.05	RMS	36.39	-23.06	0.40	-95.23	25.45	-25.00	-31.05 Horizontal
3	10005.00	-53.79	RMS	38.32	-23.12	0.40	-95.23	25.84	-25.00	-28.79 Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Vertical

: NR SA n7 20M Ch502000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5002.00	-58.82	RMS	33.40	-25.06	0.62	-95.23	27.45	-25.00	-33.82 Vertical
2	7503.00	-56.60	RMS	36.39	-23.06	0.40	-95.23	24.90	-25.00	-31.60 Vertical
3	10005.00	-53.33	RMS	38.32	-23.12	0.40	-95.23	26.30	-25.00	-28.33 Vertical




TX0_Ant. 0

Part 27M Mode 36

NR SA n7 20M Ch507000 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Horizontal

NR SA n7 20M Ch507000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5052.00	-59.07	RMS	33.30	-25.02	0.60	-95.23	27.28	-25.00	-34.07	Horizontal
2	7579.00	-56.25	RMS	36.18	-23.06	0.38	-95.23	25.48	-25.00	-31.25	Horizontal
3	10105.00	-53.43	RMS	38.50	-23.07	0.40	-95.23	25.97	-25.00	-28.43	Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Vertical

NR SA n7 20M Ch507000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5052.00	-58.67	RMS	33.30	-25.02	0.60	-95.23	27.68	-25.00	-33.67	Vertical
2	7579.00	-56.53	RMS	36.18	-23.06	0.38	-95.23	25.20	-25.00	-31.53	Vertical
3	10105.00	-53.19	RMS	38.50	-23.07	0.40	-95.23	26.21	-25.00	-28.19	Vertical




TX0_Ant. 0

Part 27M Mode 36

NR SA n7 20M Ch512000 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Horizontal

: NR SA n7 20M Ch512000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin Limit		Margin	Pol
	MHz	dBm		Factor	dB		dB	dB		
1	5102.00	-59.14	RMS	33.20	-24.98	0.57	-95.23	27.30	-25.00	-34.14 Horizontal
2	7653.00	-56.30	RMS	36.22	-23.06	0.42	-95.23	25.35	-25.00	-31.30 Horizontal
3	10205.00	-53.10	RMS	38.71	-23.03	0.40	-95.23	26.05	-25.00	-28.10 Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Vertical

: NR SA n7 20M Ch512000 1RB1 BPSK

	Freq Level		Detector	Ant Amp\Cb Filter		EIRPCF	Readin Limit		Margin	Pol
	MHz	dBm		Factor	dB		dB	dB		
1	5102.00	-59.27	RMS	33.20	-24.98	0.57	-95.23	27.17	-25.00	-34.27 Vertical
2	7653.00	-56.13	RMS	36.22	-23.06	0.42	-95.23	25.52	-25.00	-31.13 Vertical
3	10205.00	-52.99	RMS	38.70	-23.03	0.40	-95.23	26.17	-25.00	-27.99 Vertical




TX0+1_Ant. 0+3

Part 27M Mode 37

EN-DC B2+n7 10M + 20M Ch18900 1RB0 QPSK + Ch507000 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Horizontal

: LTE B2 10M Ch18900 1RB0 QPSK

: NR SA n7 20M Ch507000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	dB	
1	5053.00	-57.49	RMS		33.29	-25.01	0.60	-95.23	28.86	-25.00	-32.49		Horizontal
2	7579.00	-45.08	RMS		36.14	-23.06	0.38	-95.23	36.69	-25.00	-20.08		Horizontal
3	10105.00	-54.11	RMS		38.50	-23.07	0.40	-95.23	25.29	-25.00	-29.11		Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Vertical

: LTE B2 10M Ch18900 1RB0 QPSK

: NR SA n7 20M Ch507000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	dB	
1	5053.00	-57.58	RMS		33.29	-25.01	0.60	-95.23	28.77	-25.00	-32.58		Vertical
2	7579.00	-44.99	RMS		36.14	-23.06	0.38	-95.23	36.78	-25.00	-19.99		Vertical
3	10105.00	-52.91	RMS		38.50	-23.07	0.40	-95.23	26.49	-25.00	-27.91		Vertical




TX0+1_Ant. 0+3

Part 27M Mode 38

EN-DC B4+n7 10M + 20M Ch20175 1RB0 QPSK + Ch507000 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Horizontal

: LTE B4 10M Ch20175 1RB0 QPSK

: NR SA n7 20M Ch507000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m		dB	dB	dBuV	dBm	dB		
1	5053.00	-58.46	RMS		33.29	-25.02	0.60	-95.23	27.90	-25.00	-33.46		Horizontal
2	7579.00	-44.50	RMS		36.18	-23.06	0.38	-95.23	37.23	-25.00	-19.50		Horizontal
3	10105.00	-53.97	RMS		38.50	-23.07	0.40	-95.23	25.43	-25.00	-28.97		Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Vertical

: LTE B4 10M Ch20175 1RB0 QPSK

: NR SA n7 20M Ch507000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m		dB	dB	dBuV	dBm	dB		
1	5053.00	-58.28	RMS		33.29	-25.02	0.60	-95.23	28.08	-25.00	-33.28		Vertical
2	7579.00	-43.36	RMS		36.18	-23.06	0.38	-95.23	38.37	-25.00	-18.36		Vertical
3	10105.00	-53.42	RMS		38.50	-23.07	0.40	-95.23	25.98	-25.00	-28.42		Vertical




TX0+1_Ant. 0+3

Part 27M Mode 39

EN-DC B5+n7 10M + 20M Ch20525 1RB0 QPSK + Ch507000 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Horizontal

: LTE B5 10M Ch20525 1RB0 QPSK

: NR SA n7 20M Ch507000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB				
	MHz	dBm			dB/m		dB	dB	dBuV	dBm	dB	
1	5053.00	-58.80	RMS		33.29	-25.02	0.60	-95.23	27.56	-25.00	-33.80	Horizontal
2	7579.00	-53.88	RMS		36.18	-23.06	0.38	-95.23	27.85	-25.00	-28.88	Horizontal
3	10105.00	-53.98	RMS		38.50	-23.07	0.40	-95.23	25.42	-25.00	-28.98	Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Vertical

: LTE B5 10M Ch20525 1RB0 QPSK

: NR SA n7 20M Ch507000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB				
	MHz	dBm			dB/m		dB	dB	dBuV	dBm	dB	
1	5053.00	-59.22	RMS		33.29	-25.02	0.60	-95.23	27.14	-25.00	-34.22	Vertical
2	7579.00	-51.39	RMS		36.18	-23.06	0.38	-95.23	30.34	-25.00	-26.39	Vertical
3	10105.00	-53.56	RMS		38.50	-23.07	0.40	-95.23	25.84	-25.00	-28.56	Vertical




TX0+1_Ant. 0+3

Part 27M Mode 40


EN-DC B12+n7 10M + 20M Ch23095 1RB0 QPSK + Ch507000 1RB1 BPSK

M



Site : 03CH20-HY
Condition: -25 1m BBHA9170_1223_250702 Horizontal
: LTE B12 10M Ch23095 1RB0 QPSK
: NR SA n7 20M Ch507000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit dBm	Margin dB	Pol
				Factor	1	dB	dB				
1	5053.00	-59.30	RMS	33.29	-25.02	0.60	-95.23	27.06	-25.00	-34.30	Horizontal
2	7579.00	-56.63	RMS	36.18	-23.06	0.38	-95.23	25.10	-25.00	-31.63	Horizontal
3	10105.00	-53.91	RMS	38.50	-23.07	0.40	-95.23	25.49	-25.00	-28.91	Horizontal



Site : 03CH20-HY
Condition: -25 1m BBHA9170_1223_250702 Vertical
: LTE B12 10M Ch23095 1RB0 QPSK
: NR SA n7 20M Ch507000 1RB1 BPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit dBm	Margin dB	Pol
				Factor	1	dB	dB				
1	5053.00	-59.16	RMS	33.29	-25.02	0.60	-95.23	27.20	-25.00	-34.16	Vertical
2	7579.00	-56.57	RMS	36.18	-23.06	0.38	-95.23	25.16	-25.00	-31.57	Vertical
3	10105.00	-52.71	RMS	38.50	-23.07	0.40	-95.23	26.69	-25.00	-27.71	Vertical




TX0+1_Ant. 0+3

Part 27M Mode 41


EN-DC B13+n7 10M + 20M Ch23230 1RB0 QPSK + Ch507000 1RB1 BPSK

M



Site : 03CH20-HY
Condition: -25 1m BBHA9170_1223_250702 Horizontal
: LTE B13 10M Ch23230 1RB0 QPSK
: NR SA n7 20M Ch507000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1				g			
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5053.00	-58.82	RMS		33.29	-25.02	0.60	-95.23	27.54	-25.00	-33.82	Horizontal
2	7579.00	-56.44	RMS		36.18	-23.06	0.38	-95.23	25.29	-25.00	-31.44	Horizontal
3	10105.00	-53.39	RMS		38.50	-23.07	0.40	-95.23	26.01	-25.00	-28.39	Horizontal



Site : 03CH20-HY
Condition: -25 1m BBHA9170_1223_250702 Vertical
: LTE B13 10M Ch23230 1RB0 QPSK
: NR SA n7 20M Ch507000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1				g			
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5053.00	-59.21	RMS		33.29	-25.02	0.60	-95.23	27.15	-25.00	-34.21	Vertical
2	7579.00	-56.65	RMS		36.18	-23.06	0.38	-95.23	25.08	-25.00	-31.65	Vertical
3	10105.00	-53.31	RMS		38.50	-23.07	0.40	-95.23	26.09	-25.00	-28.31	Vertical




TX0+1_Ant. 0+3

Part 27M Mode 42

EN-DC B66+n7 10M + 20M Ch132322 1RB0 QPSK + Ch507000 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Horizontal

: LTE B66 10M Ch132322 1RB0 QPSK

: NR SA n7 20M Ch507000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB				
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5053.00	-58.83	RMS		33.29	-25.02	0.60	-95.23	27.53	-25.00	-33.83	Horizontal
2	7579.00	-56.91	RMS		36.18	-23.06	0.38	-95.23	24.82	-25.00	-31.91	Horizontal
3	10105.00	-53.27	RMS		38.50	-23.07	0.40	-95.23	26.13	-25.00	-28.27	Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Vertical

: LTE B66 10M Ch132322 1RB0 QPSK

: NR SA n7 20M Ch507000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB				
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5053.00	-59.05	RMS		33.29	-25.02	0.60	-95.23	27.31	-25.00	-34.05	Vertical
2	7579.00	-56.77	RMS		36.18	-23.06	0.38	-95.23	24.96	-25.00	-31.77	Vertical
3	10105.00	-53.02	RMS		38.50	-23.07	0.40	-95.23	26.38	-25.00	-28.02	Vertical




TX0+1_Ant. 0+3

Part 27M Mode 43


EN-DC B71+n7 10M + 20M Ch133297 1RB0 QPSK + Ch507000 1RB1 BPSK

M



Site : 03CH20-HY
Condition: -25 1m BBHA9170_1223_250702 Horizontal
: LTE B71 10M Ch133297 1RB0 QPSK
: NR SA n7 20M Ch507000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB	g	dBm	dB	
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5053.00	-58.92	RMS		33.29	-25.02	0.60	-95.23	27.44	-25.00	-33.92	Horizontal
2	7579.00	-56.65	RMS		36.18	-23.06	0.38	-95.23	25.08	-25.00	-31.65	Horizontal
3	10105.00	-53.72	RMS		38.50	-23.07	0.40	-95.23	25.68	-25.00	-28.72	Horizontal



Site : 03CH20-HY
Condition: -25 1m BBHA9170_1223_250702 Vertical
: LTE B71 10M Ch133297 1RB0 QPSK
: NR SA n7 20M Ch507000 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB	g	dBm	dB	
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5053.00	-59.10	RMS		33.29	-25.02	0.60	-95.23	27.26	-25.00	-34.10	Vertical
2	7579.00	-56.59	RMS		36.18	-23.06	0.38	-95.23	25.14	-25.00	-31.59	Vertical
3	10105.00	-53.05	RMS		38.50	-23.07	0.40	-95.23	26.35	-25.00	-28.05	Vertical




TX0+1_Ant. 3+0

Part 27M Mode 44

EN-DC B2+n41 10M + 20M Ch18900 1RB0 QPSK + Ch518598 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Horizontal

: LTE B2 10M Ch18900 1RB0 QPSK

: NR SA n41 20M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m		dB	dB	dBuV	dBm	dB		
1	5169.00	-59.08	RMS		33.11	-24.92	0.54	-95.23	27.42	-25.00	-34.08		Horizontal
2	7753.00	-55.16	RMS		36.62	-23.05	0.49	-95.23	26.01	-25.00	-30.16		Horizontal
3	10337.00	-52.62	RMS		38.77	-22.97	0.40	-95.23	26.41	-25.00	-27.62		Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Vertical

: LTE B2 10M Ch18900 1RB0 QPSK

: NR SA n41 20M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m		dB	dB	dBuV	dBm	dB		
1	5169.00	-59.03	RMS		33.11	-24.92	0.54	-95.23	27.47	-25.00	-34.03		Vertical
2	7753.00	-55.62	RMS		36.62	-23.05	0.49	-95.23	25.55	-25.00	-30.62		Vertical
3	10337.00	-52.89	RMS		38.77	-22.97	0.40	-95.23	26.14	-25.00	-27.89		Vertical




TX0+1_Ant. 3+0

Part 27M Mode 45

EN-DC B4+n41 10M + 20M Ch20175 1RB0 QPSK + Ch518598 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Horizontal

: LTE B4 10M Ch20175 1RB0 QPSK

: NR SA n41 20M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5169.00	-58.97	RMS	33.11	-24.92	0.54	-95.23	27.53	-25.00	-33.97	Horizontal
2	7753.00	-55.56	RMS	36.62	-23.05	0.49	-95.23	25.61	-25.00	-30.56	Horizontal
3	10337.00	-52.64	RMS	38.77	-22.97	0.40	-95.23	26.39	-25.00	-27.64	Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Vertical

: LTE B4 10M Ch20175 1RB0 QPSK

: NR SA n41 20M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5169.00	-59.00	RMS	33.11	-24.92	0.54	-95.23	27.50	-25.00	-34.00	Vertical
2	7753.00	-55.62	RMS	36.62	-23.05	0.49	-95.23	25.55	-25.00	-30.62	Vertical
3	10337.00	-53.06	RMS	38.77	-22.97	0.40	-95.23	25.97	-25.00	-28.06	Vertical




TX0+1_Ant. 0+3

Part 27M Mode 46

EN-DC B5+n41 10M + 20M Ch20525 1RB0 QPSK + Ch518598 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Horizontal

: LTE B5 10M Ch205251RB0 QPSK

: NR SA n41 20M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB	g	dBm	dB	
	MHz	dBm			dB/m		dB	dB	dBuV			
1	5169.00	-59.40	RMS		33.11	-24.92	0.54	-95.23	27.10	-25.00	-34.40	Horizontal
2	7753.00	-55.39	RMS		36.62	-23.05	0.49	-95.23	25.78	-25.00	-30.39	Horizontal
3	10337.00	-52.87	RMS		38.77	-22.97	0.40	-95.23	26.16	-25.00	-27.87	Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Vertical

: LTE B5 10M Ch205251RB0 QPSK

: NR SA n41 20M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	1		dB	dB	g	dBm	dB	
	MHz	dBm			dB/m		dB	dB	dBuV			
1	5169.00	-59.04	RMS		33.11	-24.92	0.54	-95.23	27.46	-25.00	-34.04	Vertical
2	7753.00	-55.61	RMS		36.62	-23.05	0.49	-95.23	25.56	-25.00	-30.61	Vertical
3	10337.00	-52.78	RMS		38.77	-22.97	0.40	-95.23	26.25	-25.00	-27.78	Vertical




TX0+1_Ant. 0+3

Part 27M Mode 47

EN-DC B12+n41 10M + 20M Ch23095 1RB0 QPSK + Ch518598 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Horizontal

: LTE B12 10M Ch23095 1RB0 QPSK

: NR SA n41 20M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	dB	
1	5169.00	-59.10	RMS		33.11	-24.92	0.54	-95.23	27.40	-25.00	-34.10		Horizontal
2	7753.00	-55.32	RMS		36.62	-23.05	0.49	-95.23	25.85	-25.00	-30.32		Horizontal
3	10337.00	-52.65	RMS		38.77	-22.97	0.40	-95.23	26.38	-25.00	-27.65		Horizontal



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Vertical

: LTE B12 10M Ch23095 1RB0 QPSK

: NR SA n41 20M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB	dB	
1	5169.00	-59.13	RMS		33.11	-24.92	0.54	-95.23	27.37	-25.00	-34.13		Vertical
2	7753.00	-55.42	RMS		36.62	-23.05	0.49	-95.23	25.75	-25.00	-30.42		Vertical
3	10337.00	-52.75	RMS		38.77	-22.97	0.40	-95.23	26.28	-25.00	-27.75		Vertical




TX0+1_Ant. 3+0

Part 27M Mode 48


EN-DC B25+n41 10M + 20M Ch26340 1RB0 QPSK + Ch518598 1RB1 BPSK

M



Site : 03CH20-HY
Condition: -25 1m BBHA9170_1223_250702 Horizontal
: LTE B25 10M Ch26340 1RB0 QPSK
: NR SA n41 20M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin	Limit	Margin Pol	
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5169.00	-59.17	RMS	33.11	-24.92	0.54	-95.23	27.33	-25.00	-34.17	Horizontal
2	7753.00	-55.53	RMS	36.62	-23.05	0.49	-95.23	25.64	-25.00	-30.53	Horizontal
3	10337.00	-52.81	RMS	38.77	-22.97	0.40	-95.23	26.22	-25.00	-27.81	Horizontal



Site : 03CH20-HY
Condition: -25 1m BBHA9170_1223_250702 Vertical
: LTE B25 10M Ch26340 1RB0 QPSK
: NR SA n41 20M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin	Limit	Margin Pol	
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	5169.00	-58.93	RMS	33.11	-24.92	0.54	-95.23	27.57	-25.00	-33.93	Vertical
2	7753.00	-55.35	RMS	36.62	-23.05	0.49	-95.23	25.82	-25.00	-30.35	Vertical
3	10337.00	-52.67	RMS	38.77	-22.97	0.40	-95.23	26.36	-25.00	-27.67	Vertical




TX0+1_Ant. 0+3

Part 27M Mode 49


EN-DC B26+n41 10M + 20M Ch26915 1RB0 QPSK + Ch518598 1RB1 BPSK

M



Site : 03CH20-HY
Condition: -25 1m BBHA9170_1223_250702 Vertical
: LTE B26 10M Ch26915 1RB0 QPSK
: NR SA n41 20M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5169.00	-58.68	RMS	33.11	-24.92	0.54	-95.23	27.82	-25.00	-33.68 Vertical
2	7753.00	-55.77	RMS	36.62	-23.05	0.49	-95.23	25.40	-25.00	-30.77 Vertical
3	10337.00	-52.69	RMS	38.77	-22.97	0.40	-95.23	26.34	-25.00	-27.69 Vertical



Site : 03CH20-HY
Condition: -25 1m BBHA9170_1223_250702 Horizontal
: LTE B26 10M Ch26915 1RB0 QPSK
: NR SA n41 20M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin Pol	
				Factor	1					
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	5169.00	-59.12	RMS	33.11	-24.92	0.54	-95.23	27.38	-25.00	-34.12 Horizontal
2	7753.00	-55.57	RMS	36.62	-23.05	0.49	-95.23	25.60	-25.00	-30.57 Horizontal
3	10337.00	-52.37	RMS	38.77	-22.97	0.40	-95.23	26.66	-25.00	-27.37 Horizontal




TX0+1_Ant. 3+0

Part 27M Mode 50

EN-DC B66+n41 10M + 20M Ch132322 1RB0 QPSK + Ch518598 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Horizontal

: LTE B66 10M Ch132322 1RB0 QPSK

: NR SA n41 20M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm							dBuV	dBm	dB		
1	5169.00	-59.35	RMS	33.11	-24.92	0.54	-95.23	27.15	-25.00	-34.35	Horizontal		
2	7753.00	-55.36	RMS	36.62	-23.05	0.49	-95.23	25.81	-25.00	-30.36	Horizontal		
3	10337.00	-52.25	RMS	38.77	-22.97	0.40	-95.23	26.78	-25.00	-27.25	Horizontal		



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Vertical

: LTE B66 10M Ch132322 1RB0 QPSK

: NR SA n41 20M Ch518598 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin	Limit	Margin		Pol
				Factor	1		dB	dB					
	MHz	dBm							dBuV	dBm	dB		
1	5169.00	-58.78	RMS	33.11	-24.92	0.54	-95.23	27.72	-25.00	-33.78	Vertical		
2	7753.00	-55.56	RMS	36.62	-23.05	0.49	-95.23	25.61	-25.00	-30.56	Vertical		
3	10337.00	-52.68	RMS	38.77	-22.97	0.40	-95.23	26.35	-25.00	-27.68	Vertical		




TX0+1_Ant. 0+3

Part 27M Mode 51

EN-DC B71+n41 10M + 20M Ch133297 1RB0 QPSK + Ch518598 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Horizontal

: NR SA n41 20M Ch518598 1RB1 BPSK

: LTE B71 10M Ch133297 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		1					
	MHz	dBm							g			
1	5169.00	-59.16	RMS	33.11	-24.92	0.54	-95.23	27.34	-25.00	-34.16	Horizontal	
2	7753.00	-55.40	RMS	36.62	-23.05	0.49	-95.23	25.77	-25.00	-30.40	Horizontal	
3	10337.00	-52.80	RMS	38.77	-22.97	0.40	-95.23	26.23	-25.00	-27.80	Horizontal	



Site : 03CH20-HY

Condition: -25 1m BBHA9170_1223_250702 Vertical

: NR SA n41 20M Ch518598 1RB1 BPSK

: LTE B71 10M Ch133297 1RB0 QPSK

	Freq	Level	Detector	Ant		Filter	EIRPCF		Readin	Limit	Margin	Pol
				Factor	Amp\Cb		1					
	MHz	dBm							g			
1	5169.00	-59.21	RMS	33.11	-24.92	0.54	-95.23	27.29	-25.00	-34.21	Vertical	
2	7753.00	-54.94	RMS	36.62	-23.05	0.49	-95.23	26.23	-25.00	-29.94	Vertical	
3	10337.00	-52.70	RMS	38.77	-22.97	0.40	-95.23	26.33	-25.00	-27.70	Vertical	




TX0+1_Ant. 0+5

Part 27Q Mode 52


EN-DC B2+n77 HPUE 10M + 20M Ch18900 1RB0 QPSK + Ch633334 1RB1 BPSK

M



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Horizontal
: NR SA n77 20M Ch633334 1RB1 BPSK
: LTE B2 10M Ch18900 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF		Readin g	Limit		Margin	Pol
					dB/m	dB		dB	dB		dBuV	dBm	dB	
1	6982.00	-29.94	RMS	35.93	-23.23	1.07	-95.23	51.66	-13.00	-16.80	Horizontal			
2	10473.00	-49.17	RMS	38.65	-22.91	0.70	-95.23	29.62	-13.00	-36.17	Horizontal			
3	13965.00	-50.14	RMS	39.27	-22.02	0.55	-95.23	27.29	-13.00	-37.14	Horizontal			
4	20948.00	-62.78	RMS	38.09	-35.29	-9.54	-95.23	39.19	-13.00	-49.78	Horizontal			
5	27930.00	-58.15	RMS	39.54	-30.89	-9.54	-95.23	37.97	-13.00	-45.15	Horizontal			



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Vertical
: NR SA n77 20M Ch633334 1RB1 BPSK
: LTE B2 10M Ch18900 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF		Readin g	Limit		Margin	Pol
					dB/m	dB		dB	dB		dBuV	dBm	dB	
1	6982.00	-29.94	RMS	35.93	-23.23	1.07	-95.23	51.52	-13.00	-16.94	Vertical			
2	10473.00	-48.08	RMS	38.65	-22.91	0.70	-95.23	30.71	-13.00	-35.08	Vertical			
3	13965.00	-50.62	RMS	39.27	-22.02	0.55	-95.23	26.81	-13.00	-37.62	Vertical			
4	20948.00	-59.95	RMS	38.09	-35.29	-9.54	-95.23	42.02	-13.00	-46.95	Vertical			
5	27930.00	-60.83	RMS	39.54	-30.89	-9.54	-95.23	35.29	-13.00	-47.83	Vertical			




TX0+1_Ant. 0+5

Part 27Q Mode 53


EN-DC B5+n77 HPUE 10M + 20M Ch20525 1RB0 QPSK + Ch633334 1RB1 BPSK

M



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Horizontal
: NR SA n77 20M Ch633334 1RB1 BPSK
: LTE B5 10M Ch20525 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF		Readin g	Limit dBm	Margin dB	Pol
					dB/m	dB		dB	dB				
1	6982.00	-28.42	RMS	35.93	-23.23	1.07	-95.23	53.04	-13.00	-15.42	Horizontal		
2	10473.00	-50.00	RMS	38.65	-22.91	0.70	-95.23	28.79	-13.00	-37.00	Horizontal		
3	13965.00	-50.35	RMS	39.27	-22.02	0.55	-95.23	27.08	-13.00	-37.35	Horizontal		
4	20948.00	-63.60	RMS	38.09	-35.29	-9.54	-95.23	38.37	-13.00	-50.60	Horizontal		
5	27930.00	-60.47	RMS	39.54	-30.89	-9.54	-95.23	35.65	-13.00	-47.47	Horizontal		



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Vertical
: NR SA n77 20M Ch633334 1RB1 BPSK
: LTE B5 10M Ch20525 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF		Readin g	Limit dBm	Margin dB	Pol
					dB/m	dB		dB	dB				
1	6982.00	-29.94	RMS	35.93	-23.23	1.07	-95.23	51.52	-13.00	-16.94	Vertical		
2	10473.00	-47.51	RMS	38.65	-22.91	0.70	-95.23	31.28	-13.00	-34.51	Vertical		
3	13965.00	-50.41	RMS	39.27	-22.02	0.55	-95.23	27.02	-13.00	-37.41	Vertical		
4	20948.00	-61.95	RMS	38.09	-35.29	-9.54	-95.23	40.02	-13.00	-48.95	Vertical		
5	27930.00	-60.87	RMS	39.54	-30.89	-9.54	-95.23	35.25	-13.00	-47.87	Vertical		




TX0+1_Ant. 0+5

Part 27Q Mode 54


EN-DC B7+n77 10M + 20M Ch21100 1RB0 QPSK + Ch633334 1RB1 BPSK

M



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Horizontal
: NR SA n77 20M Ch633334 1RB1 BPSK
: LTE B7 10M Ch21100 1RB0 QPSK

Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm		Factor	1			g	dBm	dB	
1	6982.00	-29.73 RMS	35.93	-23.23	1.07	-95.23	51.73	-13.00	-16.73	Horizontal
2	10473.00	-49.31 RMS	38.65	-22.91	0.70	-95.23	29.48	-13.00	-36.31	Horizontal
3	13965.00	-50.52 RMS	39.27	-22.02	0.55	-95.23	26.91	-13.00	-37.52	Horizontal
4	20948.00	-63.18 RMS	38.09	-35.29	-9.54	-95.23	38.79	-13.00	-50.18	Horizontal
5	24439.00	-62.28 RMS	39.32	-31.29	-9.54	-95.23	34.46	-13.00	-49.28	Horizontal
6	27930.00	-61.16 RMS	39.54	-30.89	-9.54	-95.23	34.96	-13.00	-48.16	Horizontal



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Vertical
: NR SA n77 20M Ch633334 1RB1 BPSK
: LTE B7 10M Ch21100 1RB0 QPSK

Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm		Factor	1			g	dBm	dB	
1	6982.00	-29.01 RMS	35.93	-23.23	1.07	-95.23	52.45	-13.00	-16.01	Vertical
2	10473.00	-47.16 RMS	38.65	-22.91	0.70	-95.23	31.63	-13.00	-34.16	Vertical
3	13965.00	-50.78 RMS	39.27	-22.02	0.55	-95.23	26.65	-13.00	-37.78	Vertical
4	20948.00	-60.45 RMS	38.09	-35.29	-9.54	-95.23	41.52	-13.00	-47.45	Vertical
5	24439.00	-64.64 RMS	39.32	-31.29	-9.54	-95.23	32.10	-13.00	-51.64	Vertical
6	27930.00	-62.34 RMS	39.54	-30.89	-9.54	-95.23	33.78	-13.00	-49.34	Vertical




TX0+1_Ant. 0+5

Part 27Q Mode 55


EN-DC B12+n77 HPUE 10M + 20M Ch23095 1RB0 QPSK + Ch633334 1RB1 BPSK

M



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Horizontal
: NR SA n77 20M Ch633334 1RB1 BPSK
: LTE B12 10M Ch23095 1RB0 QPSK

Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm		Factor	1			g	dBm	dB	
1	6982.00	-28.95 RMS	35.93	-23.23	1.07	-95.23	52.51	-13.00	-15.95	Horizontal
2	10473.00	-50.49 RMS	38.65	-22.91	0.70	-95.23	28.30	-13.00	-37.49	Horizontal
3	13965.00	-50.80 RMS	39.27	-22.02	0.55	-95.23	26.63	-13.00	-37.80	Horizontal
4	20948.00	-62.96 RMS	38.09	-35.29	-9.54	-95.23	39.01	-13.00	-49.96	Horizontal
5	24439.00	-64.42 RMS	39.32	-31.29	-9.54	-95.23	32.32	-13.00	-51.42	Horizontal
6	27930.00	-61.10 RMS	39.54	-30.89	-9.54	-95.23	35.02	-13.00	-48.10	Horizontal



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Vertical
: NR SA n77 20M Ch633334 1RB1 BPSK
: LTE B12 10M Ch23095 1RB0 QPSK

Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm		Factor	1			g	dBm	dB	
1	6982.00	-28.80 RMS	35.93	-23.23	1.07	-95.23	52.66	-13.00	-15.80	Vertical
2	10473.00	-47.39 RMS	38.65	-22.91	0.70	-95.23	31.40	-13.00	-34.39	Vertical
3	13965.00	-50.53 RMS	39.27	-22.02	0.55	-95.23	26.90	-13.00	-37.53	Vertical
4	20948.00	-61.43 RMS	38.09	-35.29	-9.54	-95.23	40.54	-13.00	-48.43	Vertical
5	24439.00	-62.74 RMS	39.32	-31.29	-9.54	-95.23	34.00	-13.00	-49.74	Vertical
6	27930.00	-63.06 RMS	39.54	-30.89	-9.54	-95.23	33.06	-13.00	-50.06	Vertical




TX0+1_Ant. 0+5

Part 27Q Mode 56


EN-DC B13+n77 HPUE 10M + 20M Ch23230 1RB0 QPSK + Ch633334 1RB1 BPSK

M



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Horizontal
: NR SA n77 20M Ch633334 1RB1 BPSK
: LTE B13 10M Ch23230 1RB0 QPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	6982.00	-31.14 RMS	35.93	-23.23	1.07	-95.23	50.32	-13.00	-18.14	Horizontal
2	10473.00	-49.62 RMS	38.65	-22.91	0.70	-95.23	29.17	-13.00	-36.62	Horizontal
3	13965.00	-50.72 RMS	39.27	-22.02	0.55	-95.23	26.71	-13.00	-37.72	Horizontal
4	20948.00	-63.11 RMS	38.09	-35.29	-9.54	-95.23	38.86	-13.00	-50.11	Horizontal
5	24439.00	-64.12 RMS	39.32	-31.29	-9.54	-95.23	32.62	-13.00	-51.12	Horizontal
6	27930.00	-58.38 RMS	39.54	-30.89	-9.54	-95.23	37.74	-13.00	-45.38	Horizontal



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Vertical
: NR SA n77 20M Ch633334 1RB1 BPSK
: LTE B13 10M Ch23230 1RB0 QPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	6982.00	-28.70 RMS	35.93	-23.23	1.07	-95.23	52.76	-13.00	-15.70	Vertical
2	10473.00	-49.16 RMS	38.65	-22.91	0.70	-95.23	29.63	-13.00	-36.16	Vertical
3	13965.00	-50.53 RMS	39.27	-22.02	0.55	-95.23	26.90	-13.00	-37.53	Vertical
4	20948.00	-58.91 RMS	38.09	-35.29	-9.54	-95.23	43.06	-13.00	-45.91	Vertical
5	24439.00	-62.06 RMS	39.32	-31.29	-9.54	-95.23	34.68	-13.00	-49.06	Vertical
6	27930.00	-61.27 RMS	39.54	-30.89	-9.54	-95.23	34.85	-13.00	-48.27	Vertical




TX0+1_Ant. 0+5

Part 27Q Mode 57

EN-DC B14+n77 HPUE 10M + 20M Ch23330 1RB0 QPSK + Ch633334 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: NR SA n77 20M Ch633334 1RB1 BPSK

: LTE B14 10M Ch23330 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
					dB/m	dB						
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	6982.00	-30.57	RMS	35.93	-23.23	1.07	-95.23	-95.23	50.89	-13.00	-17.57	Horizontal
2	10473.00	-47.91	RMS	38.65	-22.91	0.70	-95.23	-95.23	30.88	-13.00	-34.91	Horizontal
3	13965.00	-50.61	RMS	39.27	-22.02	0.55	-95.23	-95.23	26.82	-13.00	-37.61	Horizontal
4	20948.00	-65.53	RMS	38.09	-35.29	-9.54	-95.23	-95.23	36.44	-13.00	-52.53	Horizontal
5	27930.00	-58.02	RMS	39.54	-30.89	-9.54	-95.23	-95.23	38.10	-13.00	-45.02	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: NR SA n77 20M Ch633334 1RB1 BPSK

: LTE B14 10M Ch23330 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
					dB/m	dB						
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	6982.00	-31.14	RMS	35.93	-23.23	1.07	-95.23	-95.23	50.32	-13.00	-18.14	Vertical
2	10473.00	-47.87	RMS	38.65	-22.91	0.70	-95.23	-95.23	30.92	-13.00	-34.87	Vertical
3	13965.00	-50.19	RMS	39.27	-22.02	0.55	-95.23	-95.23	27.24	-13.00	-37.19	Vertical
4	20948.00	-60.75	RMS	38.09	-35.29	-9.54	-95.23	-95.23	41.22	-13.00	-47.75	Vertical
5	27930.00	-62.80	RMS	39.54	-30.89	-9.54	-95.23	-95.23	33.32	-13.00	-49.80	Vertical




TX0+1_Ant. 0+5

Part 27Q Mode 58


EN-DC B25+n77 10M + 20M Ch26340 1RB0 QPSK + Ch633334 1RB1 BPSK

M



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Horizontal
: NR SA n77 20M Ch633334 1RB1 BPSK
: LTE B25 10M Ch26340 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin g	Limit	Margin	Pol
				Factor	1		dB	dB				
1	6983.00	-28.77	RMS	35.93	-23.23	1.07	-95.23	52.69	-13.00	-15.77	Horizontal	
2	10474.00	-49.08	RMS	38.65	-22.91	0.70	-95.23	29.71	-13.00	-36.08	Horizontal	
3	13965.00	-50.63	RMS	39.27	-22.02	0.55	-95.23	26.80	-13.00	-37.63	Horizontal	
4	20948.00	-62.03	RMS	38.09	-35.29	-9.54	-95.23	39.94	-13.00	-49.03	Horizontal	
5	27930.00	-60.77	RMS	39.54	-30.89	-9.54	-95.23	35.35	-13.00	-47.77	Horizontal	



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Vertical
: NR SA n77 20M Ch633334 1RB1 BPSK
: LTE B25 10M Ch26340 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Amp\Cb		Filter	EIRPCF		Readin g	Limit	Margin	Pol
				Factor	1		dB	dB				
1	6983.00	-29.48	RMS	35.93	-23.23	1.07	-95.23	51.98	-13.00	-16.48	Vertical	
2	10474.00	-48.14	RMS	38.65	-22.91	0.70	-95.23	30.65	-13.00	-35.14	Vertical	
3	13965.00	-50.86	RMS	39.27	-22.02	0.55	-95.23	26.57	-13.00	-37.86	Vertical	
4	20948.00	-61.88	RMS	38.09	-35.29	-9.54	-95.23	40.09	-13.00	-48.88	Vertical	
5	27930.00	-61.15	RMS	39.54	-30.89	-9.54	-95.23	34.97	-13.00	-48.15	Vertical	




TX0+1_Ant. 0+5

Part 27Q Mode 59


EN-DC B30+n77 HPUE 10M + 20M Ch27710 1RB0 QPSK + Ch633334 1RB1 BPSK

M



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Horizontal
: NR SA n77 20M Ch633334 1RB1 BPSK
: LTE B30 10M Ch27710 1RB0 QPSK

Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm		Factor	1			g	dBm	dB	
1	6983.00	-30.56 RMS	35.93	-23.23	1.07	-95.23	50.90	-13.00	-17.56	Horizontal
2	10474.00	-50.02 RMS	38.65	-22.91	0.70	-95.23	28.77	-13.00	-37.02	Horizontal
3	13965.00	-51.18 RMS	39.27	-22.02	0.55	-95.23	26.25	-13.00	-38.18	Horizontal
4	20948.00	-61.34 RMS	38.09	-35.29	-9.54	-95.23	40.63	-13.00	-48.34	Horizontal
5	24439.00	-64.46 RMS	39.32	-31.29	-9.54	-95.23	32.28	-13.00	-51.46	Horizontal
6	27930.00	-57.70 RMS	39.54	-30.89	-9.54	-95.23	38.42	-13.00	-44.70	Horizontal



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Vertical
: NR SA n77 20M Ch633334 1RB1 BPSK
: LTE B30 10M Ch27710 1RB0 QPSK

Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm		Factor	1			g	dBm	dB	
1	6983.00	-31.66 RMS	35.93	-23.23	1.07	-95.23	49.80	-13.00	-18.66	Vertical
2	10474.00	-48.19 RMS	38.65	-22.91	0.70	-95.23	30.60	-13.00	-35.19	Vertical
3	13965.00	-51.18 RMS	39.27	-22.02	0.55	-95.23	26.25	-13.00	-38.18	Vertical
4	20948.00	-59.75 RMS	38.09	-35.29	-9.54	-95.23	42.22	-13.00	-46.75	Vertical
5	24439.00	-62.11 RMS	39.32	-31.29	-9.54	-95.23	34.63	-13.00	-49.11	Vertical
6	27930.00	-59.34 RMS	39.54	-30.89	-9.54	-95.23	36.78	-13.00	-46.34	Vertical




TX0+1_Ant. 0+5

Part 27Q Mode 60


EN-DC B41+n77 10M + 20M Ch40620 1RB0 QPSK + Ch633334 1RB1 BPSK

M



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Horizontal
: NR SA n77 20M Ch633334 1RB1 BPSK
: LTE B41 10M Ch40620 1RB0 QPSK

Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm		Factor	1			g	dBm	dB	
1	6983.00	-28.35 RMS	35.93	-23.23	1.07	-95.23	53.11	-13.00	-15.35	Horizontal
2	10474.00	-49.05 RMS	38.65	-22.91	0.70	-95.23	29.74	-13.00	-36.05	Horizontal
3	13965.00	-50.75 RMS	39.27	-22.02	0.55	-95.23	26.68	-13.00	-37.75	Horizontal
4	20948.00	-64.10 RMS	38.09	-35.29	-9.54	-95.23	37.87	-13.00	-51.10	Horizontal
5	24439.00	-64.51 RMS	39.32	-31.29	-9.54	-95.23	32.23	-13.00	-51.51	Horizontal
6	27930.00	-57.67 RMS	39.54	-30.89	-9.54	-95.23	38.45	-13.00	-44.67	Horizontal



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Vertical
: NR SA n77 20M Ch633334 1RB1 BPSK
: LTE B41 10M Ch40620 1RB0 QPSK

Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm		Factor	1			g	dBm	dB	
1	6983.00	-29.51 RMS	35.93	-23.23	1.07	-95.23	51.95	-13.00	-16.51	Vertical
2	10474.00	-46.37 RMS	38.65	-22.91	0.70	-95.23	32.42	-13.00	-33.37	Vertical
3	13965.00	-50.46 RMS	39.27	-22.02	0.55	-95.23	26.97	-13.00	-37.46	Vertical
4	20948.00	-57.90 RMS	38.09	-35.29	-9.54	-95.23	44.07	-13.00	-44.90	Vertical
5	24439.00	-62.97 RMS	39.32	-31.29	-9.54	-95.23	33.77	-13.00	-49.97	Vertical
6	27930.00	-63.04 RMS	39.54	-30.89	-9.54	-95.23	33.08	-13.00	-50.04	Vertical




TX0+1_Ant. 0+5

Part 27Q Mode 61

EN-DC B66+n77 HPUE 10M + 20M Ch132322 1RB0 QPSK + Ch633334 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: NR SA n77 20M Ch633334 1RB1 BPSK

: LTE B66 10M Ch132322 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Factor		Amp\Cb		Filter 1	EIRPCF		Readin g	Limit dBm	Margin dB	Pol
1	6983.00	-31.46	RMS	35.93	-23.23	1.07	-95.23	50.00	-13.00	-18.46	Horizontal			
2	10474.00	-50.15	RMS	38.65	-22.91	0.70	-95.23	28.64	-13.00	-37.15	Horizontal			
3	13965.00	-51.51	RMS	39.27	-22.02	0.55	-95.23	25.92	-13.00	-38.51	Horizontal			
4	20948.00	-63.95	RMS	38.09	-35.29	-9.54	-95.23	38.02	-13.00	-50.95	Horizontal			
5	27930.00	-60.33	RMS	39.54	-30.89	-9.54	-95.23	35.79	-13.00	-47.33	Horizontal			



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: NR SA n77 20M Ch633334 1RB1 BPSK

: LTE B66 10M Ch132322 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Factor		Amp\Cb		Filter 1	EIRPCF		Readin g	Limit dBm	Margin dB	Pol
1	6983.00	-29.04	RMS	35.93	-23.23	1.07	-95.23	52.42	-13.00	-16.04	Vertical			
2	10474.00	-48.07	RMS	38.65	-22.91	0.70	-95.23	30.72	-13.00	-35.07	Vertical			
3	13965.00	-51.20	RMS	39.27	-22.02	0.55	-95.23	26.23	-13.00	-38.20	Vertical			
4	20948.00	-59.03	RMS	38.09	-35.29	-9.54	-95.23	42.94	-13.00	-46.03	Vertical			
5	27930.00	-62.80	RMS	39.54	-30.89	-9.54	-95.23	33.32	-13.00	-49.80	Vertical			




TX0+1_Ant. 0+5

Part 27Q Mode 62

EN-DC B71+n77 10M + 20M Ch133297 1RB0 QPSK + Ch633334 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: NR SA n77 20M Ch633334 1RB1 BPSK

: LTE B71 10M Ch133297 1RB0 QPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm						g	dBm	dB	
1	6983.00	-30.63 RMS	35.93	-23.23	1.07	-95.23	50.83	-13.00	-17.63	Horizontal
2	10474.00	-49.46 RMS	38.65	-22.91	0.70	-95.23	29.33	-13.00	-36.46	Horizontal
3	13965.00	-51.27 RMS	39.27	-22.02	0.55	-95.23	26.16	-13.00	-38.27	Horizontal
4	27930.00	-58.87 RMS	39.54	-30.89	-9.54	-95.23	37.25	-13.00	-45.87	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: NR SA n77 20M Ch633334 1RB1 BPSK

: LTE B71 10M Ch133297 1RB0 QPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm						g	dBm	dB	
1	6983.00	-33.56 RMS	35.93	-23.23	1.07	-95.23	47.90	-13.00	-20.56	Vertical
2	10474.00	-47.08 RMS	38.65	-22.91	0.70	-95.23	31.71	-13.00	-34.08	Vertical
3	13965.00	-51.55 RMS	39.27	-22.02	0.55	-95.23	25.88	-13.00	-38.55	Vertical
4	27930.00	-60.91 RMS	39.54	-30.89	-9.54	-95.23	35.21	-13.00	-47.91	Vertical




TX0+1_Ant. 0+5

Part 27Q Mode 63


EN-DC B7+n78 HPUE 10M + 20M Ch21100 1RB0 QPSK + Ch633334 1RB1 BPSK

M



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Horizontal
: NR SA n78 20M Ch633334 1RB1 BPSK
: LTE B7 10M Ch21100 1RB0 QPSK

	Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		Factor	dB	dB	dB	dBuV	dBm	dB	
1	6983.00	-32.65	RMS	35.93	-23.23	1.07	-95.23	48.81	-13.00	-19.65	Horizontal
2	10474.00	-50.37	RMS	38.65	-22.91	0.70	-95.23	28.42	-13.00	-37.37	Horizontal
3	13965.00	-51.57	RMS	39.27	-22.02	0.55	-95.23	25.86	-13.00	-38.57	Horizontal
4	20948.00	-62.84	RMS	38.09	-35.29	-9.54	-95.23	39.13	-13.00	-49.84	Horizontal
5	24439.00	-62.42	RMS	39.32	-31.29	-9.54	-95.23	34.32	-13.00	-49.42	Horizontal
6	27930.00	-60.33	RMS	39.54	-30.89	-9.54	-95.23	35.79	-13.00	-47.33	Horizontal



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Vertical
: NR SA n78 20M Ch633334 1RB1 BPSK
: LTE B7 10M Ch21100 1RB0 QPSK

	Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm		Factor	dB	dB	dB	dBuV	dBm	dB	
1	6983.00	-31.29	RMS	35.93	-23.23	1.07	-95.23	50.17	-13.00	-18.29	Vertical
2	10474.00	-48.28	RMS	38.65	-22.91	0.70	-95.23	30.51	-13.00	-35.28	Vertical
3	13965.00	-51.28	RMS	39.27	-22.02	0.55	-95.23	26.15	-13.00	-38.28	Vertical
4	20948.00	-58.19	RMS	38.09	-35.29	-9.54	-95.23	43.78	-13.00	-45.19	Vertical
5	24439.00	-63.28	RMS	39.32	-31.29	-9.54	-95.23	33.46	-13.00	-50.28	Vertical
6	27930.00	-63.09	RMS	39.54	-30.89	-9.54	-95.23	33.03	-13.00	-50.09	Vertical




TX0+1_Ant. 0+5

Part 27Q Mode 64


EN-DC B4+n78 10M + 20M Ch20175 1RB0 QPSK + Ch633334 1RB1 BPSK

M



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Horizontal
: NR SA n78 20M Ch633334 1RB1 BPSK
: LTE B4 10M Ch20715 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF		Readin g	Limit dBm	Margin dB	Pol
					dB/m	dB		dB	dB				
1	6983.00	-34.21	RMS	35.93	-23.23	1.07	-95.23	47.25	-13.00	-21.21	Horizontal		
2	10474.00	-52.89	RMS	38.65	-22.91	0.70	-95.23	25.90	-13.00	-39.89	Horizontal		
3	13965.00	-51.42	RMS	39.27	-22.02	0.55	-95.23	26.01	-13.00	-38.42	Horizontal		
4	20948.00	-60.70	RMS	38.09	-35.29	-9.54	-95.23	41.27	-13.00	-47.70	Horizontal		
5	27930.00	-56.16	RMS	39.54	-30.89	-9.54	-95.23	39.96	-13.00	-43.16	Horizontal		



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Vertical
: NR SA n78 20M Ch633334 1RB1 BPSK
: LTE B4 10M Ch20715 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF		Readin g	Limit dBm	Margin dB	Pol
					dB/m	dB		dB	dB				
1	6983.00	-29.87	RMS	35.93	-23.23	1.07	-95.23	51.59	-13.00	-16.87	Vertical		
2	10474.00	-50.79	RMS	38.65	-22.91	0.70	-95.23	28.00	-13.00	-37.79	Vertical		
3	13965.00	-51.70	RMS	39.27	-22.02	0.55	-95.23	25.73	-13.00	-38.70	Vertical		
4	20948.00	-60.99	RMS	38.09	-35.29	-9.54	-95.23	40.98	-13.00	-47.99	Vertical		
5	27930.00	-63.00	RMS	39.54	-30.89	-9.54	-95.23	33.12	-13.00	-50.00	Vertical		