




TX0+1_Ant. 0+5

Part 27Q Mode 65

EN-DC B38+n78 10M + 20M Ch38000 1RB0 QPSK + Ch633334 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: NR SA n78 20M Ch633334 1RB1 BPSK

: LTE B38 10M Ch38000 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
					dB/m	dB						
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	6983.00	-34.90	RMS	35.93	-23.23	1.07	-95.23	-95.23	46.56	-13.00	-21.90	Horizontal
2	10474.00	-52.01	RMS	38.65	-22.91	0.70	-95.23	-95.23	26.77	-13.00	-39.01	Horizontal
3	13965.00	-51.39	RMS	39.27	-22.02	0.55	-95.23	-95.23	26.04	-13.00	-38.39	Horizontal
4	20948.00	-60.67	RMS	38.09	-35.29	-9.54	-95.23	-95.23	41.30	-13.00	-47.67	Horizontal
5	27930.00	-58.70	RMS	39.54	-30.89	-9.54	-95.23	-95.23	37.42	-13.00	-45.70	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: NR SA n78 20M Ch633334 1RB1 BPSK

: LTE B38 10M Ch38000 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
					dB/m	dB						
	MHz	dBm					dB	dB	dBuV	dBm	dB	
1	6983.00	-30.99	RMS	35.93	-23.23	1.07	-95.23	-95.23	50.47	-13.00	-17.99	Vertical
2	10474.00	-47.52	RMS	38.65	-22.91	0.70	-95.23	-95.23	31.27	-13.00	-34.52	Vertical
3	13965.00	-51.56	RMS	39.27	-22.02	0.55	-95.23	-95.23	25.87	-13.00	-38.56	Vertical
4	20948.00	-61.23	RMS	38.09	-35.29	-9.54	-95.23	-95.23	40.74	-13.00	-48.23	Vertical
5	27930.00	-62.60	RMS	39.54	-30.89	-9.54	-95.23	-95.23	33.52	-13.00	-49.60	Vertical




TX0+1_Ant. 0+5

Part 270 Mode 66

EN-DC B2+n77 HPUE 10M + 20M Ch18900 1RB0 QPSK + Ch656000 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: NR SA n77 20M Ch656000 1RB1 BPSK

: LTE B2 10M Ch18900 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF		Readin g	Limit	Margin	Pol
					dB/m	dB		dB	dB				
1	7662.00	-42.80	RMS	36.30	-23.06	0.74	-95.23	38.45	-13.00	-29.80	Horizontal		
2	11493.00	-48.86	RMS	39.20	-23.06	0.58	-95.23	29.65	-13.00	-35.86	Horizontal		
3	15325.00	-51.05	RMS	39.10	-22.23	0.49	-95.23	26.82	-13.00	-38.05	Horizontal		



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: NR SA n77 20M Ch656000 1RB1 BPSK

: LTE B2 10M Ch18900 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF		Readin g	Limit	Margin	Pol
					dB/m	dB		dB	dB				
1	7662.00	-41.13	RMS	36.30	-23.06	0.74	-95.23	40.12	-13.00	-28.13	Vertical		
2	11493.00	-48.20	RMS	39.20	-23.06	0.58	-95.23	30.31	-13.00	-35.20	Vertical		
3	15325.00	-51.58	RMS	39.10	-22.23	0.49	-95.23	26.29	-13.00	-38.58	Vertical		




TX0+1_Ant. 0+5

Part 270 Mode 67

EN-DC B5+n77 HPUE 10M + 20M Ch20525 1RB0 QPSK + Ch656000 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: NR SA n77 20M Ch656000 1RB1 BPSK

: LTE B5 10M Ch20525 1RB0 QPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	7662.00	-42.89 RMS	36.30	-23.06	0.74	-95.23	38.36	-13.00	-29.89	Horizontal
2	11493.00	-50.48 RMS	39.20	-23.06	0.58	-95.23	28.03	-13.00	-37.48	Horizontal
3	15325.00	-51.21 RMS	39.10	-22.23	0.49	-95.23	26.66	-13.00	-38.21	Horizontal
4	22988.00	-64.39 RMS	39.00	-32.50	-9.54	-95.23	33.88	-13.00	-51.39	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: NR SA n77 20M Ch656000 1RB1 BPSK

: LTE B5 10M Ch20525 1RB0 QPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	7662.00	-40.79 RMS	36.30	-23.06	0.74	-95.23	40.46	-13.00	-27.79	Vertical
2	11493.00	-48.77 RMS	39.20	-23.06	0.58	-95.23	29.74	-13.00	-35.77	Vertical
3	15325.00	-51.78 RMS	39.10	-22.23	0.49	-95.23	26.09	-13.00	-38.78	Vertical
4	22988.00	-62.32 RMS	39.00	-32.50	-9.54	-95.23	35.95	-13.00	-49.32	Vertical




TX0+1_Ant. 0+5

Part 270 Mode 68

EN-DC B7+n77 10M + 20M Ch21100 1RB0 QPSK + Ch656000 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: NR SA n77 20M Ch656000 1RB1 BPSK

: LTE B7 10M Ch21100 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF		Readin g	Limit	Margin	Pol
					dB/m	dB		dB	dB				
1	7662.00	-41.86	RMS	36.30	-23.06	0.74	-95.23	39.39	-13.00	-28.86	Horizontal		
2	11493.00	-49.97	RMS	39.20	-23.06	0.58	-95.23	28.54	-13.00	-36.97	Horizontal		
3	15325.00	-50.42	RMS	39.10	-22.23	0.49	-95.23	27.45	-13.00	-37.42	Horizontal		



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: NR SA n77 20M Ch656000 1RB1 BPSK

: LTE B7 10M Ch21100 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb		Filter	EIRPCF		Readin g	Limit	Margin	Pol
					dB/m	dB		dB	dB				
1	7662.00	-40.09	RMS	36.30	-23.06	0.74	-95.23	41.16	-13.00	-27.09	Vertical		
2	11493.00	-47.33	RMS	39.20	-23.06	0.58	-95.23	31.18	-13.00	-34.33	Vertical		
3	15325.00	-50.58	RMS	39.10	-22.23	0.49	-95.23	27.29	-13.00	-37.58	Vertical		




TX0+1_Ant. 0+5

Part 270 Mode 69


EN-DC B12+n77 HPUE 10M + 20M Ch23095 1RB0 QPSK + Ch656000 1RB1 BPSK

M



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Horizontal
: NR SA n77 20M Ch656000 1RB1 BPSK
: LTE B12 10M Ch23095 1RB0 QPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	7662.00	-41.67 RMS	36.30	-23.06	0.74	-95.23	39.58	-13.00	-28.67	Horizontal
2	11493.00	-50.65 RMS	39.20	-23.06	0.58	-95.23	27.86	-13.00	-37.65	Horizontal
3	15325.00	-51.34 RMS	39.10	-22.23	0.49	-95.23	26.53	-13.00	-38.34	Horizontal
4	22988.00	-64.31 RMS	39.00	-32.50	-9.54	-95.23	33.96	-13.00	-51.31	Horizontal



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Vertical
: NR SA n77 20M Ch656000 1RB1 BPSK
: LTE B12 10M Ch23095 1RB0 QPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	7662.00	-42.42 RMS	36.30	-23.06	0.74	-95.23	38.83	-13.00	-29.42	Vertical
2	11493.00	-48.54 RMS	39.20	-23.06	0.58	-95.23	29.97	-13.00	-35.54	Vertical
3	15325.00	-50.22 RMS	39.10	-22.23	0.49	-95.23	27.65	-13.00	-37.22	Vertical
4	22988.00	-63.35 RMS	39.00	-32.50	-9.54	-95.23	34.92	-13.00	-50.35	Vertical




TX0+1_Ant. 0+5

Part 270 Mode 70

EN-DC B13+n77 HPUE 10M + 20M Ch23230 1RB0 QPSK + Ch656000 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: NR SA n77 20M Ch656000 1RB1 BPSK

: LTE B13 10M Ch23230 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	7662.00	-42.45	RMS	36.30	-23.06	0.74	-95.23	38.80	-13.00	-29.45	Horizontal
2	11493.00	-48.79	RMS	39.20	-23.06	0.58	-95.23	29.72	-13.00	-35.79	Horizontal
3	15325.00	-51.27	RMS	39.10	-22.23	0.49	-95.23	26.60	-13.00	-38.27	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: NR SA n77 20M Ch656000 1RB1 BPSK

: LTE B13 10M Ch23230 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
	MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	7662.00	-39.67	RMS	36.30	-23.06	0.74	-95.23	41.58	-13.00	-26.67	Vertical
2	11493.00	-48.37	RMS	39.20	-23.06	0.58	-95.23	30.14	-13.00	-35.37	Vertical
3	15325.00	-50.89	RMS	39.10	-22.23	0.49	-95.23	26.98	-13.00	-37.89	Vertical




TX0+1_Ant. 0+5

Part 270 Mode 71


EN-DC B14+n77 HPUE 10M + 20M Ch23330 1RB0 QPSK + Ch656000 1RB1 BPSK

M



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Horizontal
: NR SA n77 20M Ch656000 1RB1 BPSK
: LTE B14 10M Ch23330 1RB0 QPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	7662.00	-41.81 RMS	36.30	-23.06	0.74	-95.23	39.44	-13.00	-28.81	Horizontal
2	11493.00	-49.28 RMS	39.20	-23.06	0.58	-95.23	29.23	-13.00	-36.28	Horizontal
3	15325.00	-50.79 RMS	39.10	-22.23	0.49	-95.23	27.08	-13.00	-37.79	Horizontal
4	22988.00	-64.01 RMS	39.00	-32.50	-9.54	-95.23	34.26	-13.00	-51.01	Horizontal



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Vertical
: NR SA n77 20M Ch656000 1RB1 BPSK
: LTE B14 10M Ch23330 1RB0 QPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	7662.00	-39.91 RMS	36.30	-23.06	0.74	-95.23	41.34	-13.00	-26.91	Vertical
2	11493.00	-48.18 RMS	39.20	-23.06	0.58	-95.23	30.33	-13.00	-35.18	Vertical
3	15325.00	-51.51 RMS	39.10	-22.23	0.49	-95.23	26.36	-13.00	-38.51	Vertical
4	22988.00	-62.89 RMS	39.00	-32.50	-9.54	-95.23	35.38	-13.00	-49.89	Vertical




TX0+1_Ant. 0+5

Part 270 Mode 72

EN-DC B25+n77 10M + 20M Ch26340 1RB0 QPSK + Ch656000 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: NR SA n77 20M Ch656000 1RB1 BPSK

: LTE B25 10M Ch26340 1RB0 QPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	7662.00	-43.04 RMS	36.30	-23.06	0.74	-95.23	38.21	-13.00	-30.04	Horizontal
2	11493.00	-48.74 RMS	39.20	-23.06	0.58	-95.23	29.77	-13.00	-35.74	Horizontal
3	15325.00	-51.66 RMS	39.10	-22.23	0.49	-95.23	26.21	-13.00	-38.66	Horizontal
4	22988.00	-63.45 RMS	39.00	-32.50	-9.54	-95.23	34.82	-13.00	-50.45	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: NR SA n77 20M Ch656000 1RB1 BPSK

: LTE B25 10M Ch26340 1RB0 QPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm			dB	dB	dB	dBuV	dBm	dB	
1	7662.00	-41.38 RMS	36.30	-23.06	0.74	-95.23	39.87	-13.00	-28.38	Vertical
2	11493.00	-49.48 RMS	39.20	-23.06	0.58	-95.23	29.03	-13.00	-36.48	Vertical
3	15325.00	-51.45 RMS	39.10	-22.23	0.49	-95.23	26.42	-13.00	-38.45	Vertical
4	22988.00	-61.49 RMS	39.00	-32.50	-9.54	-95.23	36.78	-13.00	-48.49	Vertical




TX0+1_Ant. 0+5

Part 270 Mode 73


EN-DC B30+n77 HPUE 10M + 20M Ch27710 1RB0 QPSK + Ch656000 1RB1 BPSK

M



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Horizontal
: NR SA n77 20M Ch656000 1RB1 BPSK
: LTE B30 10M Ch27710 1RB0 QPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	7662.00	-41.45 RMS	36.30	-23.06	0.74	-95.23	39.80	-13.00	-28.45	Horizontal
2	11493.00	-49.86 RMS	39.20	-23.06	0.58	-95.23	28.65	-13.00	-36.86	Horizontal
3	15325.00	-51.23 RMS	39.10	-22.23	0.49	-95.23	26.64	-13.00	-38.23	Horizontal
4	22988.00	-64.43 RMS	39.00	-32.50	-9.54	-95.23	33.84	-13.00	-51.43	Horizontal



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Vertical
: NR SA n77 20M Ch656000 1RB1 BPSK
: LTE B30 10M Ch27710 1RB0 QPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm									
1	7662.00	-41.91 RMS	36.30	-23.06	0.74	-95.23	39.34	-13.00	-28.91	Vertical
2	11493.00	-48.12 RMS	39.20	-23.06	0.58	-95.23	30.39	-13.00	-35.12	Vertical
3	15325.00	-51.27 RMS	39.10	-22.23	0.49	-95.23	26.60	-13.00	-38.27	Vertical
4	22988.00	-63.00 RMS	39.00	-32.50	-9.54	-95.23	35.27	-13.00	-50.00	Vertical




TX0+1_Ant. 0+5

Part 270 Mode 74


EN-DC B41+n77 10M + 20M Ch40620 1RB0 QPSK + Ch656000 1RB1 BPSK

M



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Horizontal
: NR SA n77 20M Ch656000 1RB1 BPSK
: LTE B41 10M Ch40620 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7662.00	-42.14	RMS	36.30	-23.06	0.74	-95.23	39.11	-13.00	-29.14	Horizontal
2	11493.00	-48.67	RMS	39.20	-23.06	0.58	-95.23	29.84	-13.00	-35.67	Horizontal
3	15325.00	-51.13	RMS	39.10	-22.23	0.49	-95.23	26.74	-13.00	-38.13	Horizontal



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Vertical
: NR SA n77 20M Ch656000 1RB1 BPSK
: LTE B41 10M Ch40620 1RB0 QPSK

	Freq	Level	Detector	Ant Factor	Amp\Cb 1	Filter	EIRPCF	Readin g	Limit	Margin	Pol
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	7662.00	-42.95	RMS	36.30	-23.06	0.74	-95.23	38.30	-13.00	-29.95	Vertical
2	11493.00	-48.55	RMS	39.20	-23.06	0.58	-95.23	29.96	-13.00	-35.55	Vertical
3	15325.00	-51.43	RMS	39.10	-22.23	0.49	-95.23	26.44	-13.00	-38.43	Vertical




TX0+1_Ant. 0+5

Part 270 Mode 75

EN-DC B66+n77 HPUE 10M + 20M Ch132322 1RB0 QPSK + Ch656000 1RB1 BPSK

M




Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Horizontal

: NR SA n77 20M Ch656000 1RB1 BPSK

: LTE B66 10M Ch132322 1RB0 QPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	7662.00	-39.69 RMS	36.30	-23.06	0.74	-95.23	41.56	-13.00	-26.69	Horizontal
2	11493.00	-49.31 RMS	39.20	-23.06	0.58	-95.23	29.20	-13.00	-36.31	Horizontal
3	15325.00	-50.59 RMS	39.10	-22.23	0.49	-95.23	27.28	-13.00	-37.59	Horizontal
4	22988.00	-64.27 RMS	39.00	-32.50	-9.54	-95.23	34.00	-13.00	-51.27	Horizontal



Site : 03CH20-HY

Condition: -13 1m BBHA9170_1223_250702 Vertical

: NR SA n77 20M Ch656000 1RB1 BPSK

: LTE B66 10M Ch132322 1RB0 QPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	7662.00	-38.13 RMS	36.30	-23.06	0.74	-95.23	43.12	-13.00	-25.13	Vertical
2	11493.00	-46.99 RMS	39.20	-23.06	0.58	-95.23	31.52	-13.00	-33.99	Vertical
3	15325.00	-50.01 RMS	39.10	-22.23	0.49	-95.23	27.86	-13.00	-37.01	Vertical
4	22988.00	-62.27 RMS	39.00	-32.50	-9.54	-95.23	36.00	-13.00	-49.27	Vertical




TX0+1_Ant. 0+5

Part 270 Mode 76


EN-DC B71+n77 10M + 20M Ch133297 1RB0 QPSK + Ch656000 1RB1 BPSK

M



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Horizontal
: NR SA n77 20M Ch656000 1RB1 BPSK
: LTE B71 10M Ch133297 1RB0 QPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	7662.00	-41.15 RMS	36.30	-23.06	0.74	-95.23	40.10	-13.00	-28.15	Horizontal
2	11493.00	-48.54 RMS	39.20	-23.06	0.58	-95.23	29.97	-13.00	-35.54	Horizontal
3	15325.00	-50.53 RMS	39.10	-22.23	0.49	-95.23	27.34	-13.00	-37.53	Horizontal
4	22988.00	-64.72 RMS	39.00	-32.50	-9.54	-95.23	33.55	-13.00	-51.72	Horizontal



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Vertical
: NR SA n77 20M Ch656000 1RB1 BPSK
: LTE B71 10M Ch133297 1RB0 QPSK

Freq	Level	Detector	Ant Factor	Amp\Cb	Filter 1	EIRPCF	Readin g	Limit	Margin	Pol
MHz	dBm			dB/m	dB	dB	dB	dBuV	dBm	dB
1	7662.00	-38.61 RMS	36.30	-23.06	0.74	-95.23	42.64	-13.00	-25.61	Vertical
2	11493.00	-48.74 RMS	39.20	-23.06	0.58	-95.23	29.77	-13.00	-35.74	Vertical
3	15325.00	-50.70 RMS	39.10	-22.23	0.49	-95.23	27.17	-13.00	-37.70	Vertical
4	22988.00	-62.17 RMS	39.00	-32.50	-9.54	-95.23	36.10	-13.00	-49.17	Vertical




TX0+1_Ant. 0+5

Part 270 Mode 77


EN-DC B7+n78 HPUE 10M + 20M Ch21100 1RB0 QPSK + Ch650000 1RB1 BPSK

M



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Horizontal
: NR SA n78 20M Ch650000 1RB1 BPSK
: LTE B7 10M Ch21100 1RB0 QPSK

Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm		Factor	dB	dB	dB	g	dBm	dB	
1	7483.00	-34.79 RMS	36.33	-23.07	0.82	-95.23	46.36	-13.00	-21.79	Horizontal
2	11224.00	-46.49 RMS	38.90	-23.01	0.61	-95.23	32.24	-13.00	-33.49	Horizontal
3	14965.00	-47.95 RMS	39.53	-22.63	0.51	-95.23	29.87	-13.00	-34.95	Horizontal
4	18706.00	-64.94 RMS	38.22	-38.71	-9.54	-95.23	40.32	-13.00	-51.94	Horizontal
5	22448.00	-64.27 RMS	38.50	-32.95	-9.54	-95.23	34.95	-13.00	-51.27	Horizontal
6	26189.00	-62.72 RMS	39.46	-30.99	-9.54	-95.23	33.58	-13.00	-49.72	Horizontal



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Vertical
: NR SA n78 20M Ch650000 1RB1 BPSK
: LTE B7 10M Ch21100 1RB0 QPSK

Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm		Factor	dB	dB	dB	g	dBm	dB	
1	7483.00	-29.93 RMS	36.33	-23.07	0.82	-95.23	51.22	-13.00	-16.93	Vertical
2	11224.00	-47.16 RMS	38.90	-23.01	0.61	-95.23	31.57	-13.00	-34.16	Vertical
3	14965.00	-50.51 RMS	39.53	-22.63	0.51	-95.23	27.31	-13.00	-37.51	Vertical
4	18706.00	-62.93 RMS	38.22	-38.71	-9.54	-95.23	42.33	-13.00	-49.93	Vertical
5	22448.00	-63.49 RMS	38.50	-32.95	-9.54	-95.23	35.73	-13.00	-50.49	Vertical
6	26189.00	-63.06 RMS	39.46	-30.99	-9.54	-95.23	33.24	-13.00	-50.06	Vertical




TX0+1_Ant. 0+5

Part 270 Mode 78


EN-DC B4+n78 10M + 20M Ch20175 1RB0 QPSK + Ch650000 1RB1 BPSK

M



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Horizontal
: NR SA n78 20M Ch650000 1RB1 BPSK
: LTE B4 10M Ch20175 1RB0 QPSK

Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm		Factor	1			g	dBm	dB	
1	7483.00	-32.84 RMS	36.33	-23.07	0.82	-95.23	48.31	-13.00	-19.84	Horizontal
2	11224.00	-51.11 RMS	38.90	-23.01	0.61	-95.23	27.62	-13.00	-38.11	Horizontal
3	14965.00	-51.40 RMS	39.53	-22.63	0.51	-95.23	26.42	-13.00	-38.40	Horizontal
4	18706.00	-63.82 RMS	38.22	-38.71	-9.54	-95.23	41.44	-13.00	-50.82	Horizontal
5	22448.00	-64.09 RMS	38.50	-32.95	-9.54	-95.23	35.13	-13.00	-51.09	Horizontal
6	26189.00	-62.32 RMS	39.46	-30.99	-9.54	-95.23	33.98	-13.00	-49.32	Horizontal



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Vertical
: NR SA n78 20M Ch650000 1RB1 BPSK
: LTE B4 10M Ch20175 1RB0 QPSK

Freq	Level	Detector	Ant	Amp\Cb	Filter	EIRPCF	Readin	Limit	Margin	Pol
MHz	dBm		Factor	1			g	dBm	dB	
1	7483.00	-35.29 RMS	36.33	-23.07	0.82	-95.23	45.86	-13.00	-22.29	Vertical
2	11224.00	-50.38 RMS	38.90	-23.01	0.61	-95.23	28.35	-13.00	-37.38	Vertical
3	14965.00	-51.41 RMS	39.53	-22.63	0.51	-95.23	26.41	-13.00	-38.41	Vertical
4	18706.00	-62.26 RMS	38.22	-38.71	-9.54	-95.23	43.00	-13.00	-49.26	Vertical
5	22448.00	-64.61 RMS	38.50	-32.95	-9.54	-95.23	34.61	-13.00	-51.61	Vertical
6	26189.00	-60.92 RMS	39.46	-30.99	-9.54	-95.23	35.38	-13.00	-47.92	Vertical




TX0+1_Ant. 0+5

Part 270 Mode 79


EN-DC B38+n78 10M + 20M Ch38000 1RB0 QPSK + Ch650000 1RB1 BPSK

M



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Horizontal
: NR SA n78 20M Ch650000 1RB1 BPSK
: LTE B38 10M Ch38000 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF		Readin g	Limit dBm	Margin dB	Pol
					dB/m	dB		dB	dB				
1	7483.00	-35.51	RMS	36.33	-23.07	0.82	-95.23	45.64	-13.00	-22.51	Horizontal		
2	11224.00	-50.84	RMS	38.90	-23.01	0.61	-95.23	27.89	-13.00	-37.84	Horizontal		
3	14965.00	-50.59	RMS	39.53	-22.63	0.51	-95.23	27.23	-13.00	-37.59	Horizontal		
4	18706.00	-64.71	RMS	38.22	-38.71	-9.54	-95.23	40.55	-13.00	-51.71	Horizontal		
5	26189.00	-62.65	RMS	39.46	-30.99	-9.54	-95.23	33.65	-13.00	-49.65	Horizontal		



Site : 03CH20-HY
Condition: -13 1m BBHA9170_1223_250702 Vertical
: NR SA n78 20M Ch650000 1RB1 BPSK
: LTE B38 10M Ch38000 1RB0 QPSK

	Freq MHz	Level dBm	Detector	Ant Factor	Amp\Cb		Filter 1	EIRPCF		Readin g	Limit dBm	Margin dB	Pol
					dB/m	dB		dB	dB				
1	7483.00	-34.19	RMS	36.33	-23.07	0.82	-95.23	46.96	-13.00	-21.19	Vertical		
2	11224.00	-49.31	RMS	38.90	-23.01	0.61	-95.23	29.42	-13.00	-36.31	Vertical		
3	14965.00	-51.36	RMS	39.53	-22.63	0.51	-95.23	26.46	-13.00	-38.36	Vertical		
4	18706.00	-62.61	RMS	38.22	-38.71	-9.54	-95.23	42.65	-13.00	-49.61	Vertical		
5	26189.00	-63.99	RMS	39.46	-30.99	-9.54	-95.23	32.31	-13.00	-50.99	Vertical		




TX0_Ant. 0

Part 90R Mode 80

NR SA n14 5M Ch158100 1RB1 BPSK

L




Site : 03CH20-HY

Condition: 700 AC BAND 3m HF_9120D_02360_241101 Horizontal

NR SA n14 5M Ch158100 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit	Margin Pol	
				Factor	1	dB	dB			dB	dB
1	1577.00	-66.46	RMS	25.34	-28.88	0.53	-95.23	31.78	-42.15	-24.31	Horizontal
2	2366.00	-65.15	RMS	27.30	-27.68	0.41	-95.23	30.05	-13.00	-52.15	Horizontal
3	3154.00	-61.95	RMS	29.81	-26.22	0.45	-95.23	29.24	-13.00	-48.95	Horizontal



Site : 03CH20-HY

Condition: 700 AC BAND 3m HF_9120D_02360_241101 Vertical

NR SA n14 5M Ch158100 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit	Margin Pol	
				Factor	1	dB	dB			dB	dB
1	1577.00	-66.28	RMS	25.34	-28.88	0.53	-95.23	31.96	-42.15	-24.13	Vertical
2	2366.00	-64.62	RMS	27.30	-27.68	0.41	-95.23	30.58	-13.00	-51.62	Vertical
3	3154.00	-62.07	RMS	29.81	-26.22	0.45	-95.23	29.12	-13.00	-49.07	Vertical




TX0_Ant. 0

Part 90R Mode 80

NR SA n14 5M Ch158600 1RB1 BPSK

M




Site : 03CH20-HY

Condition: 700 AC BAND 3m HF_9120D_02360_241101 Horizontal

NR SA n14 5M Ch158600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit	Margin Pol	
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1582.00	-66.73	RMS	25.40	-28.87	0.53	-95.23	31.44	-42.15	-24.58	Horizontal
2	2373.00	-65.03	RMS	27.27	-27.67	0.41	-95.23	30.19	-13.00	-52.03	Horizontal
3	3164.00	-61.83	RMS	29.83	-26.22	0.45	-95.23	29.34	-13.00	-48.83	Horizontal



Site : 03CH20-HY

Condition: 700 AC BAND 3m HF_9120D_02360_241101 Vertical

NR SA n14 5M Ch158600 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF		Readin g	Limit	Margin Pol	
				Factor	1						
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB	
1	1582.00	-66.79	RMS	25.40	-28.87	0.53	-95.23	31.38	-42.15	-24.64	Vertical
2	2373.00	-64.67	RMS	27.27	-27.67	0.41	-95.23	30.55	-13.00	-51.67	Vertical
3	3164.00	-61.88	RMS	29.83	-26.22	0.45	-95.23	29.29	-13.00	-48.88	Vertical




TX0_Ant. 0

Part 90R Mode 80

NR SA n14 5M Ch159100 1RB1 BPSK

H




Site : 03CH20-HY

Condition: 700 AC BAND 3m HF_9120D_02360_241101 Horizontal

: NR SA n14 5M Ch159100 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1587.00	-66.34	RMS	25.40	-28.86	0.53	-95.23	31.82	-42.15	-24.19
2	2380.00	-64.58	RMS	27.20	-27.66	0.42	-95.23	30.69	-13.00	-51.58
3	3174.00	-62.00	RMS	29.85	-26.22	0.46	-95.23	29.14	-13.00	-49.00



Site : 03CH20-HY

Condition: 700 AC BAND 3m HF_9120D_02360_241101 Vertical

: NR SA n14 5M Ch159100 1RB1 BPSK

	Freq	Level	Detector	Ant Amp\Cb Filter		EIRPCF	Readin	Limit	Margin	Pol
				Factor	1		g			
	MHz	dBm		dB/m	dB	dB	dB	dBuV	dBm	dB
1	1587.00	-66.28	RMS	25.40	-28.86	0.53	-95.23	31.88	-42.15	-24.13
2	2380.00	-64.68	RMS	27.20	-27.66	0.42	-95.23	30.59	-13.00	-51.68
3	3174.00	-61.62	RMS	29.85	-26.22	0.46	-95.23	29.52	-13.00	-48.62




TX0_Ant. 0

Part 27D Mode 26

NR SA n30 5M Ch462500 1RB1 BPSK

H




Site : 03CH20-HY

Condition: -40 3m Bilog_55606 & 08_241127 Horizontal

: SA N30 5M Ch462500 1RB1 BPSK

: #1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm									
1	2312.00	0.95	RMS	27.30	-27.77	0.00	-95.23	96.65	-40.00	40.95	Horizontal



Site : 03CH20-HY

Condition: -40 3m Bilog_55606 & 08_241127 Vertical

: SA N30 5M Ch462500 1RB1 BPSK

: #1 is fundamental signal which can be ignored.

	Freq	Level	Detector	Ant Amp\Cb		Filter	EIRPCF	Readin	Limit	Margin	Pol
				Factor	1						
	MHz	dBm									
1	2312.00	0.97	RMS	27.30	-27.77	0.00	-95.23	96.67	-40.00	40.97	Vertical

Remark: #1 is fundamental signal which can be ignored.