




PSD 802.11be(20) 5825MHz Ant1




PSD 802.11be(20) 5825MHz Ant2




PSD 802.11be(40) 5755MHz Ant1




PSD 802.11be(40) 5755MHz Ant2




PSD 802.11be(40) 5755MHz Ant1




PSD 802.11be(40) 5755MHz Ant2




PSD 802.11be(40) 5795MHz Ant1




PSD 802.11be(40) 5795MHz Ant2




PSD 802.11be(80) 5780MHz Ant1




PSD 802.11be(80) 5780MHz Ant2




PSD 802.11be(80) 5775MHz Ant1




PSD 802.11be(80) 5775MHz Ant2




PSD 802.11n(HT20) 5740MHz Ant1




PSD 802.11n(HT20) 5740MHz Ant2




PSD 802.11n(HT20) 5745MHz Ant1




PSD 802.11n(HT20) 5745MHz Ant2




PSD 802.11n(HT20) 5785MHz Ant1




PSD 802.11n(HT20) 5785MHz Ant2




PSD 802.11n(HT20) 5825MHz Ant1




PSD 802.11n(HT20) 5825MHz Ant2




PSD 802.11n(HT40) 5755MHz Ant1




PSD 802.11n(HT40) 5755MHz Ant2




PSD 802.11n(HT40) 5755MHz Ant1




PSD 802.11n(HT40) 5755MHz Ant2



PSD 802.11n(HT40) 5795MHz Ant1



PSD 802.11n(HT40) 5795MHz Ant2



5.5. Unwanted Emission

Ambient condition

Temperature	Relative humidity	Pressure
15°C ~ 35°C	20% ~ 80%	86 kPa ~ 106 kPa

Method of Measurement

The test set-up was made in accordance to the general provisions of ANSI C63.10. The Equipment Under Test (EUT) was set up on a non-conductive table in the semi-anechoic chamber. The test was performed at the distance of 3 m between the EUT and the receiving antenna. The radiated emissions measurements were made in a typical installation configuration.

Sweep the whole frequency band range from 9kHz to the 10th harmonic of the carrier, and the emissions less than 20 dB below the permissible value are reported.

During the test, the height of receive antenna shall be moved from 1 to 4 meters, and the antenna shall be performed under horizontal and vertical polarization. The turntable shall be rotated from 0 to 360 degrees for detecting the maximum of radiated spurious signal level. The measurements shall be repeated with orthogonal polarization of the test antenna. The data of cable loss and antenna factor has been calibrated in full testing frequency range before the testing.

Set the spectrum analyzer in the following:

9kHz~150 kHz

RBW=200Hz, VBW=1kHz/ Sweep=AUTO

150 kHz~30MHz

RBW=9kHz, VBW=30kHz,/ Sweep=AUTO

Below 1GHz

RBW=100kHz / VBW=300kHz / Sweep=AUTO

a) Peak emission levels are measured by setting the instrument as follows:

Above 1GHz

PEAK: RBW=1MHz VBW=3MHz/ Sweep=AUTO

b) Average emission levels are measured by setting the instrument as follows:

Above 1GHz

AVERAGE: RBW=1MHz / VBW=3MHz / Sweep=AUTO

c) Detector: The measurements employing a CISPR quasi-peak detector except for the frequency bands 9-90 kHz, 110-490 kHz and above 1000 MHz. Radiated emission limits in these three bands are based on measurements employing an average detector.

d) Averaging type = power (i.e., rms) (As an alternative, the detector and averaging type may be set for linear voltage averaging. Some instruments require linear display mode to use linear voltage averaging. Log or dB averaging shall not be used.)

e) Sweep time = auto.

f) Perform a trace average of at least 100 traces if the transmission is continuous. If the transmission is not continuous, then the number of traces shall be increased by a factor of 1 / D, where D is the duty cycle. For example, with 50% duty cycle, at least 200 traces shall be averaged. (If a specific emission is demonstrated to be continuous—i.e., 100% duty cycle—then rather than turning ON and

OFF with the transmit cycle, at least 100 traces shall be averaged.)

g) If tests are performed with the EUT transmitting at a duty cycle less than 98%, then a correction factor shall be added to the measurement results prior to comparing with the emission limit, to compute the emission level that would have been measured had the test been performed at 100% duty cycle. The correction factor is computed as follows:

1) If power averaging (rms) mode was used in the preceding step e), then the correction factor is $[10 \log (1 / D)]$, where D is the duty cycle. For example, if the transmit duty cycle was 50%, then 3 dB shall be added to the measured emission levels.

2) If linear voltage averaging mode was used in the preceding step e), then the correction factor is $[20 \log (1 / D)]$, where D is the duty cycle. For example, if the transmit duty cycle was 50%, then 6 dB shall be added to the measured emission levels.

3) If a specific emission is demonstrated to be continuous (100% duty cycle) rather than turning ON and OFF with the transmit cycle, then no duty cycle correction is required for that emission.


Reduce the video bandwidth until no significant variations in the displayed signal are observed in subsequent traces, provided the video bandwidth is no less than 1 Hz. For regulatory requirements that specify averaging only over the transmit duration (e.g., digital transmission system [DTS] and Unlicensed National Information Infrastructure [U-NII]), the video bandwidth shall be greater than $[1 / (\text{minimum transmitter on time})]$ and no less than 1 Hz.

The field strength of spurious emission was measured in the following position: EUT stand-up position (Z axis), lie-down position (X, Y axis). The worst emission was found in stand-up position (Z axis) and the loop antenna is vertical, others antenna are vertical and horizontal.


The test is in transmitting mode.

Test setup


9kHz~ 30MHz



30MHz~ 1GHz



Above 1GHz



Note: Area side:2.4mX3.6m

Limits

- (1) For transmitters operating in the 5725-5850 MHz band: All emissions shall be limited to a level of -27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.
- (2) For transmitters operating in the 5.15-5.25 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz(68.2dBμV/m).
- (3) For transmitters operating in the 5.25-5.35 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz(68.2dBμV/m).
- (4) For transmitters operating in the 5.47-5.725 GHz band: All emissions outside of the 5.47-5.725 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz(68.2dBμV/m).

Note: the following formula is used to convert the EIRP to field strength

§1、 $E[\text{dB}\mu\text{V/m}] = \text{EIRP}[\text{dBm}] - 20 \log(d[\text{meters}]) + 104.77$, where E = field strength and

d = distance at which field strength limit is specified in the rules;

§2、 $E[\text{dB}\mu\text{V/m}] = \text{EIRP}[\text{dBm}] + 95.2$, for d = 3 meters

- (5) Unwanted spurious emissions fallen in restricted bands per FCC Part15.205 shall comply with the general field strength limits set forth in § 15.209 as below table.

Frequency of emission (MHz)	Field strength(μV/m)	Field strength(dBμV/m)
0.009–0.490	2400/F(kHz)	/
0.490–1.705	24000/F(kHz)	/
1.705–30.0	30	/
30-88	100	40
88-216	150	43.5
216-960	200	46
Above960	500	54

MHz	MHz	MHz	GHz
0.090 - 0.110	16.42 - 16.423	399.9 - 410	4.5 - 5.15
¹ 0.495 - 0.505	16.69475 - 16.69525	608 - 614	5.35 - 5.46
2.1735 - 2.1905	16.80425 - 16.80475	960 - 1240	7.25 - 7.75
4.125 - 4.128	25.5 - 25.67	1300 - 1427	8.025 - 8.5
4.17725 - 4.17775	37.5 - 38.25	1435 - 1626.5	9.0 - 9.2
4.20725 - 4.20775	73 - 74.6	1645.5 - 1646.5	9.3 - 9.5
6.215 - 6.218	74.8 - 75.2	1660 - 1710	10.6 - 12.7
6.26775 - 6.26825	108 - 121.94	1718.8 - 1722.2	13.25 - 13.4
6.31175 - 6.31225	123 - 138	2200 - 2300	14.47 - 14.5
8.291 - 8.294	149.9 - 150.05	2310 - 2390	15.35 - 16.2
8.362 - 8.366	156.52475 - 156.52525	2483.5 - 2500	17.7 - 21.4
8.37625 - 8.38675	156.7 - 156.9	2690 - 2900	22.01 - 23.12
8.41425 - 8.41475	162.0125 - 167.17	3260 - 3267	23.6 - 24.0
12.29 - 12.293	167.72 - 173.2	3332 - 3339	31.2 - 31.8
12.51975 - 12.52025	240 - 285	3345.8 - 3358	36.43 - 36.5
12.57675 - 12.57725	322 - 335.4	3600 - 4400	(²)
13.36 - 13.41			

Measurement Uncertainty

The assessed measurement uncertainty to ensure 95% confidence level for the normal distribution is with the coverage factor $k = 1.96$.

Frequency	Uncertainty
9kHz-30MHz	3.55 dB
30MHz-200MHz	4.17 dB
200MHz-1GHz	4.84 dB
1-18GHz	4.35 dB
18-26.5GHz	5.90 dB
26.5GHz~40GHz	5.92 dB


Test Results:

The following graphs display the maximum values of horizontal and vertical by software.


Blue trace uses the peak detection, Green trace uses the average detection.

A symbol ($\text{dB}\mu\text{V}/\text{m}$) in the test plot below means ($\text{dB}\mu\text{V}/\text{m}$)


The signal beyond the limit is carrier.




5-6GHZ_5G WIFI_ac(40) CH142 MCS-0_Y_TP16_MIMO




5-6GHZ_5G WIFI_ac(80) CH138 MCS-0_Y_TP16_MIMO




5.1-5.19GHz_5G WIFI_a CH36 6M_Y_TP19_MIMO




5.1-5.19GHz_5G WIFI_ax(20) CH36 MCS-0_Y_TP15_MIMO




5.1-5.19GHz_5G WIFI_n(20) CH36 MCS-0_Y_TP17_MIMO




5.1-5.21GHz_5G WIFI_ac(40) CH38 MCS-0_Y_TP16_MIMO




5.1-5.21GHz_5G WIFI_ax(40) CH48 MCS-0_Y_TP15_MIMO




5.1-5.21GHz_5G WIFI_n(40) CH38 MCS-0_Y_TP17_MIMO




5.1-5.25GHz_5G WIFI_ac(80) CH42MCS-0_Y_TP16_MIMO




5.1-5.27GHz_5G WIFI_a CH52 6M_Y_TP19_MIMO_031.5.wmf




5.1-5.27GHz_5G WIFI_ax(20) CH52 MCS-0_Y_TP15_MIMO




5.1-5.27GHz_5G WIFI_n(20) CH52 MCS-0_Y_TP17_MIMO




5.1-5.29GHz_5G WIFI_ac(40) CH54 MCS-0_Y_TP16_MIMO




5.1-5.29GHz_5G WIFI_ax(40) CH54 MCS-0_Y_TP15_MIMO




5.1-5.29GHz_5G WIFI_n(40) CH54 MCS-0_Y_TP17_MIMO




5.1-5.4GHz_5G WIFI_ac(160) CH50 MCS-0_Y_TP16_MIMO




5.21-5.46GHz_5G WIFI_ac(40) CH46 MCS-0_Y_TP16_MIMO




5.21-5.46GHz_5G WIFI_ax(40) CH46 MCS-0_Y_TP15_MIMO




5.21-5.46GHz_5G WIFI_n(40) CH46 MCS-0_Y_TP17_MIMO




5.23-5.46GHz_5G WIFI_a CH48 6M_Y_TP19_MIMO




5.23-5.46GHz_5G WIFI_ax(20) CH48 MCS-0_Y_TP15_MIMO




5.23-5.46GHz_5G WIFI_n(20) CH48 MCS-0_Y_TP17_MIMO




5.25-5.46GHz_5G WIFI_ac(80) CH58 MCS-0_Y_TP16_MIMO




5.29-5.46GHz_5G WIFI_ac(40) CH62 MCS-0_Y_TP16_MIMO




5.29-5.46GHz_5G WIFI_ax(40) CH62 MCS-0_Y_TP15_MIMO




5.29-5.46GHz_5G WIFI_n(40) CH62 MCS-0_Y_TP17_MIMO




5.31-5.46GHz_5G WIFI_a CH64 6M_Y_TP19_MIMO




5.31-5.46GHz_5G WIFI_ax(20) CH64 MCS-0_Y_TP15_MIMO




5.31-5.46GHz_5G WIFI_n(20) CH64 MCS-0_Y_TP17_MIMO




5.31-5.51GHz_5G WIFI_n(20) CH100 MCS-0_Y_TP17_MIMO




5.35-5.51GHz_5G WIFI_a CH100 6M_Y_TP19_MIMO




5.35-5.51GHz_5G WIFI_ax(20) CH100 MCS-0_Y_TP15_MIMO




5.35-5.53GHz_5G WIFI_ac(40) CH102 MCS-0_Y_TP16_MIMO




5.35-5.53GHz_5G WIFI_n(40) CH102 MCS-0_Y_TP17_MIMO




5.35-5.57GHz_5G WIFI_ac(80) CH106 MCS-0_Y_TP16_MIMO




5.35-5.856GHz_5G WIFI_ac(160) CH114 MCS-0_Y_TP15_MIMO




5.43-5.65GHz_5G WIFI_ac(80) CH122 MCS-0_Y_TP16_MIMO




5.56-5.755GHz_5G WIFI_n(20) CH149 MCS-0_Y_TP17_MIMO




5.6-5.755GHz_5G WIFI_a CH149 6M_Y_TP19_MIMO




5.6-5.755GHz_5G WIFI_ax(20) CH149 MCS-0_Y_TP15_MIMO




5.6-5.775GHz_5G WIFI_ac(40) CH151 MCS-0_Y_TP16_MIMO




5.6-5.775GHz_5G WIFI_n(40) CH151 MCS-0_Y_TP17_MIMO




5.6-6GHZ_5G WIFI_ac(80) CH155 MCS-0_Y_TP16_MIMO




5.65-5.735GHZ_5G WIFI_ac(40) CH134 MCS-0_Y_TP16_MIMO




5.65-5.735GHz_5G WIFI_n(40) CH134 MCS-0_Y_TP17_MIMO




5.69-5.755GHz_5G WIFI_a CH140 6M_Y_TP19_MIMO




5.69-5.755GHz_5G WIFI_ax(20) CH140 MCS-0_Y_TP15_MIMO




5.69-5.755GHz_5G WIFI_n(20) CH140 MCS-0_Y_TP17_MIMO




5.77-5.95GHz_5G WIFI_ac(40) CH159 MCS-0_Y_TP16_MIMO




5.77-5.95GHz_5G WIFI_n(40) CH159 MCS-0_Y_TP17_MIMO




5.81-5.95GHz_5G WIFI_a CH165 6M_Y_TP19_MIMO




5.81-5.95GHz_5G WIFI_ax(20) CH165 MCS-0_Y_TP15_MIMO




5.81-5.95GHZ_5G WIFI_n(20) CH165 MCS-0_Y_TP17_MIMO




ac160 CH50_5.1-5.4GHz_TP16_0319_PK.wmf




ac160 CH50_5.1-5.4GHz_TP16_0320_AV.wmf




ac160 CH50_5.1-5.4GHz_TP16_0320_PK.wmf




ax160 CH114_5.35-5.856GHz_TP14_0320_PK.wmf




ax160 CH114_5.35-5.856GHz_TP15_0320_AV.wmf




ax160 CH50_5.1-5.4GHz_TP15_0320_AV.wmf




ax160 CH50_5.1-5.4GHz_TP15_0320_PK.wmf




ax20 CH100_5.35-5.51GHz_TP15




ax20 CH140_5.69-5.755GHz_TP15




ax20 CH144_5-6GHz_TP15




ax20 CH149_5.6-5.755GHz_TP15




ax20 CH165_5.81-5.95GHz_TP15




ax20 CH36_5.1-5.19GHz_TP15




ax20 CH48_5.23-5.46GHz_TP15




ax20 CH52_5.1-5.27GHz_TP15




ax20 CH64_5.31-5.46GHz_TP15




ax40 CH102_5.35-5.53GHz_TP15




ax40 CH134_5.65-5.735GHz_TP15




ax40 CH142_5-6GHz_TP15




ax40 CH151_5.6-5.775GHz_TP15




ax40 CH159_5.77-5.95GHz_TP15




ax40 CH38_5.1-5.21GHz_TP15




ax40 CH46_5.21-5.46GHz_TP15




ax40 CH54_5.1-5.29GHz_TP15




ax40 CH62_5.29-5.46GHz_TP15




ax80 CH106_5.35-5.57GHz_TP15_0321_AV.wmf




ax80 CH106_5.35-5.57GHz_TP15_0321_PK.wmf




ax80 CH138_5-6GHz_TP15




ax80 CH155_5.6-.6GHz_TP15




ax80 CH42_5.1-5.25GHz_TP15_0321_AV.wmf




ax80 CH42_5.1-5.25GHz_TP15_0321_PK.wmf




ax80 CH58_5.25-5.46GHz_TP15




be160 CH114_5.35-5.856GHz_TP12_0320_PK.wmf




be160 CH114_5.35-5.856GHz_TP13_0320_AV.wmf




be160 CH50_5.1-5.4GHz_TP14_0320_AV.wmf




be160 CH50_5.1-5.4GHz_TP14_0320_PK.wmf




be20 CH100_5.35-5.51GHz_TP14




be20 CH140_5.69-5.755GHz_TP14




be20 CH149_5.6-5.755GHz_TP14




be20 CH165_5.81-5.95GHz_TP14




be20 CH36_5.1-5.19GHz_TP14




be20 CH48_5.23-5.46GHz_TP14




be20 CH52_5.1-5.27GHz_TP14




be20 CH64_5.31-5.46GHz_TP14




be40 CH102_5.35-5.53GHz_TP14




be40 CH134_5.65-5.735GHz_TP14




be40 CH142_5-6GHz_TP14




be40 CH151_5.6-5.775GHz_TP14




be40 CH159_5.77-5.95GHz_TP14




be40 CH38_5.1-5.21GHz_TP14




be40 CH46_5.21-5.46GHz_TP14




be40 CH54_5.1-5.29GHz_TP14




be40 CH62_5.29-5.46GHz_TP14




be80 CH106_5.35-5.57GHz_TP14




be80 CH138_5-6GHz_TP14



be80 CH155_5-6GHz_TP14



be80 CH42_5.1-5.25GHz_TP14



be80 CH58_5.25-5.46GHz_TP14

Result of RE

Test result

Sweep the whole frequency band through the range from 9kHz to the 10th harmonic of the carrier, During the test, the Radiates Emission from 9kHz to 1GHz was performed in all modes with all channels. The test data of the worst-case condition was recorded in this report.

After the pretest, MIMO was selected as the worst antenna.

Continuous TX mode:

Remark:

1. Correction Factor = Antenna factor + Insertion loss (cable loss + amplifier gain)

2. Margin = Limit – Quasi-Peak/ MAX Peak/ Average

3. A symbol ($\text{dB}\mu\text{V/m}$) in the test plot below means (dB $\mu\text{V/m}$)


4. For below 1GHz

$\text{QP Level @Spectrum Overview H}$ $\text{QP Level @Spectrum Overview V}$ $\text{QP Level @Final Results}$ QP Limit

For above 1GHz


$\text{PK Level @Spectrum Overview H}$ $\text{PK Level @Spectrum Overview V}$ $\text{PK Level @Final Results}$ PK Limit

$\text{AVG Level @Spectrum Overview H}$ $\text{AVG Level @Spectrum Overview V}$ $\text{AVG Level @Final Results}$ AVG Limit



Final Result


Frequency (MHz)	MaxPeak (dB $\mu\text{V/m}$)	Limit (dB $\mu\text{V/m}$)	Margin (dB)	Meas. Time (ms)	Bandwidth (kHz)	Pol	Azimuth (deg)	Corr. (dB/m)
0.03	51.49	117.61	66.12	500.00	0.200	V	264.00	17
0.12	52.79	106.16	53.37	150.00	9.000	V	249.00	17
0.50	35.15	73.54	38.40	150.00	9.000	V	256.00	17
1.64	29.18	63.27	34.09	150.00	9.000	V	320.00	17
6.44	30.91	69.50	38.59	150.00	9.000	V	357.00	17
7.97	29.99	69.50	39.51	150.00	9.000	V	1.00	17



Final Result


Frequency (MHz)	QuasiPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
54.33	26.50	40.00	13.50	1000.00	105.0	V	306.00	20
84.15	34.19	40.00	5.81	1000.00	177.0	V	174.00	15
90.19	32.81	43.50	10.69	1000.00	123.0	V	172.00	17
107.11	28.23	43.50	15.27	1000.00	100.0	V	160.00	18
154.97	26.94	43.50	16.56	1000.00	194.0	H	282.00	15
198.01	29.09	43.50	14.41	1000.00	222.0	V	26.00	18

802.11a CH40




Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1288.75	42.22	---	68.20	25.98	500.00	100.0	H	86.00	-4
1385.00	---	32.10	54.00	21.90	500.00	200.0	H	316.00	-3
1686.88	---	32.92	54.00	21.08	500.00	200.0	H	356.00	-2
1937.13	47.01	---	68.20	21.19	500.00	100.0	H	320.00	0
2351.00	---	35.80	54.00	18.20	500.00	200.0	H	358.00	1
2577.63	48.85	---	68.20	19.35	500.00	100.0	H	146.00	3
2789.38	---	37.72	54.00	16.28	500.00	200.0	H	356.00	3
3526.13	51.19	---	68.20	17.01	500.00	200.0	H	0.00	4
3966.25	---	41.96	54.00	12.04	500.00	100.0	H	172.00	7
4260.25	52.37	---	74.00	21.63	500.00	200.0	H	355.00	6
5392.50	---	48.20	54.00	5.80	500.00	100.0	H	292.00	10
5624.38	58.15	---	68.20	10.05	500.00	200.0	H	222.00	11



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
8318.75	---	46.26	54.00	7.74	500.00	100.0	V	117.00	6
8748.75	49.92	---	68.20	18.28	500.00	100.0	H	307.00	7
9305.00	---	38.44	54.00	15.56	500.00	100.0	V	1.00	7
10400.00	53.01	---	68.20	15.19	500.00	100.0	V	90.00	8
10588.75	50.67	---	68.20	17.53	500.00	200.0	H	15.00	8
11345.00	---	40.46	54.00	13.54	500.00	100.0	V	98.00	9
12372.50	---	38.35	54.00	15.65	500.00	100.0	H	0.00	9
13360.00	---	39.65	54.00	14.35	500.00	100.0	V	20.00	9
13691.25	51.70	---	68.20	16.50	500.00	100.0	V	153.00	10
14460.00	53.32	---	68.20	14.88	500.00	100.0	H	31.00	11
14478.75	---	41.12	54.00	12.88	500.00	100.0	V	0.00	11
15741.25	51.19	---	74.00	22.81	500.00	100.0	V	218.00	9



Final Result

Frequency (MHz)	MaxPeak (dBμV/m)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Meas. Time (ms)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
1273.88	41.11	---	68.20	27.09	500.00	100.0	V	0.00	-4
1375.38	---	34.84	54.00	19.16	500.00	100.0	H	302.00	-3
1691.25	---	31.67	54.00	22.33	500.00	200.0	V	197.00	-2
1955.50	45.15	---	68.20	23.05	500.00	200.0	H	358.00	0
2667.75	47.52	---	68.20	20.68	500.00	100.0	V	341.00	2
2793.75	---	36.94	54.00	17.06	500.00	100.0	V	346.00	3
3317.00	48.80	---	68.20	19.40	500.00	200.0	H	343.00	4
3987.25	---	39.53	54.00	14.47	500.00	200.0	H	359.00	6
5291.00	59.86	---	68.20	8.34	500.00	100.0	H	341.00	10
5389.00	---	48.71	54.00	5.29	500.00	100.0	H	302.00	10
7288.63	---	46.64	54.00	7.36	500.00	100.0	V	0.00	16
7315.75	58.22	---	74.00	15.78	500.00	200.0	V	111.00	16