

GENEX

SAM(835MHz) Phantom; Flat Section; Probe: ET3DV6 - SN1702; ConvF(7.60,7.60,7.60);

450MHz Body: $\sigma = 0.98$ mho/m $\epsilon_r = 57.2$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.987 mW/g, SAR (10g): 0.674 mW/g;

GENEX TELECOM FCC ID: PM3GR5500

FM Mode, Ch. 22[462.5625MHz] ; Standard Battery ; Ambient Temp = 23°C/Meas. Tissue Temp. = 22°C

Power = 0.5W ; Spacing = 0cm From Belt Clip to flat phantom ; Antenna Fixed

Test Date -- June 30. 2004 [FCC/OET Bulletin65 - Supplement C, July 2001]



GENEX

SAM(835MHz) Phantom; Flat Section; Probe: ET3DV6 - SN1702; ConvF(7.60,7.60,7.60);

450MHz Body: $\sigma = 0.98$ mho/m $\epsilon_r = 57.2$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.995 mW/g, SAR (10g): 0.679 mW/g;

GENEX TELECOM FCC ID: PM3GR5500

FM Mode, Ch. 22[462.5625MHz] ; Standard Battery ; Ambient Temp = 23°C/Meas. Tissue Temp. = 22°C

Power = 1.5W ; Spacing = 0cm From Belt Clip to flat phantom ; Antenna Fixed

Test Date -- June 30. 2004 [FCC/OET Bulletin65 - Supplement C, July 2001]



GENEX


SAM(835MHz) Phantom; Section; Probe: ET3DV6 - SN1702; ConvF(7.60,7.60,7.60);
450MHz Body: $\sigma = 0.98$ mho/m $\epsilon_r = 57.2$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;
;

GENEX TELECOM FCC ID: PM3GR5500

FM Mode, Ch. 22[462.5625MHz] ; Standard Battery ; Ambient Temp = 21 °C/Meas. Tissue Temp. = 22 °C

Power = 1.5W ; Spacing = 0cm From Belt Clip to flat phantom ; Antenna Fixed

Test Date -- June 30. 2004 [FCC/OET Bulletin65 - Supplement C, July 2001]



GENEX

SAM(835MHz) Phantom; Flat Section; Probe: ET3DV6 - SN1702; ConvF(7.70,7.70,7.70);

450MHz Face: $\sigma = 0.90$ mho/m $\epsilon_r = 45.2$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.305 mW/g, SAR (10g): 0.209 mW/g;

GENEX TELECOM FCC ID: PM3GR5500

FM Mode, Ch. 22[462.5625MHz] ; Standard Battery ; Ambient Temp = 23°C/Meas. Tissue Temp. = 22°C

Power = 0.5W ; Spacing = 2.5cm From ANT to flat phantom ; Antenna Fixed

Test Date -- June 30. 2004 [FCC/OET Bulletin65 - Supplement C, July 2001]



GENEX

SAM(835MHz) Phantom; Flat Section; Probe: ET3DV6 - SN1702; ConvF(7.70,7.70,7.70);

450MHz Face: $\sigma = 0.90$ mho/m $\epsilon_r = 45.2$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.417 mW/g, SAR (10g): 0.290 mW/g * Max outside;

GENEX TELECOM FCC ID: PM3GR5500

FM Mode, Ch. 22[462.5625MHz] ; Standard Battery ; Ambient Temp = 23°C/Meas. Tissue Temp. = 22°C

Power = 1.5W ; Spacing = 2.5cm From ANT to flat phantom ; Antenna Fixed

Test Date -- June 30. 2004 [FCC/OET Bulletin65 - Supplement C, July 2001]



GENEX

SAM(835MHz) Phantom; Section; Probe: ET3DV6 - SN1702; ConvF(7.70,7.70,7.70);
450MHz Face: $\sigma = 0.90$ mho/m $\epsilon_r = 45.2$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;
;

GENEX TELECOM FCC ID: PM3GR5500

FM Mode, Ch. 22[462.5625MHz] ; Standard Battery ; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Power = 1.5W ; Spacing = 2.5cm From ANT to flat phantom ; Antenna Fixed

Test Date -- June 30. 2004 [FCC/OET Bulletin65 - Supplement C, July 2001]

