


Modottel : FCC ID : POQWCE-100SU -- Cellular Head SAR (Nomal Rear Cover)

SAM(835M) Phantom; Right Hand Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);
Med. parameter 835 MHz Brain: $\sigma = 0.89$ mho/m $\epsilon_r = 39.6$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest factor: 1.0;
SAR (1g): 1.18 mW/g, SAR (10g): 0.815 mW/g

Cellular CDMA Phone Model : WCE-100SU
Cellular CDMA Mode, Ch.777[848.31MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C
Conducted Power = 23.5dbm; Right Head Phantom, Cheek / Touch position; Antenna Out
Test Date -- 07 / 24 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]




Digital EMC Co.,Ltd

FCC ID : POQWCE-100SU

Modottel : FCC ID : POQWCE-100SU -- Cellular Head SAR (Nomal Rear Cover)

SAM(835M) Phantom; Right Hand Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);
Med. parameter 835 MHz Brain: $\sigma = 0.89$ mho/m $\epsilon_r = 39.6$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest factor: 1.0;
SAR (1g): 0.497 mW/g, SAR (10g): 0.341 mW/g

Cellular CDMA Phone Model : WCE-100SU
Cellular CDMA Mode, Ch.1013[824.7MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C
Conducted Power = 23.5dbm; Right Head Phantom, Cheek / Touch position; Antenna In
Test Date -- 07 / 24 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd


FCC ID : POQWCE-100SU

Modottel : FCC ID : POQWCE-100SU -- Cellular Head SAR (Nomal Rear Cover)

SAM(835M) Phantom; Right Hand Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);
Med. parameter 835 MHz Brain: $\sigma = 0.89$ mho/m $\epsilon_r = 39.6$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest factor: 1.0;
SAR (1g): 0.621 mW/g, SAR (10g): 0.428 mW/g

Cellular CDMA Phone Model : WCE-100SU

Cellular CDMA Mode, Ch.1013[824.7MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C
Conducted Power = 23.5dbm; Right Head Phantom, Cheek / Touch position; Antenna Out
Test Date -- 07 / 24 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]




Digital EMC Co.,Ltd

FCC ID : POQWCE-100SU

Modottel : FCC ID : POQWCE-100SU -- Cellular Head SAR (Nomal Rear Cover)

SAM(835M) Phantom; Left Hand Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);
Med. parameter 835 MHz Brain: $\sigma = 0.89$ mho/m $\epsilon_r = 39.6$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest factor: 1.0;
SAR (1g): 1.15 mW/g, SAR (10g): 0.776 mW/g

Cellular CDMA Phone Model : WCE-100SU
Cellular CDMA Mode, Ch.384[836.52MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C
Conducted Power = 23.5dBm; Left Head Phantom, Cheek / Touch position; Antenna In
Test Date -- 07 / 24 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]




Digital EMC Co.,Ltd

FCC ID : POQWCE-100SU

Modottel : FCC ID : POQWCE-100SU -- Cellular Head SAR (Nomal Rear Cover)

SAM(835M) Phantom; Left Hand Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);
Med. parameter 835 MHz Brain: $\sigma = 0.89$ mho/m $\epsilon_r = 39.6$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest factor: 1.0;
SAR (1g): 1.29 mW/g, SAR (10g): 0.857 mW/g

Cellular CDMA Phone Model : WCE-100SU
Cellular CDMA Mode, Ch.384[836.52MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C
Conducted Power = 23.5dBm; Left Head Phantom, Cheek / Touch position ; Antenna Out
Test Date -- 07 / 24 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]




Digital EMC Co.,Ltd

FCC ID : POQWCE-100SU

Modottel : FCC ID : POQWCE-100SU -- Cellular Head SAR (Nomal Rear Cover)

SAM(835M) Phantom; Left Hand Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);
Med. parameter 835 MHz Brain: $\sigma = 0.89$ mho/m $\epsilon_r = 39.6$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest factor: 1.0;
SAR (1g): 1.14 mW/g, SAR (10g): 0.719 mW/g

Cellular CDMA Phone Model : WCE-100SU
Cellular CDMA Mode, Ch.777[848.31MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C
Conducted Power = 23.5dBm; Left Head Phantom, Cheek / Touch position; Antenna In
Test Date -- 07 / 24 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd


FCC ID : POQWCE-100SU

Modottel : FCC ID : POQWCE-100SU -- Cellular Head SAR (Nomal Rear Cover)

SAM(835M) Phantom; Left Hand Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);
Med. parameter 835 MHz Brain: $\sigma = 0.89$ mho/m $\epsilon_r = 39.6$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest factor: 1.0;
SAR (1g): 1.35 mW/g, SAR (10g): 0.901 mW/g

Cellular CDMA Phone Model : WCE-100SU

Cellular CDMA Mode, Ch.777[848.31MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C
Conducted Power = 23.5dBm; Left Head Phantom, Cheek / Touch position; Antenna Out
Test Date -- 07 / 24 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]




Digital EMC Co.,Ltd

FCC ID : POQWCE-100SU

Modottel : FCC ID : POQWCE-100SU -- Cellular Head SAR (Nomal Rear Cover)

SAM(835M) Phantom; Left Hand Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);
Med. parameter 835 MHz Brain: $\sigma = 0.89$ mho/m $\epsilon_r = 39.6$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest factor: 1.0;
SAR (1g): 0.586 mW/g, SAR (10g): 0.381 mW/g

Cellular CDMA Phone Model : WCE-100SU
Cellular CDMA Mode, Ch.1013[824.7MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C
Conducted Power = 23.5dBm; Left Head Phantom, Cheek / Touch position; Antenna In
Test Date -- 07 / 24 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]




Digital EMC Co.,Ltd

FCC ID : POQWCE-100SU


Modottel : FCC ID : POQWCE-100SU -- Cellular Head SAR (Nomal Rear Cover)

SAM(835M) Phantom; Left Hand Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);
Med. parameter 835 MHz Brain: $\sigma = 0.89$ mho/m $\epsilon_r = 39.6$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest factor: 1.0;
SAR (1g): 0.726 mW/g, SAR (10g): 0.486 mW/g

Cellular CDMA Phone Model : WCE-100SU
Cellular CDMA Mode, Ch.1013[824.64MHz];Standard Battery; Ambient Temp = 23℃/Meas. Tissue Temp. = 22℃
Conducted Power = 23.5dBm; Left Head Phantom, Cheek / Touch position; Antenna Out
Test Date -- 07 / 24 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]




Digital EMC Co.,Ltd

FCC ID : POQWCE-100SU

Modottel : FCC ID : POQWCE-100SU -- Cellular Head SAR (Nomal Rear Cover)

SAM(835M) Phantom; Right Hand Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);
Med. parameter 835 MHz Brain: $\sigma = 0.89$ mho/m $\epsilon_r = 39.6$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest factor: 1.0;
SAR (1g): 1.00 mW/g, SAR (10g): 0.569 mW/g

Cellular CDMA Phone Model : WCE-100SU
Cellular CDMA Mode, Ch.384[836.52MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C
Conducted Power = 23.5dbm; Right Head Phantom, 15° Degree Tilt position; Antenna In
Test Date -- 07 / 24 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]




Digital EMC Co.,Ltd

FCC ID : POQWCE-100SU

Modottel : FCC ID : POQWCE-100SU -- Cellular Head SAR (Nomal Rear Cover)

SAM(835M) Phantom; Right Hand Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);
Med. parameter 835 MHz Brain: $\sigma = 0.89$ mho/m $\epsilon_r = 39.6$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest factor: 1.0;
SAR (1g): 1.02 mW/g, SAR (10g): 0.611 mW/g

Cellular CDMA Phone Model : WCE-100SU
Cellular CDMA Mode, Ch.384[836.52MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C
Conducted Power = 23.5dbm; Right Head Phantom, 15° Degree Tilt position; Antenna Out
Test Date -- 07 / 24 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]




Digital EMC Co.,Ltd

FCC ID : POQWCE-100SU

Modottel : FCC ID : POQWCE-100SU -- Cellular Head SAR (Nomal Rear Cover)

SAM(835M) Phantom; Right Hand Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);
Med. parameter 835 MHz Brain: $\sigma = 0.89$ mho/m $\epsilon_r = 39.6$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest factor: 1.0;
SAR (1g): 0.920 mW/g *, SAR (10g): 0.521 mW/g


Cellular CDMA Phone Model : WCE-100SU
Cellular CDMA Mode, Ch.777[848.31MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C
Conducted Power = 23.5dbm; Right Head Phantom, 15° Degree Tilt position; Antenna In
Test Date -- 07 / 24 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Modottel : FCC ID : POQWCE-100SU -- Cellular Head SAR (Nomal Rear Cover)

SAM(835M) Phantom; Right Hand Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);
Med. parameter 835 MHz Brain: $\sigma = 0.89$ mho/m $\epsilon_r = 39.6$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest factor: 1.0;
SAR (1g): 1.14 mW/g *, SAR (10g): 0.710 mW/g

Cellular CDMA Phone Model : WCE-100SU
Cellular CDMA Mode, Ch.777[848.31MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C
Conducted Power = 23.5dbm; Right Head Phantom, 15° Degree Tilt position; Antenna Out
Test Date -- 07 / 24 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]




Digital EMC Co.,Ltd

FCC ID : POQWCE-100SU

Modottel : FCC ID : POQWCE-100SU -- Cellular Head SAR (Nomal Rear Cover)

SAM(835M) Phantom; Right Hand Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);
Med. parameter 835 MHz Brain: $\sigma = 0.89$ mho/m $\epsilon_r = 39.6$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest factor: 1.0;
SAR (1g): 0.495 mW/g, SAR (10g): 0.288 mW/g

Cellular CDMA Phone Model : WCE-100SU
Cellular CDMA Mode, Ch.1013[824.64MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C
Conducted Power = 23.5dbm; Right Head Phantom, 15° Degree Tilt position; Antenna In
Test Date -- 07 / 24 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]




Digital EMC Co.,Ltd

FCC ID : POQWCE-100SU

Modottel : FCC ID : POQWCE-100SU -- Cellular Head SAR (Nomal Rear Cover)

SAM(835M) Phantom; Right Hand Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);
Med. parameter 835 MHz Brain: $\sigma = 0.89$ mho/m $\epsilon_r = 39.6$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest factor: 1.0;
SAR (1g): 0.590 mW/g, SAR (10g): 0.354 mW/g


Cellular CDMA Phone Model : WCE-100SU
Cellular CDMA Mode, Ch.1013[824.64MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C
Conducted Power = 23.5dbm; Right Head Phantom, 15° Degree Tilt position; Antenna Out
Test Date -- 07 / 24 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Modottel : FCC ID : POQWCE-100SU -- Cellular Head SAR (Nomal Rear Cover)

SAM(835M) Phantom; Left Hand Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);
Med. parameter 835 MHz Brain: $\sigma = 0.89$ mho/m $\epsilon_r = 39.6$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest factor: 1.0;
SAR (1g): 1.24 mW/g, SAR (10g): 0.745 mW/g

Cellular CDMA Phone Model : WCE-100SU
Cellular CDMA Mode, Ch.384[836.52MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C
Conducted Power = 23.5dBm; Left Head Phantom, 15° Degree Tilt position; Antenna In
Test Date -- 07 / 24 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]




Digital EMC Co.,Ltd

FCC ID : POQWCE-100SU

Modottel : FCC ID : POQWCE-100SU -- Cellular Head SAR (Nomal Rear Cover)

SAM(835M) Phantom; Left Hand Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);
Med. parameter 835 MHz Brain: $\sigma = 0.89$ mho/m $\epsilon_r = 39.6$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest factor: 1.0;
SAR (1g): 1.29 mW/g, SAR (10g): 0.783 mW/g

Cellular CDMA Phone Model : WCE-100SU
Cellular CDMA Mode, Ch.384[836.52MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C
Conducted Power = 23.5dBm; Left Head Phantom, 15° Degree Tilt position; Antenna Out
Test Date -- 07 / 24 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]




Digital EMC Co.,Ltd

FCC ID : POQWCE-100SU

Modottel : FCC ID : POQWCE-100SU -- Cellular Head SAR (Nomal Rear Cover)

SAM(835M) Phantom; Left Hand Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);
Med. parameter 835 MHz Brain: $\sigma = 0.89$ mho/m $\epsilon_r = 39.6$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest factor: 1.0;
SAR (1g): 1.14 mW/g, SAR (10g): 0.673 mW/g

Cellular CDMA Phone Model : WCE-100SU
Cellular CDMA Mode, Ch.777[848.31MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C
Conducted Power = 23.5dBm; Left Head Phantom, 15° Degree Tilt position; Antenna In
Test Date -- 07 / 24 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]




Digital EMC Co.,Ltd

FCC ID : POQWCE-100SU

Modottel : FCC ID : POQWCE-100SU -- Cellular Head SAR (Nomal Rear Cover)

SAM(835M) Phantom; Left Hand Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);
Med. parameter 835 MHz Brain: $\sigma = 0.89$ mho/m $\epsilon_r = 39.6$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest factor: 1.0;
SAR (1g): 1.39 mW/g, SAR (10g): 0.838 mW/g

Cellular CDMA Phone Model : WCE-100SU
Cellular CDMA Mode, Ch.777[848.31MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C
Conducted Power = 23.5dBm; Left Head Phantom, 15° Degree Tilt position; Antenna Out
Test Date -- 07 / 24 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]




Digital EMC Co.,Ltd

FCC ID : POQWCE-100SU

Modottel : FCC ID : POQWCE-100SU -- Cellular Head SAR (Nomal Rear Cover)

SAM(835M) Phantom; Left Hand Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);
Med. parameter 835 MHz Brain: $\sigma = 0.89$ mho/m $\epsilon_r = 39.6$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest factor: 1.0;
SAR (1g): 0.532 mW/g, SAR (10g): 0.321 mW/g

Cellular CDMA Phone Model : WCE-100SU
Cellular CDMA Mode, Ch.1013[824.7MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C
Conducted Power = 23.5dBm; Left Head Phantom, 15° Degree Tilt position; Antenna In
Test Date -- 07 / 24 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]




Digital EMC Co.,Ltd

FCC ID : POQWCE-100SU

Modottel : FCC ID : POQWCE-100SU -- Cellular Head SAR (Nomal Rear Cover)

SAM(835M) Phantom; Left Hand Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);
Med. parameter 835 MHz Brain: $\sigma = 0.89$ mho/m $\epsilon_r = 39.6$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest factor: 1.0;
SAR (1g): 0.707 mW/g, SAR (10g): 0.431 mW/g

Cellular CDMA Phone Model : WCE-100SU
Cellular CDMA Mode, Ch.1013[824.7MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C
Conducted Power = 23.5dBm; Left Head Phantom, 15° Degree Tilt position; Antenna Out
Test Date -- 07 / 24 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]




Digital EMC Co.,Ltd

FCC ID : POQWCE-100SU

Modottel : FCC ID : POQWCE-100SU -- Cellular Body SAR (Nomal Rear Cover)

SAM(835M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(6.60,6.60,6.60);
Med. parameter 835 MHz Muscle: $\sigma = 0.99$ mho/m $\epsilon_r = 53.7$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest factor: 1.0;
SAR (1g): 0.562 mW/g, SAR (10g): 0.384 mW/g

Cellular CDMA Phone Model : WCE-100SU
Cellular CDMA Mode, Ch.384[836.52MHz];Main Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 21 °C
Conducted Power = 25dBm; Spacing = 1.5cm from Back (antenna side) to flat phantom : Antenna In
Test Date -- 07 / 25 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]




Digital EMC Co.,Ltd

FCC ID : POQWCE-100SU

Modottel : FCC ID : POQWCE-100SU -- Cellular Body SAR (Nomal Rear Cover)

SAM(835M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(6.60,6.60,6.60);
Med. parameter 835 MHz Muscle: $\sigma = 0.99$ mho/m $\epsilon_r = 53.7$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest factor: 1.0;
SAR (1g): 0.685 mW/g, SAR (10g): 0.469 mW/g

Cellular CDMA Phone Model : WCE-100SU
Cellular CDMA Mode, Ch.384[836.52MHz];Main Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 21 °C
Conducted Power = 23.5dBm; Spacing = 1.5cm from Back (antenna side) to flat phantom : Antenna Out
Test Date -- 07 / 25 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]




Digital EMC Co.,Ltd

FCC ID : POQWCE-100SU

Modottel : FCC ID : POQWCE-100SU -- Cellular Body SAR (Nomal Rear Cover)

SAM(835M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(6.60,6.60,6.60);
Med. parameter 835 MHz Muscle: $\sigma = 0.99$ mho/m $\epsilon_r = 53.7$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest factor: 1.0;
SAR (1g): 0.479 mW/g, SAR (10g): 0.321 mW/g

Cellular CDMA Phone Model : WCE-100SU
Cellular CDMA Mode, Ch.777[848.31MHz];Main Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 21 °C
Conducted Power = 23.5dBm; Spacing = 1.5cm from Back (antenna side) to flat phantom : Antenna In
Test Date -- 07 / 25 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]




Digital EMC Co.,Ltd

FCC ID : POQWCE-100SU

Modottel : FCC ID : POQWCE-100SU -- Cellular Body SAR (Nomal Rear Cover)

SAM(835M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(6.60,6.60,6.60);
Med. parameter 835 MHz Muscle: $\sigma = 0.99$ mho/m $\epsilon_r = 53.7$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest factor: 1.0;
SAR (1g): 0.637 mW/g, SAR (10g): 0.429 mW/g

Cellular CDMA Phone Model : WCE-100SU
Cellular CDMA Mode, Ch.777[848.31MHz];Main Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 21 °C
Conducted Power = 23.5dBm; Spacing = 1.5cm from Back (antenna side) to flat phantom : Antenna Out
Test Date -- 07 / 25 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]




Digital EMC Co.,Ltd

FCC ID : POQWCE-100SU

Modottel : FCC ID : POQWCE-100SU -- Cellular Body SAR (Nomal Rear Cover)

SAM(835M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(6.60,6.60,6.60);
Med. parameter 835 MHz Muscle: $\sigma = 0.99$ mho/m $\epsilon_r = 53.7$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest factor: 1.0;
SAR (1g): 0.298 mW/g, SAR (10g): 0.201 mW/g

Cellular CDMA Phone Model : WCE-100SU
Cellular CDMA Mode, Ch.1013[824.7MHz];Main Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 21 °C
Conducted Power = 23.5dBm; Spacing = 1.5cm from Back (antenna side) to flat phantom : Antenna In
Test Date -- 07 / 25 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd


FCC ID : POQWCE-100SU

Modottel : FCC ID : POQWCE-100SU -- Cellular Body SAR (Nomal Rear Cover)

SAM(835M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(6.60,6.60,6.60);
Med. parameter 835 MHz Muscle: $\sigma = 0.99$ mho/m $\epsilon_r = 53.7$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest factor: 1.0;
SAR (1g): 0.390 mW/g, SAR (10g): 0.267 mW/g

Cellular CDMA Phone Model : WCE-100SU

Cellular CDMA Mode, Ch.1013[824.64MHz];Main Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 21 °C
Conducted Power = 23.5dBm; Spacing = 1.5cm from Back (antenna side) to flat phantom ; Antenna Out
Test Date -- 07 / 25 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

FCC ID : POQWCE-100SU

Modottel : FCC ID : POQWCE-100SU -- Cellular Head SAR (RUIM Rear Cover)


SAM(835M) Phantom; Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);
Med. parameter 835 MHz Brain: $\sigma = 0.89$ mho/m $\epsilon_r = 39.6$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest factor: 1.0;

Cellular CDMA Phone Model : WCE-100SU

Cellular CDMA Mode, Ch777.[848.31MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power= 23.5dbm; Right Head Phantom, Cheek / Touch position; Antenna Out

Test Date -- 07 / 24 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

FCC ID : POQWCE-100SU

Modottel : FCC ID : POQWCE-100SU -- Cellular Head SAR (RUIM Rear Cover)


SAM(835M) Phantom; Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);
Med. parameter 835 MHz Brain: $\sigma = 0.89$ mho/m $\epsilon_r = 39.6$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest factor: 1.0;

Cellular CDMA Phone Model : WCE-100SU

Cellular CDMA Mode, Ch.384[836.52MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 23.5dBm; Left Head Phantom, 15° Degree Tilt position; Antenna In

Test Date -- 07 / 24 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

FCC ID : POQWCE-100SU

Modottel : FCC ID : POQWCE-100SU -- Cellular Body SAR RUIM Rear Cover)


SAM(835M) Phantom; Section; Probe: ET3DV6 - SN1703; ConvF(6.60,6.60,6.60);
Med. parameter 835 MHz Muscle: $\sigma = 0.99$ mho/m $\epsilon_r = 53.7$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest factor: 1.0;

Cellular CDMA Phone Model : WCE-SU100

Cellular CDMA Mode, Ch.777[848.31MHz];Main Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 21 °C

Conducted Power = 23.5dBm; Spacing = 1.5cm from Back (antenna side) to flat phantom : Antenna Out

Test Date -- 07 / 25 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]




Digital EMC Co.,Ltd

FCC ID : POQWCE-100SU

Modottel : FCC ID : POQWCE-100SU -- Cellular Body SAR (Nomal Rear Cover)

SAM(835M) Phantom; Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);
Med. parameter 835 MHz Brain: $\sigma = 0.89$ mho/m $\epsilon_r = 39.6$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest factor: 1.0;

Cellular CDMA Phone Model : WCE-100SU
Cellular CDMA Mode, Ch.777[848.31MHz];Standard Battery; Ambient Temp = 23℃/Meas. Tissue Temp. = 22℃
Conducted Power = 23.5dbm; Right Head Phantom, Cheek / Touch position; Antenna Out
Test Date -- 07 / 24 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

FCC ID : POQWCE-100SU

Modottel : FCC ID : POQWCE-100SU -- Cellular Head SAR (Nomal Rear Cover)


SAM(835M) Phantom; Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);
Med. parameter 835 MHz Brain: $\sigma = 0.89$ mho/m $\epsilon_r = 39.6$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest factor: 1.0;

Cellular CDMA Phone Model : WCE-100SU

Cellular CDMA Mode, Ch.384[836.52MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 23.5dBm; Left Head Phantom, Cheek / Touch position ; Antenna Out

Test Date -- 07 / 24 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

FCC ID : POQWCE-100SU

Modottel : FCC ID : POQWCE-100SU -- Cellular Head SAR (Nomal Rear Cover)


SAM(835M) Phantom; Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);
Med. parameter 835 MHz Brain: $\sigma = 0.89$ mho/m $\epsilon_r = 39.6$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest factor: 1.0;

Cellular CDMA Phone Model : WCE-100SU

Cellular CDMA Mode, Ch.384[836.52MHz];Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 23.5dBm; Left Head Phantom, 15° Degree Tilt position; Antenna Out

Test Date -- 07 / 24 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd


FCC ID : POQWCE-100SU

Modottel : FCC ID : POQWCE-100SU -- Cellular Body SAR (Nomal Rear Cover)

SAM(835M) Phantom; Section; Probe: ET3DV6 - SN1703; ConvF(6.60,6.60,6.60);
Med. parameter 835 MHz Muscle: $\sigma = 0.99$ mho/m $\epsilon_r = 53.7$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest factor: 1.0;

Cellular CDMA Phone Model : WCE-SU100

Cellular CDMA Mode, Ch.384[836.52MHz];Main Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 21 °C
Conducted Power = 23.5dBm; Spacing = 1.5cm from Back (antenna side) to flat phantom : Antenna Out
Test Date -- 07 / 25 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



Digital EMC Co.,Ltd

FCC ID : POQWCE-100SU