



Modottel Co., Ltd. FCC ID: POQWPE-2300

SAM Phantom; Right Hand Section; Position: (75°,230°)
Probe: ET3DV6 - SN1590; ConvF(5.78,5.78,5.78); Crest factor: 1.0
1880 MHz Brain: $\sigma = 1.48 \text{ mho/m}$ $\epsilon_r = 39.7$ $\rho = 1.00 \text{ g/cm}^3$
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Cube 5x5x7; Powerdrift: -0.12 dB
SAR (1g): 1.47 mW/g, SAR (10g): 0.798 mW/g

Ambient Temperature: 22.6°C Fluid Temperature: 23°C
Head SAR - Right Cheek/Touch Position
Antenna In
Model: WPE-2300
PCS CDMA Mode
Extended Battery
Channel 25 [1851.25 MHz]
Conducted Power: 24.56 dBm
Date Tested: January 29, 2002



Modottel Co., Ltd. FCC ID: POQWPE-2300

SAM Phantom; Right Hand Section

Probe: ET3DV6 - SN1590; ConvF(5.78,5.78,5.78); Crest factor: 1.0;

1880 MHz Brain: $\sigma = 1.48$ mho/m $\epsilon_r = 39.7$ $\rho = 1.00$ g/cm³

Z-Axis Extrapolation at Peak SAR Location

Ambient Temperature: 22.6°C Fluid Temperature: 23°C

Head SAR - Right Cheek/Touch Position

Antenna In

Model: WPE-2300


PCS CDMA Mode

Extended Battery

Channel 25 [1851.25 MHz]

Conducted Power: 24.56 dBm


Date Tested: January 29, 2002



Modottel Co., Ltd. FCC ID: POQWPE-2300

SAM Phantom; Right Hand Section; Position: (75°,230°)
Probe: ET3DV6 - SN1590; ConvF(5.78,5.78,5.78); Crest factor: 1.0
1880 MHz Brain: $\sigma = 1.48 \text{ mho/m}$ $\epsilon_r = 39.7$ $\rho = 1.00 \text{ g/cm}^3$
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Cube 5x5x7; Powerdrift: -0.14 dB
SAR (1g): 0.407 mW/g, SAR (10g): 0.223 mW/g


Ambient Temperature: 22.6°C Fluid Temperature: 23°C
Head SAR - Right Cheek/Touch Position
Antenna Out
Model: WPE-2300
PCS CDMA Mode
Extended Battery
Channel 25 [1851.25 MHz]
Conducted Power: 24.51 dBm
Date Tested: January 29, 2002



Modottel Co., Ltd. FCC ID: POQWPE-2300

SAM Phantom; Right Hand Section; Position: (75°,230°)
Probe: ET3DV6 - SN1590; ConvF(5.78,5.78,5.78); Crest factor: 1.0
1880 MHz Brain: $\sigma = 1.48 \text{ mho/m}$ $\epsilon_r = 39.7$ $\rho = 1.00 \text{ g/cm}^3$
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Cube 5x5x7; Powerdrift: -0.16 dB
SAR (1g): 1.08 mW/g, SAR (10g): 0.587 mW/g


Ambient Temperature: 22.6°C Fluid Temperature: 23°C
Head SAR - Right Cheek/Touch Position
Antenna In
Model: WPE-2300
PCS CDMA Mode
Extended Battery
Channel 600 [1880.00 MHz]
Conducted Power: 24.56 dBm
Date Tested: January 29, 2002



Modottel Co., Ltd. FCC ID: POQWPE-2300

SAM Phantom; Right Hand Section; Position: (75°,230°)
Probe: ET3DV6 - SN1590; ConvF(5.78,5.78,5.78); Crest factor: 1.0
1880 MHz Brain: $\sigma = 1.48 \text{ mho/m}$ $\epsilon_r = 39.7$ $\rho = 1.00 \text{ g/cm}^3$
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Cube 5x5x7; Powerdrift: -0.14 dB
SAR (1g): 0.729 mW/g, SAR (10g): 0.410 mW/g


Ambient Temperature: 22.6°C Fluid Temperature: 23°C
Head SAR - Right Cheek/Touch Position
Antenna Out
Model: WPE-2300
PCS CDMA Mode
Extended Battery
Channel 600 [1880.05 MHz]
Conducted Power: 24.57 dBm
Date Tested: January 29, 2002



Modottel Co., Ltd. FCC ID: POQWPE-2300

SAM Phantom; Right Hand Section; Position: (75°,230°)
Probe: ET3DV6 - SN1590; ConvF(5.78,5.78,5.78); Crest factor: 1.0
1880 MHz Brain: $\sigma = 1.48 \text{ mho/m}$ $\epsilon_r = 39.7$ $\rho = 1.00 \text{ g/cm}^3$
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Cube 5x5x7; Powerdrift: -0.18 dB
SAR (1g): 1.19 mW/g, SAR (10g): 0.624 mW/g


Ambient Temperature: 22.6°C Fluid Temperature: 23°C
Head SAR - Right Cheek/Touch Position
Antenna In
Model: WPE-2300
PCS CDMA Mode
Extended Battery
Channel 1175 [1908.75 MHz]
Conducted Power: 24.55 dBm
Date Tested: January 29, 2002



Modottel Co., Ltd. FCC ID: POQWPE-2300

SAM Phantom; Right Hand Section; Position: (75°,230°)
Probe: ET3DV6 - SN1590; ConvF(5.78,5.78,5.78); Crest factor: 1.0
1880 MHz Brain: $\sigma = 1.48 \text{ mho/m}$ $\epsilon_r = 39.7$ $\rho = 1.00 \text{ g/cm}^3$
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Cube 5x5x7; Powerdrift: -0.15 dB
SAR (1g): 0.625 mW/g, SAR (10g): 0.342 mW/g


Ambient Temperature: 22.6°C Fluid Temperature: 23°C
Head SAR - Right Cheek/Touch Position
Antenna Out
Model: WPE-2300
PCS CDMA Mode
Extended Battery
Channel 1175 [1908.75 MHz]
Conducted Power: 24.54 dBm
Date Tested: January 29, 2002



Modottel Co., Ltd. FCC ID: POQWPE-2300

SAM Phantom; Right Hand Section; Position: (90°,230°)
Probe: ET3DV6 - SN1590; ConvF(5.78,5.78,5.78); Crest factor: 1.0
1880 MHz Brain: $\sigma = 1.48 \text{ mho/m}$ $\epsilon_r = 39.7$ $\rho = 1.00 \text{ g/cm}^3$
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Cube 5x5x7; Powerdrift: -0.20 dB
SAR (1g): 0.165 mW/g, SAR (10g): 0.0976 mW/g

Ambient Temperature: 22.6°C Fluid Temperature: 23°C
Head SAR - Right Ear/Tilt Position
Antenna In
Model: WPE-2300
PCS CDMA Mode
Extended Battery
Channel 600 [1880.00 MHz]
Conducted Power: 24.53 dBm
Date Tested: January 29, 2002



Modottel Co., Ltd. FCC ID: POQWPE-2300

SAM Phantom; Right Hand Section; Position: (90°,230°)
Probe: ET3DV6 - SN1590; ConvF(5.78,5.78,5.78); Crest factor: 1.0
1880 MHz Brain: $\sigma = 1.48 \text{ mho/m}$ $\epsilon_r = 39.7$ $\rho = 1.00 \text{ g/cm}^3$
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Cube 5x5x7; Powerdrift: 0.04 dB
SAR (1g): 0.0912 mW/g, SAR (10g): 0.0548 mW/g

Ambient Temperature: 22.6°C Fluid Temperature: 23°C
Head SAR - Right Ear/Tilt Position
Antenna Out
Model: WPE-2300
PCS CDMA Mode
Extended Battery
Channel 600 [1880.00 MHz]
Conducted Power: 24.52 dBm
Date Tested: January 29, 2002

