

MODOTTEL FCC ID:POQWTE-500 -- Cellular CDMA Head SAR

SAM(835M) Phantom; Left Hand(FCC) Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);

Med. parameter 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 42.4$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 1.10 mW/g, SAR (10g): 0.731 mW/g

MODOTTEL Tri-Mode Model : WTE-500


Cellular CDMA Mode, Ch.777[848.31MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 25dBm; Left Head Phantom, Cheek / Touch position; Slide Up

Test Date -- 12 / 11 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



MODOTTEL FCC ID:POQWTE-500 -- Cellular CDMA Head SAR

SAM(835M) Phantom; Left Hand(FCC) Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);

Med. parameter 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 42.4$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 1.17 mW/g, SAR (10g): 0.791 mW/g

MODOTTEL Tri-Mode Model : WTE-500

Cellular CDMA Mode, Ch.777[848.31MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 25dBm; Left Head Phantom, Cheek/Touch position; Slide Down

Test Date -- 12 / 11 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



MODOTTEL FCC ID:POQWTE-500 --Cellular CDMA Head SAR

SAM(835M) Phantom; Left Hand(FCC) Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);

Med. parameter 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 42.4$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.557 mW/g, SAR (10g): 0.336 mW/g

MODOTTEL Tri-Mode Model : WTE-500


Cellular CDMA Mode, Ch.1013[824.70MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 25dBm; Left Head Phantom, 15° Degree Tilt position; Slide Up

Test Date -- 12 / 11 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



MODOTTEL FCC ID:POQWTE-500 -- Cellular CDMA Head SAR

SAM(835M) Phantom; Left Hand(FCC) Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);

Med. parameter 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 42.4$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.649 mW/g, SAR (10g): 0.415 mW/g

MODOTTEL Tri-Mode Model : WTE-500

Cellular CDMA Mode, Ch.1013[824.70MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 25dBm; Left Head Phantom, 15° Degree Tilt position; Slide Down

Test Date -- 12 / 11 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



MODOTTEL FCC ID:POQWTE-500 -- Cellular CDMA Head SAR

SAM(835M) Phantom; Left Hand(FCC) Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);

Med. parameter 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 42.4$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.655 mW/g, SAR (10g): 0.437 mW/g

MODOTTEL Tri-Mode Model : WTE-500

Cellular CDMA Mode, Ch.384[836.52MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 25dBm; Left Head Phantom, 15° Degree Tilt position; Slide Up

Test Date -- 12 / 11 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



MODOTTEL FCC ID:POQWTE-500 -- Cellular CDMA Head SAR

SAM(835M) Phantom; Left Hand(FCC) Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);

Med. parameter 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 42.4$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 1.20 mW/g, SAR (10g): 0.752 mW/g

MODOTTEL Tri-Mode Model : WTE-500

Cellular CDMA Mode, Ch.384[836.52MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 25dBm; Left Head Phantom, 15° Degree Tilt position; Slide Down

Test Date -- 12 / 11 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



MODOTTEL FCC ID:POQWTE-500 -- Cellular CDMA Head SAR

SAM(835M) Phantom; Left Hand(FCC) Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);

Med. parameter 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 42.4$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.589 mW/g, SAR (10g): 0.398 mW/g

MODOTTEL Tri-Mode Model : WTE-500

Cellular CDMA Mode, Ch.777[848.31MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 25dBm; Left Head Phantom, 15° Degree Tilt position; Slide Up

Test Date -- 09 / 05 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



MODOTTEL FCC ID:POQWTE-500 -- Cellular CDMA Head SAR

SAM(835M) Phantom; Left Hand(FCC) Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);

Med. parameter 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 42.4$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 1.03 mW/g, SAR (10g): 0.649 mW/g

MODOTTEL Tri-Mode Model : WTE-500

Cellular CDMA Mode, Ch.777[848.31MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 25dBm; Left Head Phantom, 15° Degree Tilt position; Slide Down

Test Date -- 12 / 11 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



MODOTTEL FCC ID:POQWTE-500 -- Cellular CDMA Body SAR


SAM(835M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(6.60,6.60,6.60);
Med. parameter 835 MHz Muscle: $\sigma = 0.97$ mho/m $\epsilon_r = 53.9$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;
SAR (1g): 1.00 mW/g, SAR (10g): 0.679 mW/g

MODOTTEL Tri-Mode Model : WTE-500

Cellular CDMA Mode, Ch.1013[824.70MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 25dBm; Spacing = 1.5cm from Back (antenna side) to flat phantom : Slide Up

Test Date -- 12 / 11 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



MODOTTEL FCC ID:POQWTE-500 -- Cellular CDMA Body SAR

SAM(835M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(6.60,6.60,6.60);

Med. parameter 835 MHz Muscle: $\sigma = 0.97$ mho/m $\epsilon_r = 53.9$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.969 mW/g, SAR (10g): 0.672 mW/g

MODOTTEL Tri-Mode Model : WTE-500

Cellular CDMA Mode, Ch.1013[824.70MHz]; Standard Battery; Ambient Temp = 23°C/Meas. Tissue Temp. = 22°C

Conducted Power = 25dBm; Spacing = 1.5cm from Back (antenna side) to flat phantom : Slide Down

Test Date -- 12 / 11 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



MODOTTEL FCC ID:POQWTE-500 -- Cellular CDMA Body SAR


SAM(835M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(6.60,6.60,6.60);
Med. parameter 835 MHz Muscle: $\sigma = 0.97$ mho/m $\epsilon_r = 53.9$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;
SAR (1g): 1.17 mW/g, SAR (10g): 0.801 mW/g

MODOTTEL Tri-Mode Model : WTE-500

Cellular CDMA Mode, Ch.384[836.52MHz]; Standard Battery; Ambient Temp = 23°C/Meas. Tissue Temp. = 22°C

Conducted Power = 25dBm; Spacing = 1.5cm from Back (antenna side) to flat phantom : Slide Up

Test Date -- 12 / 11 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



MODOTTEL FCC ID:POQWTE-500 -- Cellular CDMA Body SAR

SAM(835M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(6.60,6.60,6.60);

Med. parameter 835 MHz Muscle: $\sigma = 0.97$ mho/m $\epsilon_r = 53.9$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 1.30 mW/g, SAR (10g): 0.896 mW/g

MODOTTEL Tri-Mode Model : WTE-500

Cellular CDMA Mode, Ch.384[836.52MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 25dBm; Spacing = 1.5cm from Back (antenna side) to flat phantom : Slide Down

Test Date -- 12 / 11 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



MODOTTEL FCC ID:POQWTE-500 -- Cellular CDMA Body SAR


SAM(835M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(6.60,6.60,6.60);
Med. parameter 835 MHz Muscle: $\sigma = 0.97$ mho/m $\epsilon_r = 53.9$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;
SAR (1g): 0.960 mW/g, SAR (10g): 0.662 mW/g

MODOTTEL Tri-Mode Model : WTE-500

Cellular CDMA Mode, Ch.777[848.31MHz]; Standard Battery; Ambient Temp = 23°C/Meas. Tissue Temp. = 22°C

Conducted Power =25dBm; Spacing = 1.5cm from Back (antenna side) to flat phantom : Slide Up

Test Date -- 12 / 11 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



MODOTTEL FCC ID:POQWTE-500 -- Cellular CDMA Body SAR

SAM(835M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(6.60,6.60,6.60);

Med. parameter 835 MHz Muscle: $\sigma = 0.97$ mho/m $\epsilon_r = 53.9$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.953 mW/g, SAR (10g): 0.657 mW/g

MODOTTEL Tri-Mode Model : WTE-500

Cellular CDMA Mode, Ch.777[848.31MHz]; Standard Battery; Ambient Temp = 23°C/Meas. Tissue Temp. = 22°C

Conducted Power = 25dBm; Spacing = 1.5cm from Back (antenna side) to flat phantom : Slide Down

Test Date -- 12 / 11 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



MODOTTEL FCC ID:POQWTE-500 -- Cellular CDMA Head SAR


SAM(835M) Phantom; Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);
Med. parameter 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 42.4$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;

MODOTTEL Tri-Mode Model : WTE-500

Cellular CDMA Mode, Ch.384[836.52MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 25dBm; Right Head Phantom, Cheek/Touch position; Slide Down

Test Date -- 12 / 11 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



MODOTTEL FCC ID:POQWTE-500 -- Cellular CDMA Head SAR


SAM(835M) Phantom; Section; Probe: ET3DV6 - SN1703; ConvF(6.80,6.80,6.80);
Med. parameter 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 42.4$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;

MODOTTEL Tri-Mode Model : WTE-500

Cellular CDMA Mode, Ch.384[836.52MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 25dBm; Left Head Phantom, Cheek / Touch position; Slide Down

Test Date -- 12 / 11 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



MODOTTEL FCC ID:POQWTE-500 -- Cellular CDMA Body SAR

SAM(835M) Phantom; Section; Probe: ET3DV6 - SN1703; ConvF(6.60,6.60,6.60);
Med. parameter 835 MHz Muscle: $\sigma = 0.97$ mho/m $\epsilon_r = 53.9$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;

MODOTTEL Tri-Mode Model : WTE-500

Cellular CDMA Mode, Ch.384[836.52MHz]; Standard Battery; Ambient Temp = 23°C/Meas. Tissue Temp. = 22°C

Conducted Power = 25dBm; Spacing = 1.5cm from Back (antenna side) to flat phantom : Slide Down

Test Date -- 12 / 11 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]

