

MODOTTEL FCC ID:POQWTE-500 -- PCS CDMA Head SAR

SAM(1900M) Phantom; Right Hand(FCC) Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.44$ mho/m $\epsilon_r = 38.1$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.998 mW/g, SAR (10g): 0.548 mW/g

MODOTTEL Tri-Mode Model : WTE-500

PCS CDMA Mode, Ch.25[1851.25MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Right Head Phantom, Cheek/Touch position; Slide Up

Test Date -- 12 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



MODOTTEL FCC ID:POQWTE-500 -- PCS CDMA Head SAR

SAM(1900M) Phantom; Right Hand(FCC) Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.44$ mho/m $\epsilon_r = 38.1$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.793 mW/g, SAR (10g): 0.455 mW/g

MODOTTEL Tri-Mode Model : WTE-500

PCS CDMA Mode, Ch.25[1851.25MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Right Head Phantom, Cheek/Touch position; Slide Down

Test Date -- 12 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



MODOTTEL FCC ID:POQWTE-500 -- PCS CDMAHead SAR

SAM(1900M) Phantom; Right Hand(FCC) Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.44$ mho/m $\epsilon_r = 38.1$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.851 mW/g, SAR (10g): 0.484 mW/g

MODOTTEL Tri-Mode Model : WTE-500

PCS CDMA Mode, Ch.25[1851.25MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Right Head Phantom, Cheek/Touch position; Slide Down

Test Date -- 12 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



MODOTTEL FCC ID:POQWTE-500 -- PCS CDMA Head SAR

SAM(1900M) Phantom; Right Hand(FCC) Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.44$ mho/m $\epsilon_r = 38.1$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.762 mW/g, SAR (10g): 0.428 mW/g

MODOTTEL Tri-Mode Model : WTE-500

PCS CDMA Mode, Ch.600[1880.00MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Right Head Phantom, Cheek/Topuch position; Slide Up

Test Date -- 12 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



MODOTTEL FCC ID:POQWTE-500 -- PCS CDMA Head SAR

SAM(1900M) Phantom; Right Hand(FCC) Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.44$ mho/m $\epsilon_r = 38.1$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.520 mW/g, SAR (10g): 0.273 mW/g

MODOTTEL Tri-Mode Model : WTE-500

PCS CDMA Mode, Ch.600[1880.00MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Right Head Phantom, Cheek/Touch position; Slide Up

Test Date -- 12 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



MODOTTEL FCC ID:POQWTE-500 -- PCS CDMA Head SAR

SAM(1900M) Phantom; Right Hand(FCC) Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.44$ mho/m $\epsilon_r = 38.1$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.628 mW/g, SAR (10g): 0.348 mW/g

MODOTTEL Tri-Mode Model : WTE-500

PCS CDMA Mode, Ch.600[1880.00MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Right Head Phantom, Sheek/Touch position; Slide Down

Test Date -- 12 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



MODOTTEL FCC ID:POQWTE-500 -- PCS CDMA Head SAR

SAM(1900M) Phantom; Right Hand(FCC) Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.44$ mho/m $\epsilon_r = 38.1$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.569 mW/g, SAR (10g): 0.307 mW/g

MODOTTEL Tri-Mode Model : WTE-500

PCS CDMA Mode, Ch.600[1880.00MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Right Head Phantom, Cheek/Touch position; Slide Down

Test Date -- 12 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



MODOTTEL FCC ID:POQWTE-500 -- PCS CDMA Head SAR

SAM(1900M) Phantom; Right Hand(FCC) Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.44$ mho/m $\epsilon_r = 38.1$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.663 mW/g, SAR (10g): 0.362 mW/g

MODOTTEL Tri-Mode Model : WTE-500

PCS CDMA Mode, Ch.1175[1908.75MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Right Head Phantom, Cheek/Touch position; Slide Up

Test Date -- 12 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



MODOTTEL FCC ID:POQWTE-500 -- PCS CDMA Head SAR

SAM(1900M) Phantom; Right Hand(FCC) Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.44$ mho/m $\epsilon_r = 38.1$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.601 mW/g, SAR (10g): 0.330 mW/g

MODOTTEL Tri-Mode Model : WTE-500

PCS CDMA Mode, Ch.1175[1908.75MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Right Head Phantom, Cheek/Touch position; Slide Down

Test Date -- 12 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



MODOTTEL FCC ID:POQWTE-500 -- PCS CDMA Head SAR

SAM(1900M) Phantom; Right Hand(FCC) Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.44$ mho/m $\epsilon_r = 38.1$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.456 mW/g, SAR (10g): 0.258 mW/g

MODOTTEL Tri-Mode Model : WTE-500

PCS CDMA Mode, Ch.1175[1908.75MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Right Head Phantom, Cheek/Touch position; Slide Down

Test Date -- 12 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



MODOTTEL FCC ID:POQWTE-500 -- PCS CDMA Head SAR

SAM(1900M) Phantom; Right Hand(FCC) Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.44$ mho/m $\epsilon_r = 38.1$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.603 mW/g, SAR (10g): 0.338 mW/g

MODOTTEL Tri-Mode Model : WTE-500

PCS CDMA Mode, Ch.25[1851.25MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Right Head Phantom, 15° Degree Tilt position; Slide Up

Test Date -- 12 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



MODOTTEL FCC ID:POQWTE-500 -- PCS CDMA Head SAR

SAM(1900M) Phantom; Right Hand(FCC) Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.44$ mho/m $\epsilon_r = 38.1$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 1.15 mW/g, SAR (10g): 0.619 mW/g

MODOTTEL Tri-Mode Model : WTE-500

PCS CDMA Mode, Ch.25[1851.25MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Right Head Phantom, 15° Degree Tilt position; Slide Down

Test Date -- 12 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



MODOTTEL FCC ID:POQWTE-500 -- PCS CDMA Head SAR

SAM(1900M) Phantom; Right Hand(FCC) Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.44$ mho/m $\epsilon_r = 38.1$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.447 mW/g, SAR (10g): 0.252 mW/g

MODOTTEL Tri-Mode Model : WTE-500

PCS CDMA Mode, Ch.600[1880.00MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Right Head Phantom, 15° Degree Tilt position; Slide Up

Test Date -- 12 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



MODOTTEL FCC ID:POQWTE-500 -- PCS CDMA Head SAR

SAM(1900M) Phantom; Right Hand(FCC) Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.44$ mho/m $\epsilon_r = 38.1$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.773 mW/g, SAR (10g): 0.420 mW/g

MODOTTEL Tri-Mode Model : WTE-500

PCS CDMA Mode, Ch.600[1880.00MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Right Head Phantom, 15° Degree Tilt position; Slide Down

Test Date -- 12 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



MODOTTEL FCC ID:POQWTE-500 -- PCS CDMA Head SAR

SAM(1900M) Phantom; Right Hand(FCC) Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.44$ mho/m $\epsilon_r = 38.1$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.347 mW/g, SAR (10g): 0.191 mW/g

MODOTTEL Tri-Mode Model : WTE-500

PCS CDMA Mode, Ch.1175[1908.75MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Right Head Phantom, 15° Degree Tilt position; Slide Up

Test Date -- 12 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



MODOTTEL FCC ID:POQWTE-500 -- PCS CDMA Head SAR

SAM(1900M) Phantom; Right Hand(FCC) Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.44$ mho/m $\epsilon_r = 38.1$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.907 mW/g, SAR (10g): 0.482 mW/g

MODOTTEL Tri-Mode Model : WTE-500

PCS CDMA Mode, Ch.1175[1908.75MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Right Head Phantom, 15° Degree Tilt position; Slide Down

Test Date -- 12 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



MODOTTEL FCC ID:POQWTE-500 -- PCS CDMA Head SAR

SAM(1900M) Phantom; Left Hand(FCC) Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.44$ mho/m $\epsilon_r = 38.1$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 1.44 mW/g, SAR (10g): 0.732 mW/g

MODOTTEL Tri-Mode Model : WTE-500

PCS CDMA Mode, Ch.25[1851.25MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Left Head Phantom, Cheek / Touch position; Slide Up

Test Date -- 12 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



MODOTTEL FCC ID:POQWTE-500 -- PCS CDMA Head SAR

SAM(1900M) Phantom; Left Hand(FCC) Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.44$ mho/m $\epsilon_r = 38.1$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 1.37 mW/g, SAR (10g): 0.739 mW/g

MODOTTEL Tri-Mode Model : WTE-500

PCS CDMA Mode, Ch.25[1851.25MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Left Head Phantom, Cheek / Touch position; Slide Down

Test Date -- 12 /15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



MODOTTEL FCC ID:POQWTE-500 -- PCS CDMAHead SAR

SAM(1900M) Phantom; Left Hand(FCC) Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.44$ mho/m $\epsilon_r = 38.1$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.940 mW/g, SAR (10g): 0.533 mW/g

MODOTTEL Tri-Mode Model : WTE-500


PCS CDMA Mode, Ch.25[1851.25MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Left Head Phantom, Cheek / Touch position; Slide Down

Test Date -- 12 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



MODOTTEL FCC ID:POQWTE-500 -- PCS CDMA Head SAR

SAM(1900M) Phantom; Left Hand(FCC) Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.44$ mho/m $\epsilon_r = 38.1$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;

SAR (1g): 1.22 mW/g, SAR (10g): 0.616 mW/g

MODOTTEL Tri-Mode Model : WTE-500

PCS CDMA Mode, Ch.600[1880.00MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Left Head Phantom, Cheek / Touch position; Slide Up

Test Date -- 12 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]

