

MODOTTEL FCC ID:POQWTE-500 -- PCS CDMA Head SAR

SAM(1900M) Phantom; Left Hand(FCC) Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.44$ mho/m $\epsilon_r = 38.1$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.822 mW/g, SAR (10g): 0.450 mW/g

MODOTTEL Tri-Mode Model : WTE-500

PCS CDMA Mode, Ch.600[1880.00MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Left Head Phantom, Cheek / Touch position; Slide Down

Test Date -- 12 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



MODOTTEL FCC ID:POQWTE-500 -- PCS CDMA Head SAR

SAM(1900M) Phantom; Left Hand(FCC) Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.44$ mho/m $\epsilon_r = 38.1$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.534 mW/g, SAR (10g): 0.308 mW/g

MODOTTEL Tri-Mode Model : WTE-500


PCS CDMA Mode, Ch.600[1880.00MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Left Head Phantom, Cheek / Touch position; Slide Down

Test Date -- 12 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



MODOTTEL FCC ID:POQWTE-500 -- PCS CDMA Head SAR

SAM(1900M) Phantom; Left Hand(FCC) Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.44$ mho/m $\epsilon_r = 38.1$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 1.02 mW/g, SAR (10g): 0.518 mW/g

MODOTTEL Tri-Mode Model : WTE-500

PCS CDMA Mode, Ch.1175[1908.75MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Left Head Phantom, Cheek / Touch position;Slide Up

Test Date -- 12 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



MODOTTEL FCC ID:POQWTE-500 -- PCS CDMA Head SAR

SAM(1900M) Phantom; Left Hand(FCC) Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.44$ mho/m $\epsilon_r = 38.1$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.741 mW/g, SAR (10g): 0.413 mW/g

MODOTTEL Tri-Mode Model : WTE-500

PCS CDMA Mode, Ch.1175[1908.75MHz]; Standard Battery; Ambient Temp = 23°C/Meas. Tissue Temp. = 22°C

Conducted Power = 24dBm; Left Head Phantom, Cheek / Touch position; Slide Down

Test Date -- 12 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



MODOTTEL FCC ID:POQWTE-500 -- PCS CDMA Head SAR

SAM(1900M) Phantom; Left Hand(FCC) Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.44$ mho/m $\epsilon_r = 38.1$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.571 mW/g, SAR (10g): 0.321 mW/g

MODOTTEL Tri-Mode Model : WTE-500

PCS CDMA Mode, Ch.1175[1908.75MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Left Head Phantom, Cheek / Touch position; Slide Down

Test Date -- 12 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



MODOTTEL FCC ID:POQWTE-500 -- PCS CDMA Head SAR

SAM(1900M) Phantom; Left Hand(FCC) Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.44$ mho/m $\epsilon_r = 38.1$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.804 mW/g, SAR (10g): 0.435 mW/g

MODOTTEL Tri-Mode Model : WTE-500

PCS CDMA Mode, Ch.25[1851.25MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Left Head Phantom, 15° Degree Tilt position; Slide Up

Test Date -- 12 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



MODOTTEL FCC ID:POQWTE-500 -- PCS CDMA Head SAR

SAM(1900M) Phantom; Left Hand(FCC) Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.44$ mho/m $\epsilon_r = 38.1$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 1.44 mW/g, SAR (10g): 0.776 mW/g

MODOTTEL Tri-Mode Model : WTE-500

PCS CDMA Mode, Ch.25[1851.25MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Left Head Phantom, 15° Degree Tilt position; Slide Down

Test Date -- 12 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



MODOTTEL FCC ID:POQWTE-500 -- PCS CDMA Head SAR

SAM(1900M) Phantom; Left Hand(FCC) Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.44$ mho/m $\epsilon_r = 38.1$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.766 mW/g, SAR (10g): 0.416 mW/g

MODOTTEL Tri-Mode Model : WTE-500

PCS CDMA Mode, Ch.600[1908.75MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Left Head Phantom, 15° Degree Tilt position; Slide Up

Test Date -- 12 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



MODOTTEL FCC ID:POQWTE-500 -- PCS CDMA Head SAR

SAM(1900M) Phantom; Left Hand(FCC) Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.44$ mho/m $\epsilon_r = 38.1$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 1.05 mW/g, SAR (10g): 0.563 mW/g

MODOTTEL Tri-Mode Model : WTE-500

PCS CDMA Mode, Ch.600[1880.00MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Left Head Phantom, 15° Degree Tilt position; Slide Down

Test Date -- 12/ 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



MODOTTEL FCC ID:POQWTE-500 -- PCS CDMA Head SAR

SAM(1900M) Phantom; Left Hand(FCC) Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.44$ mho/m $\epsilon_r = 38.1$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 0.540 mW/g, SAR (10g): 0.291 mW/g

MODOTTEL Tri-Mode Model : WTE-500

PCS CDMA Mode, Ch.1175[1908.75MHz]; Standard Battery; Ambient Temp = 23°C/Meas. Tissue Temp. = 22°C

Conducted Power = 24dBm; Left Head Phantom, 15° Degree Tilt position; Slide Up

Test Date -- 12 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



MODOTTEL FCC ID:POQWTE-500 -- PCS CDMA Head SAR

SAM(1900M) Phantom; Left Hand(FCC) Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);

Med. parameter 1900 MHz Brain: $\sigma = 1.44$ mho/m $\epsilon_r = 38.1$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;


SAR (1g): 1.10 mW/g, SAR (10g): 0.592 mW/g

MODOTTEL Tri-Mode Model : WTE-500

PCS CDMA Mode, Ch.1175[1908.75MHz]; Standard Battery; Ambient Temp = 23°C/Meas. Tissue Temp. = 22°C

Conducted Power = 24dBm; Left Head Phantom, 15° Degree Tilt position; Slide Down

Test Date -- 12 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



MODOTTEL FCC ID:POQWTE-500 -- PCS CDMA Body SAR


SAM(1900M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(4.90,4.90,4.90);
Med. parameter 1900 MHz Muscle: $\sigma = 1.57$ mho/m $\epsilon_r = 51.1$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;
SAR (1g): 1.09 mW/g, SAR (10g): 0.607 mW/g

MODOTTEL Tri-Mode Model : WTE-500

PCS CDMA Mode, Ch.25[1851.25MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power =24dBm; Spacing = 1.5cm from Back (antenna side) to flat phantom : Slide Up

Test Date -- 12 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



MODOTTEL FCC ID:POQWTE-500 -- PCS CDMA Body SAR


SAM(1900M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(4.90,4.90,4.90);
Med. parameter 1900 MHz Muscle: $\sigma = 1.57$ mho/m $\epsilon_r = 51.1$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;
SAR (1g): 1.38 mW/g, SAR (10g): 0.780 mW/g

MODOTTEL Tri-Mode Model : WTE-500

PCS CDMA Mode, Ch.25[1851.25MHz]; Standard Battery; Ambient Temp = 23°C/Meas. Tissue Temp. = 22°C

Conducted Power = 24dBm; Spacing = 1.5cm from Back (antenna side) to flat phantom : Slide Down

Test Date -- 12 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



MODOTTEL FCC ID:POQWTE-500 -- PCS CDMA Body SAR


SAM(1900M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(4.90,4.90,4.90);
Med. parameter 1900 MHz Muscle: $\sigma = 1.57$ mho/m $\epsilon_r = 51.1$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;
SAR (1g): 0.859 mW/g, SAR (10g): 0.481 mW/g

MODOTTEL Tri-Mode Model : WTE-500

PCS CDMA Mode, Ch.600[1880.00MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Spacing = 1.5cm from Back (antenna side) to flat phantom : Slide Up

Test Date -- 12 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



MODOTTEL FCC ID:POQWTE-500 -- PCS CDMA Body SAR


SAM(1900M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(4.90,4.90,4.90);
Med. parameter 1900 MHz Muscle: $\sigma = 1.57$ mho/m $\epsilon_r = 51.1$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;
SAR (1g): 0.886 mW/g, SAR (10g): 0.508 mW/g

MODOTTEL Tri-Mode Model : WTE-500

PCS CDMA Mode, Ch.600[1880.00MHz]; Standard Battery; Ambient Temp = 23°C/Meas. Tissue Temp. = 22°C

Conducted Power = 24dBm; Spacing = 1.5cm from Back (antenna side) to flat phantom : Slide Down

Test Date -- 12 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



MODOTTEL FCC ID:POQWTE-500 -- PCS CDMA Body SAR


SAM(1900M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(4.90,4.90,4.90);
Med. parameter 1900 MHz Muscle: $\sigma = 1.57$ mho/m $\epsilon_r = 51.1$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;
SAR (1g): 0.677 mW/g, SAR (10g): 0.383 mW/g

MODOTTEL Tri-Mode Model : WTE-500

PCS CDMA Mode, Ch.1175[1908.75MHz];Main Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Spacing = 1.5cm from Back (antenna side) to flat phantom : Slide Up

Test Date -- 12 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



MODOTTEL FCC ID:POQWTE-500 -- PCS CDMA Body SAR


SAM(1900M) Phantom; Flat Section; Probe: ET3DV6 - SN1703; ConvF(4.90,4.90,4.90);
Med. parameter 1900 MHz Muscle: $\sigma = 1.57$ mho/m $\epsilon_r = 51.1$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;
SAR (1g): 0.720 mW/g, SAR (10g): 0.404 mW/g

MODOTTEL Tri-Mode Model : WTE-500

PCS CDMA Mode, Ch.1175[1908.75MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Spacing = 1.5cm from Back (antenna side) to flat phantom : Slide Down

Test Date -- 12 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



MODOTTEL FCC ID:POQWTE-500 -- PCS CDMA Head SAR


SAM(1900M) Phantom; Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);
Med. parameter 1900 MHz Brain: $\sigma = 1.44$ mho/m $\epsilon_r = 38.1$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;

MODOTTEL Tri-Mode Model : WTE-500

PCS CDMA Mode, Ch.25[1851.25MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Right Head Phantom, 15° Degree Tilt position; Slide Down

Test Date -- 12 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



MODOTTEL FCC ID:POQWTE-500 -- PCS CDMAHead SAR


SAM(1900M) Phantom; Section; Probe: ET3DV6 - SN1703; ConvF(5.40,5.40,5.40);
Med. parameter 1900 MHz Brain: $\sigma = 1.44$ mho/m $\epsilon_r = 38.1$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;

MODOTTEL Tri-Mode Model : WTE-500

PCS Mode, Ch.25[1851.25MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Left Head Phantom, 15° Degree Tilt position; Slide Down

Test Date -- 12 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]



MODOTTEL FCC ID:POQWTE-500 -- PCS CDMA Body SAR

SAM(1900M) Phantom; Section; Probe: ET3DV6 - SN1703; ConvF(4.90,4.90,4.90);
Med. parameter 1900 MHz Muscle: $\sigma = 1.57$ mho/m $\epsilon_r = 51.1$ $\rho = 1.00$ g/cm³; Crest factor: 1.0;

MODOTTEL Tri-Mode Model : WTE-500

PCS CDMA Mode, Ch.25[1851.25MHz]; Standard Battery; Ambient Temp = 23 °C/Meas. Tissue Temp. = 22 °C

Conducted Power = 24dBm; Spacing = 1.5cm from Back (antenna side) to flat phantom : Slide Down

Test Date -- 12 / 15 / 2003 [FCC/OET Bulletin65 - Supplement C, July 2001]

