


ATTACHMENT O – SAR TEST PLOTS (2 of 4)


TX-110C

SAM II Phantom: Left Hand [CRP] Section: Position: (90°,180°); Frequency: 835 MHz
Probe: ET3DV6 - SN1607; ConvF(6.22,6.22,6.22); Crest factor: 1.0; Head 835 MHz: $s = 0.88$
 mho/m $\epsilon_r = 42.4$ $r = 1.00$ g/cm³
Cube 5x5x7: SAR (1g): 0.522 mW/g, SAR (10g): 0.351 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.13 dB
Comment:
FCC ID: PP4TX-110C / MODEL: TX-110C
Company: Hyundai Curitel Inc.
Test Position: Left Touch / Antenna: in
Mode: CDMA / Channel: 1013 (824.70MHz)
Conducted Power : 25.5 dBm
Liquid Temperature : 21.4°C
Date Tested : November 21, 2004




TX-110C

SAM II Phantom; Left Hand [CRP] Section; Position: (90°,180°); Frequency: 835 MHz
Probe: ET3DV6 - SN1607; ConvF(6.22,6.22,6.22); Crest factor: 1.0; Head 835 MHz: $s = 0.88$
 mho/m $\epsilon_r = 42.4$ $\rho = 1.00$ g/cm³
Cube 5x5x7: SAR (1g): 0.420 mW/g, SAR (10g): 0.281 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.13 dB
Comment:
FCC ID: PP4TX-110C / MODEL: TX-110C
Company: Hyundai Curitel Inc.
Test Position: Left Touch / Antenna: out
Mode: CDMA / Channel: 1013 (824.70MHz)
Conducted Power : 25.5 dBm
Liquid Temperature : 21.4°C
Date Tested : November 21, 2004




TX-110C

SAM II Phantom; Left Hand [CRP] Section; Position: (90°,180°); Frequency: 835 MHz
Probe: ET3DV6 - SN1607; ConvF(6.22,6.22,6.22); Crest factor: 1.0; Head 835 MHz: $s = 0.88$
 ρ_{ho}/m $e_r = 42.4$ $r = 1.00$ g/cm³
Cube 5x5x7: SAR (1g): 0.457 mW/g, SAR (10g): 0.306 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.07 dB
Comment:
FCC ID: PP4TX-110C / MODEL: TX-110C
Company: Hyundai Curitel Inc.
Test Position: Left Touch / Antenna: in
Mode: CDMA / Channel: 363 (853.89MHz)
Conducted Power : 25.5 dBm
Liquid Temperature : 21.4°C
Date Tested : November 21, 2004




TX-110C

SAM II Phantom: Left Hand [CRP] Section: Position: (90°,180°); Frequency: 835 MHz
Probe: ET3DV6 - SN1607; ConvF(6.22,6.22,6.22); Crest factor: 1.0; Head 835 MHz: $s = 0.88$
 $\rho_{\text{ho/m}} e_r = 42.4$ $r = 1.00$ g/cm³
Cube 5x5x7: SAR (1g): 0.375 mW/g, SAR (10g): 0.251 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.05 dB
Comment:
FCC ID: PP4TX-110C / MODEL: TX-110C
Company: Hyundai Curitel Inc.
Test Position: Left Touch / Antenna: out
Mode: CDMA / Channel: 363 (853.89MHz)
Conducted Power : 25.5 dBm
Liquid Temperature : 21.4°C
Date Tested : November 21, 2004




TX-110C

SAM II Phantom: Left Hand [CRP] Section: Position: (90°,180°); Frequency: 835 MHz
Probe: ET3DV6 - SN1607; ConvF(6.22,6.22,6.22); Crest factor: 1.0; Head 835 MHz: $s = 0.88$
 $\rho_{\text{ho/m}} e_r = 42.4$ $r = 1.00$ g/cm³
Cube 5x5x7: SAR (1g): 0.670 mW/g, SAR (10g): 0.447 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.11 dB
Comment:
FCC ID: PP4TX-110C / MODEL: TX-110C
Company: Hyundai Curitel Inc.
Test Position: Left Touch / Antenna: in
Mode: CDMA / Channel: 777 (848.31MHz)
Conducted Power : 25.5 dBm
Liquid Temperature : 21.4°C
Date Tested : November 21, 2004




TX-110C

SAM II Phantom: Left Hand [CRP] Section; Position: (90°,180°); Frequency: 835 MHz
Probe: ET3DV6 - SN1607; ConvF(6.22,6.22,6.22); Crest factor: 1.0; Head 835 MHz: $s = 0.88$
 mho/m $\epsilon_r = 42.4$ $r = 1.00$ g/cm³
Cube 5x5x7: SAR (1g): 0.626 mW/g, SAR (10g): 0.417 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.10 dB
Comment:
FCC ID: PP4TX-110C / MODEL: TX-110C
Company: Hyundai Curitel Inc.
Test Position: Left Touch / Antenna: out
Mode: CDMA / Channel: 777 (848.31MHz)
Conducted Power : 25.5 dBm
Liquid Temperature : 21.4°C
Date Tested : November 21, 2004




TX-110C

SAM II Phantom: Right Hand [CRP] Section: Position: (90°,180°); Frequency: 835 MHz
Probe: ET3DV6 - SN1607; ConvF(6.22,6.22,6.22); Crest factor: 1.0; Head 835 MHz: $s = 0.88$
 ρ/m $\epsilon_r = 42.4$ $r = 1.00$ g/cm³
Cube 5x5x7: SAR (1g): 0.597 mW/g, SAR (10g): 0.394 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.06 dB
Comment:
FCC ID: PP4TX-110C / MODEL: TX-110C
Company: Hyundai Curitel Inc.
Test Position: Right Touch / Antenna: in
Mode: CDMA / Channel: 1013 (824.70MHz)
Conducted Power : 25.5 dBm
Liquid Temperature : 21.4°C
Date Tested : November 21, 2004




TX-110C

SAM II Phantom: Right Hand [CRP] Section: Position: (90°,180°); Frequency: 835 MHz
Probe: ET3DV6 - SN1607; ConvF(6.22,6.22,6.22); Crest factor: 1.0; Head 835 MHz: $s = 0.88$
 $\rho_{\text{ho/m e}_r} = 42.4$ $r = 1.00$ g/cm³
Cube 5x5x7: SAR (1g): 0.466 mW/g, SAR (10g): 0.308 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.08 dB
Comment:
FCC ID: PP4TX-110C / MODEL: TX-110C
Company: Hyundai Curitel Inc.
Test Position: Right Touch / Antenna: out
Mode: CDMA / Channel: 1013 (824.70MHz)
Conducted Power : 25.5 dBm
Liquid Temperature : 21.4°C
Date Tested : November 21, 2004




TX-110C

SAM II Phantom; Right Hand [CRP] Section; Position: (90°,180°); Frequency: 835 MHz
Probe: ET3DV6 - SN1607; ConvF(6.22,6.22,6.22); Crest factor: 1.0; Head 835 MHz: $s = 0.88$
 mho/m $e_r = 42.4$ $r = 1.00$ g/cm³
Cube 5x5x7: SAR (1g): 0.561 mW/g, SAR (10g): 0.371 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.01 dB
Comment:
FCC ID: PP4TX-110C / MODEL: TX-110C
Company: Hyundai Curitel Inc.
Test Position: Right Touch / Antenna: in
Mode: CDMA / Channel: 363 (853.89MHz)
Conducted Power : 25.5 dBm
Liquid Temperature : 21.4°C
Date Tested : November 21, 2004




TX-110C

SAM II Phantom: Right Hand [CRP] Section: Position: (90°,180°); Frequency: 835 MHz
Probe: ET3DV6 - SN1607; ConvF(6.22,6.22,6.22); Crest factor: 1.0; Head 835 MHz: $s = 0.88$
 $\rho_{\text{ho/m}} e_r = 42.4$ $r = 1.00$ g/cm³
Cube 5x5x7: SAR (1g): 0.477 mW/g, SAR (10g): 0.314 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: 0.05 dB
Comment:
FCC ID: PP4TX-110C / MODEL: TX-110C
Company: Hyundai Curitel Inc.
Test Position: Right Touch / Antenna: out
Mode: CDMA / Channel: 363 (853.89MHz)
Conducted Power : 25.5 dBm
Liquid Temperature : 21.4°C
Date Tested : November 21, 2004




TX-110C

SAM II Phantom: Right Hand [CRP] Section: Position: (90°,180°); Frequency: 835 MHz
Probe: ET3DV6 - SN1607; ConvF(6.22,6.22,6.22); Crest factor: 1.0; Head 835 MHz: $s = 0.88$
 ρ/m $\epsilon_r = 42.4$ $r = 1.00$ g/cm³
Cube 5x5x7: SAR (1g): 0.815 mW/g, SAR (10g): 0.537 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: 0.12 dB
Comment:
FCC ID: PP4TX-110C / MODEL: TX-110C
Company: Hyundai Curitel Inc.
Test Position: Right Touch / Antenna: in
Mode: CDMA / Channel: 777 (848.31MHz)
Conducted Power : 25.5 dBm
Liquid Temperature : 21.4°C
Date Tested : November 21, 2004




TX-110C

SAM II Phantom: Right Hand [CRP] Section: Position: (90°,180°); Frequency: 835 MHz
Probe: ET3DV6 - SN1607; ConvF(6.22,6.22,6.22); Crest factor: 1.0; Head 835 MHz: $s = 0.88$
 $\rho_{\text{ho/m}} e_r = 42.4$ $r = 1.00$ g/cm³
Cube 5x5x7: SAR (1g): 0.794 mW/g, SAR (10g): 0.518 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.04 dB
Comment:
FCC ID: PP4TX-110C / MODEL: TX-110C (E-battery)
Company: Hyundai Curitel Inc.
Test Position: Right Touch / Antenna: in
Mode: CDMA / Channel: 777 (848.31MHz)
Conducted Power : 25.5 dBm
Liquid Temperature : 21.4°C
Date Tested : November 21, 2004




TX-110C

SAM II Phantom; Right Hand [CRP] Section; Position: (90°,180°); Frequency: 835 MHz
Probe: ET3DV6 - SN1607; ConvF(6.22,6.22,6.22); Crest factor: 1.0; Head 835 MHz: $s = 0.88$
 $\rho_{\text{mho/m}}$ $\epsilon_r = 42.4$ $\rho = 1.00 \text{ g/cm}^3$
Cube 5x5x7; SAR (1g): 0.704 mW/g, SAR (10g): 0.465 mW/g
Coarse: $D_x = 15.0$, $D_y = 15.0$, $D_z = 10.0$
Powerdrift: -0.05 dB
Comment:
FCC ID: PP4TX-110C / MODEL: TX-110C
Company: Hyundai Curitel Inc.
Test Position: Right Touch / Antenna: out
Mode: CDMA / Channel: 777 (848.31MHz)
Conducted Power : 25.5 dBm
Liquid Temperature : 21.4°C
Date Tested : November 21, 2004




TX-110C

SAM II Phantom: Left Hand [CRP] Section: Position: (90°,180°); Frequency: 835 MHz
Probe: ET3DV6 - SN1607; ConvF(6.22,6.22,6.22); Crest factor: 1.0; Head 835 MHz: $s = 0.88$
 $\rho_{\text{ho/m}} e_r = 42.4$ $r = 1.00$ g/cm³
Cube 5x5x7: SAR (1g): 0.115 mW/g, SAR (10g): 0.0820 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.03 dB
Comment:
FCC ID: PP4TX-110C / MODEL: TX-110C
Company: Hyundai Curitel Inc.
Test Position: Left Tilt 15° / Antenna: in
Mode: CDMA / Channel: 363 (853.89MHz)
Conducted Power : 25.5 dBm
Liquid Temperature : 21.4°C
Date Tested : November 21, 2004




TX-110C

SAM II Phantom: Left Hand [CRP] Section: Position: (90°,180°); Frequency: 835 MHz
Probe: ET3DV6 - SN1607; ConvF(6.22,6.22,6.22); Crest factor: 1.0; Head 835 MHz: $s = 0.88$
 $\rho_{\text{ho/m}} e_r = 42.4$ $r = 1.00$ g/cm³
Cube 5x5x7: SAR (1g): 0.110 mW/g, SAR (10g): 0.0779 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: -0.01 dB
Comment:
FCC ID: PP4TX-110C / MODEL: TX-110C
Company: Hyundai Curitel Inc.
Test Position: Left Tilt 15° / Antenna: out
Mode: CDMA / Channel: 363 (853.89MHz)
Conducted Power : 25.5 dBm
Liquid Temperature : 21.4°C
Date Tested : November 21, 2004



TX-110C

SAM II Phantom; Right Hand [CRP] Section; Position: (90°,180°); Frequency: 835 MHz
Probe: ET3DV6 - SN1607; ConvF(6.22,6.22,6.22); Crest factor: 1.0; Head 835 MHz: $s = 0.88$
 $\rho_{\text{ho/m}} e_r = 42.4$ $r = 1.00$ g/cm³
Cube 5x5x7: SAR (1g): 0.135 mW/g, SAR (10g): 0.0971 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: 0.01 dB
Comment:
FCC ID: PP4TX-110C / MODEL: TX-110C
Company: Hyundai Curitel Inc.
Test Position: Right Tilt 15° / Antenna: in
Mode: CDMA / Channel: 363 (853.89MHz)
Conducted Power : 25.5 dBm
Liquid Temperature : 21.4°C
Date Tested : November 21, 2004



TX-110C

SAM II Phantom: Right Hand [CRP] Section: Position: (90°,180°); Frequency: 835 MHz
Probe: ET3DV6 - SN1607; ConvF(6.22,6.22,6.22); Crest factor: 1.0; Head 835 MHz: $s = 0.88$
 $\rho_{\text{ho/m}} e_r = 42.4$ $r = 1.00$ g/cm³
Cube 5x5x7: SAR (1g): 0.128 mW/g, SAR (10g): 0.0929 mW/g
Coarse: Dx = 15.0, Dy = 15.0, Dz = 10.0
Powerdrift: 0.02 dB
Comment:
FCC ID: PP4TX-110C / MODEL: TX-110C
Company: Hyundai Curitel Inc.
Test Position: Right Tilt 15° / Antenna: out
Mode: CDMA / Channel: 363 (853.89MHz)
Conducted Power : 25.5 dBm
Liquid Temperature : 21.4°C
Date Tested : November 21, 2004

