

FCC Test Report

Report No.: AGC12820210701FE07

FCC ID : PPA-ANGELSMART
APPLICATION PURPOSE : Original Equipment
PRODUCT DESIGNATION : Mobile phone
BRAND NAME : TOCH
MODEL NAME : ANGEL SMART
APPLICANT : TOCH MOBILE INTERNACIONAL S.A.
DATE OF ISSUE : Aug. 09, 2021
STANDARD(S) : FCC Part 27 Rules
REPORT VERSION : V1.0

Attestation of Global Compliance (Shenzhen) Co., Ltd.



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



REPORT REVISE RECORD

| Report Version | Revise Time | Issued Date | Valid Version | Notes |
|----------------|-------------|---------------|---------------|-----------------|
| V1.0 | / | Aug. 09, 2021 | Valid | Initial Release |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



TABLE OF CONTENTS

| | |
|--------------------------------------|-----------|
| VERIFICATION OF COMPLIANCE | 5 |
| 1. GENERAL INFORMATION | 6 |
| 1.1 PRODUCT DESCRIPTION | 6 |
| 1.2 RELATED SUBMITTAL(S) / GRANT (S) | 7 |
| 1.3 TEST METHODOLOGY | 7 |
| 1.4 DEVICE CAPABILITIES | 7 |
| 1.5 ADDRESS OF THE TEST LABORATORY | 8 |
| 1.6 TEST FACILITY | 8 |
| 1.7 ENVIRONMENTAL CONDITIONS | 9 |
| 1.8 MEASUREMENT UNCERTAINTY | 9 |
| 1.9 SPECIAL ACCESSORIES | 9 |
| 1.10 EQUIPMENT MODIFICATIONS | 9 |
| 2. SYSTEM TEST CONFIGURATION | 10 |
| 2.1 EUT CONFIGURATION | 10 |
| 2.2 EUT EXERCISE | 10 |
| 2.3 CONFIGURATION OF EUT SYSTEM | 10 |
| 3. SUMMARY OF TEST RESULTS | 11 |
| 3.1 TEST CONDITION : CONDUCTED TEST | 11 |
| 3.2 TEST CONDITION : RADIATED TEST | 11 |
| 4. DESCRIPTION OF TEST MODES | 12 |
| 4.1 EMISSION DESIGNATOR | 14 |
| 5. LIST OF TEST EQUIPMENT | 15 |
| 6. CONDUCTED OUTPUT POWER | 16 |
| 6.1 MEASUREMENT OVERVIEW | 16 |
| 6.2 MEASUREMENT METHOD | 16 |
| 6.3 MEASUREMENT SETUP | 16 |
| 6.4 MEASUREMENT RESULT | 16 |
| 7. RADIATED POWER | 25 |
| 7.1 MEASUREMENT OVERVIEW | 25 |
| 7.2 MEASUREMENT METHOD | 25 |
| 7.3 MEASUREMENT SETUP | 26 |
| 7.4 MEASUREMENT RESULT | 28 |
| 8. PEAK-TO-AVERAGE RATIO | 32 |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



| | |
|--|-----------|
| 8.1 PROVISIONS APPLICABLE | 32 |
| 8.2 MEASUREMENT METHOD | 32 |
| 8.3 MEASUREMENT SETUP | 33 |
| 8.4 MEASUREMENT RESULT | 34 |
| 9. SPURIOUS AND HARMONIC EMISSIONS AT ANTENNA TERMINAL | 36 |
| 9.1 PROVISIONS APPLICABLE | 36 |
| 9.2 MEASUREMENT METHOD | 36 |
| 9.3 MEASUREMENT SETUP | 37 |
| 9.4 MEASUREMENT RESULT | 37 |
| 10 RADIATED SPURIOUS EMISSION | 38 |
| 10.1. PROVISIONS APPLICABLE | 38 |
| 10.2. MEASUREMENT PROCEDURE | 38 |
| 10.3. MEASUREMENT SETUP | 40 |
| 10.4 MEASUREMENT RESULT | 41 |
| 11. FREQUENCY STABILITY / VARIATION OF AMBIENT TEMPERATURE | 44 |
| 11.1 PROVISIONS APPLICABLE | 44 |
| 11.2 MEASUREMENT METHOD | 44 |
| 11.3 MEASUREMENT SETUP | 45 |
| 11.4 MEASUREMENT RESULT | 45 |
| 12. OCCUPIED BANDWIDTH | 47 |
| 12.1 PROVISIONS APPLICABLE | 47 |
| 12.2 MEASUREMENT METHOD | 47 |
| 12.3 MEASUREMENT SETUP | 47 |
| 12.4 MEASUREMENT RESULT | 48 |
| 13. BAND EDGE | 51 |
| 13.1 MEASUREMENT OVERVIEW | 51 |
| 13.2 MEASUREMENT METHOD | 51 |
| 13.3 MEASUREMENT METHOD | 52 |
| 13.4 MEASUREMENT RESULT | 52 |
| APPENDIX A TEST PLOTS FOR SPURIOUS EMISSIONS AT ANTENNA TERMINALS | 53 |
| APPENDIX B TEST PLOTS FOR OCCUPIED BANDWIDTH&EMISSION BANDWIDTH | 60 |
| APPENDIX C TEST PLOTS FOR BAND EDGES | 72 |
| APPENDIX D TEST PLOTS FOR PEAK-TO-AVERAGE RATIO | 80 |
| APPENDIX E PHOTOGRAPHS OF TEST SETUP | 92 |
| APPENDIX F: PHOTOGRAPHS OF EUT | 93 |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



VERIFICATION OF COMPLIANCE

| | |
|--------------------------|---|
| Applicant | TOCH MOBILE INTERNACIONAL S.A. |
| Address | RES. LA LILLIANA 2 ETAPA, # 88 SN.FCO., HEREDIA, COSTA RICA |
| Manufacturer | SZ RISE CO.,LIMITED |
| Address | Room501,BuildingA31,Taoyuan Industrial Park, Langye 3rd Road, Xili Town, Nanshan District, Shenzhen, PRC. |
| Factory | Shenzhen Tuojie Electronics Co., Ltd |
| Address | 5th floor, 4th floor, building A, phase II, Jinchi Industrial Park, 210 Jiuwei Road, Xixiang Township, Bao'an District, Shenzhen |
| Product Designation | Mobile phone |
| Brand Name | TOCH |
| Test Model | ANGEL SMART |
| Date of test | Jul. 14, 2021~Aug. 06, 2021 |
| Deviation | No any deviation from the test method. |
| Condition of Test Sample | Normal |

WE HEREBY CERTIFY THAT:

The above equipment was tested by Attestation of Global Compliance(Shenzhen) Co., Ltd. The data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI/TIA-603-E-2016. The sample tested as described in this report is in compliance with the FCC Rules Part 27. The test results of this report relate only to the tested sample identified in this report.

Prepared By

*Eddy - Liu*Eddy Liu
(Project Engineer)

Aug. 06, 2021

Reviewed By

*Calvin Liu*Calvin Liu
(Reviewer)

Aug. 09, 2021

Approved By

*Forrest Lei*Forrest Lei
Authorized Officer

Aug. 09, 2021

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



1. GENERAL INFORMATION

1.1 PRODUCT DESCRIPTION

A major technical description of EUT is described as following:

| | | | | |
|---|---|---|---|--|
| Radio System Type: | LTE FUNCTION | | | |
| Frequency Bands: | <input type="checkbox"/> FDD Band 2 <input type="checkbox"/> FDD Band 12 <input checked="" type="checkbox"/> TDD Band 38 <input type="checkbox"/> FDD Band 71 <input checked="" type="checkbox"/> FDD Band 1 <input checked="" type="checkbox"/> FDD Band 20 (Non-U.S. Bands) | <input type="checkbox"/> FDD Band 4 <input type="checkbox"/> FDD Band 13 <input type="checkbox"/> TDD Band 40 (U.S. Bands) <input checked="" type="checkbox"/> FDD Band 3 <input type="checkbox"/> FDD Band 28 | <input type="checkbox"/> FDD Band 5 <input type="checkbox"/> FDD Band 14 <input type="checkbox"/> TDD Band 41 <input checked="" type="checkbox"/> FDD Band 7 <input type="checkbox"/> TDD Band 38 | <input checked="" type="checkbox"/> FDD Band 7 <input type="checkbox"/> FDD Band 17 <input type="checkbox"/> TDD Band 66 <input checked="" type="checkbox"/> FDD Band 8 <input type="checkbox"/> TDD Band 39 |
| Transmission Frequency Range: | LTE-Band 7 | 2502.5 MHz – 2567.5 MHz---(5.0MHz) | | |
| | | 2505.0 MHz – 2565.0 MHz---(10.0MHz) | | |
| | | 2507.5 MHz – 2562.5 MHz---(15.0MHz) | | |
| | | 2510.0 MHz – 2560.0 MHz---(20.0MHz) | | |
| | LTE-Band 38 | 2572.5 MHz-2617.5 MHz --- (5.0MHz) | | |
| | | 2575 MHz-2615MHz---(10.0MHz) | | |
| | | 2577.5 MHz-2612.5 MHz --- (15.0MHz) | | |
| | | 2580 MHz-2610 MHz---(20.0MHz) | | |
| Hardware Version: | SC2675F_8L1S_V00 | | | |
| Software Version: | S5718T_ZX_V02_20210624 | | | |
| Antenna Type: | PIFA Antenna | | | |
| Type of Modulation: | QPSK/16QAM | | | |
| Antenna gain: | Band 7:-1dBi Band 38: -1dBi | | | |
| Diversity gain | Band 7:-1.22dBi Band 38:-1.25dBi | | | |
| Power Supply: | DC 3.8 by Built-in Li-ion Battery | | | |
| Dual Card: | LTE Card Slot | | | |
| Power Class: | 3 | | | |
| Extreme Vol. Limits: | DC 3.23V to 4.37V (Normal: DC 3.8V) | | | |
| Temperature range: | -10 °C to +40 °C | | | |
| Note1: The High Voltage DC4.37V and Low Voltage DC3.23V were declared by manufacturer, The EUT couldn't be operating normally with higher or lower voltage.. | | | | |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



1.2 RELATED SUBMITTAL(S) / GRANT (S)

This submittal(s) (test report) is intended for **FCC ID:PPA-ANGELSMART**, filing to comply with the FCC Part 22, Part 24 and Part 27 requirements.

1.3 TEST METHODOLOGY

The tests were performed according to following standards:

| No. | Identity | Document Title |
|-----|---------------------|---|
| 1 | FCC Part 2 | Frequency allocations and radio treaty matters, general rules and regulations. |
| 2 | FCC Part 27 | Miscellaneous Wireless Communications Services. |
| 3 | ANSI C63.26-2015 | American National Standard for Compliance Testing of Transmitters Used in Licensed Radio Services |
| 4 | ANSI/TIA-603-E-2016 | Land Mobile FM or PM Communications Equipment Measurement and Performance Standards |
| 5 | KDB971168 D01 | D01 v03r01 Measurement Guidance For Certification Of Licensed Digital Transmitters. |

1.4 DEVICE CAPABILITIES

This device contains the following capabilities:

850/1900 GSM/GPRS/EGPRS, 850/1900 WCDMA/HSPA, Multi-Band LTE, Bluetooth (1X, EDR, LE).

This device uses a tuner circuit that dynamically updates the antenna impedance parameters to optimize antenna performance for certain bands and modes of operation. The tuner for this device was set to simulate a "free space" condition where the transmit antenna is matched to the medium into which it is transmitting and, thus, the power is at its maximum level.

LTE Band 41 (2496-2690 MHz) overlaps the entire frequency range of LTE Band 38 (2560 - 2620 MHz).

Therefore, test data provided in this report covers Band 41 as well as Band 38.

For emissions from 1GHz – 18GHz, low, mid, and high channels were tested with highest power and worst case configuration.

The emissions below 1GHz and above 18GHz were tested with the highest transmitting power channel and the worst case configuration.

The EUT was manipulated through three orthogonal planes of X-orientation (flatbed), Y-orientation (landscape), and Z-orientation (portrait) during the testing. Only the worst case emissions were reported in this test report.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



1.5 ADDRESS OF THE TEST LABORATORY

Laboratory: Attestation of Global Compliance (Shenzhen) Co., Ltd

Address: 1-2/F, Building 19, Junfeng Industrial Park, Chongqing Road, Heping Community, Fuhai Street, Bao'an District, Shenzhen, Guangdong, China

1.6 TEST FACILITY

The test facility is recognized, certified, or accredited by the following organizations:

CNAS-Lab Code: L5488

Attestation of Global Compliance (Shenzhen) Co., Ltd. has been assessed and proved to be in compliance with CNAS-CL01 Accreditation Criteria for Testing and Calibration Laboratories (identical to ISO/IEC17025: 2017 General Requirements) for the Competence of Testing and Calibration Laboratories.

A2LA-Lab Cert. No.: 5054.02

Attestation of Global Compliance (Shenzhen) Co., Ltd. EMC Laboratory has been accredited by A2LA for technical competence in the field of electrical testing, and proved to be in compliance with ISO/IEC 17025: 2017 General Requirements for the Competence of Testing and Calibration Laboratories and any additional program requirements in the identified field of testing.

FCC-Registration No.: 975832

Attestation of Global Compliance (Shenzhen) Co., Ltd. EMC Laboratory has been registered and fully described in a report filed with the FCC (Federal Communications Commission). The acceptance letter from the FCC is maintained in our files with Registration 975832.

IC-Registration No.: 24842 (CAB identifier: CN0063)

Attestation of Global Compliance (Shenzhen) Co., Ltd. EMC Laboratory has been registered and fully described in a report filed with the Certification and Engineering Bureau of Industry Canada. The acceptance letter from the IC is maintained in our files with Registration 24842.

1.7 ENVIRONMENTAL CONDITIONS

| | NORMAL CONDITIONS | EXTREME CONDITIONS |
|--|-------------------|---------------------|
| Temperature range | 15~35℃ | -20℃~50℃ |
| Humidity range | 20 % to 75 %. | 20 % to 75 %. |
| Pressure range | 86-106kPa | 86-106kPa |
| Power supply | DC 3.8V | LV: 3.23V/HV: 4.37V |
| Note: The Extreme Temperature and Extreme Voltages declared by the manufacturer. | | |

1.8 MEASUREMENT UNCERTAINTY

| Test | Measurement Uncertainty | Notes |
|---|-------------------------|-------|
| Transmitter power conducted | ±0.57 dB | (1) |
| Transmitter power Radiated | ±2.20 dB | (1) |
| Conducted spurious emission 9KHz-40 GHz | ±2.20 dB | (1) |
| Occupied Bandwidth | ±0.01ppm | (1) |
| Radiated Emission 30~1000MHz | ±4.10dB | (1) |
| Radiated Emission Above 1GHz | ±4.32dB | (1) |
| Conducted Disturbance0.15~30MHz | ±3.20dB | (1) |
| Radio Frequency | ± 6.5 x 10-8 | (1) |
| RF Power, Conducted | ± 0.9 dB | (1) |

Note: This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

1.9 SPECIAL ACCESSORIES

The battery was supplied by the applicant were used as accessories and being tested with EUT intended for FCC grant together.

1.10 EQUIPMENT MODIFICATIONS

Not available for this EUT intended for grant.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



2. SYSTEM TEST CONFIGURATION

2.1 EUT CONFIGURATION

The EUT configuration for testing is installed on RF field strength measurement to meet the Commission's requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2 EUT EXERCISE

The Transmitter was operated in the maximum output power mode through Communication Tester. The TX frequency was fixed which was for the purpose of the measurements.

2.3 CONFIGURATION OF EUT SYSTEM




Table 2-1 Equipment Used in EUT System

| Item | Equipment | Model No. | ID or Specification | Remark |
|------|--------------|-------------|---------------------|--------|
| 1 | mobile phone | ANGEL SMART | PPA-ANGELSMART | EUT |
| 2 | Adapter | N/A | DC 5.0V 1A | AE |
| 3 | Battery | TB SMART | DC 3.8V 3500mAh | AE |
| 4 | USB Cable | N/A | N/A | AE |
| 5 | Earphone | N/A | N/A | AE |

Note:

1. All the accessories have been used during the test. The following "EUT" in setup diagram means EUT system.
2. The battery is full-charged during the test

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

3. SUMMARY OF TEST RESULTS

3.1 TEST CONDITION : CONDUCTED TEST

| Item | Test Description | FCC Rules | Result |
|------|---|----------------------|--------|
| 1 | Occupied Bandwidth | §2.1049 | Pass |
| 2 | Band Edge / Spurious and Harmonic Emissions at Antenna Terminal | §2.1051,§27.53(m)(4) | Pass |
| 5 | Conducted Output Power | §2.1046 | Pass |
| 6 | Frequency stability / variation of ambient temperature | §2.1055,§27.54 | Pass |
| 7 | Peak- to- Average Ratio | §27.50(a) | Pass |

3.2 TEST CONDITION : RADIATED TEST

| Item | Test Description | FCC Rules | Result |
|------|---|-----------------------|--------|
| 1 | Effective Radiated Power Equivalent Isotropic Radiated Power | §27.50(h)(2) | Pass |
| 2 | Radiated Spurious and Harmonic Emissions | §2.1053,§27.53(m) (4) | Pass |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



4. DESCRIPTION OF TEST MODES

During the testing, the EUT was controlled via Rhode & Schwarz Digital Radio Communication Tester (CMW 500) to ensure max power transmission and proper modulation. Three channels (The top channel, the middle channel and the bottom channel) were chosen for testing on both LTE frequency band.

The worst condition was recorded in the test report if no other modes test data.

| LTE Band 7 Channel and Frequency List | | | | |
|---------------------------------------|-------------------------|--------|--------|---------|
| BW [MHz] | Channel/Frequency (MHz) | Lowest | Middle | Highest |
| 20 | Channel | 20850 | 21100 | 21350 |
| | Frequency | 2510 | 2535 | 2560 |
| 15 | Channel | 20825 | 21100 | 21375 |
| | Frequency | 2507.5 | 2535 | 2562.5 |
| 10 | Channel | 20800 | 21100 | 21400 |
| | Frequency | 2505 | 2535 | 2565 |
| 5 | Channel | 20775 | 21100 | 21425 |
| | Frequency | 2502.5 | 2535 | 2567.5 |

| LTE Band 38 Channel and Frequency List | | | | |
|--|-------------------------|--------|--------|---------|
| BW [MHz] | Channel/Frequency (MHz) | Lowest | Middle | Highest |
| 20 | Channel | 37850 | 38000 | 38150 |
| | Frequency | 2580 | 2595 | 2610 |
| 15 | Channel | 37825 | 38000 | 38175 |
| | Frequency | 2577.5 | 2595 | 2612.5 |
| 10 | Channel | 37800 | 38000 | 38200 |
| | Frequency | 2575 | 2595 | 2615 |
| 5 | Channel | 37775 | 38000 | 38225 |
| | Frequency | 2572.5 | 2595 | 2617.5 |

| Test Mode | Test Modes Description |
|-------------|------------------------------|
| LTE BAND 7 | LTE system, QPSK modulation |
| | LTE system, 16QAM modulation |
| LTE BAND 38 | LTE system, QPSK modulation |
| | LTE system, 16QAM modulation |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



ACCORDING TO 3GPP 36.521 SUB-CLAUSE 6.2.3.3, THE MAXIMUM OUTPUT POWER IS ALLOWED TO BE REDUCED BY FOLLOWING THE TABLE.

TABLE 6.2.3.3-1: MAXIMUM POWER REDUCTION (MPR) FOR POWER CLASS 3

| Modulation | Channel bandwidth / Transmission bandwidth configuration [RB] | | | | | | MPR (dB) |
|------------|--|------------|----------|-----------|-----------|-----------|----------|
| | 1.4 MHz | 3.0 MHz | 5 MHz | 10 MHz | 15 MHz | 20 MHz | |
| QPSK | > 5 | > 4 | > 8 | > 12 | > 16 | > 18 | ≤ 1 |
| 16 QAM | ≤ 5 | ≤ 4 | ≤ 8 | ≤ 12 | ≤ 16 | ≤ 18 | ≤ 1 |
| 16 QAM | > 5 | > 4 | > 8 | > 12 | > 16 | > 18 | ≤ 2 |

The device supports MPR to solve linearity issues (ACLR or SEM) due to the higher peak-to average ratios (PAR) of the HSUPA signal. This prevents saturating the full range of the TX DAC inside of device and provides a reduced power output to the RF transceiver chip according to the Cubic Metric (For PRACH, PUCCH and SRS transmission, the allowed MPR is according to that specified for PUSCH QPSK modulation for the corresponding transmission bandwidth.).

When PRACH, PUCCH are present the beta gains on those channels are reduced firsts to try to get the power under the allowed limit. If the beta gains are lowered as far as possible, then a hard limiting is applied at the maximum allowed level.

For each subframe, the MPR is evaluated per slot and given by the maximum value taken over the transmission(s) within the slot, the maximum MPR over the two slots is then applied for the entire subframe.

For the UE maximum output power modified by MPR, the power limits specified in subclause 6.2.5.3 apply. The normative reference for this requirement is TS 36.101 clause 6.2.3.

The end effect is that the DUT output power is identical to the case where there is no MPR in the device.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



4.1 EMISSION DESIGNATOR

GSM Emission Designator

Emission Designator = 249KGXW

GSM BW = 249 kHz

G = Phase Modulation

X = Cases not otherwise covered

W = Combination (Audio/Data)

WCDMA Emission Designator

Emission Designator = 4M17F9W

WCDMA BW = 4.17 MHz

F = Frequency Modulation

9 = Composite Digital Info

W = Combination (Audio/Data)

QAM Modulation

Emission Designator = 4M48W7D

LTE BW = 4.48 MHz

W = Amplitude/Angle Modulated

7 = Quantized/Digital Info

D = Data transmission; telemetry; telecommand

EDGE Emission Designator

Emission Designator = 249KG7W

GSM BW = 249 kHz

G = Phase Modulation

7 = Quantized/Digital Info

W = Combination (Audio/Data)

QPSK Modulation

Emission Designator = 4M48G7D

LTE BW = 4.48 MHz

G = Phase Modulation

7 = Quantized/Digital Info

D = Data transmission; telemetry; telecommand

5. LIST OF TEST EQUIPMENT

| Equipment | Manufacturer | Model | S/N | Cal. Date | Cal. Due |
|------------------------------|--------------|--------------|-------------|---------------|---------------|
| TEST RECEIVER | R&S | ESPI | 101206 | May 11, 2021 | May 10, 2022 |
| LISN | R&S | ESH2-Z5 | 100086 | Jun. 09, 2021 | Jun. 08, 2022 |
| TEST RECEIVER | R&S | ESCI | 10096 | Apr. 14, 2021 | Apr. 13, 2022 |
| EXA Signal Analyzer | Aglient | N9010A | MY53470504 | Dec.18, 2019 | Dec.17, 2020 |
| EXA Signal Analyzer | Aglient | N9020B | MY56101792 | Jun. 09, 2021 | Jun. 08, 2022 |
| Horn antenna | SCHWARZBECK | BBHA 9170 | #768 | Oct. 20, 2019 | Oct. 19, 2022 |
| preamplifier | ChengYi | EMC184045SE | 980508 | Sep. 21, 2020 | Sep. 20, 2021 |
| Double-Ridged Waveguide Horn | ETS LINDGREN | 3117 | 00034609 | Apr. 23, 2021 | Apr. 22, 2023 |
| Broadband Preamplifier | SCHWARZBECK | 00073 | BBHA 9120 J | Sep. 27, 2019 | Sep. 26, 2021 |
| ANTENNA | SCHWARZBECK | VULB9168 | D69250 | Sep.20, 2019 | Sep.19, 2021 |
| SIGNAL ANALYZER | Agilent | N9020A | MY52090123 | Sep. 03, 2020 | Sep. 02, 2021 |
| USB Wideband Power Sensor | Agilent | U2021XA | MY54110007 | May 11, 2021 | May 10, 2025 |
| Wireless communicationtest | R&S | CMW500 | 120909 | Oct. 24, 2020 | Oct. 23, 2021 |
| Power Splitter | Agilent | 11636A | 34 | Jun.08, 2021 | Jun.07, 2022 |
| Attenuator | JFW | 50FHC-006-50 | N/A | Jun.08, 2021 | Jun.07, 2022 |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



6. CONDUCTED OUTPUT POWER

6.1 MEASUREMENT OVERVIEW


The conduction test is carried out in a shielded room.

According to the test, connect the device under test to the antenna port on the non-conductive platform directly to the test device for evaluation and measurement (ANSI-C63.26-2015 Clause 5.4)

6.2 MEASUREMENT METHOD

- The transmitter output port was connected to base station.
- Set EUT at maximum power through base station.
- Select lowest, middle, and highest channels for each band and different test mode.

6.3 MEASUREMENT SETUP



6.4 MEASUREMENT RESULT

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



LTE Band 7

| BW (MHz) | Ch | Freq. (MHz) | Mode | UL RB Allocation | UL RB Offset | MPR | Average power (dBm) |
|----------|-------|-------------|-------|------------------|--------------|-----|---------------------|
| 20MHz | 20850 | 2510 | QPSK | 1 | 0 | 0 | 23.39 |
| | | | | 1 | 49 | 0 | 23.43 |
| | | | | 1 | 99 | 0 | 23.19 |
| | | | | 50 | 0 | 1 | 22.23 |
| | | | | 50 | 25 | 1 | 22.25 |
| | | | | 50 | 49 | 1 | 22.44 |
| | | | | 100 | 0 | 1 | 22.51 |
| | | | 16QAM | 1 | 0 | 1 | 21.91 |
| | | | | 1 | 49 | 1 | 21.64 |
| | | | | 1 | 99 | 1 | 22.01 |
| | | | | 50 | 0 | 2 | 21.64 |
| | | | | 50 | 25 | 2 | 21.42 |
| | | | | 50 | 49 | 2 | 21.41 |
| | | | | 100 | 0 | 2 | 21.47 |
| | 21100 | 2535 | QPSK | 1 | 0 | 0 | 23.19 |
| | | | | 1 | 49 | 0 | 23.18 |
| | | | | 1 | 99 | 0 | 23.18 |
| | | | | 50 | 0 | 1 | 22.05 |
| | | | | 50 | 25 | 1 | 22.05 |
| | | | | 50 | 49 | 1 | 22.11 |
| | | | | 100 | 0 | 1 | 21.98 |
| | | | 16QAM | 1 | 0 | 1 | 22.43 |
| | | | | 1 | 49 | 1 | 22.47 |
| | | | | 1 | 99 | 1 | 22.35 |
| | | | | 50 | 0 | 2 | 21.08 |
| | | | | 50 | 25 | 2 | 21.20 |
| | | | | 50 | 49 | 2 | 21.12 |
| | | | | 100 | 0 | 2 | 21.22 |
| | 21350 | 2560 | QPSK | 1 | 0 | 0 | 22.38 |
| | | | | 1 | 49 | 0 | 22.00 |
| | | | | 1 | 99 | 0 | 22.33 |
| | | | | 50 | 0 | 1 | 20.97 |
| | | | | 50 | 25 | 1 | 21.20 |
| | | | | 50 | 49 | 1 | 20.95 |
| | | | | 100 | 0 | 1 | 21.06 |
| | | | 16QAM | 1 | 0 | 1 | 20.96 |
| | | | | 1 | 49 | 1 | 20.65 |
| | | | | 1 | 99 | 1 | 20.91 |
| | | | | 50 | 0 | 2 | 20.26 |
| | | | | 50 | 25 | 2 | 20.34 |
| | | | | 50 | 49 | 2 | 20.38 |
| | | | | 100 | 0 | 2 | 20.26 |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



| BW (MHz) | Ch | Freq. (MHz) | Mode | UL RB Allocation | UL RB Offset | MPR | Average power (dBm) |
|-------------|-------|----------------|-------|---------------------|-----------------|-----|------------------------|
| 15MHz | 20825 | 2507.5 | QPSK | 1 | 0 | 0 | 23.01 |
| | | | | 1 | 37 | 0 | 23.36 |
| | | | | 1 | 74 | 0 | 23.38 |
| | | | | 36 | 0 | 1 | 22.21 |
| | | | | 36 | 16 | 1 | 22.40 |
| | | | | 36 | 35 | 1 | 22.54 |
| | | | | 75 | 0 | 1 | 22.35 |
| | | | 16QAM | 1 | 0 | 1 | 22.07 |
| | | | | 1 | 37 | 1 | 22.49 |
| | | | | 1 | 74 | 1 | 22.57 |
| | | | | 36 | 0 | 2 | 22.38 |
| | | | | 36 | 16 | 2 | 22.16 |
| | | | | 36 | 35 | 2 | 22.53 |
| | | | | 75 | 0 | 2 | 21.39 |
| | 21100 | 2535 | QPSK | 1 | 0 | 0 | 23.15 |
| | | | | 1 | 37 | 0 | 23.09 |
| | | | | 1 | 74 | 0 | 23.09 |
| | | | | 36 | 0 | 1 | 22.33 |
| | | | | 36 | 16 | 1 | 22.27 |
| | | | | 36 | 35 | 1 | 22.24 |
| | | | | 75 | 0 | 1 | 22.07 |
| | | | 16QAM | 1 | 0 | 1 | 22.34 |
| | | | | 1 | 37 | 1 | 22.27 |
| | | | | 1 | 74 | 1 | 22.35 |
| | | | | 36 | 0 | 2 | 22.28 |
| | | | | 36 | 16 | 2 | 22.31 |
| | | | | 36 | 35 | 2 | 22.27 |
| | | | | 75 | 0 | 2 | 21.22 |
| | 21375 | 2562.5 | QPSK | 1 | 0 | 0 | 21.98 |
| | | | | 1 | 37 | 0 | 21.95 |
| | | | | 1 | 74 | 0 | 22.15 |
| | | | | 36 | 0 | 1 | 20.77 |
| | | | | 36 | 16 | 1 | 20.95 |
| | | | | 36 | 35 | 1 | 20.84 |
| | | | | 75 | 0 | 1 | 21.17 |
| | | | 16QAM | 1 | 0 | 1 | 20.96 |
| | | | | 1 | 37 | 1 | 20.74 |
| | | | | 1 | 74 | 1 | 20.80 |
| | | | | 36 | 0 | 2 | 20.71 |
| | | | | 36 | 16 | 2 | 20.95 |
| | | | | 36 | 35 | 2 | 20.88 |
| | | | | 75 | 0 | 2 | 20.37 |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



| BW (MHz) | Ch | Freq. (MHz) | Mode | UL RB Allocation | UL RB Offset | MPR | Average power (dBm) |
|-------------|-------|----------------|-------|---------------------|-----------------|-----|------------------------|
| 10MHz | 20800 | 2505 | QPSK | 1 | 0 | 0 | 23.20 |
| | | | | 1 | 24 | 0 | 23.28 |
| | | | | 1 | 49 | 0 | 22.91 |
| | | | | 25 | 0 | 1 | 22.25 |
| | | | | 25 | 12 | 1 | 22.12 |
| | | | | 25 | 25 | 1 | 22.30 |
| | | | | 50 | 0 | 1 | 22.38 |
| | | | 16QAM | 1 | 0 | 1 | 22.71 |
| | | | | 1 | 24 | 1 | 22.28 |
| | | | | 1 | 49 | 1 | 22.47 |
| | | | | 25 | 0 | 2 | 21.48 |
| | | | | 25 | 12 | 2 | 21.20 |
| | | | | 25 | 25 | 2 | 21.22 |
| | | | | 50 | 0 | 2 | 21.28 |
| | 21100 | 2535 | QPSK | 1 | 0 | 0 | 23.10 |
| | | | | 1 | 24 | 0 | 22.99 |
| | | | | 1 | 49 | 0 | 22.95 |
| | | | | 25 | 0 | 1 | 22.09 |
| | | | | 25 | 12 | 1 | 22.00 |
| | | | | 25 | 25 | 1 | 22.04 |
| | | | | 50 | 0 | 1 | 22.00 |
| | | | 16QAM | 1 | 0 | 1 | 21.33 |
| | | | | 1 | 24 | 1 | 21.46 |
| | | | | 1 | 49 | 1 | 21.42 |
| | | | | 25 | 0 | 2 | 21.18 |
| | | | | 25 | 12 | 2 | 21.19 |
| | | | | 25 | 25 | 2 | 21.21 |
| | | | | 50 | 0 | 2 | 21.13 |
| | 21400 | 2565 | QPSK | 1 | 0 | 0 | 22.09 |
| | | | | 1 | 24 | 0 | 22.16 |
| | | | | 1 | 49 | 0 | 21.99 |
| | | | | 25 | 0 | 1 | 21.28 |
| | | | | 25 | 12 | 1 | 21.17 |
| | | | | 25 | 25 | 1 | 21.28 |
| | | | | 50 | 0 | 1 | 21.22 |
| | | | 16QAM | 1 | 0 | 1 | 20.91 |
| | | | | 1 | 24 | 1 | 21.02 |
| | | | | 1 | 49 | 1 | 20.83 |
| | | | | 25 | 0 | 2 | 20.34 |
| | | | | 25 | 12 | 2 | 20.25 |
| | | | | 25 | 25 | 2 | 20.15 |
| | | | | 50 | 0 | 2 | 20.27 |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



| BW (MHz) | Ch | Freq. (MHz) | Mode | UL RB Allocation | UL RB Offset | MPR | Average power (dBm) |
|----------|-------|-------------|-------|------------------|--------------|-----|---------------------|
| 5MHz | 20775 | 2502.5 | QPSK | 1 | 0 | 0 | 23.31 |
| | | | | 1 | 12 | 0 | 23.39 |
| | | | | 1 | 24 | 0 | 23.55 |
| | | | | 12 | 0 | 1 | 22.13 |
| | | | | 12 | 6 | 1 | 22.13 |
| | | | | 12 | 13 | 1 | 22.16 |
| | | | | 25 | 0 | 1 | 22.19 |
| | | | 16QAM | 1 | 0 | 1 | 21.54 |
| | | | | 1 | 12 | 1 | 21.58 |
| | | | | 1 | 24 | 1 | 21.78 |
| | | | | 12 | 0 | 2 | 21.16 |
| | | | | 12 | 6 | 2 | 21.17 |
| | | | | 12 | 13 | 2 | 21.33 |
| | | | | 25 | 0 | 2 | 21.40 |
| | 21100 | 2535 | QPSK | 1 | 0 | 0 | 23.20 |
| | | | | 1 | 12 | 0 | 23.23 |
| | | | | 1 | 24 | 0 | 23.14 |
| | | | | 12 | 0 | 1 | 22.04 |
| | | | | 12 | 6 | 1 | 22.06 |
| | | | | 12 | 13 | 1 | 22.03 |
| | | | | 25 | 0 | 1 | 22.02 |
| | | | 16QAM | 1 | 0 | 1 | 21.41 |
| | | | | 1 | 12 | 1 | 21.37 |
| | | | | 1 | 24 | 1 | 21.54 |
| | | | | 12 | 0 | 2 | 20.95 |
| | | | | 12 | 6 | 2 | 21.06 |
| | | | | 12 | 13 | 2 | 21.02 |
| | | | | 25 | 0 | 2 | 21.16 |
| | 21425 | 2567.5 | QPSK | 1 | 0 | 0 | 22.33 |
| | | | | 1 | 12 | 0 | 22.41 |
| | | | | 1 | 24 | 0 | 22.35 |
| | | | | 12 | 0 | 1 | 21.25 |
| | | | | 12 | 6 | 1 | 21.26 |
| | | | | 12 | 13 | 1 | 21.13 |
| | | | | 25 | 0 | 1 | 21.18 |
| | | | 16QAM | 1 | 0 | 1 | 20.59 |
| | | | | 1 | 12 | 1 | 20.65 |
| | | | | 1 | 24 | 1 | 20.56 |
| | | | | 12 | 0 | 2 | 20.21 |
| | | | | 12 | 6 | 2 | 20.21 |
| | | | | 12 | 13 | 2 | 20.12 |
| | | | | 25 | 0 | 2 | 20.35 |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



LTE Band 38

| BW (MHz) | Ch | Freq. (MHz) | Mode | UL RB Allocation | UL RB Offset | MPR | Average power (dBm) |
|----------|-------|-------------|-------|------------------|--------------|-----|---------------------|
| 20MHz | 37850 | 2580.0 | QPSK | 1 | 0 | 0 | 22.04 |
| | | | | 1 | 49 | 0 | 22.19 |
| | | | | 1 | 99 | 0 | 22.41 |
| | | | | 50 | 0 | 1 | 21.25 |
| | | | | 50 | 25 | 1 | 21.25 |
| | | | | 50 | 49 | 1 | 21.19 |
| | | | | 100 | 0 | 1 | 21.18 |
| | | | 16QAM | 1 | 0 | 1 | 21.86 |
| | | | | 1 | 49 | 1 | 22.03 |
| | | | | 1 | 99 | 1 | 21.95 |
| | | | | 50 | 0 | 2 | 20.24 |
| | | | | 50 | 25 | 2 | 20.38 |
| | | | | 50 | 49 | 2 | 20.38 |
| | | | | 100 | 0 | 2 | 20.31 |
| | 38000 | 2595 | QPSK | 1 | 0 | 0 | 22.03 |
| | | | | 1 | 49 | 0 | 21.89 |
| | | | | 1 | 99 | 0 | 21.98 |
| | | | | 50 | 0 | 1 | 20.93 |
| | | | | 50 | 25 | 1 | 21.00 |
| | | | | 50 | 49 | 1 | 21.07 |
| | | | | 100 | 0 | 1 | 20.96 |
| | | | 16QAM | 1 | 0 | 1 | 20.89 |
| | | | | 1 | 49 | 1 | 20.87 |
| | | | | 1 | 99 | 1 | 20.78 |
| | | | | 50 | 0 | 2 | 20.05 |
| | | | | 50 | 25 | 2 | 20.11 |
| | | | | 50 | 49 | 2 | 20.11 |
| | | | | 100 | 0 | 2 | 19.99 |
| | 38150 | 2610.0 | QPSK | 1 | 0 | 0 | 21.80 |
| | | | | 1 | 49 | 0 | 21.84 |
| | | | | 1 | 99 | 0 | 21.68 |
| | | | | 50 | 0 | 1 | 21.03 |
| | | | | 50 | 25 | 1 | 20.89 |
| | | | | 50 | 49 | 1 | 21.04 |
| | | | | 100 | 0 | 1 | 20.95 |
| | | | 16QAM | 1 | 0 | 1 | 21.40 |
| | | | | 1 | 49 | 1 | 21.41 |
| | | | | 1 | 99 | 1 | 21.23 |
| | | | | 50 | 0 | 2 | 20.13 |
| | | | | 50 | 25 | 2 | 20.13 |
| | | | | 50 | 49 | 2 | 20.13 |
| | | | | 100 | 0 | 2 | 19.99 |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



| BW (MHz) | Ch | Freq. (MHz) | Mode | UL RB Allocation | UL RB Offset | MPR | Average power (dBm) |
|-------------|-------|----------------|-------|---------------------|-----------------|-----|------------------------|
| 15MHz | 37825 | 2577.5 | QPSK | 1 | 0 | 0 | 21.94 |
| | | | | 1 | 38 | 0 | 21.77 |
| | | | | 1 | 74 | 0 | 21.74 |
| | | | | 38 | 0 | 1 | 21.54 |
| | | | | 38 | 18 | 1 | 21.28 |
| | | | | 38 | 37 | 1 | 21.23 |
| | | | | 75 | 0 | 1 | 21.05 |
| | | | 16QAM | 1 | 0 | 1 | 21.45 |
| | | | | 1 | 38 | 1 | 21.28 |
| | | | | 1 | 74 | 1 | 21.18 |
| | | | | 38 | 0 | 2 | 21.27 |
| | | | | 38 | 18 | 2 | 21.55 |
| | | | | 38 | 37 | 2 | 21.23 |
| | | | | 75 | 0 | 2 | 20.17 |
| | 38000 | 2595 | QPSK | 1 | 0 | 0 | 21.84 |
| | | | | 1 | 38 | 0 | 21.70 |
| | | | | 1 | 74 | 0 | 21.77 |
| | | | | 38 | 0 | 1 | 21.07 |
| | | | | 38 | 18 | 1 | 21.19 |
| | | | | 38 | 37 | 1 | 21.24 |
| | | | | 75 | 0 | 1 | 20.83 |
| | | | 16QAM | 1 | 0 | 1 | 21.07 |
| | | | | 1 | 38 | 1 | 21.08 |
| | | | | 1 | 74 | 1 | 20.93 |
| | | | | 38 | 0 | 2 | 21.25 |
| | | | | 38 | 18 | 2 | 21.07 |
| | | | | 38 | 37 | 2 | 21.20 |
| | | | | 75 | 0 | 2 | 19.92 |
| | 38175 | 2612.5 | QPSK | 1 | 0 | 0 | 21.73 |
| | | | | 1 | 38 | 0 | 21.80 |
| | | | | 1 | 74 | 0 | 21.72 |
| | | | | 38 | 0 | 1 | 20.61 |
| | | | | 38 | 18 | 1 | 20.69 |
| | | | | 38 | 37 | 1 | 20.59 |
| | | | | 75 | 0 | 1 | 20.83 |
| | | | 16QAM | 1 | 0 | 1 | 20.68 |
| | | | | 1 | 38 | 1 | 20.68 |
| | | | | 1 | 74 | 1 | 20.58 |
| | | | | 38 | 0 | 2 | 20.69 |
| | | | | 38 | 18 | 2 | 20.69 |
| | | | | 38 | 37 | 2 | 20.59 |
| | | | | 75 | 0 | 2 | 19.96 |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



| BW (MHz) | Ch | Freq. (MHz) | Mode | UL RB Allocation | UL RB Offset | MPR | Average power (dBm) |
|----------|-------|-------------|-------|------------------|--------------|-----|---------------------|
| 10MHz | 37800 | 2575.0 | QPSK | 1 | 0 | 0 | 22.21 |
| | | | | 1 | 24 | 0 | 22.24 |
| | | | | 1 | 49 | 0 | 22.26 |
| | | | | 25 | 0 | 1 | 21.24 |
| | | | | 25 | 12 | 1 | 21.22 |
| | | | | 25 | 25 | 1 | 21.10 |
| | | | | 50 | 0 | 1 | 21.04 |
| | | | 16QAM | 1 | 0 | 1 | 22.35 |
| | | | | 1 | 24 | 1 | 22.44 |
| | | | | 1 | 49 | 1 | 21.10 |
| | | | | 25 | 0 | 2 | 20.17 |
| | | | | 25 | 12 | 2 | 20.29 |
| | | | | 25 | 25 | 2 | 20.39 |
| | | | | 50 | 0 | 2 | 20.20 |
| | 38000 | 2595.0 | QPSK | 1 | 0 | 0 | 21.79 |
| | | | | 1 | 24 | 0 | 21.82 |
| | | | | 1 | 49 | 0 | 21.84 |
| | | | | 25 | 0 | 1 | 20.73 |
| | | | | 25 | 12 | 1 | 20.68 |
| | | | | 25 | 25 | 1 | 20.68 |
| | | | | 50 | 0 | 1 | 20.86 |
| | | | 16QAM | 1 | 0 | 1 | 21.02 |
| | | | | 1 | 24 | 1 | 21.02 |
| | | | | 1 | 49 | 1 | 21.12 |
| | | | | 25 | 0 | 2 | 19.89 |
| | | | | 25 | 12 | 2 | 19.75 |
| | | | | 25 | 25 | 2 | 19.77 |
| | | | | 50 | 0 | 2 | 19.93 |
| | 38200 | 2615.0 | QPSK | 1 | 0 | 0 | 21.76 |
| | | | | 1 | 24 | 0 | 21.72 |
| | | | | 1 | 49 | 0 | 21.68 |
| | | | | 25 | 0 | 1 | 20.91 |
| | | | | 25 | 12 | 1 | 20.60 |
| | | | | 25 | 25 | 1 | 20.91 |
| | | | | 50 | 0 | 1 | 20.88 |
| | | | 16QAM | 1 | 0 | 1 | 20.71 |
| | | | | 1 | 24 | 1 | 20.72 |
| | | | | 1 | 49 | 1 | 20.65 |
| | | | | 25 | 0 | 2 | 19.88 |
| | | | | 25 | 12 | 2 | 19.87 |
| | | | | 25 | 25 | 2 | 19.81 |
| | | | | 50 | 0 | 2 | 19.88 |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



| BW (MHz) | Ch | Freq. (MHz) | Mode | UL RB Allocation | UL RB Offset | MPR | Average power (dBm) |
|----------|-------|-------------|-------|------------------|--------------|-----|---------------------|
| 5MHz | 37775 | 2572.5 | QPSK | 1 | 0 | 0 | 22.08 |
| | | | | 1 | 12 | 0 | 22.07 |
| | | | | 1 | 24 | 0 | 22.10 |
| | | | | 12 | 0 | 1 | 21.20 |
| | | | | 12 | 6 | 1 | 21.15 |
| | | | | 12 | 13 | 1 | 21.08 |
| | | | | 25 | 0 | 1 | 21.02 |
| | | | 16QAM | 1 | 0 | 1 | 21.14 |
| | | | | 1 | 12 | 1 | 21.25 |
| | | | | 1 | 24 | 1 | 21.15 |
| | | | | 12 | 0 | 2 | 20.26 |
| | | | | 12 | 6 | 2 | 20.25 |
| | | | | 12 | 13 | 2 | 20.25 |
| | | | | 25 | 0 | 2 | 20.06 |
| | 38000 | 2595 | QPSK | 1 | 0 | 0 | 21.67 |
| | | | | 1 | 12 | 0 | 21.77 |
| | | | | 1 | 24 | 0 | 21.69 |
| | | | | 12 | 0 | 1 | 20.75 |
| | | | | 12 | 6 | 1 | 20.70 |
| | | | | 12 | 13 | 1 | 20.76 |
| | | | | 25 | 0 | 1 | 20.75 |
| | | | 16QAM | 1 | 0 | 1 | 21.20 |
| | | | | 1 | 12 | 1 | 21.22 |
| | | | | 1 | 24 | 1 | 21.25 |
| | | | | 12 | 0 | 2 | 19.75 |
| | | | | 12 | 6 | 2 | 19.78 |
| | | | | 12 | 13 | 2 | 19.79 |
| | | | | 25 | 0 | 2 | 20.02 |
| | 38225 | 2617.5 | QPSK | 1 | 0 | 0 | 21.65 |
| | | | | 1 | 12 | 0 | 21.72 |
| | | | | 1 | 24 | 0 | 21.73 |
| | | | | 12 | 0 | 1 | 20.83 |
| | | | | 12 | 6 | 1 | 20.85 |
| | | | | 12 | 13 | 1 | 20.63 |
| | | | | 25 | 0 | 1 | 20.66 |
| | | | 16QAM | 1 | 0 | 1 | 21.38 |
| | | | | 1 | 12 | 1 | 20.94 |
| | | | | 1 | 24 | 1 | 21.51 |
| | | | | 12 | 0 | 2 | 19.83 |
| | | | | 12 | 6 | 2 | 19.85 |
| | | | | 12 | 13 | 2 | 19.78 |
| | | | | 25 | 0 | 2 | 19.95 |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



7. RADIATED POWER

7.1 MEASUREMENT OVERVIEW

The radiation test is carried out in a semi-anechoic chamber.

According to the test, put the device under test on a non-conductive platform 3 meters away from the receiving antenna (ANSI/TIA-603-E-2016 Article 2.2.17).

The following rules are for the maximum radiated power limit requirements of the product:

| Mode | Nominal Peak Power |
|-------------|-----------------------------|
| LTE Band 7 | < 2 Watts max. EIRP (33dBm) |
| LTE Band 38 | < 2 Watts max. EIRP (33dBm) |

7.2 MEASUREMENT METHOD

1. Radiated power measurements are performed using the signal analyzer's "channel power" measurement capability for signals with continuous operation.
2. RBW = 1 – 5% of the expected OBW, not to exceed 1MHz
3. VBW $\geq 3 \times$ RBW
4. Span = 1.5 times the OBW
5. No. of sweep points > 2 x span / RBW
6. Detector = RMS
7. Trigger is set to "free run" for signals with continuous operation with the sweep times set to "auto".
8. The integration bandwidth was roughly set equal to the measured OBW of the signal for signals with continuous operation.
9. Trace mode = trace averaging (RMS) over 100 sweeps
10. The trace was allowed to stabilize.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



Radiation Construction Method:

1. The turntable is rotated through 360 degrees, and the receiving antenna scans in order to determine the level of the maximized emission.
2. A half wave dipole is then substituted in place of the EUT. For emissions above 1GHz, a horn antenna is substituted in place of the EUT. The substitute antenna is driven by a signal generator and the previously recorded signal was duplicated.

The power is calculated by the following formula:


$$Pd(\text{dBm}) = Pg(\text{dBm}) - \text{cable loss (dB)} + \text{antenna gain (dB)}$$

Where: Pd is the dipole equivalent power and Pg is the generator output power into the substitution antenna.

3. The maximum value is calculated by adding the forward power to the calibrated source plus its appropriate gain value. These steps are repeated with the receiving antenna in both vertical and horizontal polarization. the difference between the gain of the horn and an isotropic antenna are taken into consideration
4. The EUT was tested in three orthogonal planes (X, Y, Z) and in all possible test configurations and positioning.
5. All measurements are performed as RMS average measurements while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies.


7.3 MEASUREMENT SETUP

Radiated Below 1GHz



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Radiated Above 1 GHz




Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

7.4 MEASUREMENT RESULT

ERP for LTE Band 7

| Frequency | Channel Bandwidth | Mode. | RB | Substituted level | Antenna Polarization | Antenna Gain correction | Cable Loss | Absolute Level | Limit (dBm) |
|-----------|-------------------|--------|------|-------------------|----------------------|-------------------------|------------|----------------|-------------|
| 2502.5 | 5 | QPSK | 1/0 | 13.93 | V | 8.23 | 1.12 | 21.04 | 33 |
| 2535 | 5 | QPSK | 1/0 | 13.74 | V | 8.23 | 1.12 | 20.85 | 33 |
| 2567.5 | 5 | QPSK | 1/24 | 13.51 | V | 8.23 | 1.12 | 20.62 | 33 |
| 2502.5 | 5 | QPSK | 1/0 | 15.05 | H | 8.23 | 1.12 | 22.16 | 33 |
| 2535 | 5 | QPSK | 1/0 | 15.09 | H | 8.23 | 1.12 | 22.20 | 33 |
| 2567.5 | 5 | QPSK | 1/24 | 14.85 | H | 8.23 | 1.12 | 21.96 | 33 |
| 2502.5 | 5 | 16-QAM | 1/0 | 12.35 | V | 8.23 | 1.12 | 19.46 | 33 |
| 2535 | 5 | 16-QAM | 1/0 | 11.95 | V | 8.23 | 1.12 | 19.06 | 33 |
| 2567.5 | 5 | 16-QAM | 1/24 | 12.12 | V | 8.23 | 1.12 | 19.23 | 33 |
| 2502.5 | 5 | 16-QAM | 1/0 | 13.57 | H | 8.23 | 1.12 | 20.68 | 33 |
| 2535 | 5 | 16-QAM | 1/0 | 13.30 | H | 8.23 | 1.12 | 20.41 | 33 |
| 2567.5 | 5 | 16-QAM | 1/24 | 13.67 | H | 8.23 | 1.12 | 20.78 | 33 |
| 2505 | 10 | QPSK | 1/0 | 13.49 | V | 8.23 | 1.12 | 20.60 | 33 |
| 2535 | 10 | QPSK | 1/49 | 13.49 | V | 8.23 | 1.12 | 20.60 | 33 |
| 2565 | 10 | QPSK | 1/0 | 13.37 | V | 8.23 | 1.12 | 20.48 | 33 |
| 2505 | 10 | QPSK | 1/0 | 14.85 | H | 8.23 | 1.12 | 21.96 | 33 |
| 2535 | 10 | QPSK | 1/49 | 14.84 | H | 8.23 | 1.12 | 21.95 | 33 |
| 2565 | 10 | QPSK | 1/0 | 14.84 | H | 8.23 | 1.12 | 21.95 | 33 |
| 2505 | 10 | 16-QAM | 1/0 | 12.76 | V | 8.23 | 1.12 | 19.87 | 33 |
| 2535 | 10 | 16-QAM | 1/49 | 12.66 | V | 8.23 | 1.12 | 19.77 | 33 |
| 2565 | 10 | 16-QAM | 1/0 | 12.66 | V | 8.23 | 1.12 | 19.77 | 33 |
| 2505 | 10 | 16-QAM | 1/0 | 14.09 | H | 8.23 | 1.12 | 21.20 | 33 |
| 2535 | 10 | 16-QAM | 1/49 | 14.13 | H | 8.23 | 1.12 | 21.24 | 33 |
| 2565 | 10 | 16-QAM | 1/0 | 14.01 | H | 8.23 | 1.12 | 21.12 | 33 |
| 2507.5 | 15 | QPSK | 1/0 | 12.49 | V | 8.23 | 1.12 | 19.60 | 33 |
| 2535 | 15 | QPSK | 1/74 | 12.32 | V | 8.23 | 1.12 | 19.43 | 33 |
| 2562.5 | 15 | QPSK | 1/0 | 12.44 | V | 8.23 | 1.12 | 19.55 | 33 |
| 2507.5 | 15 | QPSK | 1/0 | 14.04 | H | 8.23 | 1.12 | 21.15 | 33 |
| 2535 | 15 | QPSK | 1/74 | 13.66 | H | 8.23 | 1.12 | 20.77 | 33 |
| 2562.5 | 15 | QPSK | 1/0 | 13.99 | H | 8.23 | 1.12 | 21.10 | 33 |
| 2507.5 | 15 | 16-QAM | 1/0 | 11.28 | V | 8.23 | 1.12 | 18.39 | 33 |
| 2535 | 15 | 16-QAM | 1/74 | 11.44 | V | 8.23 | 1.12 | 18.55 | 33 |
| 2562.5 | 15 | 16-QAM | 1/0 | 11.28 | V | 8.23 | 1.12 | 18.39 | 33 |
| 2507.5 | 15 | 16-QAM | 1/0 | 12.63 | H | 8.23 | 1.12 | 19.74 | 33 |
| 2535 | 15 | 16-QAM | 1/74 | 12.86 | H | 8.23 | 1.12 | 19.97 | 33 |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



| | | | | | | | | | |
|--------|----|--------|------|-------|---|------|------|-------|----|
| 2562.5 | 15 | 16-QAM | 1/0 | 12.61 | H | 8.23 | 1.12 | 19.72 | 33 |
| 2510 | 20 | QPSK | 1/99 | 10.98 | V | 8.23 | 1.12 | 18.09 | 33 |
| 2535 | 20 | QPSK | 1/99 | 11.30 | V | 8.23 | 1.12 | 18.41 | 33 |
| 2560 | 20 | QPSK | 1/0 | 10.50 | V | 8.23 | 1.12 | 17.61 | 33 |
| 2510 | 20 | QPSK | 1/99 | 12.31 | H | 8.23 | 1.12 | 19.42 | 33 |
| 2535 | 20 | QPSK | 1/99 | 12.57 | H | 8.23 | 1.12 | 19.68 | 33 |
| 2560 | 20 | QPSK | 1/0 | 11.92 | H | 8.23 | 1.12 | 19.03 | 33 |
| 2510 | 20 | 16-QAM | 1/99 | 13.34 | V | 8.23 | 1.12 | 20.45 | 33 |
| 2535 | 20 | 16-QAM | 1/99 | 13.55 | V | 8.23 | 1.12 | 20.66 | 33 |
| 2560 | 20 | 16-QAM | 1/0 | 13.68 | V | 8.23 | 1.12 | 20.79 | 33 |
| 2510 | 20 | 16-QAM | 1/99 | 14.67 | H | 8.23 | 1.12 | 21.78 | 33 |
| 2535 | 20 | 16-QAM | 1/99 | 15.02 | H | 8.23 | 1.12 | 22.13 | 33 |
| 2560 | 20 | 16-QAM | 1/0 | 15.04 | H | 8.23 | 1.12 | 22.15 | 33 |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



ERP for LTE Band 38

| Frequency | Channel Bandwidth | Mode. | RB | Substituted level | Antenna Polarization | Antenna Gain correction | Cable Loss | Absolute Level | Limit (dBm) |
|-----------|-------------------|--------|------|-------------------|----------------------|-------------------------|------------|----------------|-------------|
| 2572.5 | 5 | QPSK | 1/0 | 12.31 | V | 8.22 | 1.10 | 19.43 | 33 |
| 2595 | 5 | QPSK | 1/0 | 12.23 | V | 8.22 | 1.10 | 19.35 | 33 |
| 2617.5 | 5 | QPSK | 1/24 | 12.46 | V | 8.22 | 1.10 | 19.58 | 33 |
| 2572.5 | 5 | QPSK | 1/0 | 13.43 | H | 8.22 | 1.10 | 20.55 | 33 |
| 2595 | 5 | QPSK | 1/0 | 13.58 | H | 8.22 | 1.10 | 20.70 | 33 |
| 2617.5 | 5 | QPSK | 1/24 | 13.80 | H | 8.22 | 1.10 | 20.92 | 33 |
| 2572.5 | 5 | 16-QAM | 1/0 | 12.03 | V | 8.22 | 1.10 | 19.15 | 33 |
| 2595 | 5 | 16-QAM | 1/0 | 12.07 | V | 8.22 | 1.10 | 19.19 | 33 |
| 2617.5 | 5 | 16-QAM | 1/24 | 11.79 | V | 8.22 | 1.10 | 18.91 | 33 |
| 2572.5 | 5 | 16-QAM | 1/0 | 13.25 | H | 8.22 | 1.10 | 20.37 | 33 |
| 2595 | 5 | 16-QAM | 1/0 | 13.42 | H | 8.22 | 1.10 | 20.54 | 33 |
| 2617.5 | 5 | 16-QAM | 1/24 | 13.34 | H | 8.22 | 1.10 | 20.46 | 33 |
| 2575 | 10 | QPSK | 1/0 | 12.06 | V | 8.22 | 1.10 | 19.18 | 33 |
| 2595 | 10 | QPSK | 1/49 | 11.93 | V | 8.22 | 1.10 | 19.05 | 33 |
| 2615 | 10 | QPSK | 1/0 | 11.90 | V | 8.22 | 1.10 | 19.02 | 33 |
| 2575 | 10 | QPSK | 1/0 | 13.42 | H | 8.22 | 1.10 | 20.54 | 33 |
| 2595 | 10 | QPSK | 1/49 | 13.28 | H | 8.22 | 1.10 | 20.40 | 33 |
| 2615 | 10 | QPSK | 1/0 | 13.37 | H | 8.22 | 1.10 | 20.49 | 33 |
| 2575 | 10 | 16-QAM | 1/0 | 11.13 | V | 8.22 | 1.10 | 18.25 | 33 |
| 2595 | 10 | 16-QAM | 1/49 | 10.88 | V | 8.22 | 1.10 | 18.00 | 33 |
| 2615 | 10 | 16-QAM | 1/0 | 10.93 | V | 8.22 | 1.10 | 18.05 | 33 |
| 2575 | 10 | 16-QAM | 1/0 | 12.46 | H | 8.22 | 1.10 | 19.58 | 33 |
| 2595 | 10 | 16-QAM | 1/49 | 12.35 | H | 8.22 | 1.10 | 19.47 | 33 |
| 2615 | 10 | 16-QAM | 1/0 | 12.28 | H | 8.22 | 1.10 | 19.40 | 33 |
| 2577.5 | 15 | QPSK | 1/0 | 11.64 | V | 8.22 | 1.10 | 18.76 | 33 |
| 2595 | 15 | QPSK | 1/74 | 11.89 | V | 8.22 | 1.10 | 19.01 | 33 |
| 2612.5 | 15 | QPSK | 1/0 | 11.52 | V | 8.22 | 1.10 | 18.64 | 33 |
| 2577.5 | 15 | QPSK | 1/0 | 13.19 | H | 8.22 | 1.10 | 20.31 | 33 |
| 2595 | 15 | QPSK | 1/74 | 13.23 | H | 8.22 | 1.10 | 20.35 | 33 |
| 2612.5 | 15 | QPSK | 1/0 | 13.07 | H | 8.22 | 1.10 | 20.19 | 33 |
| 2577.5 | 15 | 16-QAM | 1/0 | 11.44 | V | 8.22 | 1.10 | 18.56 | 33 |
| 2595 | 15 | 16-QAM | 1/74 | 11.38 | V | 8.22 | 1.10 | 18.50 | 33 |
| 2612.5 | 15 | 16-QAM | 1/0 | 11.29 | V | 8.22 | 1.10 | 18.41 | 33 |
| 2577.5 | 15 | 16-QAM | 1/0 | 12.79 | H | 8.22 | 1.10 | 19.91 | 33 |
| 2595 | 15 | 16-QAM | 1/74 | 12.80 | H | 8.22 | 1.10 | 19.92 | 33 |
| 2612.5 | 15 | 16-QAM | 1/0 | 12.62 | H | 8.22 | 1.10 | 19.74 | 33 |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



| | | | | | | | | | |
|------|----|--------|------|-------|---|------|------|-------|----|
| 2580 | 20 | QPSK | 1/99 | 12.00 | V | 8.22 | 1.10 | 19.12 | 33 |
| 2595 | 20 | QPSK | 1/99 | 11.89 | V | 8.22 | 1.10 | 19.01 | 33 |
| 2610 | 20 | QPSK | 1/0 | 11.71 | V | 8.22 | 1.10 | 18.83 | 33 |
| 2580 | 20 | QPSK | 1/99 | 13.33 | H | 8.22 | 1.10 | 20.45 | 33 |
| 2595 | 20 | QPSK | 1/99 | 13.16 | H | 8.22 | 1.10 | 20.28 | 33 |
| 2610 | 20 | QPSK | 1/0 | 13.13 | H | 8.22 | 1.10 | 20.25 | 33 |
| 2580 | 20 | 16-QAM | 1/99 | 12.93 | V | 8.22 | 1.10 | 20.05 | 33 |
| 2595 | 20 | 16-QAM | 1/99 | 11.15 | V | 8.22 | 1.10 | 18.27 | 33 |
| 2610 | 20 | 16-QAM | 1/0 | 11.08 | V | 8.22 | 1.10 | 18.20 | 33 |
| 2580 | 20 | 16-QAM | 1/99 | 12.67 | H | 8.22 | 1.10 | 19.79 | 33 |
| 2595 | 20 | 16-QAM | 1/99 | 12.62 | H | 8.22 | 1.10 | 19.74 | 33 |
| 2610 | 20 | 16-QAM | 1/0 | 12.44 | H | 8.22 | 1.10 | 19.56 | 33 |

Note: Above is the worst mode data.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



8. PEAK-TO-AVERAGE RATIO

8.1 PROVISIONS APPLICABLE

① CCDF Procedure for PAPR :

1. Set resolution/measurement bandwidth \geq signal's occupied bandwidth;
2. Set the number of counts to a value that stabilizes the measured CCDF curve;
3. Set the measurement interval as follows:
 - for continuous transmissions, set to 1 ms,
 - or burst transmissions, employ an external trigger that is synchronized with the EUT burst timing sequence, or use the internal burst trigger with a trigger level that allows the burst to stabilize and set the measurement interval to a time that is less than or equal to the burst duration.
4. Record the maximum PAPR level associated with a probability of 0.1%.

② Alternate Procedure for PAPR:

Use one of the procedures presented in 5.2(ANSI C63.26-2015) to measure the total peak power and record as PPk. Use one of the applicable procedures presented 5.2(ANSI C63.26-2015) to measure the total average power and record as PAvg. Determine the P.A.R. from:

$$\text{P.A.R(dB)} = \text{PPk (dBm)} - \text{PAvg (dBm)} \quad (\text{PAvg} = \text{Average Power} + \text{Duty cycle Factor})$$

8.2 MEASUREMENT METHOD

Test Settings(Peak Power):

The measurement instrument must have a RBW that is greater than or equal to the OBW of the signal to be measured and a VBW $\geq 3 \times$ RBW.

1. Set the RBW \geq OBW.
2. Set VBW $\geq 3 \times$ RBW.
3. Set span $\geq 2 \times$ OBW.
4. Sweep time $\geq 10 \times$ (number of points in sweep) \times (transmission symbol period).
5. Detector = peak.
6. Trace mode = max hold.
7. Allow trace to fully stabilize.
8. Use the peak marker function to determine the peak amplitude level.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.


Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



Test Settings(Average Power)

1. Set span to $2 \times$ to $3 \times$ the OBW.
2. Set RBW \geq OBW.
3. Set VBW $\geq 3 \times$ RBW.
4. Set number of measurement points in sweep $\geq 2 \times$ span / RBW.
5. Sweep time: Set $\geq [10 \times (\text{number of points in sweep}) \times (\text{transmission period})]$ for single sweep (automation-compatible) measurement. The transmission period is the (on + off) time.
6. Detector = power averaging (rms).
7. Set sweep trigger to "free run."
8. Trace average at least 100 traces in power averaging (rms) mode if sweep is set to auto-couple. (To accurately determine the average power over the on and off period of the transmitter, it can be necessary to increase the number of traces to be averaged above 100 or, if using a manually configured sweep time, increase the sweep time.)
9. Use the peak marker function to determine the maximum amplitude level.
10. Add $[10 \log (1/\text{duty cycle})]$ to the measured maximum power level to compute the average power during continuous transmission. For example, add $[10 \log (1/0.25)] = 6 \text{ dB}$ if the duty cycle is a constant 25%.

8.3 MEASUREMENT SETUP



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



8.4 MEASUREMENT RESULT

LTE BAND 7

| Band | Bandwidth | Modulation | Channel | RB Configuration | Result(dB) | Limit(dB) | Verdict |
|-------|-----------|------------|---------|------------------|------------|-----------|---------|
| Band7 | 5MHz | QPSK | 20775 | 25RB#0 | 5.04 | 13 | PASS |
| Band7 | 5MHz | QPSK | 21100 | 25RB#0 | 4.56 | 13 | PASS |
| Band7 | 5MHz | QPSK | 21425 | 25RB#0 | 4.94 | 13 | PASS |
| Band7 | 5MHz | 16QAM | 20775 | 25RB#0 | 5.73 | 13 | PASS |
| Band7 | 5MHz | 16QAM | 21100 | 25RB#0 | 5.36 | 13 | PASS |
| Band7 | 5MHz | 16QAM | 21425 | 25RB#0 | 5.61 | 13 | PASS |
| Band7 | 10MHz | QPSK | 20800 | 50RB#0 | 5.28 | 13 | PASS |
| Band7 | 10MHz | QPSK | 21100 | 50RB#0 | 4.66 | 13 | PASS |
| Band7 | 10MHz | QPSK | 21400 | 50RB#0 | 4.99 | 13 | PASS |
| Band7 | 10MHz | 16QAM | 20800 | 50RB#0 | 6.01 | 13 | PASS |
| Band7 | 10MHz | 16QAM | 21100 | 50RB#0 | 5.44 | 13 | PASS |
| Band7 | 10MHz | 16QAM | 21400 | 50RB#0 | 5.70 | 13 | PASS |
| Band7 | 15MHz | QPSK | 20825 | 75RB#0 | 5.64 | 13 | PASS |
| Band7 | 15MHz | QPSK | 21100 | 75RB#0 | 5.04 | 13 | PASS |
| Band7 | 15MHz | QPSK | 21375 | 75RB#0 | 5.33 | 13 | PASS |
| Band7 | 15MHz | 16QAM | 20825 | 75RB#0 | 6.14 | 13 | PASS |
| Band7 | 15MHz | 16QAM | 21100 | 75RB#0 | 5.54 | 13 | PASS |
| Band7 | 15MHz | 16QAM | 21375 | 75RB#0 | 5.83 | 13 | PASS |
| Band7 | 20MHz | QPSK | 20850 | 100RB#0 | 5.40 | 13 | PASS |
| Band7 | 20MHz | QPSK | 21100 | 100RB#0 | 5.16 | 13 | PASS |
| Band7 | 20MHz | QPSK | 21350 | 100RB#0 | 5.18 | 13 | PASS |
| Band7 | 20MHz | 16QAM | 20850 | 100RB#0 | 6.16 | 13 | PASS |
| Band7 | 20MHz | 16QAM | 21100 | 100RB#0 | 5.77 | 13 | PASS |
| Band7 | 20MHz | 16QAM | 21350 | 100RB#0 | 5.94 | 13 | PASS |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



LTE BAND 38

| Mode | Bandwidth | Modulation | Channel | RB Configuration | Result(dB) | Limit(dB) | Verdict |
|--------|-----------|------------|---------|------------------|------------|-----------|---------|
| Band38 | 5MHz | QPSK | 37775 | 25RB#0 | 5.54 | 13 | PASS |
| Band38 | 5MHz | QPSK | 38000 | 25RB#0 | 5.22 | 13 | PASS |
| Band38 | 5MHz | QPSK | 38225 | 25RB#0 | 5.09 | 13 | PASS |
| Band38 | 5MHz | 16QAM | 37775 | 25RB#0 | 6.15 | 13 | PASS |
| Band38 | 5MHz | 16QAM | 38000 | 25RB#0 | 5.92 | 13 | PASS |
| Band38 | 5MHz | 16QAM | 38225 | 25RB#0 | 5.61 | 13 | PASS |
| Band38 | 10MHz | QPSK | 37800 | 50RB#0 | 5.66 | 13 | PASS |
| Band38 | 10MHz | QPSK | 38000 | 50RB#0 | 5.25 | 13 | PASS |
| Band38 | 10MHz | QPSK | 38200 | 50RB#0 | 4.88 | 13 | PASS |
| Band38 | 10MHz | 16QAM | 37800 | 50RB#0 | 6.33 | 13 | PASS |
| Band38 | 10MHz | 16QAM | 38000 | 50RB#0 | 5.96 | 13 | PASS |
| Band38 | 10MHz | 16QAM | 38200 | 50RB#0 | 5.62 | 13 | PASS |
| Band38 | 15MHz | QPSK | 37825 | 75RB#0 | 5.91 | 13 | PASS |
| Band38 | 15MHz | QPSK | 38000 | 75RB#0 | 5.58 | 13 | PASS |
| Band38 | 15MHz | QPSK | 38175 | 75RB#0 | 5.14 | 13 | PASS |
| Band38 | 15MHz | 16QAM | 37825 | 75RB#0 | 6.37 | 13 | PASS |
| Band38 | 15MHz | 16QAM | 38000 | 75RB#0 | 6.10 | 13 | PASS |
| Band38 | 15MHz | 16QAM | 38175 | 75RB#0 | 5.71 | 13 | PASS |
| Band38 | 20MHz | QPSK | 37850 | 100RB#0 | 5.62 | 13 | PASS |
| Band38 | 20MHz | QPSK | 38000 | 100RB#0 | 5.42 | 13 | PASS |
| Band38 | 20MHz | QPSK | 38150 | 100RB#0 | 5.09 | 13 | PASS |
| Band38 | 20MHz | 16QAM | 37850 | 100RB#0 | 6.29 | 13 | PASS |
| Band38 | 20MHz | 16QAM | 38000 | 100RB#0 | 6.06 | 13 | PASS |
| Band38 | 20MHz | 16QAM | 38150 | 100RB#0 | 5.77 | 13 | PASS |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



9. SPURIOUS AND HARMONIC EMISSIONS AT ANTENNA TERMINAL

9.1 PROVISIONS APPLICABLE

The level of the carrier and the various conducted spurious and harmonic frequencies is measured by means of a calibrated spectrum analyzer. The spectrum is scanned from the lowest frequency generated in the equipment up to a frequency including its 10th harmonic. All out of band emissions are measured with a spectrum analyzer connected to the antenna terminal of the EUT while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates were investigated to determine the worst case configuration. All modes of operation were investigated and the worst case configuration results are reported in this section.

9.2 MEASUREMENT METHOD

For Band 2/Band 4/Band 5/Band 12/Band 13/Band 14/Band 17/Band 25/Band 26/Band 66/Band 71:

The minimum permissible attenuation level of any spurious emission is $43 + \log_{10}(P[\text{Watts}])$, where P is the transmitter power in Watts.

For Band 7:

- (i) $40 + 10 \log_{10} p$ from the channel edges to 5 MHz away
- (ii) $43 + 10 \log_{10} p$ between 5 MHz and X MHz from the channel edges, and
- (iii) $55 + 10 \log_{10} p$ at X MHz and beyond from the channel edges

For Band 14:

On all frequencies between 769-775 MHz and 799-805 MHz: $< 65 + 10 \log_{10} (P[\text{Watts}])$

Test Settings

1. Start frequency was set to 30MHz and stop frequency was set to at least $10 \times$ the fundamental frequency (separated into at least two plots per channel)
1. RBW = 1 MHz
2. VBW \geq 3 MHz
3. Detector = RMS
4. Trace Mode = Average
5. Sweep time = auto
6. Number of points in sweep $\geq 2 \times \text{Span} / \text{RBW}$

Test Note


Compliance with the applicable limits is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kHz or greater for frequencies less than 1 GHz and 1 MHz or greater for frequencies greater than 1 GHz. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emission are attenuated at least 26 dB below the transmitter power.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



9.3 MEASUREMENT SETUP



9.4 MEASUREMENT RESULT

Please refer to: appendix a test plots for spurious and harmonic emissions at antenna terminal

Note: 1. No transmission signal is found in standby or receiving mode, and the default value is lower than the limit of 20dB, which is not recorded in this report.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



10 RADIATED SPURIOUS EMISSION

10.1. PROVISIONS APPLICABLE

(A) On any frequency outside a licensee's frequency block (e.g. A, D, B, etc.) within the USPCS spectrum, the power of any emission shall be attenuated below the transmitter power (P, in Watts) by at least $43 + 10 \log(P)$ dB. The specification that emissions shall be attenuated below the transmitter power (P) by at least $43 + 10 \log(P)$ dB, translates in the relevant power range (1 to 0.001 W) to -13 dBm.

At 1 W the specified minimum attenuation becomes 43 dB and relative to a 30 dBm (1 W) carrier becomes a limit of -13 dBm. At 0.001 W (0 dBm) the minimum attenuation is 13 dB, which again yields a limit of -13 dBm. In this way a translation of the specification from relative to absolute terms is carried out.

(B) For specific criteria, please refer to the description in section 9.2 of the report for corresponding evaluation.

10.2. MEASUREMENT PROCEDURE


1. The EUT was placed on the top of the turntable 0.8 or 1.5 meter above ground. The phase center of the receiving antenna mounted on the top of a height-variable antenna tower was placed 3 meters far away from the turntable.
2. Power on the EUT and all the supporting units. The turntable was rotated by 360 degrees to determine the position of the highest radiation.
3. The height of the broadband receiving antenna was varied between one meter and four meters above ground to find the maximum emissions field strength of both horizontal and vertical polarization.
4. For each suspected emissions, the antenna tower was scan (from 1 M to 4 M) and then the turntable was rotated (from 0 degree to 360 degrees) to find the maximum reading.
5. Set the test-receiver system to Peak or CISPR quasi-peak Detect Function with specified bandwidth under Maximum Hold Mode.
6. For emissions above 1GHz, use 1MHz VBW and RBW for peak reading. Then 1MHz RBW and 10Hz VBW for average reading in spectrum analyzer. Place the measurement antenna away from each area of the EUT determined to be a source of emissions at the specified measurement distance, while keeping the measurement antenna aimed at the source of emissions at each frequency of significant emissions, with polarization oriented for maximum response. The measurement antenna may have to be higher or lower than the EUT, depending on the radiation pattern of the emission and staying aimed at the emission source for receiving the maximum signal. The final measurement antenna elevation shall be that which maximizes the emissions. The measurement antenna elevation for maximum emissions shall be restricted to a range of heights of from 1 m to 4 m above the ground or reference ground plane.
7. When the radiated emissions limits are expressed in terms of the average value of the emissions, and pulsed operation is employed, the measurement field strength shall be determined by averaging over one complete pulse train, including blanking intervals, as long as the pulse train does not exceed 0.1 seconds. As an alternative (provided the transmitter operates for longer than 0.1 seconds) or in cases where the pulse train exceeds 0.1 seconds, the measured field strength shall be determined from the average absolute voltage during a 0.1 second interval during which the field strength is at its maximum values.
8. If the emissions level of the EUT in peak mode was 3 dB lower than the average limit specified, then testing will be stopped and peak values of EUT will be reported, otherwise, the emissions which do not have 3 dB margin will be repeated one by one using the quasi-peak method for below 1GHz.
9. For testing above 1GHz, the emissions level of the EUT in peak mode was lower than average limit (that

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



means the emissions level in peak mode also complies with the limit in average mode), then testing will be stopped and peak values of EUT will be reported, otherwise, the emissions will be measured in average mode again and reported.

10. In case the emission is lower than 30MHz, loop antenna has to be used for measurement and the recorded data should be QP measured by receiver. High - Low scan is not required in this case.

11. For spurious emissions above 1GHz, a horn antenna is substituted in place of the EUT.

The substitute antenna is driven by a signal generator and the previously recorded signal was duplicated. The spurious emissions is calculated by the following formula;

$$\text{Result(dBm)} = \text{Pg(dBm)} + \text{Factor(dB)}$$

$$\text{Factor(dB)} = \text{Ant Gain(dB)} - \text{Cable Loss(dB)} + \text{Power Splitter(dB)} \text{ (Above 1GHz)}$$

$$\text{Factor(dB)} = \text{Ant Gain(dB)} - \text{Cable Loss(dB)} \text{ (Below 1GHz)}$$

Where: Pgis the generator output power into the substitution antenna.

If the fundalmatal frequency is below 1GHz, RF output power has been converted to EIRP.

$$\text{EIRP(dBm)} = \text{ERP(dBm)} + 2.15$$

12. Examples of Factor parameters for testing radiation spurious:

| Frequency Range(MHz) | Factor(dB) |
|----------------------|------------|
| 30-500 | 6.18 |
| 500-1000 | 9.37 |
| 1000-1500 | 27.56 |
| 1500-2000 | 28.27 |
| 2000-3000 | 29.45 |
| 3000-5000 | 30.15 |
| 5000-10000 | 31.26 |
| 10000-15000 | 32.78 |
| 15000-20000 | 33.99 |
| Above 20GHz | 35.04 |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd


Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/




10.3. MEASUREMENT SETUP

Radiated Emissions 30MHz to 1GHz Test setup



Radiated Emissions Above 1GHz Test setup



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



10.4 MEASUREMENT RESULT

LTE Band 7 Low channel

| Frequency (MHz) | Polarity (H/V) | Emission Level (dBm) | Limit (dBm) | Margin (dB) |
|-----------------|----------------|----------------------|-------------|-------------|
| 7507.5 | V | -39.76 | -25 | -14.76 |
| 5005 | V | -39.90 | -25 | -14.90 |
| 925.7 | V | -48.25 | -25 | -23.25 |
| 678.9 | V | -49.71 | -25 | -24.71 |
| 7507.5 | H | -38.42 | -25 | -13.42 |
| 5005 | H | -39.30 | -25 | -14.30 |
| 873.6 | H | -47.90 | -25 | -22.90 |
| 662.7 | H | -47.09 | -25 | -22.09 |

Middle channel

| Frequency (MHz) | Polarity (H/V) | Emission Level (dBm) | Limit (dBc) | Margin (dB) |
|-----------------|----------------|----------------------|-------------|-------------|
| 7605 | V | -41.82 | -25 | -16.82 |
| 5070 | V | -39.79 | -25 | -14.79 |
| 833.7 | V | -49.24 | -25 | -24.24 |
| 521.2 | V | -48.73 | -25 | -23.73 |
| 7605 | H | -38.04 | -25 | -13.04 |
| 5070 | H | -39.82 | -25 | -14.82 |
| 819.6 | H | -46.99 | -25 | -21.99 |
| 520.5 | H | -46.45 | -25 | -21.45 |

High channel

| Frequency (MHz) | Polarity (H/V) | Emission Level (dBm) | Limit (dBm) | Margin (dB) |
|-----------------|----------------|----------------------|-------------|-------------|
| 7702.5 | V | -40.11 | -25 | -15.11 |
| 5135 | V | -41.13 | -25 | -16.13 |
| 752.6 | V | -49.39 | -25 | -24.39 |
| 511.4 | V | -48.74 | -25 | -23.74 |
| 7702.5 | H | -39.22 | -25 | -14.22 |
| 5135 | H | -40.86 | -25 | -15.86 |
| 701.1 | H | -46.14 | -25 | -21.14 |
| 507.1 | H | -45.95 | -25 | -20.95 |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



LTE Band 38 Low channel

| Frequency (MHz) | Polarity (H/V) | Emission Level (dBm) | Limit (dBm) | Margin (dB) |
|-----------------|----------------|----------------------|-------------|-------------|
| 7717.5 | V | -49.17 | -25 | -24.17 |
| 5145 | V | -45.62 | -25 | -20.62 |
| 881.2 | V | -48.88 | -25 | -23.88 |
| 594.3 | V | -52.66 | -25 | -27.66 |
| 7717.5 | H | -46.60 | -25 | -21.60 |
| 5145 | H | -44.72 | -25 | -19.72 |
| 463.8 | H | -54.01 | -25 | -29.01 |
| 367.5 | H | -49.60 | -25 | -24.60 |

Middle channel

| Frequency (MHz) | Polarity (H/V) | Emission Level (dBm) | Limit (dBm) | Margin (dB) |
|-----------------|----------------|----------------------|-------------|-------------|
| 7785 | V | -45.38 | -25 | -20.38 |
| 5190 | V | -46.65 | -25 | -21.65 |
| 674.1 | V | -52.90 | -25 | -27.90 |
| 493.2 | V | -53.16 | -25 | -28.16 |
| 7785 | H | -46.06 | -25 | -21.06 |
| 5190 | H | -47.41 | -25 | -22.41 |
| 421.8 | H | -48.86 | -25 | -23.86 |
| 203.1 | H | -52.34 | -25 | -27.34 |

High channel

| Frequency (MHz) | Polarity (H/V) | Emission Level (dBm) | Limit (dBm) | Margin (dB) |
|-----------------|----------------|----------------------|-------------|-------------|
| 7851 | V | -45.86 | -25 | -20.86 |
| 5235 | V | -46.89 | -25 | -21.89 |
| 745.3 | V | -49.61 | -25 | -24.61 |
| 582.6 | V | -52.27 | -25 | -27.27 |
| 7851 | H | -43.91 | -25 | -18.91 |
| 5235 | H | -45.33 | -25 | -20.33 |
| 742.1 | H | -52.15 | -25 | -27.15 |
| 652.7 | H | -50.06 | -25 | -25.06 |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



Note: 1. Margin (dB) = Emission Level(dBm) -Limit(dBm)

Emission Level(dBm)= Measurement Reading(dBm)+Factor(dB)

Factor(dB) = ANT Gain -Cable Loss + Power Splitter

2. The test refers to the value of Factor, please refer to the results listed in the test method in this section of the report.
3. Radiated Spurious Emissions was Tested QPSK Modulation, Resource Block Size 1 and Resource Block Offset 0.
4. Below 30MHz, no spurious emission was found, and only the worst mode data above 30MHz is recorded in the report.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd

Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



11. FREQUENCY STABILITY / VARIATION OF AMBIENT TEMPERATURE

11.1 PROVISIONS APPLICABLE

11.1.1 For Hand carried battery powered equipment

Frequency stability testing is performed in accordance with the guidelines of ANSI/TIA-603-E-2016. The frequency stability of the transmitter is measured by:

- a.) Temperature: The temperature is varied from -10°C to +40°C in 10°C increments using an environmental chamber.
- b.) Primary Supply Voltage: The primary supply voltage is varied from 85% to 115% of the nominal value for non hand-carried battery and AC powered equipment. For hand-carried, battery-powered equipment, primary supply voltage is reduced to the battery operating end point which shall be specified by the manufacturer.

For Part 22, the frequency stability of the transmitter shall be maintained within $\pm 0.00025\%$ (± 2.5 ppm) of the center frequency. For Part 24 and Part 27, the frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block.

11.1.2 For equipment powered by primary supply voltage

1. The carrier frequency of the transmitter is measured at room temperature (20°C to provide a reference).
2. The equipment is turned on in a "standby" condition for fifteen minutes before applying power to the transmitter. Measurement of the carrier frequency of the transmitter is made within one minute after applying power to the transmitter.
3. Frequency measurements are made at 10°C intervals ranging from -10°C to +40°C. A period of at least one half-hour is provided to allow stabilization of the equipment at each temperature level.

11.2 MEASUREMENT METHOD

In order to measure the carrier frequency under the condition of AFC lock, it is necessary to make measurements with the EUT in a "call mode". This is accomplished with the use of R&S CMW500 DIGITAL RADIO COMMUNICATION TESTER.


- 1 Measure the carrier frequency at room temperature.
- 2 Subject the EUT to overnight soak at 10°C. With the EUT, powered via nominal voltage, connected to the CMW500 and in a simulated call on channel 20175 for LTE band 4 measure the carrier frequency. These measurements should be made within 2 minutes of Powering up the EUT, to prevent significant self-warming.
- 3 Repeat the above measurements at 10°C increments from -10°C to +40°C. Allow at least 1 1/2 hours at each temperature, unpowered, before making measurements.
- 4 Re-measure carrier frequency at room temperature with nominal voltage. Vary supply voltage from minimum voltage to maximum voltage, in 0.1Volt increments re-measuring carrier frequency at each voltage. Pause at nominal voltage for 1 1/2 hours unpowered, to allow any self-heating to stabilize, before continuing.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.



- 5 Subject the EUT to overnight soak at +40°C.
- 6 With the EUT, powered via nominal voltage, connected to the CMW500 and in a simulated call on the centre channel, measure the carrier frequency. These measurements should be made within 2 minutes of Powering up the EUT, to prevent significant self-warming.
- 7 Repeat the above measurements at 10°C increments from +40°C to -10°C. Allow at least 1 1/2 hours at each temperature, unpowered, before making measurements.
- 8 At all temperature levels hold the temperature to +/- 0.5°C during the measurement procedure.

11.3 MEASUREMENT SETUP



11.4 MEASUREMENT RESULT

LTE Band 7

| Middle Channel, $f_0 = 2535$ MHz | | | |
|----------------------------------|----------------------|----------------------|-----------------------|
| Temperature (°C) | Power Supplied (VDC) | Frequency Error (Hz) | Frequency Error (ppm) |
| -20 | 3.80 | -63.16 | -0.025239 |
| -10 | | -22.57 | -0.009019 |
| 0 | | -25.66 | -0.010254 |
| 10 | | -19.27 | -0.007602 |
| 20 | | 35.05 | 0.013826 |
| 30 | | 5.49 | 0.002166 |
| 40 | | -27.55 | -0.010730 |
| 25 | 4.37 | -51.71 | -0.020140 |
| | 3.23 | -48.65 | -0.019441 |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



LTE Band 38

| Middle Channel, $f_0 = 2595.0$ MHz | | | |
|------------------------------------|----------------------|----------------------|-----------------------|
| Temperature (°C) | Power Supplied (VDC) | Frequency Error (Hz) | Frequency Error (ppm) |
| -20 | 3.80 | -27.95 | -0.010865 |
| -10 | | 18.84 | 0.007324 |
| 0 | | -42.44 | -0.016498 |
| 10 | | -11.76 | -0.004532 |
| 20 | | 18.50 | 0.007129 |
| 30 | | -22.04 | -0.008493 |
| 40 | | 45.32 | 0.017314 |
| 25 | 4.37 | 24.18 | 0.009238 |
| | 3.23 | 51.56 | 0.020043 |

Note: Based on the results of the frequency stability test at the center channel the frequency deviation results measured are very small. As such it is determined that channels at the band edge would remain in-band when the maximum measured frequency deviation noted during the frequency stability tests is applied. Therefore the device is determined to remain operating in band over the temperature and voltage range as tested.

- Note:**1. The device under test maintains the minimum and maximum operating temperature and the required limit voltage according to the manufacturer's requirements.
2. Only the worst working mode data is recorded in the report.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15 days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: http://cn.agc-cert.com/



12. OCCUPIED BANDWIDTH

12.1 PROVISIONS APPLICABLE

The width of a frequency band such that, below the lower and above the upper frequency limits, the mean powers emitted are each equal to a specified percentage 0.5 % of the total mean power of a given emission. The EUT makes a call to the communication simulator.


The conducted occupied bandwidth used the power splitter via EUT RF power connector between simulation base station and spectrum analyzer.

The communication simulator station system controlled a EUT to export maximum output power under transmission mode and specific channel frequency. Use OBW measurement function of Spectrum analyzer to measure 99 % occupied bandwidth

12.2 MEASUREMENT METHOD

1. The signal analyzer's automatic bandwidth measurement capability was used to perform the 99% occupied bandwidth and the 26dB bandwidth. The bandwidth measurement was not influenced by any intermediate power nulls in the fundamental emission.
2. RBW = 1 – 5% of the expected OBW
3. VBW $\geq 3 \times$ RBW
4. Detector = Peak
5. Trace mode = max hold
6. Sweep = auto couple
7. The trace was allowed to stabilize
8. If necessary, steps 2 – 7 were repeated after changing the RBW such that it would be within 1 – 5% of the 99% occupied bandwidth observed in Step 7

12.3 MEASUREMENT SETUP



Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd
Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd
Tel: +86-755 2523 4088 E-mail: agc@agc-cert.com Web: <http://cn.agc-cert.com/>



12.4 MEASUREMENT RESULT

LTE Band 7

| Channel Bandwidth: 5 MHz | | | | | | |
|--------------------------|---------|------------------|--------|--------------------------|-----------------------|---------|
| Modulation | Channel | RB Configuration | | Occupied Bandwidth (MHz) | -26dB Bandwidth (MHz) | Verdict |
| | | Size | Offset | | | |
| QPSK | LCH | 25 | 0 | 4.4942 | 4.875 | PASS |
| | MCH | 25 | 0 | 4.4982 | 4.884 | PASS |
| | HCH | 25 | 0 | 4.4917 | 4.877 | PASS |
| 16QAM | LCH | 25 | 0 | 4.4983 | 4.883 | PASS |
| | MCH | 25 | 0 | 4.4960 | 4.884 | PASS |
| | HCH | 25 | 0 | 4.4979 | 4.857 | PASS |

| Channel Bandwidth: 10 MHz | | | | | | |
|---------------------------|---------|------------------|--------|--------------------------|-----------------------|---------|
| Modulation | Channel | RB Configuration | | Occupied Bandwidth (MHz) | -26dB Bandwidth (MHz) | Verdict |
| | | Size | Offset | | | |
| QPSK | LCH | 50 | 0 | 8.9782 | 9.582 | PASS |
| | MCH | 50 | 0 | 8.9844 | 9.551 | PASS |
| | HCH | 50 | 0 | 8.9679 | 9.554 | PASS |
| 16QAM | LCH | 50 | 0 | 8.9741 | 9.549 | PASS |
| | MCH | 50 | 0 | 8.9839 | 9.650 | PASS |
| | HCH | 50 | 0 | 8.9494 | 9.574 | PASS |

| Channel Bandwidth: 15 MHz | | | | | | |
|---------------------------|---------|------------------|--------|--------------------------|-----------------------|---------|
| Modulation | Channel | RB Configuration | | Occupied Bandwidth (MHz) | -26dB Bandwidth (MHz) | Verdict |
| | | Size | Offset | | | |
| QPSK | LCH | 75 | 0 | 13.466 | 14.29 | PASS |
| | MCH | 75 | 0 | 13.482 | 14.33 | PASS |
| | HCH | 75 | 0 | 13.417 | 14.29 | PASS |
| 16QAM | LCH | 75 | 0 | 13.448 | 14.32 | PASS |
| | MCH | 75 | 0 | 13.470 | 14.40 | PASS |
| | HCH | 75 | 0 | 13.412 | 14.26 | PASS |

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc@agc-cert.com.

