

Page 1 of 172

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT

INTENTIONAL RADIATOR CERTIFICATION TO FCC PART 15 SUBPART E REQUIREMENT AND INDUSTRY CANADA RSS 247 **CLASS II & IV PC REPORT**

OF

Product Name: 802.11a/b/g/n/ac + BT4.1 M.2 2230 Type Card

Qualcomm Atheros Brand Name:

QCNFA344A Model No.:

Model Difference: N/A

FCC ID: PPD-QCNFA344AH

IC: 4104A-QCNFA344A

Report No.: E2/2016/30073

Issue Date: Apr. 12, 2016

FCC Rule Part: §15.407

IC Rule Part: RSS-247 issue 1:2015

Prepared for: Qualcomm Atheros, Inc.

1700 Technology Drive, San Jose, CA 95110

SGS Taiwan Ltd. Prepared by:

Electronics & Communication Laboratory

No.2, Keji 1st Rd., Guishan Township,

Taoyuan County, Taiwan 333





Note: This report shall not be reproduced except in full, without the written approval of SGS Taiwan Ltd. This document may be altered or revised by SGS Taiwan Ltd. personnel only, and shall be noted in the revision section of the document.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report relear only to the samplets) tested and succin samplets) settled and the samplets results and the samplets of t pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.



Page 2 of 172

VERIFICATION OF COMPLIANCE

Applicant: Qualcomm Atheros, Inc.

1700 Technology Drive, San Jose, CA 95110

802.11a/b/g/n/ac + BT4.1 M.2 2230 Type Card **Product Name:**

Brand Name: Qualcomm Atheros

Model No.: QCNFA344A

Model Difference: N/A

FCC ID: PPD-QCNFA344AH IC: 4104A-QCNFA344A

File Number: E2/2016/30073

Date of test: Mar. 23, 2016 ~ Apr. 08, 2016

Date of EUT Received: Mar. 23, 2016

We hereby certify that:

The above equipment was tested by SGS Taiwan Ltd. Electronics & Communication Laboratory The test data, data evaluation, test procedures, and equipment configurations shown in this report were made in accordance with the procedures given in ANSI C63.10: 2013 and the energy emitted by the sample EUT tested as described in this report is in compliance with conducted and radiated emission limits.

The test results of this report relate only to the tested sample identified in this report.

Test By:	Aken Huang	Date:	Apr. 12, 2016
Prepared By:	Aken Huang / Engineer Tiffany Kao	Date:	Apr. 12, 2016
Approved By:	Tiffany Kao / Clerk Jim Chang / Asst. Manager	Date:	Apr. 12, 2016

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report teler only to me sample(s) tested and such sample(s) are fetalined for 90 days only.

Pk 非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions. htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prints and the limits of the longer of this document is unquisited and effective provided to the full set extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page 3 of 172

Revision History

Report Number	Revision	Description	Issue Date
E2/2016/30073	Rev.00	Initial creation of document	Apr. 12, 2016


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.* ** No 134 WulkungNand NewTaipeilindustrialPark WukupDistrict NewTaipeiCity. Taiwan24803/新北市市及股區新北產業園區五工路 134 號

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

台灣檢驗科技股份有限公司





Contents

1.	GEN	ERAL INFORMATION	5
	1.1.	Product Description	5
	1.2.	Related Submittal(s) / Grant (s)	8
	1.3.	Test Facility	9
	1.4.	Special Accessories	9
	1.5.	Equipment Modifications	9
2.	SYS	TEM TEST CONFIGURATION	10
	2.1.	EUT Configuration	10
	2.2.	EUT Exercise	10
	2.3.	Test Procedure	10
	2.4.	Measurement Results Explanation Example	10
	2.5.	Configuration of Tested System	11
3.	SUM	MARY OF TEST RESULT	12
4.	DES	CRIPTION OF TEST MODES	12
5.	MEA	SUREMENT UNCERTAINTY	16
6.	MAX	IMUM CONDUCTED OUTPUT POWER MEASUREMENT	17
	6.1	Standard Applicable:	17
	6.2	Measurement Procedure	18
	6.3	Measurement Equipment Used:	19
	6.4	Test Set-up:	19
	6.5	Measurement Result	20
7.	UND	ESIRABLE EMISSION - RADIATED MEASUREMENT	26
	7.1	Standard Applicable	26
	7.2	Measurement Equipment Used:	28
	7.3	Test SET-UP	29
	7.4	Measurement Procedure	30
	7.5	Field Strength Calculation	30
	7.6	Test Results of Radiated Spurious Emissions form 9 KHz to 30 MHz	31
	7.7	Measurement Result	31
8.	ANT	ENNA REQUIREMENT	172
	8.1	Standard Applicable	172
	8.2	Antenna Connected Construction	172

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.* ** No 134 WulkungNand NewTaipeilindustrialPark WukupDistrict NewTaipeiCity. Taiwan24803/新北市市及股區新北產業園區五工路 134 號

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Page 5 of 172

1. GENERAL INFORMATION

1.1. Product Description

General Information of Host:

Product Name of Host:	Tablet Con	nputer	
Brand Name:	acer		
Model No. of Host:	N16P3		
Model Difference:	N/A		
Hardware Version:	R 1.1		
Software Version:	Win 10		
Model No. of BT/WLAN Module:	QCNFA344A		
Module FCC ID:	PPD-QCNFA344AH		
Module IC:	4104A-QCNFA344A		
Scope:	The test report covers the radiated emissions requirements of the standards referenced in the report to allow system level approval of the module in this specific host.		
Class II & Class IV	802.11a/b/g/n/ac + BT4.1 M.2 2230 Type Card (QCNFA344A)		
Permissive change:	INSTALLED IN Notebook Computer		
	7.6Vdc from Rechargeable Li-ion Battery or 19V by AC/DC Power Adapter		
Power Supply:	Battery:	Model No.: AP16B4J; Supplier: SONY	
	Adapter:	Model No.: ADP-45HE B, Supplier: Delta	


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propriate of the follows. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sqs.com





WLAN 5GHz:

Wi-Fi	Frequency Range	Channels	Rated Power (Avg.) / Average Rated Power(EIRP)	Modulation Technology	Type of Emission
	5150~5250	4	Avg. Power: 13.57dBm EIRP: 15.27dBm		17M0D1D
11a	5250~5350	4	Avg. Power: 13.45dBm EIRP: 16.06dBm	OFDM	16M6D1D
l IIa	5470~5725	12	Avg. Power: 16.46dBm EIRP: 20.16dBm	OFDINI	16M6D1D
	5725~5850	5	Avg. Power: 16.43dBm EIRP: 19.78dBm		16M9D1D
	HT20 / VHT20 5150~5250	4	Avg. Power: (MIMO Chain 0+1): 13.60dBm EIRP: (MIMO Chain 0+1): 15.30dBm		17M5D1D
11n / ac_20M	HT20 / VHT20 5250~5350	4	Avg. Power: (MIMO Chain 0+1): 13.32dBm EIRP: (MIMO Chain 0+1): 15.10dBm		17M6D1D
	HT20 / VHT20 5470~5725	12	Avg. Power: MIMO Chain 0+1): 16.24dBm EIRP MIMO Chain 0+1): 17.89dBm		17M5D1D
	HT20 / VHT20 5725~5850	5	Avg. Power: (MIMO Chain 0+1): 16.44dBm HT20: 13.10dBm EIRP (MIMO Chain 0+1): 19.39dBm		17M8D1D






	HT40 / VHT40 5150-5250	2	Avg. Power: (MIMO Chain 0+1): 13.00dBm EIRP (MIMO Chain 0+1): 14.70dBm		36M2D1D
11n /	HT40 / VHT40 5250-5350	2	Avg. Power: (MIMO Chain 0+1): 13.20dBm EIRP (MIMO Chain 0+1): 15.81dBm	OFDM	36M2D1D
ac_40M	HT40 / VHT40 5470-5725	6	Avg. Power: (MIMO Chain 0+1): 15.67dBm EIRP (MIMO Chain 0+1): 19.37dBm	OFDINI	36M2D1D
	HT40 / VHT40 5725-5850	2	Avg. Power: (MIMO Chain 0+1): 15.12dBm EIRP (MIMO Chain 0+1): 18.47dBm		36M2D1D
	VHT80 5150~5250	1	Avg. Power: (MIMO Chain 0+1): 9.54dBm EIRP (MIMO Chain 0+1): 11.24dBm		75M1D1D
1100 POM	VHT80 5250~5350	1	Avg. Power: (MIMO Chain 0+1): 11.01dBm EIRP (MIMO Chain 0+1): 13.62dBm	OFDM	75M1D1D
11ac_80M	VHT80 5470~5725	3	Avg. Power: (MIMO Chain 0+1): 13.58dBm EIRP (MIMO Chain 0+1): 17.28dBm	OI DIVI	74M6D1D
	VHT80 5725-5850	1	Avg. Power: (MIMO Chain 0+1): 9.57dBm EIRP (MIMO Chain 0+1): 12.92dBm		75M0D1D

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.* ** No 134 WulkungNand NewTaipeilindustrialPark WukupDistrict NewTaipeiCity. Taiwan24803/新北市市及股區新北產業園區五工路 134 號

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.





Antenna Designation	1. PIFA Antenna, Part No.: 1415-0599000 (81EAAL15.GD9), Gain: -1.31dBi (5150MHz-5250MHz) (Main) Gain: -0.40dBi (5250MHz-5350MHz) (Main) Gain: 0.69dBi (5470MHz-5725MHz) (Main) Gain: 0.34dBi (5725MHz-5850MHz) (Main) Supplier: Wistron Neweb Corp. 2. PIFA Antenna, Part No.: 1415-0598000 (81EAAL15.GDG), Gain: -3.24dBi (5150MHz-5350MHz) (Aux) Gain: -2.71dBi (5250MHz-5350MHz) (Aux) Gain: -0.96dBi (5470MHz-5725MHz) (Aux) Gain: -1.16dBi (5725MHz-5850MHz) (Aux) Supplier: Wistron Neweb Corp.
Modulation type	CCK, DQPSK, DBPSK for DSSS 64QAM, 16QAM, QPSK, BPSK for OFDM
Transition Rate:	802.11 a: 6/9/12/18/24/36/48/54 Mbps 802.11 n/ac_20MHz: 6.5 – 144Mbps 802.11 n/ac_40MHz: 13.5 – 300Mbps 802.11 ac_80MHz: 29.3 – 866.7Mbps

1.2. Product Feature of Equipment Under Test

The equipment under Test (Hereafter Called: EUT) is Notebook Computer supporting, Bluetooth and Wi-Fi 802.11 a/b/g/n/ac features, and below is details of information.

Product Feature				
Product Name of Host:	Tablet Computer			
Brand Name:	acer			
Model No. of Host:	N16P3			
Model Difference:	N/A			
Module FCC ID:	PPD-QCNFA344AH			
Module IC :	4104A-QCNFA344A			
Bluetooth Version	V4.1 dual mode			
Wi-Fi Specification	802.11a/b/g/n/ac			

Note: The above EUT information was declared by manufacturer. Please refer to the specifications or user's manual for more detailed description.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

家非方角就明 - 比較容易未僅對測減之樣必負責 | 阿時此樣必僅体留別之 - 本教者を無率之の音曲部引 - 木可能价模装。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 9 of 172

1.3. Related Submittal(s) / Grant (s)

FCC Part 15, Subpart E §15.407

FCC KDB 789033 D02 General UNII Test Procedures New Rules v01

FCC KDB 662911 D01 Multiple Transmitter Output v02

FCC KDB 644545 D03 Guidance for IEEE 802.11ac v01

Canada RSS-247 issue 1 May 2015

RSS-Gen Issue 4 Nov. 2014

ANSI C63.10:2013

Note:

- 1. All test items have been performed and record as per the above standards.
- The composite system is compliance with FCC Subpart B is authorized under the certification procedure.

1.4. Test Facility

SGS Taiwan Ltd. Electronics & Communication Laboratory No.2, Keji 1st Rd., Guishan District, Taoyuan City, Taiwan 333. (TAF code 0513)

FCC Registration Numbers are: 628985

Canada Registration Number: 4620A-5

1.5. Special Accessories

There are no special accessories used while test was conducted.

1.6. Equipment Modifications

There was no modification incorporated into the EUT.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and frequence in which proved the transaction of the content or approval of the company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 f (886-2) 2298-0488 www.tw.sqs.com

SGS Taiwan Ltd.



Page 10 of 172

2. SYSTEM TEST CONFIGURATION

2.1. EUT Configuration

The EUT configuration for testing is installed on RF field strength measurement to meet the Commissions requirement and operating in a manner which intends to maximize its emission characteristics in a continuous normal application.

2.2. EUT Exercise

An engineering test mode (software/firmware) that applicant provided was utilized to manipulate the EUT into transmit, selection of the test channel, and modulation scheme.

2.3. Test Procedure

2.3.1 Conducted Emissions

The EUT is a placed on as turn table which is 0.8 m above ground plane. Conducted emissions from the EUT measured in the frequency range between 0.15 MHz and 30MHz,. The CISPR Quasi-Peak and Average detector mode is employed according to §15.207. The two LISNs provide 50 ohm/ 50uH of coupling impedance for the measuring instrument. Both lines of the power mains connected to the EUT were checked for maximum conducted interference.

2.3.2 Radiated Emissions

The EUT is a placed on as turn table. For emissions testing at or below 1 GHz, the table height shall be 0.8 m above the reference ground plan. For emission measurements above 1 GHz, the table height shall be 1.5 m. The turn table shall rotate 360 degrees to determine the position of maximum emission level. EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emission. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical. In order to find out the max. emission, the relative positions of this hand-held transmitter (EUT) was rotated through three orthogonal axes and measurement procedures for electric field radiated emissions above 1 GHz the EUT measurement is to be made "while keeping" the antenna in the 'cone of radiation' from that area and pointed at the area both in azimuth and elevation, with polarization oriented for maximum response." is still within the 3dB illumination BW of the measurement antenna.

2.4. Measurement Results Explanation Example For all conducted test items:

The offset level is set in the spectrum analyzer to compensate the RF cable loss and attenuation factor between EUT conducted port and spectrum analyzer. With the offset compensation, the spectrum analyzer reading level is exactly EUT RF output level.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留到天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page 11 of 172

2.5. Configuration of Tested System

Fig. 2-1 Radiated Emission Configuration




Fig. 2-2 Conducted (Antenna Port) Configuration



Table 2-1 Equipment Used in Tested System

Item	Equipment	Mfr/Brand	Model/Type No.	Series No.	Data Cable	Power Cord
1.	WLAN Test Software	N/A	N/A	N/A	N/A	N/A
2.	DC Power Supply	Agilent	E3640A	MY53140006	N/A	Un-shielded

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and dispiration issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, willust extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page 12 of 172

3. SUMMARY OF TEST RESULT

FCC / IC Rules	Description Of Test	Result
§15.407(a) (1) (2)	The Maximum Output Power	Compliant
RSS-247 §6.2.1~ 4 (1)	Measurement	
§15.407(b) (1) (2) (3)(6) (7)	Undesirable Emission –	Compliant
RSS-247 §6.2.1~ 4 (2)	Radiated Measurement	
§15.203		Compliant
RSS- Gen §6.7	Antenna Requirement	
RSS- Gen §8.3		

4. DESCRIPTION OF TEST MODES

4.1 Operated in U-NII Bands

Operated band in 5150 MHz ~5250 MHz:

4 channels are provided for 802.11a, 802.11n_HT20, 802.11ac_VHT20

CHANNEL	FREQUENCY	CHANNEL	FREQUENCY
36	5180 MHz	44	5220 MHz
40	5200 MHz	48	5240 MHz

2 channels are provided for 802.11n HT40, 802.11ac VHT40

CHANNEL	FREQUENCY	CHANNEL	FREQUENCY
38	5190 MHz	46	5230 MHz

1 channel is provided for 802.11ac VHT80

CHANNEL	FREQUENCY
42	5210 MHz

Operated band in 5250 MHz ~5350 MHz:

4 channels are provided for 802.11a, 802.11n_HT20, 802.11ac_VHT20

CHANNEL	CHANNEL FREQUENCY		FREQUENCY
52	5260 MHz	60	5300 MHz
56	5280 MHz	64	5320 MHz

2 channels are provided for 802.11n_HT40, 802.11ac_VHT40

CHANNEL	FREQUENCY	CHANNEL	FREQUENCY
54	5270 MHz	62	5310 MHz

1 channel is provided for 802.11ac_VHT80

CHANNEL	FREQUENCY
58	5290 MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 13 of 172

Operated band in 5470 MHz ~5725 MHz:

11 channels are provided for 802.11a, 802.11n HT20, 802.11ac VHT20

provided for equition, equition_11120, equition_11120						
CHANNEL	FREQUENCY	CHANNEL	FREQUENCY			
100	5500 MHz	124	5620 MHz			
104	5520 MHz	128	5640 MHz			
108	5540 MHz	132	5660 MHz			
112	5560 MHz	136	5680 MHz			
116	5580 MHz	140	5700 MHz			
120	5600 MHz					

5 channels are provided for 802.11n HT40, 802.11ac VHT40

Γ.	<u></u>							
	CHANNEL	FREQUENCY	CHANNEL	FREQUENCY				
	102	5510 MHz	126	5630 MHz				
	110	5550 MHz	134	5670 MHz				
	118	5590 MHz						

3 channel is provided for 802.11ac_VHT80

CHANNEL	FREQUENCY
106	5530 MHz
122	5610 MHz
138	5690 MHz

Operated band in 5725 MHz ~5850 MHz:

5 channels are provided for 802.11a, 802.11n HT20, 802.11ac VHT20

Μ.	1011d0d 101 00211 1d, 00211 111 <u>-</u> 111120, 00211 1d0 <u>-</u> 111120							
	CHANNEL	FREQUENCY	CHANNEL	FREQUENCY				
	149	5745 MHz	161	5805 MHz				
	153	5765 MHz	165	5825 MHz				
	157	5785 MHz						

2 channels are provided for 802.11n_HT40, 802.11ac_VHT40

CHANNEL	FREQUENCY	CHANNEL	FREQUENCY
151	5755 MHz	159	5795 MHz

1 channel is provided for 802.11ac_VHT80

CHANNEL	FREQUENCY		
155	5775 MHz		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

家非方角就明 小礼報告題未僅對測試之樣必負負 "四呼政保の理味噌如不。今報告不經本公司者即計句,不可能的模表。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 14 of 172

RADIATED EMISSION TEST

RADIATED E	RADIATED EMISSION TEST:						
	RADIATED EMISSION TEST (BELOW 1 GHz)						
MODE	FREQUENCY BAND (MHz)	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT	
802.11a	5180~5240	36 to 48	44	OFDM	6	2TX	
802.11a	5260~5320	52 to 64	60	OFDM	6	2TX	
802.11a	5500~5700	100 to 140	116	OFDM	6	2TX	
802.11a	5745~5825	149 to 165	157	OFDM	6	2TX	
	RADI	ATED EMISS	SION TEST (A	BOVE 1 GHz)			
MODE	FREQUENCY BAND (MHz)	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT	
802.11a	5180~5240	36 to 48	26 44 49	OFDM	6	2TX	
802.11n_HT20	3100~3240	30 10 40	36,44,48	OFDM	MCS8	MIMO	
802.11n_HT40	5190~5230	38 to 46	38,46	OFDM	MCS8	MIMO	
802.11ac_VHT80	5210	42	42	OFDM	MCS8	MIMO	
802.11a	F260 F220	50 to 64	F2 60 64	OFDM	6	2TX	
802.11n_HT20	5260~5320	52 to 64	JZ 10 04	52,60,64	OFDM	MCS8	MIMO
802.11n_HT40	5270~5310	54 to 62	54,62	OFDM	MCS8	MIMO	
802.11ac_VHT80	5290	58	58	OFDM	MCS8	MIMO	
802.11a	FEOO E700	100 to 140	100 116 140	OFDM	6	2TX	
802.11n_HT20	5500~5700	100 to 140	100,116,140	OFDM	MCS8	MIMO	
802.11n_HT40	5510~5670	102 to 134	102,110,134	OFDM	MCS8	MIMO	
802.11ac_VHT80	5530~5690	106 to 138	106,122, 138	OFDM	MCS8	MIMO	
802.11a	F74F F00F	4404-405	440.457.405	OFDM	6	2TX	
802.11n_HT20	5745~5825	149 to 165	149 to 165 149,19	149,157,165	OFDM	MCS8	MIMO
802.11n_HT40	5755~5795	151 to 159	151,159	OFDM	MCS8	MIMO	
802.11ac_VHT80	5755	155	155	OFDM	MCS8	MIMO	

Note:

The field strength of radiation emission was measured as EUT stand-up position (H mode) and lie down position (E1, E2 mode) for 802.11a/n/ac WLAN Transmitter for channel Low, Mid and High, the worst case E2 position was reported.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the full terms of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 15 of 172

ANTENNA PORT CONDUCTED MEASUREMENT:

	CONDUCTED TEST						
MODE	FREQUENCY BAND (MHz)	AVAILABLE CHANNEL	TESTED CHANNEL	MODULATION	DATA RATE (Mbps)	ANTENNA PORT	
802.11a	E190 E240	36 to 48	26 44 49	OFDM	6	2TX	
802.11n_HT20	5180~5240	30 10 46	36,44,48	OFDM	MCS8	MIMO	
802.11n_HT40	5190~5230	38 to 46	38,46	OFDM	MCS8	MIMO	
802.11ac_VHT80	5210	42	42	OFDM	MCS8	MIMO	
802.11a	5260~5320	52 to 64	E0 60 64	OFDM	6	2TX	
802.11n_HT20	5260~5320	52 10 64	52,60,64	OFDM	MCS8	MIMO	
802.11n_HT40	5270~5310	54 to 62	54,62	OFDM	MCS8	MIMO	
802.11ac_VHT80	5290	58	58	OFDM	MCS8	MIMO	
802.11a	FF00 F700	400 to 440	400 440 440	OFDM	6	2TX	
802.11n_HT20	5500~5700	100 to 140	to 140 100,116,140	OFDM	MCS8	MIMO	
802.11n_HT40	5510~5670	102 to 134	102,110,134	OFDM	MCS8	MIMO	
802.11ac_VHT80	5530~5690	106 to 138	106,122, 138	OFDM	MCS8	MIMO	
802.11a	5745 500F	4404-405	440.457.405	OFDM	6	2TX	
802.11n_HT20	5745~5825	149 to 165	149,157,165	OFDM	MCS8	MIMO	
802.11n_HT40	5755~5795	151 to 159	151,159	OFDM	MCS8	MIMO	
802.11ac_VHT80	5755	155	155	OFDM	MCS8	MIMO	

Pre-scanned was done on Antenna Main and Antenna Aux, and Antenna Main results higher emission at 5GHz. Therefore, the completed set of measurement was done on Antenna Main to be presented on this test report.

For radiation spurious emission test relevant n/ac_HT20&HT40&VHT80, MIMO mode that generates the higher emission is chosen to be tested in comparison with transmission at MIMO. mode.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report teler only to me sample(s) tested and such sample(s) are fetalined for 90 days only.

Pk 非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions. htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prints and the limits of the longer of this document is unquisited and effective provided to the full set extent of this document. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 16 of 172

MEASUREMENT UNCERTAINTY

Test Items	Uncertainty		
AC Power Line Conducted Emission	+/- 2.586 dB		
26 dB and 99% Emission Bandwidth	+/- 123.36 Hz		
The Maximum Output Power Measurement	+/- 1.42 dB		
Peak Power Spectral Density Measurement	+/- 1.55 dB		
Peak Excursion Measurement	+/- 1.55 dB		
Undesirable Emission –	+/- 1.55 dB		
Conducted Measurement	+/- 1.33 db		
Transmission in case of Absence of Information	+/- 1.55 dB		
Frequency Stability	+/- 123.36 Hz		
TPC and DFS Measurement	+/- 123.36 Hz		
Temperature	+/- 0.8 °C		
Humidity	+/- 4.7 %		
DC / AC Power Source	DC= +/- 1%, AC=+/- 0.2%		

Radiated Spurious Emission:

	30MHz - 180MHz: +/- 3.37dB
Measurement uncertainty	180MHz -417MHz: +/- 3.19dB
(Polarization : Vertical)	0.417GHz-1GHz: +/- 3.19dB
	1GHz - 18GHz: +/- 4.04dB
	18GHz - 40GHz: +/- 4.04dB

	30MHz - 167MHz: +/- 4.22dB
Measurement uncertainty	167MHz -500MHz: +/- 3.44dB
(Polarization : Horizontal)	0.5GHz-1GHz: +/- 3.39dB
	1GHz - 18GHz: +/- 4.08dB
	18GHz - 40GHz: +/- 4.08dB

This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propriate of the full set extent of the language. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Page 17 of 172

MAXIMUM CONDUCTED OUTPUT POWER MEASUREMENT

6.1 Standard Applicable:

OPERZTION Band		EUT CATEGORY	LIMIT
U-NII-1		Access Point (Mater device)	1 Watt(30dBm)
		Fixed point-to-point Acess Ponit	1 Watt(30dBm)
	V	Mobile and portable clinet device	250mW(23.98dBm)
U-NII-2A			250mW(23.98dBm) or 11dBm+10 log B
U-NII-2C	√		250mW(23.98dBm) or 11dBm+10 log B
U-NII-3			1 Watt(30dBm)

According to RSS-247 §6.2.1~ 4 (1)

OPERZTION FREQUENCY BAND	LIMIT					
5150~5250 MHz	EIRP shall not exceed 200 mW or 10 + 10 log10 B					
5250~5350 MHz	Conducted output power shall not exceed 250 mW or 11 +10 log10 B EIRP shall not exceed 1.0 W or 17 + 10 log10 B, dBm					
5470-5600 MHz and 5650-5725 MHz	Conducted output power shall not exceed 250 mW or 11 +10 log10 B EIRP shall not exceed 1.0 W or 17 + 10 log10 B, dBm					
5725~5850 MHz	Conducted output power shall not exceed 1 W					
Note: B is the 99% emission bandwidth in MHz.						

If transmitting antennas of directional gain greater than 6 dBi are used, both the peak transmit power and the peak power spectral density shall be reduced by the amount in dB that the direction-al gain of the antenna exceeds 6 dBi.

Note: Directional gain = gain of antenna element + 10 log (# of TX antenna elements)

Effective Legacy Gain = -1.31+3.01=1.70dBi (5150MHz-5250MHz)

Effective Legacy Gain = -0.40+3.01=2.61dBi (5250MHz-5350MHz)

Effective Legacy Gain = 0.69+3.01=3.7dBi (5470MHz-5725MHz)

Effective Legacy Gain = 0.34+3.01=3.35dBi (5725MHz-5850MHz)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 18 of 172

6.2 Measurement Procedure

- 1. Place the EUT on the table and set it in transmitting mode.
- 2. Remove the antenna from the EUT and then connect a low loss RF cable from the antenna port to the power meter
- 3. Set the offset 10*log(1/x), n HT20=0.10, n HT40=0.12
- 4. Record the max. reading.
- 5. Repeat above procedures until all frequency (low, middle, and high channel) measured were complete.
- 6. Employing step 1 to 4 obtaining per-chain basis in MIMO operation, and sum the power in linear to result the output of MIMO operation at frequency of interest (, where MIMO is applicable).

Note: For EIRP/ERP measurement complying with RSS-247 §6.2.1~ 4 (1), the formula as deduced in 1.3.2 of KDB 412172 D01 is used to calculate. ERP/EIRP = Pt + Gt - Lc, where Pt= transmitter output power measured directly at antenna port, expressing in dBm, and Gt = gain of the transmitting antenna in dBi that can be referred in antenna spec provided by the manufacturer in section 1.1, Lc = signal attenuation in the cable between the transmitting port and antenna.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

t (886-2) 2299-3279

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 19 of 172

6.3 Measurement Equipment Used:

Conducted Emission Test Site										
Name of Equip- ment	Manufacturer Model		Serial Num- ber	Calibration Date	Calibra- tion Due					
Spectrum Analyzer	KEYSIGHT	N9010A	MY54510568	04/14/2015	04/13/2016					
Power Meter	Anritsu	ML2496A	1326001	06/23/2015	06/22/2016					
Power Sensor	Anritsu	MA2411B 131504		06/23/2015	06/22/2016					
Power Sensor	Anritsu	MA2411B	1315049	06/23/2015	06/22/2016					
Coaxial Cable 30cm	WOKEN	00100A1F1A195 C	RF01	12/12/2015	12/11/2016					
DC Block	PASTERNACK	PE8210	RF29	12/12/2015	12/11/2016					
Splitter	RF-LAMBAD	RFLT2W1G18G	RF35	12/12/2015	12/11/2016					
Attenuator	Attenuator WOKEN		218FS-10 RF23		12/11/2016					
Temperature Chamber	TERCHY	MHK-120LK	1020582	06/23/2015	06/22/2016					

6.4 Test Set-up:



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propriate of the follows. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 20 of 172

6.5 Measurement Result

802.11a

	_	AVERAGE	POWER (dBm)	TOTAL	TOTAL	REQUIRED	
СН	CH Frequency (MHz)	CHAIN 0	CHAIN 1	POWER (dBm)	POWER (mW)	LIMIT (dBm)	RESULT
36	5180	9.76	11.24	13.57	22.767	23.98	PASS
44	5220	9.15	10.63	12.96	19.784	23.98	PASS
48	5240	8.97	10.90	13.05	20.191	23.98	PASS
52	5260	9.07	9.94	12.54	17.935	23.98 or 11+10log(B) =24.26	PASS
60	5300	9.72	10.95	13.39	21.821	23.98 or 11+10log(B) =24.71	PASS
64	5320	9.93	10.89	13.45	22.115	23.98 or 11+10log(B) =23.99	PASS
100	5500	10.12	10.83	13.50	22.386	23.98 or 11+10log(B) =24.02	PASS
116	5580	13.37	13.53	16.46	44.269	23.98 or 11+10log(B) =24.47	PASS
140	5700	13.18	13.61	16.41	43.758	23.98 or 11+10log(B) =23.98	PASS
149	5745	13.05	13.41	16.24	42.112	30	PASS
157	5785	13.01	13.79	16.43	43.932	30	PASS
165	5825	13.38	12.63	16.03	40.100	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.* ** No 134 WulkungNand NewTaipeilindustrialPark WukupDistrict NewTaipeiCity. Taiwan24803/新北市市及股區新北產業園區五工路 134 號

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.

t (886-2) 2299-3279



Page 21 of 172

802.11n_HT20

	F	AVERAGE POWER (dBm)		TOTAL	TOTAL	REQUIRED	
СН	Frequency (MHz)	CHAIN 0	CHAIN 1	POWER (dBm)	POWER (mW)	LIMIT (dBm)	RESULT
36	5180	9.51	11.46	13.60	22.929	23.98	PASS
44	5220	8.77	10.49	12.72	18.728	23.98	PASS
48	5240	8.55	10.74	12.79	19.019	23.98	PASS
52	5260	8.86	10.02	12.49	17.737	23.98 or 11+10log(B) =24.32	PASS
60	5300	9.48	10.93	13.28	21.260	23.98 or 11+10log(B) =24.78	PASS
64	5320	9.71	10.83	13.32	21.460	23.98 or 11+10log(B) =24.31	PASS
100	5500	10.66	11.64	14.19	26.229	23.98 or 11+10log(B) =24.13	PASS
116	5580	12.97	13.36	16.18	41.492	23.98 or 11+10log(B) =24.85	PASS
140	5700	13.03	13.43	16.24	42.120	23.98 or 11+10log(B) =24.26	PASS
149	5745	12.82	13.23	16.04	40.180	30	PASS
157	5785	13.02	13.81	16.44	44.088	30	PASS
165	5825	13.27	12.39	15.86	38.570	30	PASS



Page 22 of 172

802.11n HT40

	F	AVERAGE	POWER (dBm)	TOTAL	TOTAL	REQUIRED	
СН	Frequency (MHz)	· · I POWER I		POWER (mW)	LIMIT (dBm)	RESULT	
38	5190	8.17	9.48	11.88	15.433	23.98	PASS
46	5230	8.94	10.84	13.00	19.968	23.98	PASS
54	5270	8.86	9.93	12.44	17.531	23.98 or 11+10log(B) =27.94	PASS
62	5310	9.62	10.69	13.20	20.884	23.98 or 11+10log(B) =27.29	PASS
102	5510	8.23	8.86	11.57	14.344	23.98 or 11+10log(B) =27.23	PASS
110	5550	11.22	12.26	14.78	30.070	23.98 or 11+10log(B) =27.35	PASS
134	5670	12.36	12.94	15.67	36.898	23.98 or 11+10log(B) =27.27	PASS
151	5755	8.77	9.07	11.93	15.606	30	PASS
159	5795	12.08	12.14	15.12	32.512	30	PASS

802.11ac 80

	Frequency (MHz)	AVERAGE POWER (dBm)		TOTAL TOTAL		REQUIRED	
СН		CHAIN 0	CHAIN 1	POWER (dBm)	POWER (mW)	LIMIT (dBm)	RESULT
42	5210	5.98	7.01	9.54	8.986	23.98	PASS
58	5290	7.98	8.01	11.01	12.605	23.98 or 11+10log(B) =30.19	PASS
106	5530	7.52	8.53	11.06	12.778	23.98 or 11+10log(B) =30.16	PASS
122	5610	10.43	10.02	13.24	21.087	23.98 or 11+10log(B) =30.45	PASS
138	5690	10.22	10.90	13.58	22.822	23.98 or 11+10log(B) =29.85	PASS
155	5775	6.42	6.69	9.57	9.052	23.98	PASS

^{*} Note: The duty cycle factor is compensated to obtain the maximum value of measurement in average.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未總本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in languaged and the propriate of the follows. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Page 23 of 172

ERP/EIRP Measurement:

802.11a

	502.114								
СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)	GAIN (dBi)	EIRP	REQUIRED LIMIT (dBm)	RESULT		
36	5180	13.57	22.751		15.27	23.01 or 10+10log(B) =22.3	PASS		
44	5220	12.96	19.770	1.70	14.66	23.01 or 10+10log(B) =22.3	PASS		
48	5240	13.05	20.184		14.75	23.01 or 10+10log(B) =22.24	PASS		
52	5260	12.54	17.947		15.15	30 or 17+10log(B) =29.12	PASS		
60	5300	13.39	21.827	2.61	16.00	30 or 17+10log(B) =29.15	PASS		
64	5320	13.45	22.131		16.06	30 or 17+10log(B) =29.15	PASS		
100	5500	13.50	22.387		17.20	30 or 17+10log(B) =29.12	PASS		
116	5580	16.46	44.259	3.70	20.16	30 or 17+10log(B) =29.19	PASS		
140	5700	16.41	43.752		20.11	30 or 17+10log(B) =29.12	PASS		
149	5745	16.24	42.073		19.59	30	PASS		
157	5785	16.43	43.954	3.35	19.78	30	PASS		
165	5825	16.03	40.087		19.38	30	PASS		

^{*} Note: EIRP = Average Power + Gain

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.* ** No 134 WulkungNand NewTaipeilindustrialPark WukupDistrict NewTaipeiCity. Taiwan24803/新北市市及股區新北產業園區五工路 134 號



Page 24 of 172

802.11n_HT20

СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)	GAIN (dBi)	EIRP	REQUIRED LIMIT (dBm)	RESULT
36	5180	13.60	22.909		15.30	23.01 or 10+10log(B) =22.43	PASS
44	5220	12.72	18.707	1.70	14.42	23.01 or 10+10log(B) =22.43	PASS
48	5240	12.79	19.011		14.49	23.01 or 10+10log(B) =22.43	PASS
52	5260	12.49	17.742		15.10	30 or 17+10log(B) =29.43	PASS
60	5300	13.28	21.281	2.61	15.89	30 or 17+10log(B) =29.43	PASS
64	5320	13.32	21.478		15.93	30 or 17+10log(B) =29.43	PASS
100	5500	14.19	26.242		17.89	30 or 17+10log(B) =29.43	PASS
116	5580	16.18	41.495	3.70	19.88	30 or 17+10log(B) =29.43	PASS
140	5700	16.24	42.073		19.94	30 or 17+10log(B) =29.43	PASS
149	5745	16.04	40.179		19.39	30	PASS
157	5785	16.44	44.055	3.35	19.79	30	PASS
165	5825	15.86	38.548		19.21	30	PASS

802.11n_HT40

СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)	GAIN (dBi)	EIRP	REQUIRED LIMIT (dBm)	RESULT
38	5190	11.88	15.417	1.70	13.58	23.01 or 10+10log(B) =25.56	PASS
46	5230	13.00	19.953	1.70	14.70	23.01 or 10+10log(B) =25.58	PASS
54	5270	12.44	17.539	2.61	15.05	30 or 17+10log(B) =32.58	PASS
62	5310	13.20	20.893	2.01	15.81	30 or 17+10log(B) =32.56	PASS
102	5510	11.57	14.355		15.27	30 or 17+10log(B) =32.56	PASS
110	5550	14.78	30.061	3.70	18.48	30 or 17+10log(B) =32.58	PASS
134	5670	15.67	36.898		19.37	30 or 17+10log(B) =32.56	PASS
151	5755	11.93	15.596	3.35	15.28	30	PASS
159	5795	15.12	32.509	3.33	18.47	30	PASS

^{*} Note: EIRP = Average Power + Gain

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.* ** No 134 WulkungNand NewTaipeilindustrialPark WukupDistrict NewTaipeiCity. Taiwan24803/新北市市及股區新北產業園區五工路 134 號



Page 25 of 172

802.11ac_VHT80

СН	Frequency (MHz)	TOTAL POWER (dBm)	TOTAL POWER (mW)	GAIN (dBi)	EIRP	REQUIRED LIMIT (dBm)	RESULT
42	5210	9.54	8.995	1.70	11.24	23.01 or 10+10log(B) =28.75	PASS
58	5290	11.01	12.618	2.61	13.62	30 or 17+10log(B) =35.75	PASS
106	5530	11.06	12.764		14.76	30 or 17+10log(B) =35.72	PASS
122	5610	13.24	21.086	3.70	16.94	30 or 17+10log(B) =35.75	PASS
138	5690	13.58	22.803		17.28	30 or 17+10log(B) =35.59	PASS
155	5775	9.57	9.057	3.35	12.92	30	PASS

* Note: EIRP = Average Power + Gain

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.* ** No 134 WulkungNand NewTaipeilindustrialPark WukupDistrict NewTaipeiCity. Taiwan24803/新北市市及股區新北產業園區五工路 134 號



Page 26 of 172

UNDESIRABLE EMISSION - RADIATED MEASUREMENT

7.1 Standard Applicable

The maximum emissions outside of the frequency bands of operation shall be attenuated in accordance with the following limits:

- 1. For transmitters operating in the 5.15-5.25 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
- 2. For transmitters operating in the 5.25-5.35 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
- 3. For transmitters operating in the 5.47-5.725 GHz band: All emissions outside of the 5.47-5.725 GHz band shall not exceed an e.i.r.p. of −27 dBm/MHz.
- 4. For transmitters operating in the 5.725-5.85 GHz band: All emissions within the frequency range from the band edge to 10 MHz above or below the band edge shall not exceed an e.i.r.p. of -17 dBm/MHz; for frequencies 10 MHz or greater above or below the band edge, emissions shall not exceed an e.i.r.p. of -27 dBm/MHz.

APPL	CABLE TO	LI	IMIT		
	9033 D02 General dures New Rules v01	FIELD STRENGTH AT 3m			
		PK: 74 (dBμV/m) AV 54 (dBμV/m) FIRP LIMIT FIELD STRENGTH			
APPL	CABLE TO	EIRP LIMIT	FIELD STRENGTH AT 3m		
15.407(b)(1)	RSS-247 §6.2.1 (2)				
15.407(b)(2)	RSS-247 §6.2.2 (2)	PK: -27 (dBm/MHz)	PK: 68.3 (dBµV/m)		
15.407(b)(3)	RSS-247 §6.2.3 (2)				
15.407(b)(4)	RSS-247 §6.2.4 (4)	PK: -27 (dBm/MHz) PK: -17 (dBm/MHz)	PK: 68.3 (dBµV/m) PK: 78.2 (dBµV/m)		

 $EIRP = ((E*d)^2) / 30$, where E is the field in V/m, d is the measurement distance (3m), EIRP is the equivalent isotropically radiated power in Watts.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Page 27 of 172

Unwanted spurious emissions which fall in the restricted bands must comply with the radiated emission limits specified as below table:

en mino opecined de seleti tasie.							
Frequency (MHz)	Field strength (microvolts/meter)	Distance (meters)					
0.009-0.490	2400/F(KHz)	300					
0.490-1.705	24000/F(KHz)	30					
1.705-30	30	30					
30-88	100	3					
88-216	150	3					
216-960	200	3					
Above 960	500	3					

Note:

- 1. The lower limit shall apply at the transition frequencies.
- 2. Emission level $(dB\mu V/m) = 20 \log Emission level (dB\mu V/m)$

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留明天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and dispiration issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, willust extent of the law pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page 28 of 172

7.2 Measurement Equipment Used:

SGS 966 Chamber No.C										
Name of Equip- ment	Manufacturer	Model	Serial Number	Calibration Date	Calibration Due					
EMI Test Receiver	R&S	ESU 40	100363	04/09/2015	04/08/2016					
Loop Antenna	ETS-Lindgren	6502	143303	12/23/2015	12/22/2016					
Broadband Antenna	TESEQ	CBL 6112D	35240	10/28/2015	10/27/2016					
Horn Antenna	ETS-Lindgren	3117	143272	12/16/2015	12/15/2016					
Horn Antenna	Schwarzbeck	BBHA9170	185	07/24/2015	07/23/2016					
Pre Amplifier	EMC Instruments	EMC330	980096	12/12/2015	12/11/2016					
Pre Amplifier	EMC Instruments	EMC0011830	980199	12/12/2015	12/11/2016					
Pre Amplifier	EMC Instruments	EMC184045B	980135	12/12/2015	12/11/2016					
Coaxial Cable	Huber+Suhner	RG 214/U	966Rx 9K-30M	12/12/2015	12/11/2016					
Coaxial Cable	Huber+Suhner	RG 214/U+SUCOFLEX 104	966Rx 30M-3G	12/12/2015	12/11/2016					
Coaxial Cable	Huber+Suhner	SUCOFLEX 104	966Rx 1G-18G	12/12/2015	12/11/2016					
Coaxial Cable	Huber+Suhner	SUCOFLEX 104	966Tx 30M-18G	12/12/2015	12/11/2016					
Coaxial Cable	Huber+Suhner	SUCOFLEX 102	966Tx 18G-40G	12/12/2015	12/11/2016					
Coaxial Cable	Huber+Suhner	mini 141-12+SUCOFLE X 104	966Rx 18G-40G	12/12/2015	12/11/2016					
Attenuator	WOKEN	218FS-10	RF27	12/12/2015	12/11/2016					
Site NSA	SGS	966 Chamber C	SAC-C	03/04/2016	03/03/2017					
Site VSWR	SGS	966 Chamber C	SAC-C	03/04/2016	03/03/2017					
Controller	MF	MF-7802	N/A	N.C.R.	N.C.R.					
Antenna Master	MF	N/A	N/A	N.C.R.	N.C.R.					
Turn Table	MF	N/A	N/A	N.C.R.	N.C.R.					
Test Software	World-Pallas	Dr. E	V 3.0 Lite	N.C.R.	N.C.R.					

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.* ** No 134 WulkungNand NewTaipeilindustrialPark WukupDistrict NewTaipeiCity. Taiwan24803/新北市市及股區新北產業園區五工路 134 號

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279


www.tw.sqs.com






7.3 Test SET-UP


(A) Radiated Emission Test Set-UP Frequency Below 30MHz.



(B) Radiated Emission Test Set-Up, Frequency form 30MHz to 1000MHz



(C) Radiated Emission Test Set-UP Frequency Over 1 GHz



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告结果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

家非方角就明 - 比較容易未僅對測減之樣必負責 | 阿時此樣必僅体留別之 - 本教者を無率之の音曲部引 - 木可能价模装。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

www.tw.sqs.com



Page 30 of 172

7.4 Measurement Procedure

- The EUT was placed on a turn table which is 0.8m above ground plane.
- 2. The testing follows FCC KDB 789033 D02 General UNII Test Procedures New Rules v01.
- The EUT was placed on a turn table with 0.8m for frequency< 1GHz and 1.5m for frequen-3. cy> 1GHz above ground plane.
- The turn table shall rotate 360 degrees to determine the position of maximum emission level.
- EUT is set 3m away from the receiving antenna which varied from 1m to 4m to find out the highest emissions.
- Set the spectrum analyzer as RBW=120 kHz and VBW=300 kHz for Peak Detector (PK) 6. and Quasi-peak (QP) at frequency below 1 GHz.
- Set the spectrum analyzer as RBW=1 MHz, VBW=3 MHz for Peak Detector at frequency 7. above 1 GHz.
- Set the spectrum analyzer as RBW=1 MHz, VBW=10 Hz (Duty cycle > 98%) or VBW ≥ 1/T (Duty cycle < 98%) for Average Detector at frequency above 1 GHz.
- 9. Maximum procedure was performed on the six highest emissions to ensure EUT compliance.
- 10. And also, each emission was to be maximized by changing the polarization of receiving antenna both horizontal and vertical.
- 11. Repeat above procedures until all frequency measured were complete.

7.5 Field Strength Calculation

The field strength is calculated by adding the Antenna Factor and Cable Factor and subtracting the Amplifier Gain and Duty Cycle Correction Factor (if any) from the measured reading. The basic equation with a sample calculation is as follows:

FS = RA + AF + CL - AG

Where	FS = Field Strength	CL = Cable Attenuation Factor (Cable Loss)
	RA = Reading Amplitude	AG = Amplifier Gain
	AF = Antenna Factor	

Actual FS(dB μ V/m) = SPA. Reading level(dB μ V) + Factor(dB)

Factor(dB) = Antenna Factor(dBµV/m) + Cable Loss(dB) - Pre Amplifier Gain(dB)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page 31 of 172

Note:

"F": denotes Fundamental Frequency.; "H": denotes Harmonic Frequency.

"E": denotes Band Edge Frequency.; "S": denotes Spurious Frequency.

7.6 Test Results of Radiated Spurious Emissions form 9 KHz to 30 MHz

The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit per 15.31(o) was not reported.

7.7 Measurement Result

Refer to attach tabular data sheets.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page 32 of 172

Radiated Spurious Emission Measurement Result Below 1GHz Worst-Case Data: 802.11a 5150~5250 MHz

Operation Mode: 802.11a Test Date: 2016/3/28

Fundamental Frequency: 5220 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Test Engineer: Tx CH Mid Ashton EUT Pol.: E2 Measurement Antenna Pol. : Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
30.97	S	Peak	31.17	-7.70	23.47	40	-16.53
96.93	S	Peak	36.22	-18.27	17.95	43.5	-25.55
504.33	S	Peak	36.22	-7.86	28.36	46	-17.64
647.89	S	Peak	36.04	-5.02	31.02	46	-14.98
873.90	S	Peak	36.99	-2.72	34.27	46	-11.73
941.80	S	Peak	36.77	-1.97	34.80	46	-11.20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this less report teler only to the samplets) tested and such samplets (ested and such samplets) tested and such samplets) tested and such samplets (ested and such samplets) tested and such samplets) tested and such samplets) tested and such samplets (ested and such samplets) tested and such samplets) and samplets) tested and such samplets tested and such samplets) tested and such samplets teste pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279




Page 33 of 172

Operation Mode: 802.11a Test Date: 2016/3/26

Fundamental Frequency: 5220 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH Mid Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
30.00	S	Peak	30.17	-7.18	23.00	40	-17.00
167.74	S	Peak	38.24	-18.06	20.19	43.5	-23.31
504.33	S	Peak	37.37	-7.86	29.51	46	-16.49
600.36	S	Peak	38.21	-6.56	31.65	46	-14.35
872.93	S	Peak	37.30	-2.69	34.61	46	-11.39
941.80	S	Peak	36.04	-1.97	34.07	46	-11.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page 34 of 172

802.11a 5250~5350 MHz

Operation Mode: 802.11a Test Date: 2016/3/26

Fundamental Frequency: 5300 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH Mid Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol. : Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
31.94	S	Peak	29.37	-8.22	21.15	40	-18.85
427.70	S	Peak	35.74	-9.12	26.63	46	-19.37
600.36	S	Peak	35.95	-6.56	29.39	46	-16.61
647.89	S	Peak	34.01	-5.02	28.99	46	-17.01
791.45	S	Peak	39.09	-4.17	34.93	46	-11.07
872.93	S	Peak	36.22	-2.69	33.53	46	-12.47

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 35 of 172

Operation Mode: 802.11a Test Date: 2016/3/26

Fundamental Frequency: 5300 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH Mid Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
33.88	S	Peak	30.59	-9.27	21.32	40	-18.68
115.36	S	Peak	31.60	-16.15	15.45	43.5	-28.05
435.46	S	Peak	39.36	-9.20	30.16	46	-15.84
791.45	S	Peak	35.97	-4.17	31.80	46	-14.20
872.93	S	Peak	35.97	-2.69	33.28	46	-12.72
941.80	S	Peak	35.44	-1.97	33.46	46	-12.54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 36 of 172

802.11a 5470~5725 MHz

Operation Mode: 802.11a Test Date: 2016/3/26

Fundamental Frequency: 5580 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH Mid Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol. : Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
32.91	S	Peak	31.43	-8.75	22.68	40	-17.32
327.79	S	Peak	34.63	-11.97	22.67	46	-23.33
504.33	S	Peak	35.58	-7.86	27.73	46	-18.27
647.89	S	Peak	36.58	-5.02	31.56	46	-14.44
792.42	S	Peak	39.27	-4.18	35.09	46	-10.91
872.93	S	Peak	36.63	-2.69	33.94	46	-12.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 37 of 172

Operation Mode: 802.11a Test Date: 2016/3/26

Fundamental Frequency: 5580 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH Mid Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
30.97	S	Peak	28.94	-7.70	21.23	40	-18.77
93.05	S	Peak	34.40	-18.95	15.44	43.5	-28.06
384.05	S	Peak	36.09	-10.27	25.81	46	-20.19
520.82	S	Peak	40.34	-7.35	32.99	46	-13.01
793.39	S	Peak	37.11	-4.17	32.94	46	-13.06
872.93	S	Peak	37.27	-2.69	34.58	46	-11.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 38 of 172

802.11a 5745~5850 MHz

Operation Mode: 802.11a Test Date: 2016/3/26

Fundamental Frequency: 5785 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH Mid Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol. : Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
31.94	S	Peak	30.43	-8.22	22.21	40	-17.79
518.88	S	Peak	34.20	-7.40	26.80	46	-19.20
600.36	S	Peak	37.55	-6.56	30.99	46	-15.01
792.42	S	Peak	36.87	-4.18	32.70	46	-13.30
872.93	S	Peak	35.63	-2.69	32.94	46	-13.06
941.80	S	Peak	37.21	-1.97	35.23	46	-10.77

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 39 of 172

Operation Mode: 802.11a Test Date: 2016/3/26

Fundamental Frequency: 5785 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH Mid Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
30.97	S	Peak	29.33	-7.70	21.63	40	-18.37
425.76	S	Peak	37.37	-9.06	28.30	46	-17.70
774.96	S	Peak	36.30	-4.75	31.55	46	-14.45
792.42	S	Peak	36.69	-4.18	32.51	46	-13.49
873.90	S	Peak	34.35	-2.72	31.63	46	-14.37
941.80	S	Peak	34.58	-1.97	32.61	46	-13.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279




Page 40 of 172

Above 1GHz Worst-Case Data: 802.11a, 5150~5250 MHz

Operation Mode: 802.11a Test Date: 2016/3/26

Fundamental Frequency: Temp. / Humi.: 5180 MHz 22.7deg_C/57RH

Operation Band: Tx CH Low Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol. : Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB
10360.00	Н	Peak	33.31	17.62	50.93	68.3	-17.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report teler only to me sample(s) tested and such sample(s) are fetalined for 90 days only.

Pk 非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without print without price of this document is required and the produced except in full, without prior or the land. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page 41 of 172

Operation Mode: 802.11a Test Date: 2016/3/29

Fundamental Frequency: 5180 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH Low Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol. : Horizontal



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
_	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
	10360.00	Н	Peak	34.47	17.62	52.09	68.3	-16.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the full terms of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page 42 of 172

Operation Mode: 802.11a Test Date: 2016/3/29

Fundamental Frequency: 5220 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH Mid Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol. : Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10440.00	Н	Peak	32.65	17.65	50.30	68.3	-18.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the full terms of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279




Page 43 of 172

Operation Mode: 802.11a Test Date: 2016/3/29

Fundamental Frequency: 5220 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH Mid Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10440.00	Н	Peak	34.49	17.65	52.14	68.3	-16.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the full terms of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page 44 of 172

Operation Mode: 802.11a Test Date: 2016/3/29


Fundamental Frequency: 5240 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH High Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol.: Vertical E2



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10480.00	Н	Peak	32.74	18.00	50.74	68.3	-17.56


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the full terms of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law





Fundamental Frequency: 5240 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH High Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol.: Horizontal E2



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10480.00	Н	Peak	33.95	18.00	51.95	68.3	-16.35

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the full terms of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page 46 of 172

Radiated Spurious Emission Measurement Result 802.11a, 5250MHz-5350MHz

Operation Mode: 802.11a Test Date: 2016/3/29

Fundamental Frequency: 5260 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH Low Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol. : Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dΒμV/m	dB
10520.00	Н	Peak	34.73	17.39	52.12	68.3	-16.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report teler only to me sample(s) tested and such sample(s) are fetalined for 90 days only.

Pk 非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without print without price of this document is required and the produced except in full, without prior or the land. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page 47 of 172

Operation Mode: 802.11a Test Date: 2016/3/29

Fundamental Frequency: 5260 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH Low Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol. : Horizontal



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
_	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
	10520.00	Н	Peak	35.21	17.39	52.60	68.3	-15.70

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the full terms of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page 48 of 172

Operation Mode: 802.11a Test Date: 2016/3/29

Fundamental Frequency: 5300 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH Mid Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol. : Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10600.00	Н	Peak	33.64	17.41	51.04	74	-22.96
10600.00	Н	Average	23.65	17.41	41.06	54	-12.94

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the full terms of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page 49 of 172

Operation Mode: 802.11a Test Date: 2016/3/29


Fundamental Frequency: 5300 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH Mid Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol. : Horizontal




Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
 MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10600.00	Н	Peak	37.85	17.41	55.25	74	-18.75
10600.00	Н	Average	25.66	17.41	43.07	54	-10.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the full terms of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Fundamental Frequency: 5320 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH High Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol.: Vertical E2



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
10640.00	Н	Peak	33.99	17.56	51.55	74	-22.45
10640.00	Н	Average	22.62	17.56	40.18	54	-13.82


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the full terms of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law





Fundamental Frequency: 5320 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH High Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol.: Horizontal E2



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dΒμV/m	dB
10640.00	Н	Peak	37.08	17.56	54.64	74	-19.36
10640.00	Н	Average	26.70	17.56	44.26	54	-9.74

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the full terms of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page 52 of 172

Radiated Spurious Emission Measurement Result 802.11a, 5470~5725 MHz

Operation Mode: 802.11a Test Date: 2016/3/29

Fundamental Frequency: 5500 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH Low Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol. : Vertical



	Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin	
_	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dΒμV/m	dBµV/m	dB	
•	11000.00	Н	Peak	36.52	19.11	55.63	74	-18.37	
	11000.00	Н	Average	26.50	19.11	45.61	54	-8.39	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


Offices otherwise stated the results shown in this less report teler only to me sample(s) tested and such sample(s) are fetalined for 90 days only.

Pk 非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without print without price of this document is required and the produced except in full, without prior or the land. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司





Fundamental Frequency: 5500 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH Low Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol. : Horizontal



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
_	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
	11000.00	Н	Peak	42.01	19.11	61.12	74	-12.88
	11000.00	Н	Average	28.66	19.11	47.77	54	-6.23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the full terms of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page 54 of 172

Operation Mode: 802.11a Test Date: 2016/3/29

Fundamental Frequency: 5580 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH Mid Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol. : Vertical




	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
_	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
	11160.00	Н	Peak	37.34	19.26	56.60	74	-17.40
	11160.00	Н	Average	26.03	19.26	45.29	54	-8.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the full terms of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司


t (886-2) 2299-3279






Fundamental Frequency: 5580 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH Mid Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol. : Horizontal



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
_	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
	11160.00	Н	Peak	38.47	19.26	57.73	74	-16.27
	11160.00	Н	Average	28.12	19.26	47.38	54	-6.62


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the full terms of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law





Fundamental Frequency: 5700 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH High Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol.: Vertical E2




	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
_	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
	11400.00	Н	Peak	34.45	18.78	53.22	74	-20.78
	11400.00	Н	Average	24.57	18.78	43.35	54	-10.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the full terms of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


f (886-2) 2298-0488 www.tw.sqs.com





Fundamental Frequency: 5700 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH High Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol.: Horizontal E2



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
_	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
	11400.00	Н	Peak	35.72	18.78	54.49	74	-19.51
	11400.00	Н	Average	25.54	18.78	44.32	54	-9.68

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the full terms of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

www.tw.sqs.com




Page 58 of 172

Radiated Spurious Emission Measurement Result 802.11a, 5725~5850 MHz

Operation Mode: 802.11a Test Date: 2016/3/29

Fundamental Frequency: 5745 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Test Engineer: Tx CH Low Ashton EUT Pol.: E2 Measurement Antenna Pol. : Vertical



	Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
-	11490.00	Н	Peak	33.65	18.39	52.04	74	-21.96
	11490.00	Н	Average	23.45	18.39	41.84	54	-12.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

家非方角就明 - 比較容易未僅對測減之樣必負責 | 同時此樣必僅体留別之 - 本教を不整本の自由部門 - 木可能位養者。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <u>www.sgs.com/terms and conditions.htm</u> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <u>www.sgs.com/terms e-document.htm</u>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279




Page 59 of 172

Operation Mode: 802.11a Test Date: 2016/3/29

Fundamental Frequency: 5745 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH Low Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol. : Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11490.00	Н	Peak	34.47	18.39	52.86	74	-21.14
11490.00	Н	Average	23.47	18.39	41.86	54	-12.14

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 60 of 172

Operation Mode: 802.11a Test Date: 2016/3/29

Fundamental Frequency: 5785 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH Mid Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol. : Vertical



	Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dΒμV/m	dBµV/m	dB
_	11570.00	Н	Peak	32.24	19.38	51.62	74	-22.38
	11570.00	Н	Average	21.76	19.38	41.14	54	-12.86

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 61 of 172

Operation Mode: 802.11a Test Date: 2016/3/29

Fundamental Frequency: 5785 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH Mid Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol. : Horizontal



	Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dΒμV/m	dΒμV/m	dB
_	11570.00	Н	Peak	34.56	19.38	53.94	74	-20.06
	11570.00	Н	Average	22.86	19.38	42.24	54	-11.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 62 of 172

Operation Mode: 802.11a Test Date: 2016/3/29

Fundamental Frequency: 5825 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH High Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol.: Vertical E2



	Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
-	11650.00	Н	Peak	32.06	20.23	52.29	74	-21.71
	11650.00	Н	Average	21.36	20.23	41.59	54	-12.41

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 63 of 172

Operation Mode: 802.11a Test Date: 2016/3/29

Fundamental Frequency: 5825 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH High Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol.: Horizontal E2



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11650.00	Н	Peak	32.36	20.23	52.60	74	-21.40
11650.00	Н	Average	22.66	20.23	42.89	54	-11.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.




Page 64 of 172

Radiated Spurious Emission Measurement Result 802.11n_HT20, 5150~5250 MHz

Operation Mode: Test Date: 2016/3/29 802.11n20

22.7deg_C/57RH Fundamental Frequency: 5180 MHz Temp. / Humi.:

Operation Band: Tx CH Low Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
10360.00	Н	Peak	32.86	17.62	50.48	68.3	-17.82

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report teler only to me sample(s) tested and such sample(s) are fetalined for 90 days only.

Pk 非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without print without price of this document is required and the produced except in full, without prior or the land. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page 65 of 172

Operation Mode: 802.11n20 Test Date: 2016/3/29

Fundamental Frequency: 5180 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH Low Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
_	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
_	10360.00	Н	Peak	34.34	17.62	51.95	68.3	-16.35

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 66 of 172

Operation Mode: 802.11n20 Test Date: 2016/3/29

Fundamental Frequency: 5220 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH Mid Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10440.00	Н	Peak	32.40	17.65	50.05	68.3	-18.25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page 67 of 172

Operation Mode: 802.11n20 Test Date: 2016/3/29

Fundamental Frequency: 5220 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH Mid Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin	
			Mode	Reading Level		FS	@3m		
_	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	
_	10440.00	Н	Peak	33.75	17.65	51.40	68.3	-16.90	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 68 of 172

Operation Mode: 802.11n20 Test Date: 2016/3/29

Fundamental Frequency: 5240 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH High Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: Vertical



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
_	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
_	10480.00	Н	Peak	32.90	18.00	50.90	68.3	-17.40

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 69 of 172

Operation Mode: 802.11n20 Test Date: 2016/3/29

Fundamental Frequency: 5240 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH High Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
_	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
_	10480.00	Н	Peak	33.94	18.00	51.94	68.3	-16.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page 70 of 172

Radiated Spurious Emission Measurement Result 802.11n_HT20, 5250~5350 MHz

Operation Mode: Test Date: 2016/3/29 802.11n20

22.7deg_C/57RH Fundamental Frequency: 5260 MHz Temp. / Humi.:

Operation Band: Tx CH Low Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
10520.00	Н	Peak	33.42	17.39	50.81	68.3	-17.49

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report teler only to me sample(s) tested and such sample(s) are fetalined for 90 days only.

Pk 非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without print without price of this document is required and the produced except in full, without prior or the land. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page 71 of 172

Operation Mode: 802.11n20 Test Date: 2016/3/29

Fundamental Frequency: 5260 MHz Temp. / Humi.: 22.7deg_C/57RH

Ashton Operation Band: Tx CH Low Test Engineer: EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10520.00	Н	Peak	36.84	17.39	54.23	68.3	-14.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.




Page 72 of 172

Operation Mode: 802.11n20 Test Date: 2016/3/29

Fundamental Frequency: 5300 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH Mid Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: Vertical



	Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
•	10600.00	Н	Peak	33.31	17.41	50.71	74	-23.29
	10600.00	Н	Average	22.88	17.41	40.29	54	-13.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 73 of 172

Operation Mode: 802.11n20 Test Date: 2016/3/29

Fundamental Frequency: 5300 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH Mid Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



	Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
•	10600.00	Н	Peak	36.12	17.41	53.52	74	-20.48
	10600.00	Н	Average	22.36	17.41	39.77	54	-14.23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page 74 of 172

Operation Mode: 802.11n20 Test Date: 2016/3/29

Fundamental Frequency: 5320 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH High Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
10640.00	Н	Peak	34.62	17.56	52.18	74	-21.82
10640.00	Н	Average	22.88	17.56	40.44	54	-13.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page 75 of 172

Operation Mode: 802.11n20 Test Date: 2016/3/29

Fundamental Frequency: 5320 MHz Temp. / Humi.: 22.7deg_C/57RH

Ashton Operation Band: Tx CH High Test Engineer: EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10640.00	Н	Peak	37.60	17.56	55.16	74	-18.84
10640.00	Н	Average	26.26	17.56	43.82	54	-10.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 76 of 172

Radiated Emission Measurement Result 802.11n_HT20, 5470~5725 MHz

Operation Mode: 802.11n20 Test Date: 2016/3/29

Fundamental Frequency: 5500 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Test Engineer: Tx CH Low Ashton EUT Pol.: E2 Measurement Antenna Pol.: Vertical



	Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
-	11000.00	Н	Peak	36.88	19.11	55.99	74	-18.01
	11000.00	Н	Average	26.67	19.11	45.78	54	-8.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

家非方角就明 - 比較容易未僅對測減之樣必負責 | 阿時此樣必僅体留別之 - 來放客來學本之可看面評明 - 木可能价模装。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page 77 of 172

Operation Mode: 802.11n20 Test Date: 2016/3/29

Fundamental Frequency: 5500 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH Low Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



	Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dΒμV/m	dΒμV/m	dB
-	11000.00	Н	Peak	39.87	19.11	58.98	74	-15.02
	11000.00	Н	Average	27.72	19.11	46.83	54	-7.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 78 of 172

Operation Mode: 802.11n20 Test Date: 2016/3/29

Fundamental Frequency: 5580 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH Mid Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: Vertical



	Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
-	11160.00	Н	Peak	36.67	19.26	55.93	74	-18.07
	11160.00	Н	Average	25.91	19.26	45.17	54	-8.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司




Page 79 of 172

Operation Mode: 802.11n20 Test Date: 2016/3/29

Fundamental Frequency: 5580 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH Mid Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11160.00	Н	Peak	35.89	19.26	55.16	74	-18.84
11160.00	Н	Average	27.38	19.26	46.64	54	-7.36

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 80 of 172

Operation Mode: 802.11n20 Test Date: 2016/3/29

Fundamental Frequency: 5700 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH High Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11400.00	Н	Peak	34.21	18.78	52.99	74	-21.01
11400.00	Н	Average	23.05	18.78	41.83	54	-12.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 81 of 172

Operation Mode: 802.11n20 Test Date: 2016/3/29

Fundamental Frequency: 5700 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH High Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11400.00	Н	Peak	34.21	18.78	52.99	74	-21.01
11400.00	Н	Average	26.24	18.78	45.02	54	-8.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 82 of 172

Radiated Emission Measurement Result 802.11n_HT20, 5725~5850 MHz

Operation Mode: 802.11n20 Test Date: 2016/3/29

Fundamental Frequency: 5745 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH Low Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: Vertical



	Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	F/H/E/S	PK/QP/AV	dBµV	dB	го dBμV/m	dBµV/m	dB
_	11490.00	Н	Peak	31.95	18.39	50.34	74	-23.66
	11490.00	Н	Average	22.06	18.39	40.45	54	-13.55

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

家非方角就明 - 比較容易未僅對測減之樣必負責 | 阿時此樣必僅体留別之 - 來放客來學本之可看面評明 - 木可能价模装。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page 83 of 172

Operation Mode: 802.11n20 Test Date: 2016/3/29

Fundamental Frequency: 5745 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH Low Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dΒμV/m	dΒμV/m	dB
11490.00	Н	Peak	34.22	18.39	52.61	74	-21.40
11490.00	Н	Average	26.31	18.39	44.70	54	-9.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.




Page 84 of 172

Operation Mode: 802.11n20 Test Date: 2016/3/29

Fundamental Frequency: 5785 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH Mid Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: Vertical



	Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
-	11570.00	Н	Peak	32.38	19.38	51.76	74	-22.24
	11570.00	Н	Average	23.77	19.38	43.15	54	-10.85

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 85 of 172

Operation Mode: 802.11n20 Test Date: 2016/3/29

Fundamental Frequency: 5785 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH Mid Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11570.00	Н	Peak	33.02	19.38	52.40	74	-21.60
11570.00	Н	Average	24.61	19.38	43.99	54	-10.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 86 of 172

Operation Mode: 802.11n20 Test Date: 2016/3/29

Fundamental Frequency: 5825 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH High Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11650.00	Н	Peak	31.38	20.23	51.62	74	-22.38
11650.00	Н	Average	23.38	20.23	43.61	54	-10.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 87 of 172

Operation Mode: 802.11n20 Test Date: 2016/3/29

Fundamental Frequency: 5825 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH High Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



	Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin	
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	
-	11650.00	Н	Peak	31.76	20.23	52.00	74	-22.00	
	11650.00	Н	Average	24.19	20.23	44.42	54	-9.58	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page 88 of 172

Radiated Spurious Emission Measurement Result 802.11n_HT40, 5150~5250 MHz

Operation Mode: 802.11n40 Test Date: 2016/3/29

Fundamental Frequency: 5190 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Test Engineer: Tx CH Low Ashton EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
 MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
 10380.00	Н	Peak	32.52	18.37	50.89	68.3	-17.41

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

家非方角就明 - 比較容易未僅對測減之樣必負責 | 阿時此樣必僅体留別之 - 來放客來學本之可看面評明 - 木可能价模装。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page 89 of 172

Operation Mode: 802.11n40 Test Date: 2016/3/29

Fundamental Frequency: 5190 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH Low Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10380.00	Н	Peak	31.95	18.37	50.32	68.3	-17.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 90 of 172

Operation Mode: 802.11n40 Test Date: 2016/3/29

Fundamental Frequency: 5230 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH High Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: Vertical



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
_	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
_	10460.00	Н	Peak	32.19	18.29	50.48	68.3	-17.82

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 91 of 172

Operation Mode: 802.11n40 Test Date: 2016/3/29

Fundamental Frequency: 5230 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH High Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
_	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
_	10460.00	Н	Peak	32.04	18.29	50.34	68.3	-17.96

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 92 of 172

Radiated Spurious Emission Measurement Result 802.11n HT40, 5250~5350 MHz

Operation Mode: 802.11n40 Test Date: 2016/3/29

22.7deg_C/57RH Fundamental Frequency: 5270 MHz Temp. / Humi.:

Operation Band: Tx CH Low Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: Vertical



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
_	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
	10540.00	Н	Peak	31.84	17.34	49.18	68.3	-19.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Onless otherwise stated the results shown in this less report teler only to the samplets) tested and such samplets (ested and such samplets) tested and such samplets) tested and such samplets (ested and such samplets) tested and such samplets) tested and such samplets) tested and such samplets (ested and such samplets) tested and such samplets) and samplets) tested and such samplets tested and such samplets) tested and such samplets teste pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.




Page 93 of 172

Operation Mode: 802.11n40 Test Date: 2016/3/29

Fundamental Frequency: 5270 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH Low Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10540.00	Н	Peak	34.41	17.34	51.75	68.3	-16.55

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 94 of 172

Operation Mode: 802.11n40 Test Date: 2016/3/29

Fundamental Frequency: 5310 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH High Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: Vertical



	Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
•	10620.00	Н	Peak	31.91	17.52	49.42	74	-24.58
	10620.00	Н	Average	22.50	17.52	40.02	54	-13.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 95 of 172

Operation Mode: 802.11n40 Test Date: 2016/3/29

Fundamental Frequency: 5310 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH High Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10620.00	Н	Peak	34.14	17.52	51.66	74	-22.34
10620.00	Н	Average	22.62	17.52	40.14	54	-13.86

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 96 of 172

Radiated Spurious Emission Measurement Result 802.11n_HT40, 5470~5725 MHz

Operation Mode: 802.11n40 Test Date: 2016/3/29

Fundamental Frequency: 5510 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Test Engineer: Tx CH Low Ashton EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11020.00	Н	Peak	33.77	19.93	53.70	74	-20.30
11020.00	Н	Average	26.09	19.93	46.02	54	-7.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Offices otherwise stated the results shown in this less report teler only to the sample(s) tested and such sample(s) are fetalined for 90 days only.

Pk 非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without print without price of this document is required and the produced except in full, without prior or the land. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司




Page 97 of 172

Operation Mode: 802.11n40 Test Date: 2016/3/29

Fundamental Frequency: 5510 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH Low Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11020.00	Н	Peak	32.87	19.93	52.80	74	-21.20
11020.00	Н	Average	26.59	19.93	46.52	54	-7.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.




Page 98 of 172

Operation Mode: 802.11n40 Test Date: 2016/3/29

Fundamental Frequency: Temp. / Humi.: 5550 MHz 22.7deg C/57RH

Operation Band: Tx CH Mid Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dΒμV/m	dBµV/m	dB
11100.00	Н	Peak	34.32	20.30	54.62	74	-19.38
11100.00	Н	Average	24.79	20.30	45.09	54	-8.91

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page 99 of 172

Operation Mode: 802.11n40 Test Date: 2016/3/29

Fundamental Frequency: 5550 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH Mid Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11100.00	Н	Peak	37.54	20.30	57.84	74	-16.16
11100.00	Н	Average	27.14	20.30	47.44	54	-6.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 100 of 172

Operation Mode: 802.11n40 Test Date: 2016/3/29

Fundamental Frequency: 5670 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH High Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11340.00	Н	Peak	33.59	18.44	52.03	74	-21.97
11340.00	Н	Average	24.74	18.44	43.18	54	-10.82

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 101 of 172

Operation Mode: 802.11n40 Test Date: 2016/3/29

Fundamental Frequency: 5670 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH High Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



	Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dΒμV/m	dBµV/m	dB
_	11340.00	Н	Peak	34.73	18.44	53.17	74	-20.83
	11340.00	Н	Average	24.66	18.44	43.10	54	-10.90

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 102 of 172

Radiated Spurious Emission Measurement Result 802.11n HT40, 5725~5850 MHz

Operation Mode: Test Date: 2016/3/29 802.11n40

22.7deg_C/57RH Fundamental Frequency: 5755 MHz Temp. / Humi.:

Operation Band: Tx CH Low Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: Vertical



	Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin	
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB	
•	11510.00	Н	Peak	31.38	19.90	51.28	74	-22.72	
	11510.00	Н	Average	23.56	19.90	43.46	54	-10.54	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page 103 of 172

Operation Mode: 802.11n40 Test Date: 2016/3/29

Fundamental Frequency: 5755 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH Low Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11510.00	Н	Peak	31.88	19.90	51.78	74	-22.22
11510.00	Н	Average	23.88	19.90	43.78	54	-10.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

f (886-2) 2298-0488

www.tw.sqs.com




Page 104 of 172

Operation Mode: 802.11n40 Test Date: 2016/3/29

Fundamental Frequency: Temp. / Humi.: 5795 MHz 22.7deg C/57RH

Operation Band: Tx CH High Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBμV	dB	dBµV/m	dBµV/m	dB
11590.00	Н	Peak	31.82	19.85	51.67	74	-22.33
11590.00	Н	Average	22.59	19.85	42.44	54	-11.56

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page 105 of 172

Operation Mode: 802.11n40 Test Date: 2016/3/29

Fundamental Frequency: 5795 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH High Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



	Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
•	11590.00	Н	Peak	31.89	19.85	51.74	74	-22.26
	11590.00	Н	Average	22.79	19.85	42.64	54	-11.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in various descriptions. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司




Page 106 of 172

Radiated Spurious Emission Measurement Result 802.11ac VHT80, 5150~5250 MHz

Operation Mode: 802.11ac80 Test Date: 2016/3/29

Fundamental Frequency: 5210 MHz Temp. / Humi.: 22.7deg_C/57RH

Tx CH Low Operation Band: Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
10420.00	Н	Peak	30.66	18.05	48.71	68.3	-19.59

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report teler only to the sample(s) tested and such sample(s) are fetalined for 90 days only.

Pk 非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without print without price of this document is required and the produced except in full, without prior or the land. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279




Page 107 of 172

Operation Mode: 802.11ac80 Test Date: 2016/3/29

Fundamental Frequency: 5210 MHz Temp. / Humi.: 22.7deg_C/57RH

Ashton Operation Band: Tx CH Low Test Engineer: EUT Pol.: Measurement Antenna Pol. : Horizontal E2



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
10420.00	Н	Peak	32.75	18.05	50.80	68.3	-17.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in various descriptions. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 108 of 172

Radiated Spurious Emission Measurement Result 802.11ac VHT80, 5250~5350 MHz

Operation Mode: 802.11ac80 Test Date: 2016/3/29

Fundamental Frequency: 5290 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH High Test Engineer: Ashton EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
10580.00	Н	Peak	30.66	17.37	48.04	68.3	-20.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the results shown in this less report teler only to the sample(s) tested and such sample(s) are fetalined for 90 days only.

Pk 非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without print without price of this document is required and the produced except in full, without prior or the land. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page 109 of 172

Operation Mode: 802.11ac80 Test Date: 2016/3/29

Fundamental Frequency: 5290 MHz Temp. / Humi.: 22.7deg_C/57RH

Ashton Operation Band: Tx CH High Test Engineer: EUT Pol.: Measurement Antenna Pol. : Horizontal E2



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
_	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
_	10580.00	Н	Peak	29.54	17.37	46.91	68.3	-21.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.




Page 110 of 172

Radiated Spurious Emission Measurement Result 802.11ac_VHT80, 5470~5725 MHz

Operation Mode: 802.11ac80 Test Date: 2016/3/29

Fundamental Frequency: 5530 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Test Engineer: Tx CH Low Ashton EUT Pol.: E2 Measurement Antenna Pol.: Vertical



	Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
_	MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dΒμV/m	dBµV/m	dB
	11060.00	Н	Peak	31.61	18.91	50.52	74	-23.48
	11060.00	Н	Average	21.02	18.91	39.93	54	-14.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

家非方角就明 - 比較容易未僅對測減之樣必負責 | 阿時此樣必僅体留別之 - 本教者を無率之の音曲部引 - 木可能价模装。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488 www.tw.sqs.com




Page 111 of 172

Operation Mode: 802.11ac80 Test Date: 2016/3/29

Fundamental Frequency: 5530 MHz Temp. / Humi.: 22.7deg_C/57RH

Ashton Operation Band: Tx CH Low Test Engineer: EUT Pol.: Measurement Antenna Pol. : Horizontal E2



	Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dΒμV/m	dBµV/m	dB
-	11060.00	Н	Peak	31.60	18.91	50.52	74	-23.48
	11060.00	Н	Average	21.21	18.91	40.12	54	-13.88

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 112 of 172

Operation Mode: 802.11ac80 Test Date: 2016/3/29

Fundamental Frequency: 5610 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH Mid Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol. : Vertical E2



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11220.00	Н	Peak	32.17	18.63	50.79	74	-23.21
11220.00	Н	Average	23.87	18.63	42.50	54	-11.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.




Page 113 of 172

Operation Mode: 802.11ac80 Test Date: 2016/3/29

Fundamental Frequency: 5610 MHz Temp. / Humi.: 22.7deg_C/57RH

Ashton Operation Band: Tx CH Mid Test Engineer: EUT Pol.: Measurement Antenna Pol. : Horizontal E2



	Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dΒμV/m	dBµV/m	dB
-	11220.00	Н	Peak	31.98	18.63	50.61	74	-23.39
	11220.00	Н	Average	22.34	18.63	40.97	54	-13.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 114 of 172

Operation Mode: 802.11ac80 Test Date: 2016/3/29

Fundamental Frequency: 5690 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Tx CH High Test Engineer: Ashton EUT Pol.: Measurement Antenna Pol. : Vertical E2



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11380.00	Н	Peak	32.02	18.50	50.52	74	-23.48
11380.00	Н	Average	22.74	18.50	41.24	54	-12.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.




Page 115 of 172

Operation Mode: 802.11ac80 Test Date: 2016/3/29

Fundamental Frequency: 5690 MHz Temp. / Humi.: 22.7deg_C/57RH

Ashton Operation Band: Tx CH High Test Engineer: EUT Pol.: Measurement Antenna Pol. : Horizontal E2



	Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
	MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
_	11380.00	Н	Peak	31.43	18.50	49.93	74	-24.07
	11380.00	Н	Average	22.81	18.50	41.31	54	-12.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 116 of 172

Radiated Spurious Emission Measurement Result 802.11ac_VHT80, 5725~5850 MHz

Operation Mode: 802.11ac80 Test Date: 2016/3/29

Fundamental Frequency: 5775 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Test Engineer: Tx CH Low Ashton EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11550.00	Н	Peak	31.57	19.28	50.85	74	-23.15
11550.00	Н	Average	22.62	19.28	41.90	54	-12.10

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

家非方角就明 - 比較容易未僅對測減之樣必負責 | 阿時此樣必僅体留別之 - 本教者を無率之の音曲部引 - 木可能价模装。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page 117 of 172

Operation Mode: 802.11ac80 Test Date: 2016/3/29

Fundamental Frequency: 5775 MHz Temp. / Humi.: 22.7deg_C/57RH

Ashton Operation Band: Tx CH Low Test Engineer: EUT Pol.: Measurement Antenna Pol. : Horizontal E2



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
11550.00	Н	Peak	31.24	19.28	50.53	74	-23.47
11550.00	Н	Average	21.55	19.28	40.83	54	-13.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.




Page 118 of 172

Band edge falling to restricted band 802.11a mode

Operation Mode: 802.11a Test Date: 2016/3/28

5180 MHz Fundamental Frequency: Temp. / Humi.: 22.7deg_C/57RH

Operation Band: BE CH Low Test Engineer: Pony EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5149.12	S	Peak	51.99	10.78	62.77	74	-11.23
5149.12	S	Average	31.20	10.78	41.98	54	-12.02
5150.00	E	Peak	50.14	10.78	60.92	74	-13.08
5150.00	E	Average	31.33	10.78	42.11	54	-11.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the full terms of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488

www.tw.sqs.com




Page 119 of 172

Operation Mode: 802.11a Test Date: 2016/3/28

Fundamental Frequency: Temp. / Humi.: 5180 MHz 22.7deg C/57RH

Operation Band: BE CH Low Test Engineer: Pony EUT Pol.: E2 Measurement Antenna Pol.: Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dΒμV/m	dBµV/m	dB
5149.00	S	Peak	54.60	10.77	65.37	74	-8.63
5149.00	S	Average	32.08	10.77	42.85	54	-11.15
5150.00	Е	Peak	54.05	10.78	64.84	74	-9.16
5150.00	E	Average	32.05	10.78	42.83	54	-11.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page 120 of 172

Operation Mode: 802.11a Test Date: 2016/3/28

Fundamental Frequency: 5320 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: BE CH High Test Engineer: Pony EUT Pol.: Measurement Antenna Pol.: Vertical E2



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5350.00	E	Peak	51.47	11.67	63.14	74	-10.86
5350.00	E	Average	31.07	11.67	42.74	54	-11.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page 121 of 172

Operation Mode: 802.11a Test Date: 2016/3/28

Fundamental Frequency: 5320 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: BE CH High Test Engineer: Pony EUT Pol.: Measurement Antenna Pol.: Horizontal E2



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5350.00	E	Peak	54.03	11.67	65.70	74	-8.30
5350.00	Е	Average	31.71	11.67	43.38	54	-10.62
5351.28	S	Peak	55.70	11.70	67.40	74	-6.60
5351.28	S	Average	31.54	11.70	43.24	54	-10.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

f (886-2) 2298-0488




Page 122 of 172

Operation Mode: 802.11a Test Date: 2016/3/28

Fundamental Frequency: 5500 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: BE CH Low Test Engineer: Pony EUT Pol.: Measurement Antenna Pol.: Vertical E2



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dΒμV/m	dBµV/m	dB
5459.12	S	Peak	47.59	11.67	59.26	74	-14.74
5459.12	S	Average	30.90	11.67	42.57	54	-11.43
5460.00	E	Peak	46.12	11.66	57.78	74	-16.22
5460.00	E	Average	30.89	11.66	42.55	54	-11.45

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page 123 of 172

Operation Mode: 802.11a Test Date: 2016/3/28

Fundamental Frequency: 5500 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: BE CH Low Test Engineer: Pony EUT Pol.: Measurement Antenna Pol.: Horizontal E2



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dΒμV/m	dBµV/m	dB
5459.00	S	Peak	49.89	11.67	61.56	74	-12.44
5459.00	S	Average	31.74	11.67	43.41	54	-10.59
5460.00	Е	Peak	48.17	11.66	59.83	74	-14.17
5460.00	E	Average	31.74	11.66	43.40	54	-10.60

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page 124 of 172

Operation Mode: 802.11a Test Date: 2016/3/28

Fundamental Frequency: 5500 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: BE CH Low RSE Test Engineer: Pony EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5468.60	S	Peak	51.77	11.58	63.35	68.3	-4.95
5470.00	Е	Peak	50.81	11.57	62.38	68.3	-5.92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page 125 of 172

Operation Mode: 802.11a Test Date: 2016/3/28

Fundamental Frequency: 5500 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: BE CH Low RSE Test Engineer: Pony EUT Pol.: Measurement Antenna Pol.: Horizontal E2



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5470.00	E	Peak	56.45	11.57	68.02	68.3	-0.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the full terms of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page 126 of 172

Operation Mode: 802.11a Test Date: 2016/3/28

Fundamental Frequency: 5700 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: BE CH High Test Engineer: Pony EUT Pol.: Measurement Antenna Pol.: Vertical E2



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5725.00	Е	Peak	52.12	12.01	64.13	68.3	-4.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com




Page 127 of 172

Operation Mode: 802.11a Test Date: 2016/3/28

Fundamental Frequency: 5700 MHz Temp. / Humi.: 22.7deg_C/57RH

BE CH High Operation Band: Test Engineer: Pony EUT Pol.: Measurement Antenna Pol.: Horizontal E2



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5725.00	E	Peak	55.57	12.01	67.58	68.3	-0.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page 128 of 172

Operation Mode: 802.11a Test Date: 2016/3/28

Fundamental Frequency: 5745 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: BE CH Low Test Engineer: Pony EUT Pol.: Measurement Antenna Pol.: Vertical E2



Freq.	Note	Detector	Sp ectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dΒμV/m	dBµV/m	dB
5715.00	S	Peak	52.03	11.98	64.00	68.3	-4.30
5722.70	S	Peak	56.18	12.00	68.19	78.2	-10.01
5725.00	Е	Peak	54.11	12.01	66.12	78.2	-12.08

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488




Page 129 of 172

Operation Mode: 802.11a Test Date: 2016/3/28

Fundamental Frequency: 5745 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: BE CH Low Test Engineer: Pony EUT Pol.: Measurement Antenna Pol.: Horizontal E2



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5714.50	S	Peak	54.83	11.97	66.81	68.3	-1.49
5725.00	E	Peak	58.67	12.01	70.68	78.2	-7.52

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page 130 of 172

Operation Mode: 802.11a Test Date: 2016/3/28

Fundamental Frequency: 5825 MHz Temp. / Humi.: 22.7deg_C/57RH

BE CH High Operation Band: Test Engineer: Pony EUT Pol.: Measurement Antenna Pol.: Vertical E2



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.00	E	Peak	54.75	12.15	66.90	78.2	-11.30
5861.40	S	Peak	52.31	12.35	64.66	68.3	-3.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page 131 of 172

Operation Mode: 802.11a Test Date: 2016/3/28

Fundamental Frequency: 5825 MHz Temp. / Humi.: 22.7deg_C/57RH

BE CH High Operation Band: Test Engineer: Pony EUT Pol.: Measurement Antenna Pol.: Horizontal E2



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dΒμV/m	dBμV/m	dB
5850.00	Е	Peak	55.31	12.15	67.46	78.2	-10.74
5851.20	S	Peak	56.52	12.17	68.69	78.2	-9.51
5861.90	S	Peak	52.25	12.36	64.61	68.3	-3.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279 f (886-2) 2298-0488




Page 132 of 172

Band edge falling to restricted band 802.11n_HT20 mode

Operation Mode: 802.11n20 Test Date: 2016/3/28

Fundamental Frequency: 5180 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: Test Engineer: BE CH Low Pony EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5149.24	S	Peak	52.08	10.78	62.86	74	-11.14
5149.24	S	Average	31.41	10.78	42.19	54	-11.81
5150.00	E	Peak	50.73	10.78	61.51	74	-12.49
5150.00	Е	Average	31.44	10.78	42.22	54	-11.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the full terms of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page 133 of 172

Operation Mode: 802.11n20 Test Date: 2016/3/28

Fundamental Frequency: 5180 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: BE CH Low Test Engineer: Pony EUT Pol.: Measurement Antenna Pol.: Horizontal E2



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5150.00	E	Peak	55.01	10.78	65.79	74	-8.21
5150.00	Е	Average	32.52	10.78	43.30	54	-10.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page 134 of 172

Operation Mode: 802.11n20 Test Date: 2016/3/28

Fundamental Frequency: Temp. / Humi.: 5320 MHz 22.7deg_C/57RH

Operation Band: Test Engineer: BE CH High Pony EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5350.00	E	Peak	52.07	11.67	63.74	74	-10.26
5350.00	Е	Average	30.85	11.67	42.52	54	-11.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page 135 of 172

Operation Mode: 802.11n20 Test Date: 2016/3/28

Fundamental Frequency: 5320 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: BE CH High Test Engineer: Pony EUT Pol.: Measurement Antenna Pol.: Horizontal E2



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5350.00	E	Peak	57.16	11.67	68.84	74	-5.16
5350.00	E	Average	32.25	11.67	43.92	54	-10.08

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

Member of SGS Group




Page 136 of 172

Operation Mode: 802.11n20 Test Date: 2016/3/28

Fundamental Frequency: 5500 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: BE CH Low Test Engineer: Pony EUT Pol.: Measurement Antenna Pol.: Vertical E2



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5458.40	S	Peak	48.01	11.67	59.69	74	-14.31
5458.40	S	Average	30.56	11.67	42.23	54	-11.77
5460.00	E	Peak	44.77	11.66	56.42	74	-17.58
5460.00	E	Average	30.70	11.66	42.36	54	-11.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

f (886-2) 2298-0488




Page 137 of 172

Operation Mode: 802.11n20 Test Date: 2016/3/28

Fundamental Frequency: 5500 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: BE CH Low Test Engineer: Pony EUT Pol.: Measurement Antenna Pol.: Horizontal E2



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
			•		_		
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5459.84	S	Peak	52.69	11.66	64.35	74	-9.65
5459.84	S	Average	31.74	11.66	43.40	54	-10.60
5460.00	Е	Peak	51.16	11.66	62.82	74	-11.18
5460.00	Ε	Average	31.73	11.66	43.39	54	-10.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page 138 of 172

Operation Mode: 802.11n20 Test Date: 2016/3/28

Fundamental Frequency: 5500 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: BE CH Low RSE Test Engineer: Pony EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5468.96	S	Peak	52.81	11.58	64.39	68.3	-3.91
5470.00	Е	Peak	51.57	11.57	63.14	68.3	-5.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page 139 of 172

Operation Mode: 802.11n20 Test Date: 2016/3/28

Fundamental Frequency: 5500 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: BE CH Low RSE Test Engineer: Pony EUT Pol.: Measurement Antenna Pol.: Horizontal E2



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dΒμV/m	dBμV/m	dB
5468.48	S	Peak	56.27	11.58	67.85	68.3	-0.45
5469.68	S	Peak	56.43	11.57	68.00	68.3	-0.30
5470.00	Е	Peak	56.46	11.57	68.03	68.3	-0.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and find the prior that the full terms of the low. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488




Page 140 of 172

Operation Mode: 802.11n20 Test Date: 2016/3/28

Fundamental Frequency: 5700 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: BE CH High Test Engineer: Pony EUT Pol.: Measurement Antenna Pol.: Vertical E2



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5725.00	E	Peak	53.52	12.01	65.53	68.3	-2.77
5725.28	S	Peak	54.43	12.01	66.45	68.3	-1.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page 141 of 172

Operation Mode: 802.11n20 Test Date: 2016/3/28

Fundamental Frequency: 5700 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: BE CH High Test Engineer: Pony EUT Pol.: Measurement Antenna Pol.: Horizontal E2



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5725.00	E	Peak	55.71	12.01	67.72	68.3	-0.58
5727.32	S	Peak	55.85	12.01	67.86	68.3	-0.44

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page 142 of 172

Operation Mode: 802.11n20 Test Date: 2016/3/28

Fundamental Frequency: 5745 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: BE CH Low Test Engineer: Pony EUT Pol.: Measurement Antenna Pol.: Vertical E2



Freq.	Note	Detector	Sp ectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dΒμV/m	dBµV/m	dB
5713.00	S	Peak	52.81	11.97	64.78	68.3	-3.52
5724.50	S	Peak	56.93	12.01	68.94	78.2	-9.26
5725.00	Е	Peak	55.56	12.01	67.57	78.2	-10.63

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page 143 of 172

Operation Mode: 802.11n20 Test Date: 2016/3/28

Fundamental Frequency: 5745 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: BE CH Low Test Engineer: Pony EUT Pol.: Measurement Antenna Pol.: Horizontal E2



Freq.	Note	Detector	Sp ectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dΒμV/m	dBµV/m	dB
5714.90	S	Peak	54.74	11.97	66.71	68.3	-1.59
5723.10	S	Peak	59.09	12.00	71.09	78.2	-7.11
5725.00	Е	Peak	60.12	12.01	72.13	78.2	-6.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the prior of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page 144 of 172

Operation Mode: 802.11n20 Test Date: 2016/3/28

Fundamental Frequency: 5825 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: BE CH High Test Engineer: Pony EUT Pol.: Measurement Antenna Pol.: Vertical E2



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5850.00	E	Peak	55.06	12.15	67.20	78.2	-11.00
5861.60	S	Peak	50.43	12.36	62.79	68.3	-5.51

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in very service of this document is unavailable of the content or appropriate of this decument is unavailable of the content of the content or appropriate of this decument. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page 145 of 172

Operation Mode: 802.11n20 Test Date: 2016/3/28

Fundamental Frequency: 5825 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: BE CH High Test Engineer: Pony EUT Pol.: Measurement Antenna Pol.: Horizontal E2



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dΒμV/m	dBµV/m	dB
5850.00	Е	Peak	56.27	12.15	68.41	78.2	-9.79
5851.40	S	Peak	56.86	12.17	69.03	78.2	-9.17
5861.90	S	Peak	53.01	12.36	65.38	68.3	-2.92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page 146 of 172

Band edge falling to restricted band 802.11n_HT40 mode

Operation Mode: 802.11n40 Test Date: 2016/3/28

Fundamental Frequency: 5190 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: BE CH Low Test Engineer: Pony EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5149.84	S	Peak	50.38	10.78	61.16	74	-12.84
5149.84	S	Average	30.72	10.78	41.50	54	-12.50
5150.00	Е	Peak	47.86	10.78	58.64	74	-15.36
5150.00	E	Average	30.72	10.78	41.50	54	-12.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page 147 of 172

Operation Mode: 802.11n40 Test Date: 2016/3/28

Fundamental Frequency: 5190 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: BE CH Low Test Engineer: Pony EUT Pol.: Measurement Antenna Pol.: Horizontal E2



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5150.00	E	Peak	52.46	10.78	63.25	74	-10.75
5150.00	Е	Average	31.29	10.78	42.07	54	-11.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and frequence in which proved the transaction of the content or approval of the company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page 148 of 172

Operation Mode: 802.11n40 Test Date: 2016/3/28

Fundamental Frequency: 5310 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: BE CH High Test Engineer: Pony EUT Pol.: Measurement Antenna Pol.: Vertical E2



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5350.00	E	Peak	52.50	11.67	64.18	74	-9.82
5350.00	E	Average	31.28	11.67	42.95	54	-11.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page 149 of 172

Operation Mode: 802.11n40 Test Date: 2016/3/28

Fundamental Frequency: 5310 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: BE CH High Test Engineer: Pony EUT Pol.: Measurement Antenna Pol.: Horizontal E2



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5350.00	E	Peak	55.60	11.67	67.28	74	-6.72
5350.00	Е	Average	32.40	11.67	44.07	54	-9.93
5350.64	S	Peak	56.79	11.68	68.47	74	-5.53
5350.64	S	Average	32.21	11.68	43.89	54	-10.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279




Page 150 of 172

Operation Mode: 802.11n40 Test Date: 2016/3/28

Fundamental Frequency: 5510 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: BE CH Low Test Engineer: Pony EUT Pol.: Measurement Antenna Pol.: Vertical E2



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5457.24	S	Peak	48.53	11.68	60.22	74	-13.78
5457.24	S	Average	30.51	11.68	42.19	54	-11.81
5460.00	E	Peak	46.39	11.66	58.05	74	-15.95
5460.00	E	Average	30.61	11.66	42.27	54	-11.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and frequence in which proved the transaction of the content or approval of the company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page 151 of 172

Operation Mode: 802.11n40 Test Date: 2016/3/28

Fundamental Frequency: Temp. / Humi.: 5510 MHz 22.7deg_C/57RH

Operation Band: BE CH Low Test Engineer: Pony EUT Pol.: E2 Measurement Antenna Pol.: **Horizontal**



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
5457.36	S	Peak	52.20	11.68	63.88	74	-10.12
5457.36	S	Average	30.81	11.68	42.49	54	-11.51
5460.00	Е	Peak	48.65	11.66	60.31	74	-13.69
5460.00	E	Average	31.00	11.66	42.66	54	-11.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page 152 of 172

Operation Mode: 802.11n40 Test Date: 2016/3/28

Fundamental Frequency: 5510 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: BE CH Low RSE Test Engineer: Pony EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5469.84	S	Peak	52.57	11.57	64.14	68.3	-4.16
5470.00	Е	Peak	50.97	11.57	62.54	68.3	-5.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and frequence in which proved the transaction of the content or approval of the company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page 153 of 172

Operation Mode: 802.11n40 Test Date: 2016/3/28

Fundamental Frequency: 5510 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: BE CH Low RSE Test Engineer: Pony EUT Pol.: Measurement Antenna Pol.: Horizontal E2



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5468.76	S	Peak	55.54	11.58	67.12	68.3	-1.18
5470.00	E	Peak	53.31	11.57	64.88	68.3	-3.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and frequence in which proved the transaction of the content or approval of the company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page 154 of 172

Operation Mode: 802.11n40 Test Date: 2016/3/28

Fundamental Frequency: 5670 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: BE CH High Test Engineer: Pony EUT Pol.: Measurement Antenna Pol.: Vertical E2



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5725.00	Е	Peak	46.45	12.01	58.46	68.3	-9.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page 155 of 172

Operation Mode: 802.11n40 Test Date: 2016/3/28

Fundamental Frequency: 5670 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: BE CH High Test Engineer: Pony EUT Pol.: Measurement Antenna Pol.: Horizontal E2



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5725.00	E	Peak	48.48	12.01	60.49	68.3	-7.81
5731.04	S	Peak	50.07	12.00	62.07	68.3	-6.23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page 156 of 172

Operation Mode: Test Date: 802.11n40 2016/3/28

Fundamental Frequency: Temp. / Humi.: 5755 MHz 22.7deg C/57RH

Operation Band: BE CH Low Test Engineer: Pony EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dΒμV/m	dBµV/m	dB
5714.60	S	Peak	51.68	11.97	63.66	68.3	-4.64
5724.10	S	Peak	54.28	12.01	66.29	78.2	-11.91
5725.00	Ε	Peak	54.49	12.01	66.50	78.2	-11.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page 157 of 172

Operation Mode: 802.11n40 Test Date: 2016/3/28

Fundamental Frequency: 5755 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: BE CH Low Test Engineer: Pony EUT Pol.: Measurement Antenna Pol.: Horizontal E2



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dΒμV/m	dBµV/m	dB
5714.20	S	Peak	53.33	11.97	65.30	68.3	-3.00
5721.80	S	Peak	55.44	12.00	67.44	78.2	-10.76
5725.00	Е	Peak	53.23	12.01	65.24	78.2	-12.96

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page 158 of 172

Operation Mode: 802.11n40 Test Date: 2016/3/28

Fundamental Frequency: 5795 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: BE CH High Test Engineer: Pony EUT Pol.: Measurement Antenna Pol.: Vertical E2



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dΒμV/m	dBµV/m	dB
5850.00	Е	Peak	47.66	12.15	59.80	78.2	-18.40
5853.50	S	Peak	49.18	12.21	61.39	78.2	-16.81
5867.40	S	Peak	48.80	12.33	61.13	68.3	-7.17

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司




Page 159 of 172

Operation Mode: 802.11n40 Test Date: 2016/3/28

Fundamental Frequency: 5795 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: BE CH High Test Engineer: Pony EUT Pol.: Measurement Antenna Pol.: Horizontal E2



Freq.	Note	Detector	Sp ectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dΒμV/m	dBµV/m	dB
5850.00	Е	Peak	50.65	12.15	62.80	78.2	-15.40
5853.40	S	Peak	50.90	12.21	63.11	78.2	-15.09
5861.30	S	Peak	50.53	12.35	62.88	68.3	-5.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page 160 of 172

Band edge falling to restricted band 802.11ac VHT80 mode

Operation Mode: 802.11ac80 Test Date: 2016/3/28

Fundamental Frequency: 5210 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: BE CH Low Test Engineer: Pony EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5150.00	E	Peak	48.32	10.78	59.10	74	-14.90
5150.00	Е	Average	32.24	10.78	43.02	54	-10.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Onless otherwise stated the results shown in this less report teler only to the samplets) tested and such samplets (ested and such samplets) tested and such samplets) tested and such samplets (ested and such samplets) tested and such samplets) tested and such samplets) tested and such samplets (ested and such samplets) tested and such samplets) and samplets) tested and such samplets tested pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

www.tw.sqs.com




Page 161 of 172

Operation Mode: 802.11ac80 Test Date: 2016/3/28

Fundamental Frequency: 5210 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: BE CH Low Test Engineer: Pony EUT Pol.: Measurement Antenna Pol. : E2 Horizontal



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5149.10	S	Peak	53.56	10.78	64.33	74	-9.67
5149.10	S	Average	33.76	10.78	44.54	54	-9.46
5150.00	E	Peak	50.97	10.78	61.75	74	-12.25
5150.00	Е	Average	33.58	10.78	44.36	54	-9.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and frequence in which proved the transaction of the content or approval of the company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page 162 of 172

Operation Mode: 802.11ac80 Test Date: 2016/3/28

Fundamental Frequency: 5290 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: BE CH High Test Engineer: Pony EUT Pol.: Measurement Antenna Pol. : Vertical E2



Freq.	Note	Detector Mode	Spectum Reading Level	Factor	Actual FS	Limit @3m	Margin
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBµV/m	dBµV/m	dB
5350.00	E	Peak	46.23	11.67	57.91	74	-16.09
5350.00	E	Average	31.55	11.67	43.22	54	-10.78
5351.40	S	Peak	49.83	11.70	61.53	74	-12.47
5351.40	S	Average	31.33	11.70	43.03	54	-10.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279




Page 163 of 172

Operation Mode: 802.11ac80 Test Date: 2016/3/28

Fundamental Frequency: 5290 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: BE CH High Test Engineer: Pony EUT Pol.: Measurement Antenna Pol. : Horizontal E2



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dΒμV/m	dBµV/m	dB
5350.00	Е	Peak	52.24	11.67	63.91	74	-10.09
5350.00	Ε	Average	34.30	11.67	45.97	54	-8.03
5350.80	S	Peak	54.72	11.69	66.41	74	-7.59
5350.80	S	Average	34.10	11.69	45.79	54	-8.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and frequence in which proved the transaction of the content or approval of the company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279




Page 164 of 172

Operation Mode: 802.11ac80 Test Date: 2016/3/28

Fundamental Frequency: Temp. / Humi.: 5530 MHz 22.7deg_C/57RH

Operation Band: Test Engineer: BE CH Low Pony EUT Pol.: E2 Measurement Antenna Pol.: Vertical



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dΒμV/m	dBµV/m	dB
5450.60	S	Peak	50.38	11.76	62.14	74	-11.86
5450.60	S	Average	32.98	11.76	44.74	54	-9.26
5460.00	E	Peak	49.57	11.66	61.23	74	-12.77
5460.00	E	Average	34.00	11.66	45.66	54	-8.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page 165 of 172

Operation Mode: 802.11ac80 Test Date: 2016/3/28

Fundamental Frequency: 5530 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: BE CH Low Test Engineer: Pony EUT Pol.: Measurement Antenna Pol. : Horizontal E2



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5460.00	E	Peak	53.58	11.66	65.23	74	-8.77
5460.00	Е	Average	34.50	11.66	46.16	54	-7.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or approval of this document is unquited and frequence in which proved the transaction of the content or approval of the company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page 166 of 172

Operation Mode: 802.11ac80 Test Date: 2016/3/28

Fundamental Frequency: 5530 MHz Temp. / Humi.: 22.7deg C/57RH

Operation Band: BE CH Low RSE Test Engineer: Pony EUT Pol.: E2 Measurement Antenna Pol.: Vertical



	Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
			Mode	Reading Level		FS	@3m	
	MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBμV/m	dBµV/m	dB
•	5470.00	E	Peak	50.31	11.57	61.88	68.3	-6.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page 167 of 172

Operation Mode: 802.11ac80 Test Date: 2016/3/28

Fundamental Frequency: 5530 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: BE CH Low RSE Test Engineer: Pony EUT Pol.: Measurement Antenna Pol.: Horizontal E2



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dBµV/m	dBµV/m	dB
5469.70	S	Peak	55.01	11.57	66.58	68.3	-1.72
5470.00	E	Peak	52.97	11.57	64.54	68.3	-3.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law




Page 168 of 172

Operation Mode: 802.11ac80 Test Date: 2016/3/28

Fundamental Frequency: 5775 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: BE CH Low Test Engineer: Pony EUT Pol.: Measurement Antenna Pol. : Vertical E2



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@ 3m	
MHz	F/H/E/S	PK/QP/AV	dBµV	dB	dBμV/m	dBµV/m	dB
5711.30	S	Peak	45.88	11.96	57.85	68.3	-10.45
5723.50	S	Peak	49.63	12.01	61.64	78.2	-16.56
5725.00	Е	Peak	46.50	12.01	58.51	78.2	-19.69

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in view to the devict of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279




Page 169 of 172

Operation Mode: 802.11ac80 Test Date: 2016/3/28

Fundamental Frequency: 5775 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: BE CH Low Test Engineer: Pony EUT Pol.: Measurement Antenna Pol. : Horizontal E2



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dΒμV/m	dBµV/m	dB
5713.00	S	Peak	50.33	11.97	62.30	68.3	-6.00
5718.30	S	Peak	53.23	11.99	65.22	78.2	-12.98
5725.00	Е	Peak	51.51	12.01	63.52	78.2	-14.68

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in view to the devict of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

www.tw.sqs.com




Page 170 of 172

Operation Mode: 802.11ac80 Test Date: 2016/3/28

Fundamental Frequency: 5775 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: BE CH High Test Engineer: Pony EUT Pol.: Measurement Antenna Pol. : Vertical E2



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dΒμV/m	dBµV/m	dB
5850.00	E	Peak	43.26	12.15	55.40	78.2	-22.80
5851.88	S	Peak	43.66	12.18	55.84	78.2	-22.36
5867.13	S	Peak	42.70	12.33	55.03	68.3	-13.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in the produced except in full, without prior written approval of the Company. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司




Page 171 of 172

Operation Mode: 802.11ac80 Test Date: 2016/3/28

Fundamental Frequency: 5775 MHz Temp. / Humi.: 22.7deg_C/57RH

Operation Band: BE CH High Test Engineer: Pony EUT Pol.: Measurement Antenna Pol. : Horizontal E2



Freq.	Note	Detector	Spectum	Factor	Actual	Limit	Margin
		Mode	Reading Level		FS	@3m	
MHz	F/H/E/S	PK/QP/AV	dΒμV	dB	dΒμV/m	dBµV/m	dB
5850.00	Е	Peak	45.93	12.15	58.07	78.2	-20.13
5853.35	S	Peak	46.12	12.21	58.33	78.2	-19.87
5862.82	S	Peak	46.53	12.36	58.89	68.3	-9.41

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appropriate in view to the devict of this document is unauthorized. pearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 172 of 172

ANTENNA REQUIREMENT

8.1 Standard Applicable

For intentional device, according to §15.203, an intentional radiator shall be designed to ensure that no antenna other than furnished by the responsible party shall be used with the device. If the transmitting antenna is greater than 6dBi, the power shall be reduced by the same level in dB comparing to gain minus 6dBi.

According to RSS-GEN 8.3

The applicant for equipment certification, as per RSP-100, must provide a list of all antenna types that may be used with the licence-exempt transmitter, indicating the maximum permissible antenna gain (in dBi) and the required impedance for each antenna.

Licence-exempt transmitters that have received equipment certification may operate with different types of antennas. However, it is not permissible to exceed the maximum equivalent isotropically radiated power (e.i.r.p.) limits specified in the applicable standard (RSS) for the licence-exempt apparatus.

Testing shall be performed using the highest gain antenna of each combination of licence-exempt transmitter and antenna type, with the transmitter output power set at the maximum level.9 When a measurement at the antenna connector is used to determine RF output power, the effective gain of the device's antenna shall be stated, based on a measurement or on data from the antenna manufacturer.

8.2 Antenna Connected Construction

An embedded-in antenna design is used.

The antenna is designed with permanent attached and no consideration of replacement. Please see EUT photo and antenna spec. for details.

The antenna gain is less than 6dBi. Therefore, it is not necessary to reduce maximum output power limit.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

SGS Taiwan Ltd.