

Bandedge table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2387.1875 PK	56.72	74	-17.28	-47.08	-49.67	6.63	-38.54
2	2389.99 AV	43.57	54	-10.43	-61.51	-61.16	6.63	-51.69
3	2483.5175 PK	65.53	74	-8.47	-41.56	-37.92	6.63	-29.73
4	2483.5175 AV	51.3	54	-2.7	-54.98	-52.56	6.63	-43.96

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



802.11g - Channel 12

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4931.25 PK	53.55	74	-20.45	-51.02	-51.71	6.63	-41.71
2	4934.375 AV	42.38	54	-11.62	-62.64	-62.41	6.63	-52.88
3	7400 PK	54.6	74	-19.4	-50.63	-50	6.63	-40.66
4	7400 AV	43.85	54	-10.15	-61.14	-60.97	6.63	-51.41

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2389.0875 PK	55.66	74	-18.34	-50.05	-48.56	6.63	-39.6
2	2389.8475 AV	42.97	54	-11.03	-62.18	-61.7	6.63	-52.29
3	2483.6125 PK	64.88	74	-9.12	-43.1	-38.23	6.63	-30.38
4	2483.5175 AV	51.65	54	-2.35	-54.97	-52.02	6.63	-43.61

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



802.11g - Channel 13

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4946.875 PK	52.52	74	-21.48	-52.39	-52.37	6.63	-42.74
2	4940.625 AV	42.42	54	-11.58	-62.43	-62.54	6.63	-52.84
3	7415.625 PK	55.1	74	-18.9	-49.81	-49.79	6.63	-40.16
4	7415.625 AV	44.1	54	-9.9	-60.65	-60.96	6.63	-51.16

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2387.4725 PK	54.57	74	-19.43	-50.66	-50.02	6.63	-40.69
2	2389.5625 AV	41.89	54	-12.11	-62.92	-63.11	6.63	-53.37
3	2483.5175 PK	69.05	74	-4.95	-35.35	-36.42	6.63	-26.21
4	2483.5175 AV	51.94	54	-2.06	-53.37	-52.59	6.63	-43.32

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



VHT20 - Channel 1

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	1609.375 PK	51.58	74	-22.42	-53.19	-53.45	6.63	-43.68
2	1606.25 AV	41.76	54	-12.24	-63.16	-63.12	6.63	-53.5
3	4821.875 PK	54.56	74	-19.44	-49.95	-50.77	6.63	-40.7
4	4821.875 AV	43.47	54	-10.53	-61.61	-61.26	6.63	-51.79

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2389.61 PK	66.35	74	-7.65	-38.96	-38.17	6.63	-28.91
2	2389.99 AV	51.83	54	-2.17	-53.71	-52.52	6.63	-43.43
3	2485.56 PK	56.91	74	-17.09	-47.41	-48.65	6.63	-38.35
4	2483.5175 AV	43.81	54	-10.19	-61.28	-60.91	6.63	-51.45

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



VHT20 - Channel 6

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	1625 PK	52.09	74	-21.91	-53.74	-52.05	6.63	-43.17
2	1625 AV	41.89	54	-12.11	-63.02	-63	6.63	-53.37
3	4875 PK	53.36	74	-20.64	-51.74	-51.34	6.63	-41.9
4	4875 AV	43.24	54	-10.76	-61.75	-61.58	6.63	-52.02
5	7312.5 PK	55.69	74	-18.31	-49.49	-48.95	6.63	-39.57
6	7315.625 AV	44.97	54	-9.03	-60.26	-59.62	6.63	-50.29

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2389.135 PK	59.18	74	-14.82	-46.04	-45.43	6.63	-36.08
2	2388.945 AV	46.89	54	-7.11	-59.3	-57.01	6.63	-48.37
3	2485.1325 PK	59.5	74	-14.5	-45.45	-45.36	6.63	-35.76
4	2484.99 AV	46.84	54	-7.16	-59.15	-57.19	6.63	-48.42

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



VHT20 - Channel 11

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4928.125 PK	53.16	74	-20.84	-51.59	-51.9	6.63	-42.1
2	4925 AV	42.86	54	-11.14	-62.09	-61.99	6.63	-52.4
3	7384.375 PK	55.47	74	-18.53	-49.46	-49.41	6.63	-39.79
4	7384.375 AV	44.63	54	-9.37	-60.18	-60.37	6.63	-50.63

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2313.6575 PK	56.09	74	-17.91	-48.97	-48.65	6.63	-39.17
2	2389.7525 AV	43.51	54	-10.49	-61.59	-61.2	6.63	-51.75
3	2483.66 PK	65.54	74	-8.46	-42.56	-37.54	6.63	-29.72
4	2483.5175 AV	51.82	54	-2.18	-54.46	-52.04	6.63	-43.44

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



VHT20 - Channel 12

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4937.5 PK	53.06	74	-20.94	-51.84	-51.85	6.63	-42.2
2	4931.25 AV	42.88	54	-11.12	-62.3	-61.76	6.63	-52.38
3	7400 PK	55.44	74	-18.56	-49.18	-49.77	6.63	-39.82
4	7403.125 AV	44.23	54	-9.77	-60.65	-60.69	6.63	-51.03

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2388.8025 PK	55.91	74	-18.09	-49.26	-48.74	6.63	-39.35
2	2389.325 AV	43.14	54	-10.86	-61.94	-61.58	6.63	-52.12
3	2484.705 PK	64.66	74	-9.34	-42.48	-38.77	6.63	-30.6
4	2483.5175 AV	51.46	54	-2.54	-54.89	-52.36	6.63	-43.8

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



VHT20 - Channel 13

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4943.75 PK	53.44	74	-20.56	-51.69	-51.24	6.63	-41.82
2	4940.625 AV	42.73	54	-11.27	-62.22	-62.13	6.63	-52.53
3	7415.625 PK	55.1	74	-18.9	-50.35	-49.31	6.63	-40.16
4	7418.75 AV	44.6	54	-9.4	-60.28	-60.33	6.63	-50.66

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2375.55 PK	54.65	74	-19.35	-50.03	-50.48	6.63	-40.61
2	2388.66 AV	42.13	54	-11.87	-62.7	-62.85	6.63	-53.13
3	2483.565 PK	68.03	74	-5.97	-36.75	-36.99	6.63	-27.23
4	2483.5175 AV	51.75	54	-2.25	-53.41	-52.9	6.63	-43.51

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



VHT40 - Channel 3

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	1615.625 PK	51.72	74	-22.28	-54.11	-52.41	6.63	-43.54
2	1615.625 AV	41.75	54	-12.25	-63.12	-63.18	6.63	-53.51
3	4840.625 PK	53.56	74	-20.44	-51.43	-51.25	6.63	-41.7
4	4840.625 AV	43.17	54	-10.83	-61.84	-61.63	6.63	-52.09
5	7268.75 PK	55.53	74	-18.47	-48.77	-50.06	6.63	-39.73
6	7265.625 AV	44.59	54	-9.41	-60.29	-60.33	6.63	-50.67

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2388.2325 PK	69.3	74	-4.7	-33.13	-41.87	6.63	-25.96
2	2389.9425 AV	51.38	54	-2.62	-53.79	-53.27	6.63	-43.88
3	2486.1775 PK	63.28	74	-10.72	-39.85	-44.64	6.63	-31.98
4	2483.6125 AV	48.03	54	-5.97	-57.34	-56.45	6.63	-47.23

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



VHT40 - Channel 6

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	1625 PK	51.08	74	-22.92	-54.29	-53.39	6.63	-44.18
2	1625 AV	41.78	54	-12.22	-63.05	-63.2	6.63	-53.48
3	4871.875 PK	54.19	74	-19.81	-50.54	-50.88	6.63	-41.07
4	4871.875 AV	43.09	54	-10.91	-61.89	-61.74	6.63	-52.17
5	7312.5 PK	55.18	74	-18.82	-49.48	-49.97	6.63	-40.08
6	7312.5 AV	44.51	54	-9.49	-60.39	-60.4	6.63	-50.75

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table

No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2389.515 PK	71.7	74	-2.3	-31.69	-35.54	6.63	-23.56
2	2389.99 AV	52.17	54	-1.83	-53.8	-51.87	6.63	-43.09
3	2483.755 PK	69.84	74	-4.16	-37.75	-33.41	6.63	-25.42
4	2483.5175 AV	54.13	54	* 0.13	-51.41	-50.21	6.63	-41.13

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.


* The unwanted emission was verified and the test result was passed by radiated measurement.

(Please refer APPENDIX A)

Chain 0



Chain 1



VHT40 - Channel 9

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4906.25 PK	53.83	74	-20.17	-50.47	-51.77	6.63	-41.43
2	4903.125 AV	42.91	54	-11.09	-61.94	-62.04	6.63	-52.35
3	7353.125 PK	55.96	74	-18.04	-49.15	-48.74	6.63	-39.3
4	7359.375 AV	45.03	54	-8.97	-59.69	-60.05	6.63	-50.23

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2384.8125 PK	63.78	74	-10.22	-46.9	-38.73	6.63	-31.48
2	2389.9425 AV	46.37	54	-7.63	-58.79	-58.29	6.63	-48.89
3	2484.7525 PK	66.67	74	-7.33	-44.1	-35.82	6.63	-28.59
4	2483.6125 AV	49.28	54	-4.72	-56.24	-55.08	6.63	-45.98

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



VHT40 - Channel 10

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4918.75 PK	53	74	-21	-52.34	-51.5	6.63	-42.26
2	4915.625 AV	42.79	54	-11.21	-62.06	-62.16	6.63	-52.47
3	7368.75 PK	55.4	74	-18.6	-49.01	-50.06	6.63	-39.86
4	7371.875 AV	44.59	54	-9.41	-60.26	-60.36	6.63	-50.67

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2383.435 PK	63.89	74	-10.11	-38.87	-45.43	6.63	-31.37
2	2389.9425 AV	46.09	54	-7.91	-58.59	-59.04	6.63	-49.17
3	2484.2775 PK	70.07	74	-3.93	-32.6	-39.68	6.63	-25.19
4	2483.5175 AV	52.22	54	-1.78	-53.16	-52.24	6.63	-43.04

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



VHT40 - Channel 11

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	4921.875 PK	53.82	74	-20.18	-50.97	-51.19	6.63	-41.44
2	4928.125 AV	42.8	54	-11.2	-61.98	-62.23	6.63	-52.46
3	7381.25 PK	56.24	74	-17.76	-49.59	-47.89	6.63	-39.02
4	7384.375 AV	44.46	54	-9.54	-60.39	-60.5	6.63	-50.8

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Bandedge table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	2376.9275 PK	56.33	74	-17.67	-50.81	-47.1	6.63	-38.93
2	2389.895 AV	43.18	54	-10.82	-61.51	-61.94	6.63	-52.08
3	2483.7075 PK	68.48	74	-5.52	-35.77	-37.19	6.63	-26.78
4	2483.5175 AV	52.27	54	-1.73	-52.95	-52.33	6.63	-42.99

Note :


Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1



Below 1GHz Data

802.11g - Channel 6

Conducted spurious emission table


No.	Frequency (MHz)	Emission Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw Value (dBm)		Correction Factor (dB)	EIRP Level (dBm)
					Chain0	Chain1		
1	64.92	32.88	40	-7.12	-71.54	-72.56	6.63	-62.38
2	120.695	33.39	43.5	-10.11	-71.13	-71.93	6.63	-61.87
3	316.15	33.19	46	-12.81	-71.16	-72.35	6.63	-62.07
4	511.12	33.57	46	-12.43	-70.46	-72.41	6.63	-61.69
5	613.455	33.63	46	-12.37	-71.09	-71.45	6.63	-61.63
6	936.2225	33.7	46	-12.3	-71.55	-70.88	6.63	-61.56

Note :

Emission Level (dBuV/m) = EIRP Level (dBm) – 20log(d) + 104.8

d = measurement distance in 3 meters.

Chain 0



Chain 1

