

<u>APPLICANT</u>	<u>MANUFACTURER</u>
Cyber Pacific (Hong Kong) Limited 3808 38/F West Tower Shun Tak Centre, 168-200 Connaught Road Central, Hong Kong, China	Golden Eagle Electronics Manufactory LTD. Suite 215, 2/F., New East Ocean Centre 9 Science Museum Road Tsim Sha Tsui East, Kowloon Hong Kong, China

TEST SPECIFICATION: FCC Rules and Regulations Part 15, Subpart C

TEST PROCEDURE: FCC 15.209(a)

TEST SAMPLE DESCRIPTION

BRANDNAME:

Com-Talk

MODEL:

GEMC2001

FCC ID:

PPGCPI2001

TYPE:

Hands Free Base Transmitter

FREQUENCY RANGE:

397.6, 397.9, 398.2, 398.5, 398.8 MHz

POWER REQUIREMENTS: 3.6 VDC derived from a rechargeable battery

TESTS PERFORMED

- 15.209 Radiated Emissions

REPORT OF MEASUREMENTS

Applicant: Cyber Pacific (Hong Kong) Limited

Device: Hands Free Base Transmitter

FCC ID: PPGCPI2001

Power Requirements: 3.6 VDC derived from a rechargeable battery

Applicable Rule Section: Part 15, Subpart C, Section 15.209

Report Number: R-8976-1

FCC ID #: PPGCPI2001

TEST RESULTS

15.203: The intentional radiator is designed to ensure that no antenna other than that furnished by the applicant can be used with the device.

15.209(c): Emissions radiated were attenuated in accordance with the general radiated emissions limits of 15.209.

GENERAL NOTES

1. All user accessible controls were adjusted to produce maximum emissions.
2. The frequency range was scanned from 30MHz to 4.5 GHz. All emissions not reported were more than 20dB below the specified limit.

Report Number: R-8976-1

FCC ID #: PPGCPI2001

EXHIBIT 4

Radiated Emissions, Spurious Emissions

Para. 15.209(a)

(Please see separate e-file attachment named REspur.pdf)

FCC ID #: PPGCPI2001

EQUIPMENT LIST

FCC15.209(a) Radiated Emissions, 30MHz-4GHz

EN	Type	Manufacturer	Description	Model No.	Cal Date	Due Date
067	Open Area Test Site	Retlif	3 Meter	RNY	10/15/2000	10/15/2003
128C	Double Ridge Guide	Eaton Corporation	1 GHz - 18 GHz	96001	09/18/2000	09/18/2001
133	Broadband Pre-Amplifier	Electro-Metrics	10 kHz - 1 GHz, 26dB	BPA-1000	06/13/2000	06/13/2001
141	Spectrum Analyzer	Hewlett Packard	100 Hz - 40 GHz	8566B	08/03/2000	02/03/2001
141A	Graphics Plotter	Hewlett Packard	N/A	7470A	03/08/2000	03/08/2001
141B	Quasi-Peak Adaptor	Hewlett Packard	100 Hz - 1 GHz	85650A	08/02/2000	02/02/2001
206B	6.0 dB Attenuator	Texscan	0 - 1.0 GHz	FP-50 - 6 dB	06/13/2000	06/13/2001
523	Biconilog	Electro-Mechanics	26 - 2000 MHz	3142B	06/08/2000	06/08/2001
543	Preamplifier	Hewlett Packard	1.0 GHz - 26.5 GHz	8449B	06/16/1999	06/16/2001
617	Interference Analyzer	Electro-Metrics	10 kHz - 1 GHz	EMC-30	01/17/2000	01/17/2001


Report Number: R-8976-1

FCC ID #: PPGCPI2001



Retlif Testing Laboratories

Retrif Job Number R-8976-1



Retlif Testing Laboratories

Retrif Job Number R-8976-1