


802.11ac VHT40-BF_Nss1,(MCS0)_4TX

PSD

5755MHz




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.88	10.88	5.18	5.05	4.50	5.03

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

PSD

5795MHz




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
10.80	10.80	5.24	4.93	4.36	5.02

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

PSD

5210MHz




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.41	2.41	-3.17	-3.70	-3.92	-3.42

802.11ac VHT80_Nss1,(MCS0)_4TX

PSD


5290MHz



802.11ac VHT80-BF_Nss1,(MCS0)_4TX

PSD


5530MHz



802.11ac VHT80-BF_Nss1,(MCS0)_4TX

PSD


5610MHz



802.11ac VHT80-BF_Nss1,(MCS0)_4TX

PSD


5690MHz Straddle 5.47-5.725GHz



802.11ac VHT80-BF_Nss1,(MCS0)_4TX

PSD


5690MHz Straddle 5.725-5.85GHz





802.11ac VHT80-BF_Nss1,(MCS0)_4TX

PSD

5775MHz








**For Mode 1 (Antenna Set 1):****Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)	Comments
802.11a_(6Mbps)_4TX	-	-	-	-	-	-	-	-	-	-	-	-
5.15-5.25GHz	Pass	AV	5.1236G	53.99	54.00	-0.01	5.39	3	V	355	1.01	-

802.11a_(6Mbps)_4TX

5180MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 66
03-Z-1-10
FSV(101027)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1422G	53.86	54.00	-0.14	5.43	3	V	335	2.33	-
AV	5.1822G	113.20	Inf	-Inf	5.51	3	V	335	2.33	-
PK	5.1406G	69.06	74.00	-4.94	5.43	3	V	335	2.33	-
PK	5.1824G	121.13	Inf	-Inf	5.51	3	V	335	2.33	-

802.11a_(6Mbps)_4TX

5180MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 66
03-Z-1
FSV(101027)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.55592G	47.70	54.00	-6.30	16.25	3	V	321	1.71	-
PK	15.52848G	59.44	74.00	-14.56	16.34	3	V	321	1.71	-

802.11a_(6Mbps)_4TX

5180MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 66
03-Z-1
FSV(101027)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.54576G	47.77	54.00	-6.23	16.29	3	H	86	2.05	-
PK	15.52424G	58.92	74.00	-15.08	16.36	3	H	86	2.05	-

802.11a_(6Mbps)_4TX

5200MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 75
03-Z-1-10
FSV(101027)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1236G	53.99	54.00	-0.01	5.39	3	V	355	1.01	-
AV	5.2032G	115.04	Inf	-Inf	5.56	3	V	355	1.01	-
PK	5.149995G	65.72	74.00	-8.28	5.44	3	V	355	1.01	-
PK	5.2032G	122.76	Inf	-Inf	5.56	3	V	355	1.01	-

802.11a_(6Mbps)_4TX

5200MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 75
03-Z-1
FSV(101027)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.59404G	47.55	54.00	-6.45	16.13	3	V	74	1.36	-
PK	15.59024G	59.55	74.00	-14.45	16.14	3	V	74	1.36	-

802.11a_(6Mbps)_4TX

5200MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 75
03-Z-1
FSV(101027)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.59396G	47.48	54.00	-6.52	16.13	3	H	330	1.69	-
PK	15.59164G	59.15	74.00	-14.85	16.14	3	H	330	1.69	-

802.11a_(6Mbps)_4TX

5240MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 86
03-Z-1-10
FSV(101027)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1458G	52.57	54.00	-1.43	5.44	3	V	349	1.07	-
AV	5.2424G	118.05	Inf	-Inf	5.63	3	V	349	1.07	-
AV	5.3534G	51.08	54.00	-2.92	5.83	3	V	349	1.07	-
PK	5.144G	65.86	74.00	-8.14	5.43	3	V	349	1.07	-
PK	5.243G	126.44	Inf	-Inf	5.63	3	V	349	1.07	-
PK	5.3516G	62.08	74.00	-11.92	5.83	3	V	349	1.07	-

802.11a_(6Mbps)_4TX

5240MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 86
03-Z-1
FSV(101027)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.73344G	46.81	54.00	-7.19	15.68	3	V	103	1.36	-
PK	15.71584G	59.04	74.00	-14.96	15.73	3	V	103	1.36	-

802.11a_(6Mbps)_4TX

5240MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 86
03-Z-1
FSV(101027)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.71128G	46.82	54.00	-7.18	15.75	3	H	1	2.06	-
PK	15.71344G	58.77	74.00	-15.23	15.74	3	H	1	2.06	-

802.11a_(6Mbps)_4TX

5260MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 89
03-Z-1-10
FSV(101027)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1496G	52.31	54.00	-1.69	5.44	3	V	351	1.04	-
AV	5.2618G	118.79	Inf	-Inf	5.67	3	V	351	1.04	-
AV	5.3512G	53.96	54.00	-0.04	5.83	3	V	351	1.04	-
PK	5.149G	64.27	74.00	-9.73	5.44	3	V	351	1.04	-
PK	5.2624G	127.54	Inf	-Inf	5.67	3	V	351	1.04	-
PK	5.3566G	65.49	74.00	-8.51	5.84	3	V	351	1.04	-

802.11a_(6Mbps)_4TX

5260MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 89
03-Z-1
FSV(101027)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.76184G	46.62	54.00	-7.38	15.58	3	V	355	2.26	-
PK	15.76408G	57.69	74.00	-16.31	15.58	3	V	355	2.26	-

802.11a_(6Mbps)_4TX

5260MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 89
03-Z-1
FSV(101027)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.7796G	47.18	54.00	-6.82	15.53	3	H	54	1.36	-
PK	15.77072G	58.54	74.00	-15.46	15.56	3	H	54	1.36	-

802.11a_(6Mbps)_4TX

5300MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 76
03-Z-1-10
FSV(101027)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3008G	115.34	Inf	-Inf	5.74	3	V	106	2.24	-
AV	5.3812G	53.83	54.00	-0.17	5.88	3	V	106	2.24	-
PK	5.3016G	122.91	Inf	-Inf	5.74	3	V	106	2.24	-
PK	5.350005G	64.80	74.00	-9.20	5.83	3	V	106	2.24	-

802.11a_(6Mbps)_4TX

5300MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 76
03-Z-1
FSV(101027)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.90992G	46.43	54.00	-7.57	15.10	3	V	193	1.45	-
PK	15.89264G	57.78	74.00	-16.22	15.16	3	V	193	1.45	-

802.11a_(6Mbps)_4TX

5300MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 76
03-Z-1
FSV(101027)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.90956G	46.43	54.00	-7.57	15.10	3	H	182	1.91	-
PK	15.90284G	57.66	74.00	-16.34	15.13	3	H	182	1.91	-

802.11a_(6Mbps)_4TX

5320MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 72
03-Z-1-10
FSV(101027)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3224G	113.95	Inf	-Inf	5.78	3	V	350	1.10	-
AV	5.362G	53.97	54.00	-0.03	5.85	3	V	350	1.10	-
PK	5.3224G	121.86	Inf	-Inf	5.78	3	V	350	1.10	-
PK	5.3632G	68.50	74.00	-5.50	5.85	3	V	350	1.10	-

802.11a_(6Mbps)_4TX

5320MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 72
03-Z-1
FSV(101027)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.95108G	47.09	54.00	-6.91	14.97	3	V	124	1.59	-
PK	15.95708G	58.16	74.00	-15.84	14.95	3	V	124	1.59	-

802.11a_(6Mbps)_4TX

5320MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 72
03-Z-1
FSV(101027)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.95484G	47.01	54.00	-6.99	14.96	3	H	61	1.87	-
PK	15.96412G	59.16	74.00	-14.84	14.93	3	H	61	1.87	-

802.11a_(6Mbps)_4TX

5500MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 89
03-Z-1-10
FSV(101027)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	53.99	54.00	-0.01	6.06	3	V	354	1.09	-
AV	5.4608G	53.95	54.00	-0.05	6.06	3	V	354	1.09	-
AV	5.5034G	102.44	Inf	-Inf	6.16	3	V	354	1.09	-
PK	5.4598G	72.30	74.00	-1.70	6.06	3	V	354	1.09	-
PK	5.4636G	73.15	74.00	-0.85	6.07	3	V	354	1.09	-
PK	5.504G	113.15	Inf	-Inf	6.16	3	V	354	1.09	-

802.11a_(6Mbps)_4TX

5500MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 89
03-Z-1
FSV(101027)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.00936G	40.37	54.00	-13.63	12.93	3	V	260	1.99	-
PK	11.00932G	53.26	74.00	-20.74	12.93	3	V	260	1.99	-

802.11a_(6Mbps)_4TX

5500MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 89
03-Z-1
FSV(101027)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.00976G	40.36	54.00	-13.64	12.93	3	H	112	1.47	-
PK	11.00248G	53.09	74.00	-20.91	12.92	3	H	112	1.47	-

802.11a_(6Mbps)_4TX

5580MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 120
03-Z-1-10
FSV(101027)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4232G	51.47	54.00	-2.53	5.97	3	V	360	1.15	-
AV	5.468G	47.15	54.00	-6.85	6.08	3	V	360	1.15	-
AV	5.584G	101.63	Inf	-Inf	6.23	3	V	360	1.15	-
AV	5.7464G	47.39	54.00	-6.61	6.25	3	V	360	1.15	-
PK	5.4232G	62.37	74.00	-11.63	5.97	3	V	360	1.15	-
PK	5.4648G	59.81	74.00	-14.19	6.07	3	V	360	1.15	-
PK	5.5848G	112.09	Inf	-Inf	6.23	3	V	360	1.15	-
PK	5.7464G	60.96	74.00	-13.04	6.25	3	V	360	1.15	-

802.11a_(6Mbps)_4TX

5580MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 120
03-Z-1
FSV(101027)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.16184G	42.06	54.00	-11.94	13.09	3	V	163	2.91	-
PK	11.15824G	54.47	74.00	-19.53	13.08	3	V	163	2.91	-

802.11a_(6Mbps)_4TX

5580MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 120
03-Z-1
FSV(101027)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.16064G	42.17	54.00	-11.83	13.08	3	H	95	2.04	-
PK	11.1744G	54.46	74.00	-19.54	13.10	3	H	95	2.04	-

802.11a_(6Mbps)_4TX

5700MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 86
03-Z-1-10
FSV(101027)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6944G	103.07	Inf	-Inf	6.25	3	V	319	2.78	-
AV	5.728G	53.03	54.00	-0.97	6.25	3	V	319	2.78	-
PK	5.6952G	112.31	Inf	-Inf	6.25	3	V	319	2.78	-
PK	5.7332G	73.85	74.00	-0.15	6.25	3	V	319	2.78	-

802.11a_(6Mbps)_4TX

5700MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 86
03-Z-1
FSV(101027)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.39672G	40.94	54.00	-13.06	13.32	3	V	215	1.88	-
PK	11.40048G	54.75	74.00	-19.25	13.33	3	V	215	1.88	-

802.11a_(6Mbps)_4TX

5700MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 86
03-Z-1
FSV(101027)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.40576G	41.01	54.00	-12.99	13.33	3	H	240	1.29	-
PK	11.4036G	53.85	74.00	-20.15	13.33	3	H	240	1.29	-

802.11a_(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 102
03-Z-1-10
FSV(101027)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.456G	46.70	54.00	-7.30	6.05	3	V	322	2.94	-
AV	5.4608G	46.90	54.00	-7.10	6.06	3	V	322	2.94	-
AV	5.7152G	103.64	Inf	-Inf	6.25	3	V	322	2.94	-
PK	5.4452G	58.84	74.00	-15.16	6.02	3	V	322	2.94	-
PK	5.4632G	58.66	74.00	-15.34	6.07	3	V	322	2.94	-
PK	5.7152G	113.40	Inf	-Inf	6.25	3	V	322	2.94	-
PK	5.9564G	61.57	68.20	-6.63	6.17	3	V	322	2.94	-

802.11a_(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 102
03-Z-1
FSV(101027)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.42736G	40.74	54.00	-13.26	13.36	3	V	213	2.38	-
PK	11.43416G	53.57	74.00	-20.43	13.36	3	V	213	2.38	-

802.11a_(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 102
03-Z-1
FSV(101027)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.43024G	40.70	54.00	-13.30	13.36	3	H	205	1.11	-
PK	11.42048G	53.71	74.00	-20.29	13.35	3	H	205	1.11	-

802.11a_(6Mbps)_4TX

5745MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 120
03-Z-1-10
FSV(101027)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.74G	103.98	Inf	-Inf	6.25	3	V	323	2.91	-
PK	5.644G	60.31	68.20	-7.89	6.24	3	V	323	2.91	-
PK	5.739G	114.67	Inf	-Inf	6.25	3	V	323	2.91	-
PK	5.965G	59.17	68.20	-9.03	6.17	3	V	323	2.91	-

802.11a_(6Mbps)_4TX

5745MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 120
03-Z-1
FSV(101027)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.4908G	41.70	54.00	-12.30	13.42	3	V	163	1.89	-
PK	11.5412G	54.74	74.00	-19.26	13.47	3	V	163	1.89	-

802.11a_(6Mbps)_4TX

5745MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 120
03-Z-1
FSV(101027)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.4908G	42.06	54.00	-11.94	13.42	3	H	75	1.72	-
PK	11.5288G	54.30	74.00	-19.70	13.46	3	H	75	1.72	-

802.11a_(6Mbps)_4TX

5785MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 120
03-Z-1-10
FSV(101027)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.779G	103.89	Inf	-Inf	6.25	3	V	318	2.88	-
PK	5.624G	59.66	68.20	-8.54	6.24	3	V	318	2.88	-
PK	5.779G	113.43	Inf	-Inf	6.25	3	V	318	2.88	-
PK	5.942G	61.33	68.20	-6.87	6.18	3	V	318	2.88	-

802.11a_(6Mbps)_4TX

5785MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 120
03-Z-1
FSV(101027)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.67G	42.12	54.00	-11.88	13.60	3	V	315	1.13	-
PK	11.6548G	54.37	74.00	-19.63	13.59	3	V	315	1.13	-

802.11a_(6Mbps)_4TX

5785MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 120
03-Z-1
FSV(101027)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.6648G	41.94	54.00	-12.06	13.60	3	H	305	1.04	-
PK	11.6684G	54.31	74.00	-19.69	13.60	3	H	305	1.04	-

802.11a_(6Mbps)_4TX

5825MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 120
03-Z-1-10
FSV(101027)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.82G	104.37	Inf	-Inf	6.24	3	V	319	2.83	-
PK	5.589G	59.68	68.20	-8.52	6.23	3	V	319	2.83	-
PK	5.819G	114.65	Inf	-Inf	6.24	3	V	319	2.83	-
PK	5.981G	60.31	68.20	-7.89	6.16	3	V	319	2.83	-

802.11a_(6Mbps)_4TX

5825MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 120
03-Z-1
FSV(101027)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.657G	41.52	54.00	-12.48	13.59	3	V	18	1.09	-
PK	11.64844G	54.44	74.00	-19.56	13.58	3	V	18	1.09	-

802.11a_(6Mbps)_4TX

5825MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 120
03-Z-1
FSV(101027)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.65488G	41.50	54.00	-12.50	13.59	3	H	234	1.27	-
PK	11.6582G	54.84	74.00	-19.16	13.59	3	H	234	1.27	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5180MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 83
03-Z-1-10
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1472G	53.97	54.00	-0.03	5.44	3	V	325	2.22	-
AV	5.182G	102.63	Inf	-Inf	5.51	3	V	325	2.22	-
PK	5.1472G	73.99	74.00	-0.01	5.44	3	V	325	2.22	-
PK	5.1748G	113.39	Inf	-Inf	5.50	3	V	325	2.22	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5180MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 83
03-Z-1
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.4978G	47.79	54.00	-6.21	16.44	3	V	200	2.48	-
PK	15.4902G	59.88	74.00	-14.12	16.47	3	V	200	2.48	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5180MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 83
03-Z-1
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.4938G	47.74	54.00	-6.26	16.46	3	H	4	1.21	-
PK	15.5892G	60.50	74.00	-13.50	16.15	3	H	4	1.21	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5200MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 120
03-Z-1-10
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1472G	49.42	54.00	-4.58	5.44	3	V	322	2.17	-
AV	5.1968G	103.75	Inf	-Inf	5.54	3	V	322	2.17	-
PK	5.1472G	65.30	74.00	-8.70	5.44	3	V	322	2.17	-
PK	5.1948G	113.57	Inf	-Inf	5.54	3	V	322	2.17	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5200MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 120
03-Z-1
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.5512G	47.73	54.00	-6.27	16.27	3	V	324	1.34	-
PK	15.5552G	60.55	74.00	-13.45	16.26	3	V	324	1.34	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5200MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 120
03-Z-1
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.5544G	47.58	54.00	-6.42	16.26	3	H	88	1.01	-
PK	15.6042G	61.53	74.00	-12.47	16.10	3	H	88	1.01	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5240MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 81
03-Z-1-10
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1332G	46.76	54.00	-7.24	5.41	3	V	324	2.28	-
AV	5.237G	101.99	Inf	-Inf	5.62	3	V	324	2.28	-
AV	5.354G	46.93	54.00	-7.07	5.83	3	V	324	2.28	-
PK	5.149995G	59.34	74.00	-14.66	5.44	3	V	324	2.28	-
PK	5.2346G	112.62	Inf	-Inf	5.62	3	V	324	2.28	-
PK	5.3648G	58.75	74.00	-15.25	5.85	3	V	324	2.28	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5240MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 81
03-Z-1
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.72692G	46.86	54.00	-7.14	15.70	3	V	6	1.49	-
PK	15.7116G	59.59	74.00	-14.41	15.75	3	V	6	1.49	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5240MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 81
03-Z-1
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.723G	46.88	54.00	-7.12	15.71	3	H	38	1.73	-
PK	15.71952G	61.09	74.00	-12.91	15.72	3	H	38	1.73	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5260MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 120
03-Z-1-10
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1454G	46.50	54.00	-7.50	5.44	3	V	321	2.23	-
AV	5.257G	104.52	Inf	-Inf	5.66	3	V	321	2.23	-
AV	5.3542G	47.21	54.00	-6.79	5.83	3	V	321	2.23	-
PK	5.1472G	59.02	74.00	-14.98	5.44	3	V	321	2.23	-
PK	5.257G	114.94	Inf	-Inf	5.66	3	V	321	2.23	-
PK	5.353G	59.77	74.00	-14.23	5.83	3	V	321	2.23	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5260MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 120
03-Z-1
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.77176G	46.84	54.00	-7.16	15.55	3	V	147	1.45	-
PK	15.77444G	60.07	74.00	-13.93	15.54	3	V	147	1.45	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5260MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 120
03-Z-1
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.77752G	46.69	54.00	-7.31	15.53	3	H	129	1.70	-
PK	15.78608G	59.38	74.00	-14.62	15.51	3	H	129	1.70	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5300MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 120
03-Z-1-10
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.2972G	104.19	Inf	-Inf	5.73	3	V	322	2.28	-
AV	5.3528G	51.63	54.00	-2.37	5.83	3	V	322	2.28	-
PK	5.2968G	113.56	Inf	-Inf	5.73	3	V	322	2.28	-
PK	5.3528G	70.17	74.00	-3.83	5.83	3	V	322	2.28	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5300MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 120
03-Z-1
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.90944G	46.60	54.00	-7.40	15.10	3	V	29	1.64	-
PK	15.9082G	59.59	74.00	-14.41	15.11	3	V	29	1.64	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5300MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 120
03-Z-1
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.90184G	46.68	54.00	-7.32	15.13	3	H	81	1.80	-
PK	15.90428G	59.82	74.00	-14.18	15.12	3	H	81	1.80	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5320MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 86
03-Z-1-10
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3138G	99.50	Inf	-Inf	5.76	3	V	272	2.10	-
AV	5.3504G	53.65	54.00	-0.35	5.83	3	V	272	2.10	-
PK	5.3138G	110.06	Inf	-Inf	5.76	3	V	272	2.10	-
PK	5.3536G	73.17	74.00	-0.83	5.83	3	V	272	2.10	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5320MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 86
03-Z-1
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.9628G	47.46	54.00	-6.54	14.93	3	V	52	1.29	-
PK	15.9572G	60.19	74.00	-13.81	14.95	3	V	52	1.29	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5320MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 86
03-Z-1
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.96G	47.52	54.00	-6.48	14.94	3	H	313	2.39	-
PK	15.9996G	60.70	74.00	-13.30	14.81	3	H	313	2.39	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5500MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 88
03-Z-1-10
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4562G	49.58	54.00	-4.42	6.05	3	V	350	1.14	-
AV	5.4658G	53.79	54.00	-0.21	6.07	3	V	350	1.14	-
AV	5.4956G	99.31	Inf	-Inf	6.15	3	V	350	1.14	-
PK	5.4598G	64.52	74.00	-9.48	6.06	3	V	350	1.14	-
PK	5.466G	71.42	74.00	-2.58	6.08	3	V	350	1.14	-
PK	5.4956G	108.87	Inf	-Inf	6.15	3	V	350	1.14	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5500MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 88
03-Z-1
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.044G	40.87	54.00	-13.13	12.96	3	V	195	2.22	-
PK	11.0412G	53.57	74.00	-20.43	12.96	3	V	195	2.22	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5500MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 88
03-Z-1
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.0262G	40.80	54.00	-13.20	12.95	3	H	120	1.71	-
PK	11.022G	53.72	74.00	-20.28	12.94	3	H	120	1.71	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5580MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 120
03-Z-1-10
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4152G	50.60	54.00	-3.40	5.95	3	V	354	1.15	-
AV	5.4696G	47.11	54.00	-6.89	6.08	3	V	354	1.15	-
AV	5.576G	99.73	Inf	-Inf	6.22	3	V	354	1.15	-
AV	5.7328G	46.92	54.00	-7.08	6.25	3	V	354	1.15	-
PK	5.4152G	61.58	74.00	-12.42	5.95	3	V	354	1.15	-
PK	5.460005G	59.44	74.00	-14.56	6.06	3	V	354	1.15	-
PK	5.5824G	110.65	Inf	-Inf	6.23	3	V	354	1.15	-
PK	5.756G	58.63	74.00	-15.37	6.25	3	V	354	1.15	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5580MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 120
03-Z-1
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.2296G	41.39	54.00	-12.61	13.15	3	V	1	2.33	-
PK	11.1968G	53.79	74.00	-20.21	13.12	3	V	1	2.33	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5580MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 120
03-Z-1
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.22G	41.28	54.00	-12.72	13.14	3	H	161	1.83	-
PK	11.2256G	54.14	74.00	-19.86	13.15	3	H	161	1.83	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5700MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 80
03-Z-1-10
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6972G	100.46	Inf	-Inf	6.25	3	V	319	2.82	-
AV	5.7272G	51.69	54.00	-2.31	6.25	3	V	319	2.82	-
PK	5.6946G	111.31	Inf	-Inf	6.25	3	V	319	2.82	-
PK	5.7264G	73.99	74.00	-0.01	6.25	3	V	319	2.82	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5700MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 80
03-Z-1
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.3682G	41.19	54.00	-12.81	13.30	3	V	121	1.17	-
PK	11.3554G	54.15	74.00	-19.85	13.28	3	V	121	1.17	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5700MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 80
03-Z-1
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.3764G	41.28	54.00	-12.72	13.30	3	H	114	2.33	-
PK	11.3632G	54.02	74.00	-19.98	13.29	3	H	114	2.33	-

802.11ac VHT20_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TX



Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4572G	46.81	54.00	-7.19	6.05	3	V	317	2.79	-
AV	5.4644G	46.92	54.00	-7.08	6.07	3	V	317	2.79	-
AV	5.7176G	102.15	Inf	-Inf	6.25	3	V	317	2.79	-
PK	5.4296G	58.66	74.00	-15.34	5.98	3	V	317	2.79	-
PK	5.4668G	58.41	74.00	-15.59	6.08	3	V	317	2.79	-
PK	5.7128G	111.06	Inf	-Inf	6.25	3	V	317	2.79	-
PK	5.9552G	60.52	68.20	-7.68	6.17	3	V	317	2.79	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 120
03-Z-1
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.391G	40.35	54.00	-13.65	13.32	3	V	129	1.40	-
PK	11.4398G	53.68	74.00	-20.32	13.37	3	V	129	1.40	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 120
03-Z-1
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.3928G	40.85	54.00	-13.15	13.32	3	H	265	1.25	-
PK	11.4854G	53.66	74.00	-20.34	13.42	3	H	265	1.25	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5745MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 120
03-Z-1-10
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.741G	96.72	Inf	-Inf	6.25	3	V	319	2.92	-
PK	5.513G	59.95	68.20	-8.25	6.17	3	V	319	2.92	-
PK	5.74G	106.57	Inf	-Inf	6.25	3	V	319	2.92	-
PK	5.975G	58.97	68.20	-9.23	6.16	3	V	319	2.92	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5745MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 120
03-Z-1
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.5376G	41.54	54.00	-12.46	13.47	3	V	162	1.90	-
PK	11.5236G	54.49	74.00	-19.51	13.45	3	V	162	1.90	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5745MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 120
03-Z-1
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.5256G	41.59	54.00	-12.41	13.46	3	H	109	1.89	-
PK	11.5276G	54.63	74.00	-19.37	13.46	3	H	109	1.89	-

802.11ac VHT20_Nss1,(MCS0)_4TX


5785MHz_TX



Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.782G	102.09	Inf	-Inf	6.25	3	V	318	2.85	-
PK	5.55G	59.56	68.20	-8.64	6.20	3	V	318	2.85	-
PK	5.782G	112.28	Inf	-Inf	6.25	3	V	318	2.85	-
PK	5.965G	59.95	68.20	-8.25	6.17	3	V	318	2.85	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5785MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 120
03-Z-1
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.5332G	41.25	54.00	-12.75	13.46	3	V	274	1.75	-
PK	11.5242G	54.23	74.00	-19.77	13.45	3	V	274	1.75	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5785MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 120
03-Z-1
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.522G	41.13	54.00	-12.87	13.45	3	H	109	2.13	-
PK	11.615G	53.80	74.00	-20.20	13.55	3	H	109	2.13	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5825MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 120
03-Z-1-10
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.829G	100.56	Inf	-Inf	6.24	3	V	360	2.70	-
PK	5.634G	59.61	68.20	-8.59	6.24	3	V	360	2.70	-
PK	5.83G	110.89	Inf	-Inf	6.24	3	V	360	2.70	-
PK	5.94G	59.71	68.20	-8.49	6.18	3	V	360	2.70	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5825MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 120
03-Z-1
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.6926G	43.03	54.00	-10.97	13.63	3	V	81	1.89	-
PK	11.6964G	55.43	74.00	-18.57	13.63	3	V	81	1.89	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5825MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 120
03-Z-1
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.6952G	42.90	54.00	-11.10	13.63	3	H	37	1.42	-
PK	11.6894G	55.62	74.00	-18.38	13.62	3	H	37	1.42	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5190MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 65
03-Z-1-10
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1468G	53.98	54.00	-0.02	5.44	3	V	323	2.26	-
AV	5.1968G	95.19	Inf	-Inf	5.54	3	V	323	2.26	-
PK	5.1476G	68.96	74.00	-5.04	5.44	3	V	323	2.26	-
PK	5.182G	105.41	Inf	-Inf	5.51	3	V	323	2.26	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5190MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 65
03-Z-1
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.55456G	47.82	54.00	-6.18	16.26	3	V	198	1.49	-
PK	15.57488G	60.79	74.00	-13.21	16.19	3	V	198	1.49	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5190MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 65
03-Z-1
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.55368G	47.61	54.00	-6.39	16.26	3	H	308	2.45	-
PK	15.5748G	60.72	74.00	-13.28	16.19	3	H	308	2.45	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5230MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 80
03-Z-1-10
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1464G	49.90	54.00	-4.10	5.44	3	V	322	2.19	-
AV	5.222G	98.08	Inf	-Inf	5.59	3	V	322	2.19	-
PK	5.1468G	61.74	74.00	-12.26	5.44	3	V	322	2.19	-
PK	5.222G	107.67	Inf	-Inf	5.59	3	V	322	2.19	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5230MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 80
03-Z-1
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.6744G	46.92	54.00	-7.08	15.87	3	V	154	1.20	-
PK	15.70272G	59.68	74.00	-14.32	15.78	3	V	154	1.20	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5230MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 80
03-Z-1
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.69792G	46.79	54.00	-7.21	15.79	3	H	328	1.90	-
PK	15.67824G	59.57	74.00	-14.43	15.86	3	H	328	1.90	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5270MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 86
03-Z-1-10
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.272G	99.96	Inf	-Inf	5.69	3	V	321	2.23	-
AV	5.3524G	53.79	54.00	-0.21	5.83	3	V	321	2.23	-
PK	5.272G	111.29	Inf	-Inf	5.69	3	V	321	2.23	-
PK	5.3524G	67.59	74.00	-6.41	5.83	3	V	321	2.23	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5270MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 86
03-Z-1
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.7336G	46.86	54.00	-7.14	15.68	3	V	317	1.78	-
PK	15.7468G	59.70	74.00	-14.30	15.63	3	V	317	1.78	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5270MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 86
03-Z-1
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.7488G	46.76	54.00	-7.24	15.63	3	H	289	1.65	-
PK	15.9032G	59.74	74.00	-14.26	15.12	3	H	289	1.65	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5310MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 67
03-Z-1-10
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.302G	94.42	Inf	-Inf	5.74	3	V	322	2.14	-
AV	5.3516G	53.99	54.00	-0.01	5.83	3	V	322	2.14	-
PK	5.3168G	104.43	Inf	-Inf	5.77	3	V	322	2.14	-
PK	5.3512G	70.40	74.00	-3.60	5.83	3	V	322	2.14	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5310MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 67
03-Z-1
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.948G	47.48	54.00	-6.52	14.98	3	V	205	2.04	-
PK	15.9552G	60.41	74.00	-13.59	14.96	3	V	205	2.04	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5310MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 67
03-Z-1
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.9536G	47.51	54.00	-6.49	14.96	3	H	207	1.24	-
PK	16.0228G	60.54	74.00	-13.46	14.90	3	H	207	1.24	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5510MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 70
03-Z-1-10
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4584G	48.67	54.00	-5.33	6.06	3	V	271	2.05	-
AV	5.4688G	53.80	54.00	-0.20	6.08	3	V	271	2.05	-
AV	5.5136G	90.96	Inf	-Inf	6.17	3	V	271	2.05	-
PK	5.46G	60.86	74.00	-13.14	6.06	3	V	271	2.05	-
PK	5.4688G	67.36	74.00	-6.64	6.08	3	V	271	2.05	-
PK	5.4988G	101.70	Inf	-Inf	6.16	3	V	271	2.05	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5510MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 70
03-Z-1
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.0912G	40.41	54.00	-13.59	13.01	3	V	36	1.64	-
PK	11.1128G	52.77	74.00	-21.23	13.04	3	V	36	1.64	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5510MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 70
03-Z-1
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.0716G	40.57	54.00	-13.43	12.99	3	H	64	1.24	-
PK	11.0756G	53.51	74.00	-20.49	13.00	3	H	64	1.24	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5550MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 91
03-Z-1-10
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	52.01	54.00	-1.99	6.06	3	V	353	1.19	-
AV	5.4656G	53.84	54.00	-0.16	6.07	3	V	353	1.19	-
AV	5.5404G	97.87	Inf	-Inf	6.19	3	V	353	1.19	-
PK	5.4556G	64.88	74.00	-9.12	6.05	3	V	353	1.19	-
PK	5.4656G	67.45	74.00	-6.55	6.07	3	V	353	1.19	-
PK	5.5356G	108.08	Inf	-Inf	6.19	3	V	353	1.19	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5550MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 91
03-Z-1
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.1896G	41.51	54.00	-12.49	13.11	3	V	46	1.64	-
PK	11.0888G	54.05	74.00	-19.95	13.01	3	V	46	1.64	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5550MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 91
03-Z-1
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.1932G	41.38	54.00	-12.62	13.12	3	H	155	1.43	-
PK	11.1772G	53.66	74.00	-20.34	13.10	3	H	155	1.43	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5670MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 84
03-Z-1-10
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6616G	98.17	Inf	-Inf	6.25	3	V	321	2.85	-
AV	5.7272G	53.74	54.00	-0.26	6.25	3	V	321	2.85	-
PK	5.6572G	108.58	Inf	-Inf	6.25	3	V	321	2.85	-
PK	5.7264G	72.50	74.00	-1.50	6.25	3	V	321	2.85	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5670MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 84
03-Z-1
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.3852G	40.82	54.00	-13.18	13.31	3	V	182	2.01	-
PK	11.4108G	53.69	74.00	-20.31	13.34	3	V	182	2.01	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5670MHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 84
03-Z-1
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.2668G	40.91	54.00	-13.09	13.19	3	H	302	1.72	-
PK	11.2532G	54.48	74.00	-19.52	13.18	3	H	302	1.72	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 120
03-Z-1-10
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4568G	47.34	54.00	-6.66	6.05	3	V	320	2.80	-
AV	5.4616G	47.51	54.00	-6.49	6.06	3	V	320	2.80	-
AV	5.698G	99.09	Inf	-Inf	6.25	3	V	320	2.80	-
PK	5.4232G	58.81	74.00	-15.19	5.97	3	V	320	2.80	-
PK	5.4688G	57.96	74.00	-16.04	6.08	3	V	320	2.80	-
PK	5.7124G	108.94	Inf	-Inf	6.25	3	V	320	2.80	-
PK	5.9332G	60.79	68.20	-7.41	6.18	3	V	320	2.80	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 120
03-Z-1
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.5108G	40.98	54.00	-13.02	13.44	3	V	27	1.76	-
PK	11.5044G	54.15	74.00	-19.85	13.43	3	V	27	1.76	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




20170503
EUT X 4TX ANT Dipole
Setting 120
03-Z-1
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.3804G	40.99	54.00	-13.01	13.31	3	H	105	1.82	-
PK	11.3764G	53.60	74.00	-20.40	13.30	3	H	105	1.82	-

802.11ac VHT40_Nss1,(MCS0)_4TX


5755MHz_TX



Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.747G	107.14	Inf	-Inf	8.40	3	V	137	2.59	-
PK	5.647G	67.96	68.20	-0.24	8.21	3	V	137	2.59	-
PK	5.742G	116.75	Inf	-Inf	8.39	3	V	137	2.59	-
PK	5.937G	64.43	68.20	-3.77	8.85	3	V	137	2.59	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5755MHz_TX




20170504
EUT X 4TX ANT Dipole
Setting 88
06-M-1
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.5117G	40.03	54.00	-13.97	17.97	3	V	126	2.23	-
PK	11.50787G	52.30	74.00	-21.70	17.98	3	V	126	2.23	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5755MHz_TX




20170504
EUT X 4TX ANT Dipole
Setting 88
06-M-1
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.50893G	41.98	54.00	-12.02	17.97	3	H	106	1.67	-
PK	11.51022G	54.71	74.00	-19.29	17.97	3	H	106	1.67	-

802.11ac VHT40_Nss1,(MCS0)_4TX


5795MHz_TX



Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.787G	107.42	Inf	-Inf	8.48	3	V	340	2.75	-
PK	5.647G	63.84	68.20	-4.36	8.21	3	V	340	2.75	-
PK	5.802G	117.54	Inf	-Inf	8.51	3	V	340	2.75	-
PK	5.931G	67.88	68.20	-0.32	8.84	3	V	340	2.75	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5795MHz_TX




20170504
EUT X 4TX ANT Dipole
Setting 85
06-M-1
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.58877G	41.67	54.00	-12.33	17.88	3	V	284	1.87	-
PK	11.59236G	53.93	74.00	-20.07	17.88	3	V	284	1.87	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5795MHz_TX




20170504
EUT X 4TX ANT Dipole
Setting 85
06-M-1
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.58938G	40.75	54.00	-13.25	17.88	3	H	29	2.23	-
PK	11.58814G	52.74	74.00	-21.26	17.88	3	H	29	2.23	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5210MHz_TX




20170504
EUT X 4TX ANT Dipole
Setting 46
06-M-1-10
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.198G	96.69	Inf	-Inf	7.42	3	V	4	1.20	-
AV	5.363G	49.27	54.00	-4.73	7.69	3	V	4	1.20	-
PK	5.148G	65.56	74.00	-8.44	7.33	3	V	4	1.20	-
PK	5.194G	108.49	Inf	-Inf	7.41	3	V	4	1.20	-
PK	5.447G	61.36	74.00	-12.64	7.83	3	V	4	1.20	-
AV	5.147G	53.86	54.00	-0.14	7.33	3	V	4	1.20	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5210MHz_TX




20170504
EUT X 4TX ANT Dipole
Setting 46
06-M-1
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.628G	47.78	54.00	-6.22	19.28	3	V	13	2.02	-
PK	15.62882G	59.44	74.00	-14.56	19.28	3	V	13	2.02	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5210MHz_TX




20170504
EUT X 4TX ANT Dipole
Setting 46
06-M-1
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.62775G	46.58	54.00	-7.42	19.28	3	H	263	1.98	-
PK	15.62825G	58.29	74.00	-15.71	19.28	3	H	263	1.98	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5290MHz_TX




20170504
EUT X 4TX ANT Dipole
Setting 43
06-M-1-10
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.143G	47.64	54.00	-6.36	7.32	3	V	5	1.50	-
AV	5.303G	94.71	Inf	-Inf	7.59	3	V	5	1.50	-
AV	5.353G	53.99	54.00	-0.01	7.67	3	V	5	1.50	-
PK	5.108G	59.98	74.00	-14.02	7.26	3	V	5	1.50	-
PK	5.274G	106.21	Inf	-Inf	7.55	3	V	5	1.50	-
PK	5.358G	68.62	74.00	-5.38	7.68	3	V	5	1.50	-
PK	5.497G	60.16	68.20	-8.04	7.91	3	V	5	1.50	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5290MHz_TX




20170504
EUT X 4TX ANT Dipole
Setting 43
06-M-1
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.86836G	46.27	54.00	-7.73	18.60	3	V	267	1.99	-
PK	15.8708G	57.69	74.00	-16.31	18.59	3	V	267	1.99	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5290MHz_TX




20170504
EUT X 4TX ANT Dipole
Setting 43
06-M-1
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.87056G	47.19	54.00	-6.81	18.60	3	H	28	1.92	-
PK	15.86802G	58.39	74.00	-15.61	18.60	3	H	28	1.92	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5530MHz_TX




20170504
EUT X 4TX ANT Dipole
Setting 50
06-M-1-10
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.458G	53.92	54.00	-0.08	7.84	3	V	6	1.41	-
AV	5.518G	94.03	Inf	-Inf	7.95	3	V	6	1.41	-
PK	5.464G	66.50	68.20	-1.70	7.85	3	V	6	1.41	-
PK	5.515G	105.30	Inf	-Inf	7.94	3	V	6	1.41	-
PK	5.763G	60.22	68.20	-7.98	8.43	3	V	6	1.41	-
PK	5.453G	65.81	74.00	-8.19	7.83	3	V	6	1.41	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5530MHz_TX




20170504
EUT X 4TX ANT Dipole
Setting 50
06-M-1
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.05752G	41.80	54.00	-12.20	18.50	3	V	326	1.79	-
PK	11.05899G	54.54	74.00	-19.46	18.50	3	V	326	1.79	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5530MHz_TX




20170504
EUT X 4TX ANT Dipole
Setting 50
06-M-1
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.06015G	41.86	54.00	-12.14	18.50	3	H	260	1.45	-
PK	11.05786G	54.76	74.00	-19.24	18.50	3	H	260	1.45	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5610MHz_TX




20170504
EUT X 4TX ANT Dipole
Setting 78
06-M-1-10
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.458G	53.10	54.00	-0.90	7.84	3	V	317	2.81	-
AV	5.469G	53.53	54.00	-0.47	7.86	3	V	317	2.81	-
AV	5.579G	101.31	Inf	-Inf	8.08	3	V	317	2.81	-
AV	5.733G	52.85	54.00	-1.15	8.37	3	V	317	2.81	-
PK	5.46G	66.01	74.00	-7.99	7.85	3	V	317	2.81	-
PK	5.465G	66.50	74.00	-7.50	7.85	3	V	317	2.81	-
PK	5.594G	111.06	Inf	-Inf	8.12	3	V	317	2.81	-
PK	5.733G	66.19	74.00	-7.81	8.37	3	V	317	2.81	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5610MHz_TX




20170504
EUT X 4TX ANT Dipole
Setting 78
06-M-1
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.22014G	40.72	54.00	-13.28	18.31	3	V	18	1.06	-
PK	11.2196G	51.28	74.00	-22.72	18.31	3	V	18	1.06	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5610MHz_TX




20170504
EUT X 4TX ANT Dipole
Setting 78
06-M-1
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.22138G	43.86	54.00	-10.14	18.31	3	H	112	1.22	-
PK	11.21789G	54.16	74.00	-19.84	18.32	3	H	112	1.22	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5690MHz_TX




20170504
EUT X 4TX ANT Dipole
Setting 87
06-M-1-10
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	53.10	54.00	-0.90	7.85	3	V	340	2.73	-
AV	5.662G	104.00	Inf	-Inf	8.24	3	V	340	2.73	-
PK	5.45G	67.98	74.00	-6.02	7.83	3	V	340	2.73	-
PK	5.672G	113.73	Inf	-Inf	8.26	3	V	340	2.73	-
PK	5.984G	63.61	68.20	-4.59	8.97	3	V	340	2.73	-
PK	5.19G	57.53	68.20	-10.67	7.40	3	V	340	2.73	-
PK	5.462G	68.15	68.20	-0.05	7.85	3	V	340	2.73	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5690MHz_TX




20170504
EUT X 4TX ANT Dipole
Setting 87
06-M-1
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.37831G	41.19	54.00	-12.81	18.13	3	V	309	1.58	-
PK	11.37825G	55.12	74.00	-18.88	18.13	3	V	309	1.58	-
PK	17.06771G	62.50	68.20	-5.70	22.23	3	V	87	1.03	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5690MHz_TX




20170504
EUT X 4TX ANT Dipole
Setting 87
06-M-1
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.37804G	41.86	54.00	-12.14	18.13	3	H	351	1.88	-
PK	11.38044G	55.38	74.00	-18.62	18.12	3	H	351	1.88	-
PK	17.06946G	62.58	68.20	-5.62	22.25	3	H	322	2.39	-

802.11ac VHT80_Nss1,(MCS0)_4TX


5775MHz_TX



Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.762G	101.13	Inf	-Inf	8.43	3	V	339	2.91	-
PK	5.648G	67.96	68.20	-0.24	8.22	3	V	339	2.91	-
PK	5.747G	110.70	Inf	-Inf	8.40	3	V	339	2.91	-
PK	5.931G	66.81	68.20	-1.39	8.84	3	V	339	2.91	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5775MHz_TX




20170504
EUT X 4TX ANT Dipole
Setting 74
06-M-1
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.55034G	41.01	54.00	-12.99	17.93	3	V	81	2.04	-
PK	11.55107G	52.29	74.00	-21.71	17.93	3	V	81	2.04	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5775MHz_TX




20170504
EUT X 4TX ANT Dipole
Setting 74
06-M-1
FSP(100080)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.55021G	40.94	54.00	-13.06	17.93	3	H	130	1.60	-
PK	11.55135G	52.36	74.00	-21.64	17.92	3	H	130	1.60	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5180MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 79
02-Z-1-10
FSP(100056)
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	53.93	54.00	-0.07	9.03	3	V	296	1.48	-
AV	5.1884G	110.35	Inf	-Inf	9.13	3	V	296	1.48	-
PK	5.149G	71.94	74.00	-2.06	9.03	3	V	296	1.48	-
PK	5.187G	121.14	Inf	-Inf	9.13	3	V	296	1.48	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5180MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 79
02-Z-1
FSP(100056)
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.524G	46.60	54.00	-7.40	18.06	3	V	161	2.03	-
PK	15.55208G	59.74	74.00	-14.26	18.00	3	V	161	2.03	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5180MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 79
02-Z-1
FSP(100056)
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.55888G	46.58	54.00	-7.42	17.99	3	H	59	1.04	-
PK	15.52352G	60.16	74.00	-13.84	18.06	3	H	59	1.04	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 109
02-Z-1-10
FSP(100056)
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1496G	53.97	54.00	-0.03	9.03	3	V	265	1.31	-
AV	5.1976G	112.92	Inf	-Inf	9.15	3	V	265	1.31	-
PK	5.1468G	73.53	74.00	-0.47	9.03	3	V	265	1.31	-
PK	5.2024G	123.34	Inf	-Inf	9.16	3	V	265	1.31	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 109
02-Z-1
FSP(100056)
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.60008G	46.62	54.00	-7.38	17.90	3	V	348	1.36	-
PK	15.58056G	60.65	74.00	-13.35	17.94	3	V	348	1.36	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 109
02-Z-1
FSP(100056)
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.58704G	46.57	54.00	-7.43	17.93	3	H	174	2.49	-
PK	15.60568G	60.05	74.00	-13.95	17.89	3	H	174	2.49	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5240MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 79
02-Z-1-10
FSP(100056)
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1494G	47.86	54.00	-6.14	9.03	3	V	271	1.34	-
AV	5.246G	108.49	Inf	-Inf	9.25	3	V	271	1.34	-
AV	5.3894G	48.03	54.00	-5.97	9.50	3	V	271	1.34	-
PK	5.1338G	61.07	74.00	-12.93	8.99	3	V	271	1.34	-
PK	5.246G	117.80	Inf	-Inf	9.25	3	V	271	1.34	-
PK	5.3792G	60.60	74.00	-13.40	9.48	3	V	271	1.34	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5240MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 79
02-Z-1
FSP(100056)
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.70808G	45.74	54.00	-8.26	17.66	3	V	78	1.96	-
PK	15.72176G	59.39	74.00	-14.61	17.63	3	V	78	1.96	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5240MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 79
02-Z-1
FSP(100056)
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.71192G	45.74	54.00	-8.26	17.66	3	H	277	2.36	-
PK	15.72464G	59.79	74.00	-14.21	17.63	3	H	277	2.36	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 120
02-Z-1-10
FSP(100056)
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1496G	49.13	54.00	-4.87	9.03	3	V	270	1.31	-
AV	5.2576G	113.49	Inf	-Inf	9.27	3	V	270	1.31	-
AV	5.3512G	49.31	54.00	-4.69	9.44	3	V	270	1.31	-
PK	5.143G	62.20	74.00	-11.80	9.02	3	V	270	1.31	-
PK	5.257G	124.71	Inf	-Inf	9.27	3	V	270	1.31	-
PK	5.3506G	63.17	74.00	-10.83	9.44	3	V	270	1.31	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 120
02-Z-1
FSP(100056)
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.7736G	45.71	54.00	-8.29	17.52	3	V	20	1.40	-
PK	15.7652G	60.10	74.00	-13.90	17.54	3	V	20	1.40	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 120
02-Z-1
FSP(100056)
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.78048G	45.78	54.00	-8.22	17.51	3	H	177	1.10	-
PK	15.76392G	59.37	74.00	-14.63	17.54	3	H	177	1.10	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 83(升1Over1.91)
02-Z-1-10
FSP(100056)
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.2956G	110.94	Inf	-Inf	9.34	3	V	352	2.42	-
AV	5.350005G	51.31	54.00	-2.69	9.44	3	V	352	2.42	-
PK	5.2944G	121.05	Inf	-Inf	9.34	3	V	352	2.42	-
PK	5.3512G	65.99	74.00	-8.01	9.44	3	V	352	2.42	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 83
02-Z-1
FSP(100056)
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.88464G	46.12	54.00	-7.88	17.28	3	V	265	2.34	-
PK	15.90376G	60.29	74.00	-13.71	17.24	3	V	265	2.34	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 83
02-Z-1
FSP(100056)
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.88272G	46.11	54.00	-7.89	17.28	3	H	305	1.37	-
PK	15.88352G	59.58	74.00	-14.42	17.28	3	H	305	1.37	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 83
02-Z-1-10
FSP(100056)
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3256G	110.16	Inf	-Inf	9.39	3	V	340	1.02	-
AV	5.350005G	53.61	54.00	-0.39	9.44	3	V	340	1.02	-
PK	5.3274G	120.11	Inf	-Inf	9.40	3	V	340	1.02	-
PK	5.3508G	71.37	74.00	-2.63	9.44	3	V	340	1.02	-


802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX



802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 83
02-Z-1
FSP(100056)
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.94048G	45.58	54.00	-8.42	17.16	3	V	10	2.24	-
PK	15.97824G	59.30	74.00	-14.70	17.08	3	V	10	2.24	-


802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX



802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 63
02-W-3-10
FSP(100056)
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.428G	53.92	54.00	-0.08	9.60	3	V	16	1.01	-
AV	5.5084G	104.25	Inf	-Inf	9.80	3	V	16	1.01	-
PK	5.3476G	63.18	68.20	-5.02	9.43	3	V	16	1.01	-
PK	5.428G	64.68	74.00	-9.32	9.60	3	V	16	1.01	-
PK	5.4676G	64.07	68.20	-4.13	9.70	3	V	16	1.01	-
PK	5.5084G	113.84	Inf	-Inf	9.80	3	V	16	1.01	-
PK	5.7376G	61.52	68.20	-6.68	9.91	3	V	16	1.01	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 63
02-W-3
FSP(100056)
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.00278G	40.06	54.00	-13.94	15.83	3	V	359	1.50	-
PK	10.99852G	53.73	74.00	-20.27	15.83	3	V	359	1.50	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5500MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 63
02-W-3
FSP(100056)
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.00474G	40.09	54.00	-13.91	15.84	3	H	230	1.50	-
PK	11.0029G	53.91	74.00	-20.09	15.83	3	H	230	1.50	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 70
02-W-3-10
FSP(100056)
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4264G	53.97	54.00	-0.03	9.59	3	V	156	2.63	-
AV	5.5884G	105.31	Inf	-Inf	9.87	3	V	156	2.63	-
PK	5.3316G	60.84	68.20	-7.36	9.40	3	V	156	2.63	-
PK	5.4264G	65.22	74.00	-8.78	9.59	3	V	156	2.63	-
PK	5.4648G	60.85	68.20	-7.35	9.69	3	V	156	2.63	-
PK	5.5884G	115.07	Inf	-Inf	9.87	3	V	156	2.63	-
PK	5.748G	61.49	68.20	-6.71	9.91	3	V	156	2.63	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 70
02-W-3
FSP(100056)
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.15984G	40.21	54.00	-13.79	16.00	3	V	276	1.50	-
PK	11.15704G	54.01	74.00	-19.99	16.00	3	V	276	1.50	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5580MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 70
02-W-3
FSP(100056)
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.16286G	40.22	54.00	-13.78	16.01	3	H	139	1.50	-
PK	11.15994G	54.13	74.00	-19.87	16.00	3	H	139	1.50	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 69
02-W-3-10
FSP(100056)
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.454G	49.24	54.00	-4.76	9.67	3	V	340	2.92	-
AV	5.6964G	105.10	Inf	-Inf	9.90	3	V	340	2.92	-
PK	5.454G	60.45	74.00	-13.55	9.67	3	V	340	2.92	-
PK	5.4672G	61.70	68.20	-6.50	9.70	3	V	340	2.92	-
PK	5.6952G	115.34	Inf	-Inf	9.90	3	V	340	2.92	-
PK	5.7252G	68.13	68.20	-0.07	9.91	3	V	340	2.92	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 69
02-W-3
FSP(100056)
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.39538G	41.47	54.00	-12.53	16.26	3	V	195	2.76	-
PK	11.4028G	55.54	74.00	-18.46	16.27	3	V	195	2.76	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5700MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 69
02-W-3
FSP(100056)
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.40424G	41.51	54.00	-12.49	16.27	3	H	18	1.50	-
PK	11.39844G	55.20	74.00	-18.80	16.26	3	H	18	1.50	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 120(MAX SETTING)
02-W-3-10
FSU
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4392G	47.21	54.00	-6.79	9.63	3	V	339	2.89	-
AV	5.7224G	114.63	Inf	-Inf	9.90	3	V	339	2.89	-
PK	5.4572G	59.47	74.00	-14.53	9.67	3	V	339	2.89	-
PK	5.4692G	59.79	68.20	-8.41	9.71	3	V	339	2.89	-
PK	5.7212G	125.19	Inf	-Inf	9.90	3	V	339	2.89	-
PK	5.9636G	67.26	68.20	-0.94	10.15	3	V	339	2.89	-


802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX



802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 120(MAX SETTING)
02-W-3
FSU
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.44026G	43.91	54.00	-10.09	16.31	3	H	209	2.39	-
PK	11.43796G	58.22	74.00	-15.78	16.31	3	H	209	2.39	-
PK	17.16016G	65.83	68.20	-2.37	21.84	3	H	183	1.83	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5745MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 120(MAX SETTING)
02-W-3-10
FSU
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.739G	112.14	Inf	-Inf	9.91	3	V	117	2.64	-
PK	5.577G	61.34	68.20	-6.86	9.86	3	V	117	2.64	-
PK	5.7378G	121.61	Inf	-Inf	9.91	3	V	117	2.64	-
PK	5.9898G	61.66	68.20	-6.54	10.19	3	V	117	2.64	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5745MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 120(MAX SETTING)
02-W-3
FSU
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.49062G	45.90	54.00	-8.10	16.36	3	V	184	2.88	-
PK	11.49044G	60.50	74.00	-13.50	16.36	3	V	184	2.88	-
PK	17.23528G	66.44	68.20	-1.76	22.27	3	V	185	2.16	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5745MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 120(MAX SETTING)
02-W-3
FSU
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.48936G	41.52	54.00	-12.48	16.36	3	H	202	2.45	-
PK	11.48566G	55.37	74.00	-18.63	16.36	3	H	202	2.45	-
PK	17.23796G	66.48	68.20	-1.72	22.29	3	H	214	1.85	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5785MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 120(MAX SETTING)
02-W-3-10
FSU
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7898G	111.55	Inf	-Inf	9.92	3	V	312	2.56	-
PK	5.6266G	61.99	68.20	-6.21	9.89	3	V	312	2.56	-
PK	5.7898G	121.84	Inf	-Inf	9.92	3	V	312	2.56	-
PK	5.9506G	62.90	68.20	-5.30	10.13	3	V	312	2.56	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5785MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 120(MAX SETTING)
02-W-3
FSU
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.57884G	42.11	54.00	-11.89	16.46	3	V	145	1.97	-
PK	11.5632G	55.30	74.00	-18.70	16.44	3	V	145	1.97	-
PK	17.352G	64.32	68.20	-3.88	22.95	3	V	252	1.83	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5785MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 120(MAX SETTING)
02-W-3
FSU
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.56596G	41.47	54.00	-12.53	16.45	3	H	275	1.92	-
PK	11.56908G	55.14	74.00	-18.86	16.45	3	H	275	1.92	-
PK	17.355G	65.57	68.20	-2.63	22.97	3	H	184	1.89	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5825MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 120(MAX SETTING)
02-W-3-10
FSU
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.8202G	110.81	Inf	-Inf	9.95	3	V	328	2.26	-
PK	5.6318G	59.79	68.20	-8.41	9.89	3	V	328	2.26	-
PK	5.8226G	120.59	Inf	-Inf	9.95	3	V	328	2.26	-
PK	5.9882G	62.99	68.20	-5.21	10.18	3	V	328	2.26	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5825MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 120(MAX SETTING)
02-W-3
FSU
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.64716G	41.68	54.00	-12.32	16.54	3	V	330	1.17	-
PK	11.65114G	55.42	74.00	-18.58	16.54	3	V	330	1.17	-
PK	17.47114G	63.59	68.20	-4.61	23.64	3	V	247	2.93	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5825MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 120(MAX SETTING)
02-W-3
FSU
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.64766G	41.65	54.00	-12.35	16.54	3	H	301	2.36	-
PK	11.6527G	54.83	74.00	-19.17	16.54	3	H	301	2.36	-
PK	17.47626G	68.17	68.20	-0.03	23.67	3	H	244	1.81	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 50
02-W-3-10
FSU
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	53.76	54.00	-0.24	9.03	3	V	268	1.38	-
AV	5.195G	101.04	Inf	-Inf	9.15	3	V	268	1.38	-
AV	5.356G	47.59	54.00	-6.41	9.45	3	V	268	1.38	-
PK	5.148G	71.25	74.00	-2.75	9.03	3	V	268	1.38	-
PK	5.196G	111.24	Inf	-Inf	9.15	3	V	268	1.38	-
PK	5.365G	60.24	74.00	-13.76	9.46	3	V	268	1.38	-


802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5190MHz_TX



802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5190MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 50
02-W-3
FSU
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.56752G	43.22	54.00	-10.78	17.97	3	H	203	1.21	-
PK	15.56892G	57.65	74.00	-16.35	17.97	3	H	203	1.21	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 75
02-W-3-10
FSU
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	53.97	54.00	-0.03	9.03	3	V	267	1.27	-
AV	5.2156G	106.52	Inf	-Inf	9.19	3	V	267	1.27	-
AV	5.3728G	50.33	54.00	-3.67	9.47	3	V	267	1.27	-
PK	5.1484G	66.35	74.00	-7.65	9.03	3	V	267	1.27	-
PK	5.2156G	116.18	Inf	-Inf	9.19	3	V	267	1.27	-
PK	5.3752G	61.91	74.00	-12.09	9.48	3	V	267	1.27	-
PK	5.4832G	59.25	68.20	-8.95	9.74	3	V	267	1.27	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 75
02-W-3
FSU
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.69444G	43.33	54.00	-10.67	17.69	3	V	161	2.04	-
PK	15.68612G	57.31	74.00	-16.69	17.71	3	V	161	2.04	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5230MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 75
02-W-3
FSU
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.6886G	43.18	54.00	-10.82	17.71	3	H	47	1.53	-
PK	15.68666G	57.09	74.00	-16.91	17.71	3	H	47	1.53	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 68
02-W-3-10
FSU
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.0948G	53.96	54.00	-0.04	8.90	3	V	348	2.29	-
AV	5.2568G	106.25	Inf	-Inf	9.27	3	V	348	2.29	-
AV	5.3576G	51.11	54.00	-2.89	9.45	3	V	348	2.29	-
PK	5.0948G	65.36	74.00	-8.64	8.90	3	V	348	2.29	-
PK	5.2616G	116.21	Inf	-Inf	9.28	3	V	348	2.29	-
PK	5.354G	63.21	74.00	-10.79	9.44	3	V	348	2.29	-
PK	5.5148G	61.16	68.20	-7.04	9.80	3	V	348	2.29	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 68
02-W-3
FSU
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.80666G	42.70	54.00	-11.30	17.45	3	V	104	1.90	-
PK	15.81012G	56.40	74.00	-17.60	17.44	3	V	104	1.90	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5270MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 68
02-W-3
FSU
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.80866G	42.68	54.00	-11.32	17.45	3	H	171	2.13	-
PK	15.81024G	56.77	74.00	-17.23	17.44	3	H	171	2.13	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 50
02-W-3-10
FSU
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1408G	50.04	54.00	-3.96	9.01	3	V	352	2.16	-
AV	5.328G	101.94	Inf	-Inf	9.40	3	V	352	2.16	-
AV	5.3508G	53.98	54.00	-0.02	9.44	3	V	352	2.16	-
PK	5.1336G	61.84	74.00	-12.16	8.99	3	V	352	2.16	-
PK	5.328G	110.86	Inf	-Inf	9.40	3	V	352	2.16	-
PK	5.3508G	69.65	74.00	-4.35	9.44	3	V	352	2.16	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 50
02-W-3
FSU
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.6188G	41.26	54.00	-12.74	15.84	3	V	228	2.40	-
AV	15.9252G	42.74	54.00	-11.26	17.19	3	V	290	1.73	-
PK	10.62G	54.75	74.00	-19.25	15.84	3	V	228	2.40	-
PK	15.9322G	56.30	74.00	-17.70	17.18	3	V	290	1.73	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5310MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 50
02-W-3
FSU
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.6185G	40.86	54.00	-13.14	15.89	3	H	118	2.27	-
AV	15.93098G	42.65	54.00	-11.35	17.18	3	H	157	1.71	-
PK	10.62074G	54.50	74.00	-19.50	15.89	3	H	118	2.27	-
PK	15.9339G	56.88	74.00	-17.12	17.17	3	H	157	1.71	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 57
02-W-3-10
FSU
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	50.28	54.00	-3.72	9.68	3	V	352	2.98	-
AV	5.469G	53.95	54.00	-0.05	9.71	3	V	352	2.98	-
AV	5.509G	101.29	Inf	-Inf	9.80	3	V	352	2.98	-
AV	5.744G	47.67	54.00	-6.33	9.91	3	V	352	2.98	-
PK	5.345G	60.80	68.20	-7.40	9.43	3	V	352	2.98	-
PK	5.459G	63.65	74.00	-10.35	9.68	3	V	352	2.98	-
PK	5.468G	70.90	74.00	-3.10	9.70	3	V	352	2.98	-
PK	5.506G	111.69	Inf	-Inf	9.80	3	V	352	2.98	-
PK	5.748G	59.56	74.00	-14.44	9.91	3	V	352	2.98	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 57
02-W-3
FSU
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.0242G	41.23	54.00	-12.77	15.86	3	V	190	2.22	-
PK	11.01558G	55.71	74.00	-18.29	15.85	3	V	190	2.22	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5510MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 57
02-W-3
FSU
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.02454G	41.19	54.00	-12.81	15.86	3	H	353	2.21	-
PK	11.01908G	54.98	74.00	-19.02	15.85	3	H	353	2.21	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 75
02-W-3-10
FSU
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3724G	53.81	54.00	-0.19	9.47	3	V	181	2.43	-
AV	5.5356G	106.09	Inf	-Inf	9.82	3	V	181	2.43	-
PK	5.292G	61.07	68.20	-7.13	9.33	3	V	181	2.43	-
PK	5.3832G	66.44	74.00	-7.56	9.49	3	V	181	2.43	-
PK	5.4624G	63.74	68.20	-4.46	9.69	3	V	181	2.43	-
PK	5.5368G	116.45	Inf	-Inf	9.82	3	V	181	2.43	-
PK	5.7276G	60.55	68.20	-7.65	9.91	3	V	181	2.43	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 75
02-W-3
FSU
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.09576G	41.09	54.00	-12.91	15.93	3	V	150	2.44	-
PK	11.10196G	54.82	74.00	-19.18	15.94	3	V	150	2.44	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5550MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 75
02-W-3
FSU
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.09724G	40.95	54.00	-13.05	15.94	3	H	196	2.34	-
PK	11.0986G	54.96	74.00	-19.04	15.94	3	H	196	2.34	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 76
02-W-3-10
FSU
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4252G	49.37	54.00	-4.63	9.59	3	V	13	1.02	-
AV	5.4636G	46.67	54.00	-7.33	9.69	3	V	13	1.02	-
AV	5.6784G	101.97	Inf	-Inf	9.90	3	V	13	1.02	-
AV	5.7252G	53.68	54.00	-0.32	9.91	3	V	13	1.02	-
PK	5.4252G	60.51	74.00	-13.49	9.59	3	V	13	1.02	-
PK	5.4696G	58.50	74.00	-15.50	9.71	3	V	13	1.02	-
PK	5.6664G	115.38	Inf	-Inf	9.89	3	V	13	1.02	-
PK	5.7288G	70.19	74.00	-3.81	9.91	3	V	13	1.02	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 76
02-W-3
FSU
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.33766G	41.32	54.00	-12.68	16.20	3	V	163	1.41	-
PK	11.34152G	55.18	74.00	-18.82	16.20	3	V	163	1.41	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5670MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 76
02-W-3
FSU
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.34414G	41.19	54.00	-12.81	16.21	3	H	360	1.76	-
PK	11.33618G	55.02	74.00	-18.98	16.20	3	H	360	1.76	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 120(Max setting)
02-W-3-10
FSU
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	50.80	54.00	-3.20	9.68	3	V	346	2.67	-
AV	5.7004G	109.70	Inf	-Inf	9.90	3	V	346	2.67	-
PK	5.458G	61.57	74.00	-12.43	9.68	3	V	346	2.67	-
PK	5.4628G	61.92	68.20	-6.28	9.69	3	V	346	2.67	-
PK	5.6992G	120.65	Inf	-Inf	9.90	3	V	346	2.67	-
PK	5.95G	63.54	68.20	-4.66	10.13	3	V	346	2.67	-


802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX



802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5755MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 120(Max setting)
02-W-3-10
FSU
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7598G	108.30	Inf	-Inf	9.91	3	V	346	3.00	-
PK	5.6194G	67.92	68.20	-0.28	9.88	3	V	346	3.00	-
PK	5.7586G	118.71	Inf	-Inf	9.91	3	V	346	3.00	-
PK	5.9326G	67.33	68.20	-0.87	10.11	3	V	346	3.00	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5755MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 120(Max setting)
02-W-3
FSU
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.506G	41.72	54.00	-12.28	16.38	3	V	117	1.87	-
PK	11.51376G	55.45	74.00	-18.55	16.39	3	V	117	1.87	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5755MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 120(Max setting)
02-W-3
FSU
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.51084G	41.73	54.00	-12.27	16.39	3	H	141	2.34	-
PK	11.50546G	55.34	74.00	-18.66	16.38	3	H	141	2.34	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 85
02-W-3-10
FSU
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.8022G	106.10	Inf	-Inf	9.92	3	V	334	2.56	-
PK	5.6426G	61.84	68.20	-6.36	9.89	3	V	334	2.56	-
PK	5.801G	115.68	Inf	-Inf	9.92	3	V	334	2.56	-
PK	5.9378G	68.12	68.20	-0.08	10.11	3	V	334	2.56	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 85
02-W-3
FSU
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.5877G	41.84	54.00	-12.16	16.47	3	V	320	2.24	-
PK	11.59088G	55.55	74.00	-18.45	16.47	3	V	320	2.24	-

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

5795MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 85
02-W-3
FSU
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.58652G	41.99	54.00	-12.01	16.47	3	H	102	1.96	-
PK	11.59216G	56.24	74.00	-17.76	16.48	3	H	102	1.96	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 49
02-Z-1-10
FSP(100056)
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149G	53.97	54.00	-0.03	9.03	3	V	359	2.40	-
AV	5.197G	98.86	Inf	-Inf	9.15	3	V	359	2.40	-
PK	5.148G	71.60	74.00	-2.40	9.03	3	V	359	2.40	-
PK	5.198G	108.62	Inf	-Inf	9.15	3	V	359	2.40	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 49
02-Z-1
FSP(100056)
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.60696G	43.54	54.00	-10.46	17.88	3	V	203	1.40	-
PK	15.63192G	56.71	74.00	-17.29	17.83	3	V	203	1.40	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5210MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 49
02-Z-1
FSP(100056)
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.6268G	43.47	54.00	-10.53	17.84	3	H	350	1.64	-
PK	15.62792G	57.26	74.00	-16.74	17.84	3	H	350	1.64	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 44
02-Z-1-10
FSP(100056)
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.146G	47.72	54.00	-6.28	9.02	3	V	355	2.33	-
AV	5.301G	95.39	Inf	-Inf	9.35	3	V	355	2.33	-
AV	5.350005G	53.94	54.00	-0.06	9.44	3	V	355	2.33	-
PK	5.11G	60.39	74.00	-13.61	8.93	3	V	355	2.33	-
PK	5.255G	105.87	Inf	-Inf	9.26	3	V	355	2.33	-
PK	5.355G	68.26	74.00	-5.74	9.44	3	V	355	2.33	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 44
02-Z-1
FSP(100056)
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.906G	42.93	54.00	-11.07	17.23	3	V	125	1.10	-
PK	15.83864G	57.10	74.00	-16.90	17.38	3	V	125	1.10	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5290MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 44
02-Z-1
FSP(100056)
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.88856G	42.96	54.00	-11.04	17.27	3	H	194	1.20	-
PK	15.8524G	56.23	74.00	-17.77	17.35	3	H	194	1.20	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 44
02-Z-1-10
FSP(100056)
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.458G	52.17	54.00	-1.83	9.68	3	V	352	2.26	-
AV	5.549G	94.55	Inf	-Inf	9.83	3	V	352	2.26	-
PK	5.457G	64.30	74.00	-9.70	9.67	3	V	352	2.26	-
PK	5.467G	67.80	68.20	-0.40	9.70	3	V	352	2.26	-
PK	5.553G	105.42	Inf	-Inf	9.84	3	V	352	2.26	-
PK	5.778G	60.33	68.20	-7.87	9.92	3	V	352	2.26	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 44
02-Z-1
FSP(100056)
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.02112G	41.36	54.00	-12.64	15.85	3	V	106	2.13	-
PK	11.03456G	55.62	74.00	-18.38	15.87	3	V	106	2.13	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5530MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 44
02-Z-1
FSP(100056)
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.02048G	41.45	54.00	-12.55	15.85	3	H	327	1.90	-
PK	11.03888G	54.67	74.00	-19.33	15.87	3	H	327	1.90	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 77
02-Z-1-10
FSP(100056)
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.435G	50.76	54.00	-3.24	9.61	3	V	158	2.39	-
AV	5.59G	101.87	Inf	-Inf	9.87	3	V	158	2.39	-
PK	5.459G	66.16	74.00	-7.84	9.68	3	V	158	2.39	-
PK	5.466G	66.73	68.20	-1.47	9.70	3	V	158	2.39	-
PK	5.59G	111.98	Inf	-Inf	9.87	3	V	158	2.39	-
PK	5.728G	68.16	68.20	-0.04	9.91	3	V	158	2.39	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 77
02-Z-1
FSP(100056)
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.25808G	41.22	54.00	-12.78	16.11	3	V	126	1.77	-
PK	11.21408G	54.89	74.00	-19.11	16.06	3	V	126	1.77	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5610MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 77
02-Z-1
FSP(100056)
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.19424G	41.17	54.00	-12.83	16.04	3	H	325	2.41	-
PK	11.25152G	54.63	74.00	-19.37	16.10	3	H	325	2.41	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 85
02-Z-1-10
FSP(100056)
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4572G	53.90	54.00	-0.10	9.67	3	V	351	2.99	-
AV	5.654G	102.39	Inf	-Inf	9.89	3	V	351	2.99	-
PK	5.4536G	68.17	74.00	-5.83	9.66	3	V	351	2.99	-
PK	5.4632G	67.58	68.20	-0.62	9.69	3	V	351	2.99	-
PK	5.6588G	112.44	Inf	-Inf	9.89	3	V	351	2.99	-
PK	5.9252G	67.38	68.20	-0.82	10.10	3	V	351	2.99	-


802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX



802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5775MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 80
02-Z-1-10
FSP(100056)
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.805G	97.87	Inf	-Inf	9.93	3	V	336	1.50	-
PK	5.651G	61.62	68.94	-7.32	9.89	3	V	336	1.50	-
PK	5.803G	107.57	Inf	-Inf	9.92	3	V	336	1.50	-
PK	5.926G	68.16	68.20	-0.04	10.10	3	V	336	1.50	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5775MHz_TX




20170606
EUT X 4TX ANT Dipole
Setting 80
02-Z-1
FSP(100056)
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.55416G	41.75	54.00	-12.25	16.43	3	V	88	2.49	-
PK	11.58392G	55.01	74.00	-18.99	16.47	3	V	88	2.49	-

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

5775MHz_TX



20170606
EUT X 4TX ANT Dipole
Setting 80
02-Z-1
FSP(100056)
TXBF


Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.57272G	41.77	54.00	-12.23	16.45	3	H	270	1.82	-
PK	11.57656G	55.65	74.00	-18.35	16.46	3	H	270	1.82	-

**For Mode 2 (Antenna Set 2 with Gray Cable):
Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Pol. (H/V)	Azimuth (°)	Height (m)	Comments
802.11ac VHT20-BF_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-	-	-	-	-
5.725-5.85GHz	Pass	PK	17.47102G	68.17	68.20	-0.03	23.99	3	H	332	2.30	-

802.11a_(6Mbps)_4TX

5180MHz_TX




20170508
EUT Z ANT Z_4TX
Setting 80
05-M-01-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1468G	53.54	54.00	-0.46	7.33	3	V	88	2.69	-
AV	5.1768G	103.59	Inf	-Inf	7.38	3	V	88	2.69	-
PK	5.148G	72.74	74.00	-1.26	7.33	3	V	88	2.69	-
PK	5.1772G	114.39	Inf	-Inf	7.38	3	V	88	2.69	-

802.11a_(6Mbps)_4TX

5180MHz_TX




20170508
EUT Z ANT Z_4TX
Setting 80
05-M-01-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.144G	50.51	54.00	-3.49	7.32	3	H	323	1.01	-
AV	5.1828G	102.10	Inf	-Inf	7.39	3	H	323	1.01	-
PK	5.149995G	67.69	74.00	-6.31	7.33	3	H	323	1.01	-
PK	5.1736G	112.72	Inf	-Inf	7.38	3	H	323	1.01	-

802.11a_(6Mbps)_4TX

5180MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 80
02-W-3
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.54458G	43.72	54.00	-10.28	18.10	3	V	199	2.48	-
PK	15.53622G	57.99	74.00	-16.01	18.12	3	V	199	2.48	-

802.11a_(6Mbps)_4TX

5180MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 80
02-W-3
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.53966G	43.73	54.00	-10.27	18.11	3	H	67	1.73	-
PK	15.54134G	58.01	74.00	-15.99	18.11	3	H	67	1.73	-

802.11a_(6Mbps)_4TX

5200MHz_TX




20170508
EUT Z ANT Z_4TX
Setting 120
05-M-01-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1464G	48.52	54.00	-5.48	7.33	3	V	90	2.55	-
AV	5.1956G	106.39	Inf	-Inf	7.41	3	V	90	2.55	-
PK	5.1488G	62.46	74.00	-11.54	7.33	3	V	90	2.55	-
PK	5.1948G	117.32	Inf	-Inf	7.41	3	V	90	2.55	-

802.11a_(6Mbps)_4TX

5200MHz_TX




20170508
EUT Z ANT Z_4TX
Setting 120
05-M-01-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1244G	48.00	54.00	-6.00	7.29	3	H	320	1.00	-
AV	5.2032G	105.31	Inf	-Inf	7.43	3	H	320	1.00	-
PK	5.1444G	61.61	74.00	-12.39	7.33	3	H	320	1.00	-
PK	5.2032G	115.93	Inf	-Inf	7.43	3	H	320	1.00	-

802.11a_(6Mbps)_4TX

5200MHz_TX




20170509
EUT Z_ANT Z_4TX
Setting 120
02-W-3
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.60215G	43.65	54.00	-10.35	17.95	3	V	59	1.54	-
PK	15.59975G	57.49	74.00	-16.51	17.96	3	V	59	1.54	-

802.11a_(6Mbps)_4TX

5200MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 120
02-W-3
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.59841G	43.37	54.00	-10.63	17.96	3	H	61	2.49	-
PK	15.60031G	58.10	74.00	-15.90	17.96	3	H	61	2.49	-

802.11a_(6Mbps)_4TX

5240MHz_TX




20170508
EUT_Z_ANT_Z_4TX
Setting 82
04-P-2-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5G	48.17	54.00	-5.83	4.20	3	V	97	2.67	-
AV	5.236G	107.34	Inf	-Inf	4.99	3	V	97	2.67	-
AV	5.399G	46.93	54.00	-7.07	5.14	3	V	97	2.67	-
PK	5.131G	59.49	74.00	-14.51	4.71	3	V	97	2.67	-
PK	5.236G	117.76	Inf	-Inf	4.99	3	V	97	2.67	-
PK	5.396G	59.38	74.00	-14.62	5.14	3	V	97	2.67	-

802.11a_(6Mbps)_4TX

5240MHz_TX




20170508
EUT_Z_ANT_Z_4TX
Setting 82
04-P-2-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.083G	47.46	54.00	-6.54	4.53	3	H	330	2.72	-
AV	5.246G	106.61	Inf	-Inf	5.00	3	H	330	2.72	-
AV	5.407G	47.40	54.00	-6.60	5.17	3	H	330	2.72	-
PK	5.128G	59.66	74.00	-14.34	4.70	3	H	330	2.72	-
PK	5.244G	117.01	Inf	-Inf	5.00	3	H	330	2.72	-
PK	5.4G	59.15	74.00	-14.85	5.14	3	H	330	2.72	-

802.11a_(6Mbps)_4TX

5240MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 82
02-W-3
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.71762G	43.97	54.00	-10.03	17.66	3	V	249	2.46	-
PK	15.71759G	58.85	74.00	-15.15	17.66	3	V	249	2.46	-

802.11a_(6Mbps)_4TX

5240MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 82
02-W-3
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.72095G	43.90	54.00	-10.10	17.65	3	H	270	1.10	-
PK	15.71964G	58.24	74.00	-15.76	17.65	3	H	270	1.10	-

802.11a_(6Mbps)_4TX

5260MHz_TX




20170508
EUT_Z_ANT_Z_4TX
Setting 120
04-P-2-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.105G	46.57	54.00	-7.43	4.62	3	V	99	2.52	-
AV	5.257G	102.48	Inf	-Inf	5.01	3	V	99	2.52	-
AV	5.423G	46.42	54.00	-7.58	5.25	3	V	99	2.52	-
PK	5.099G	59.13	74.00	-14.87	4.60	3	V	99	2.52	-
PK	5.258G	112.83	Inf	-Inf	5.01	3	V	99	2.52	-
PK	5.499G	58.93	74.00	-15.07	5.60	3	V	99	2.52	-

802.11a_(6Mbps)_4TX

5260MHz_TX




20170508
EUT_Z_ANT_Z_4TX
Setting 120
04-P-2-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.108G	46.75	54.00	-7.25	4.63	3	H	17	1.01	-
AV	5.253G	104.70	Inf	-Inf	5.01	3	H	17	1.01	-
AV	5.415G	46.67	54.00	-7.33	5.21	3	H	17	1.01	-
PK	5.093G	59.50	74.00	-14.50	4.57	3	H	17	1.01	-
PK	5.253G	115.20	Inf	-Inf	5.01	3	H	17	1.01	-
PK	5.493G	59.76	74.00	-14.24	5.57	3	H	17	1.01	-

802.11a_(6Mbps)_4TX

5260MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 120
02-W-3
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.7822G	43.83	54.00	-10.17	17.49	3	V	181	1.62	-
PK	15.78211G	57.62	74.00	-16.38	17.49	3	V	181	1.62	-

802.11a_(6Mbps)_4TX

5260MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 120
02-W-3
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.77992G	43.61	54.00	-10.39	17.50	3	H	193	1.18	-
PK	15.7817G	57.78	74.00	-16.22	17.49	3	H	193	1.18	-

802.11a_(6Mbps)_4TX

5300MHz_TX




20170508
EUT_Z_ANT_Z_4TX
Setting 120
04-P-2-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.136G	46.74	54.00	-7.26	4.73	3	V	99	2.60	-
AV	5.297G	104.24	Inf	-Inf	5.06	3	V	99	2.60	-
AV	5.459G	47.10	54.00	-6.90	5.41	3	V	99	2.60	-
PK	5.077G	59.18	74.00	-14.82	4.51	3	V	99	2.60	-
PK	5.297G	114.77	Inf	-Inf	5.06	3	V	99	2.60	-
PK	5.356G	62.39	74.00	-11.61	5.10	3	V	99	2.60	-

802.11a_(6Mbps)_4TX

5300MHz_TX




20170508
EUT_Z_ANT_Z_4TX
Setting 120
04-P-2-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.138G	46.97	54.00	-7.03	4.73	3	H	13	1.01	-
AV	5.3G	103.66	Inf	-Inf	5.06	3	H	13	1.01	-
AV	5.350005G	47.47	54.00	-6.53	5.10	3	H	13	1.01	-
PK	5.137G	59.01	74.00	-14.99	4.73	3	H	13	1.01	-
PK	5.3G	114.49	Inf	-Inf	5.06	3	H	13	1.01	-
PK	5.350005G	63.36	74.00	-10.64	5.10	3	H	13	1.01	-

802.11a_(6Mbps)_4TX

5300MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 120
02-W-3
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.90172G	44.69	54.00	-9.31	17.18	3	V	131	1.01	-
AV	15.90241G	44.03	54.00	-9.97	17.18	3	V	338	1.09	-
PK	15.89999G	57.36	74.00	-16.64	17.19	3	V	131	1.01	-
PK	15.90117G	58.29	74.00	-15.71	17.18	3	V	338	1.09	-

802.11a_(6Mbps)_4TX

5300MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 120
02-W-3
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.89785G	44.68	54.00	-9.32	17.19	3	H	14	1.03	-
AV	15.90162G	43.53	54.00	-10.47	17.18	3	H	275	2.09	-
PK	15.90144G	57.48	74.00	-16.52	17.18	3	H	14	1.03	-
PK	15.90177G	57.38	74.00	-16.62	17.18	3	H	275	2.09	-

802.11a_(6Mbps)_4TX

5320MHz_TX




20170508
EUT_Z_ANT_Z_4TX
Setting 82
04-P-2-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.073G	45.87	54.00	-8.13	4.49	3	V	96	2.47	-
AV	5.316G	104.66	Inf	-Inf	5.07	3	V	96	2.47	-
AV	5.350005G	52.05	54.00	-1.95	5.10	3	V	96	2.47	-
PK	5.073G	58.75	74.00	-15.25	4.49	3	V	96	2.47	-
PK	5.316G	114.94	Inf	-Inf	5.07	3	V	96	2.47	-
PK	5.350005G	73.59	74.00	-0.41	5.10	3	V	96	2.47	-

802.11a_(6Mbps)_4TX

5320MHz_TX




20170508
EUT_Z_ANT_Z_4TX
Setting 82
04-P-2-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.08G	46.29	54.00	-7.71	4.52	3	H	319	1.01	-
AV	5.322G	104.00	Inf	-Inf	5.08	3	H	319	1.01	-
AV	5.351G	51.36	54.00	-2.64	5.10	3	H	319	1.01	-
PK	5.114G	58.45	74.00	-15.55	4.65	3	H	319	1.01	-
PK	5.322G	114.28	Inf	-Inf	5.08	3	H	319	1.01	-
PK	5.362G	70.08	74.00	-3.92	5.11	3	H	319	1.01	-

802.11a_(6Mbps)_4TX

5320MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 82
02-W-3
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.64196G	41.63	54.00	-12.37	16.07	3	V	257	1.96	-
AV	15.96186G	43.19	54.00	-10.81	17.03	3	V	161	1.53	-
PK	10.64084G	55.30	74.00	-18.70	16.07	3	V	257	1.96	-
PK	15.9581G	57.62	74.00	-16.38	17.04	3	V	161	1.53	-

802.11a_(6Mbps)_4TX

5320MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 82
02-W-3
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.63883G	41.54	54.00	-12.46	16.07	3	H	179	1.02	-
AV	15.96214G	44.61	54.00	-9.39	17.03	3	H	117	1.33	-
PK	10.63883G	56.17	74.00	-17.83	16.07	3	H	179	1.02	-
PK	15.96247G	59.79	74.00	-14.21	17.03	3	H	117	1.33	-

802.11a_(6Mbps)_4TX

5500MHz_TX




20170508
EUT_Z_ANT_Z_4TX
Setting 79
04-P-2-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4268G	49.69	54.00	-4.31	5.26	3	V	102	2.58	-
AV	5.4676G	52.30	54.00	-1.70	5.45	3	V	102	2.58	-
AV	5.4976G	101.62	Inf	-Inf	5.59	3	V	102	2.58	-
PK	5.4568G	63.06	74.00	-10.94	5.40	3	V	102	2.58	-
PK	5.4676G	70.25	74.00	-3.75	5.45	3	V	102	2.58	-
PK	5.4976G	111.78	Inf	-Inf	5.59	3	V	102	2.58	-

802.11a_(6Mbps)_4TX

5500MHz_TX




20170508
EUT_Z_ANT_Z_4TX
Setting 79
04-P-2-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4244G	51.01	54.00	-2.99	5.25	3	H	333	2.66	-
AV	5.4688G	52.78	54.00	-1.22	5.46	3	H	333	2.66	-
AV	5.506G	103.59	Inf	-Inf	5.63	3	H	333	2.66	-
PK	5.459995G	64.98	74.00	-9.02	5.42	3	H	333	2.66	-
PK	5.4688G	69.14	74.00	-4.86	5.46	3	H	333	2.66	-
PK	5.4964G	114.11	Inf	-Inf	5.58	3	H	333	2.66	-

802.11a_(6Mbps)_4TX

5500MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 79
02-W-3
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.00135G	41.89	54.00	-12.11	15.83	3	V	52	2.38	-
PK	10.99767G	56.19	74.00	-17.81	15.83	3	V	52	2.38	-

802.11a_(6Mbps)_4TX

5500MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 79
02-W-3
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.99917G	41.69	54.00	-12.31	15.83	3	H	232	1.23	-
PK	11.00225G	55.58	74.00	-18.42	15.83	3	H	232	1.23	-

802.11a_(6Mbps)_4TX

5580MHz_TX




20170508
EUT_Z_ANT_Z_4TX
Setting 84
04-P-2-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4276G	48.65	54.00	-5.35	5.27	3	V	70	2.91	-
AV	5.4672G	47.26	54.00	-6.74	5.45	3	V	70	2.91	-
AV	5.5884G	100.19	Inf	-Inf	6.09	3	V	70	2.91	-
AV	5.7384G	49.25	54.00	-4.75	6.32	3	V	70	2.91	-
PK	5.4264G	60.02	74.00	-13.98	5.26	3	V	70	2.91	-
PK	5.466G	60.00	74.00	-14.00	5.44	3	V	70	2.91	-
PK	5.5884G	110.16	Inf	-Inf	6.09	3	V	70	2.91	-
PK	5.7396G	60.39	74.00	-13.61	6.32	3	V	70	2.91	-

802.11a_(6Mbps)_4TX

5580MHz_TX




20170508
EUT_Z_ANT_Z_4TX
Setting 84
04-P-2-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4252G	53.39	54.00	-0.61	5.26	3	H	329	2.60	-
AV	5.466G	48.77	54.00	-5.23	5.44	3	H	329	2.60	-
AV	5.5872G	106.55	Inf	-Inf	6.08	3	H	329	2.60	-
AV	5.748G	53.64	54.00	-0.36	6.33	3	H	329	2.60	-
PK	5.424G	63.92	74.00	-10.08	5.25	3	H	329	2.60	-
PK	5.4636G	60.68	74.00	-13.32	5.43	3	H	329	2.60	-
PK	5.5872G	116.69	Inf	-Inf	6.08	3	H	329	2.60	-
PK	5.748G	64.39	74.00	-9.61	6.33	3	H	329	2.60	-

802.11a_(6Mbps)_4TX

5580MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 84
02-W-3
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.15934G	41.48	54.00	-12.52	15.99	3	V	35	1.66	-
PK	11.1607G	55.40	74.00	-18.60	15.99	3	V	35	1.66	-

802.11a_(6Mbps)_4TX

5580MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 84
02-W-3
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.16088G	41.53	54.00	-12.47	15.99	3	H	115	1.16	-
PK	11.15951G	55.19	74.00	-18.81	15.99	3	H	115	1.16	-

802.11a_(6Mbps)_4TX

5700MHz_TX




20170508
EUT_Z_ANT_Z_4TX
Setting 79
04-P-2-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4552G	48.80	54.00	-5.20	5.39	3	V	281	2.80	-
AV	5.4612G	47.93	54.00	-6.07	5.42	3	V	281	2.80	-
AV	5.6976G	102.48	Inf	-Inf	6.27	3	V	281	2.80	-
AV	5.7252G	53.33	54.00	-0.67	6.30	3	V	281	2.80	-
PK	5.4588G	60.05	74.00	-13.95	5.41	3	V	281	2.80	-
PK	5.4696G	59.51	74.00	-14.49	5.46	3	V	281	2.80	-
PK	5.6976G	112.63	Inf	-Inf	6.27	3	V	281	2.80	-
PK	5.73G	73.83	74.00	-0.17	6.31	3	V	281	2.80	-

802.11a_(6Mbps)_4TX

5700MHz_TX




20170508
EUT_Z_ANT_Z_4TX
Setting 79
04-P-2-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4552G	49.50	54.00	-4.50	5.39	3	H	335	1.00	-
AV	5.4648G	49.42	54.00	-4.58	5.44	3	H	335	1.00	-
AV	5.6964G	103.86	Inf	-Inf	6.27	3	H	335	1.00	-
AV	5.7252G	52.74	54.00	-1.26	6.30	3	H	335	1.00	-
PK	5.4564G	60.50	74.00	-13.50	5.40	3	H	335	1.00	-
PK	5.4684G	61.77	74.00	-12.23	5.45	3	H	335	1.00	-
PK	5.6976G	113.71	Inf	-Inf	6.27	3	H	335	1.00	-
PK	5.7276G	73.88	74.00	-0.12	6.30	3	H	335	1.00	-

802.11a_(6Mbps)_4TX

5700MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 79
02-W-3
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.40194G	42.17	54.00	-11.83	16.23	3	V	56	1.09	-
PK	11.40002G	55.98	74.00	-18.02	16.23	3	V	56	1.09	-

802.11a_(6Mbps)_4TX

5700MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 79
02-W-3
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.39921G	42.05	54.00	-11.95	16.23	3	H	164	2.27	-
PK	11.39998G	56.31	74.00	-17.69	16.23	3	H	164	2.27	-

802.11a_(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




20170508
EUT_Z_ANT_Z_4TX
Setting 120
04-P-2-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4536G	46.63	54.00	-7.37	5.39	3	V	285	2.67	-
AV	5.4644G	46.63	54.00	-7.37	5.44	3	V	285	2.67	-
AV	5.7176G	103.09	Inf	-Inf	6.29	3	V	285	2.67	-
PK	5.4416G	59.60	74.00	-14.40	5.33	3	V	285	2.67	-
PK	5.4632G	59.05	74.00	-14.95	5.43	3	V	285	2.67	-
PK	5.7188G	113.20	Inf	-Inf	6.29	3	V	285	2.67	-
PK	5.9612G	60.79	68.20	-7.41	7.32	3	V	285	2.67	-

802.11a_(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




20170508
EUT_Z_ANT_Z_4TX
Setting 120
04-P-2-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.444G	46.67	54.00	-7.33	5.34	3	H	331	2.99	-
AV	5.4692G	46.73	54.00	-7.27	5.46	3	H	331	2.99	-
AV	5.7272G	106.82	Inf	-Inf	6.30	3	H	331	2.99	-
PK	5.4332G	59.77	74.00	-14.23	5.29	3	H	331	2.99	-
PK	5.4608G	59.69	74.00	-14.31	5.42	3	H	331	2.99	-
PK	5.726G	117.10	Inf	-Inf	6.30	3	H	331	2.99	-
PK	5.9684G	61.38	68.20	-6.82	7.37	3	H	331	2.99	-

802.11a_(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 120
02-W-3
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.44053G	42.18	54.00	-11.82	16.27	3	V	108	1.65	-
PK	11.44191G	56.15	74.00	-17.85	16.27	3	V	108	1.65	-
PK	17.15624G	65.42	68.20	-2.78	22.13	3	V	164	2.13	-

802.11a_(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 120
02-W-3
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.43751G	42.29	54.00	-11.71	16.26	3	H	326	1.00	-
PK	11.44167G	56.70	74.00	-17.30	16.27	3	H	326	1.00	-
PK	17.15772G	61.99	68.20	-6.21	22.14	3	H	127	2.47	-

802.11a_(6Mbps)_4TX

5745MHz_TX




20170508
EUT_Z_ANT_Z_4TX
Setting 120
04-P-2-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.744G	102.43	Inf	-Inf	6.32	3	V	285	2.54	-
PK	5.555G	60.41	68.20	-7.79	5.90	3	V	285	2.54	-
PK	5.745G	112.93	Inf	-Inf	6.32	3	V	285	2.54	-
PK	5.938G	60.35	68.20	-7.85	7.19	3	V	285	2.54	-

802.11a_(6Mbps)_4TX

5745MHz_TX




20170508
EUT_Z_ANT_Z_4TX
Setting 120
04-P-2-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.738G	105.49	Inf	-Inf	6.32	3	H	153	2.49	-
PK	5.512G	61.45	68.20	-6.75	5.67	3	H	153	2.49	-
PK	5.749G	116.81	Inf	-Inf	6.33	3	H	153	2.49	-
PK	5.99G	61.29	68.20	-6.91	7.49	3	H	153	2.49	-

802.11a_(6Mbps)_4TX

5745MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 120
02-W-3
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.48818G	42.39	54.00	-11.61	16.31	3	V	332	1.64	-
PK	11.48958G	56.64	74.00	-17.36	16.31	3	V	332	1.64	-
PK	17.2314G	65.58	68.20	-2.62	22.58	3	V	144	2.34	-

802.11a_(6Mbps)_4TX

5745MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 120
02-W-3
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.4881G	42.23	54.00	-11.77	16.31	3	H	55	1.32	-
PK	11.49218G	56.70	74.00	-17.30	16.32	3	H	55	1.32	-
PK	17.23708G	62.62	68.20	-5.58	22.61	3	H	166	2.69	-

802.11a_(6Mbps)_4TX

5785MHz_TX




20170508
EUT_Z_ANT_Z_4TX
Setting 120
04-P-2-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.792G	101.77	Inf	-Inf	6.38	3	V	94	2.32	-
PK	5.577G	60.35	68.20	-7.85	6.02	3	V	94	2.32	-
PK	5.792G	112.04	Inf	-Inf	6.38	3	V	94	2.32	-
PK	5.966G	60.40	68.20	-7.80	7.35	3	V	94	2.32	-

802.11a_(6Mbps)_4TX

5785MHz_TX




20170508
EUT_Z_ANT_Z_4TX
Setting 120
04-P-2-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.792G	106.34	Inf	-Inf	6.38	3	H	329	2.56	-
PK	5.631G	62.94	68.20	-5.26	6.19	3	H	329	2.56	-
PK	5.792G	116.66	Inf	-Inf	6.38	3	H	329	2.56	-
PK	5.94G	60.65	68.20	-7.55	7.20	3	H	329	2.56	-

802.11a_(6Mbps)_4TX

5785MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 120
02-W-3
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.57408G	42.12	54.00	-11.88	16.40	3	V	260	2.34	-
PK	11.56672G	56.33	74.00	-17.67	16.39	3	V	260	2.34	-
PK	17.35428G	63.92	68.20	-4.28	23.30	3	V	157	2.11	-

802.11a_(6Mbps)_4TX

5785MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 120
02-W-3
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.56702G	42.11	54.00	-11.89	16.39	3	H	157	1.70	-
PK	11.57028G	56.22	74.00	-17.78	16.39	3	H	157	1.70	-
PK	17.35596G	67.92	68.20	-0.28	23.31	3	H	325	2.94	-

802.11a_(6Mbps)_4TX

5825MHz_TX




20170508
EUT_Z_ANT_Z_4TX
Setting 120
04-P-2-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.819G	96.18	Inf	-Inf	6.50	3	V	152	1.07	-
PK	5.5286G	60.51	68.20	-7.69	5.76	3	V	152	1.07	-
PK	5.8202G	106.29	Inf	-Inf	6.51	3	V	152	1.07	-
PK	5.9462G	60.31	68.20	-7.89	7.24	3	V	152	1.07	-

802.11a_(6Mbps)_4TX

5825MHz_TX




20170508
EUT_Z_ANT_Z_4TX
Setting 120
04-P-2-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.8226G	103.83	Inf	-Inf	6.52	3	H	333	1.01	-
PK	5.5898G	62.85	68.20	-5.35	6.09	3	H	333	1.01	-
PK	5.8334G	114.20	Inf	-Inf	6.58	3	H	333	1.01	-
PK	5.9858G	60.66	68.20	-7.54	7.47	3	H	333	1.01	-

802.11a_(6Mbps)_4TX

5825MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 120
02-W-3
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.65464G	41.95	54.00	-12.05	16.48	3	V	134	1.28	-
PK	11.65004G	56.01	74.00	-17.99	16.47	3	V	134	1.28	-
PK	17.4738G	66.63	68.20	-1.57	24.01	3	V	181	2.98	-

802.11a_(6Mbps)_4TX

5825MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 120
02-W-3
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.6534G	41.99	54.00	-12.01	16.48	3	H	111	1.56	-
PK	11.65036G	56.19	74.00	-17.81	16.47	3	H	111	1.56	-
PK	17.47102G	68.17	68.20	-0.03	23.99	3	H	332	2.30	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5180MHz_TX




20170509
EUT Z ANT Z 4TX
Setting 79
04-Z-1-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	51.68	54.00	-2.32	4.77	3	V	112	2.41	-
AV	5.1834G	99.42	Inf	-Inf	4.89	3	V	112	2.41	-
PK	5.1486G	72.36	74.00	-1.64	4.77	3	V	112	2.41	-
PK	5.1834G	110.57	Inf	-Inf	4.89	3	V	112	2.41	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5180MHz_TX




20170509
EUT Z ANT Z 4TX
Setting 79
04-Z-1-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.148G	53.78	54.00	-0.22	4.77	3	H	328	1.01	-
AV	5.183G	105.17	Inf	-Inf	4.89	3	H	328	1.01	-
PK	5.1478G	72.99	74.00	-1.01	4.77	3	H	328	1.01	-
PK	5.183G	115.55	Inf	-Inf	4.89	3	H	328	1.01	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5180MHz_TX




20170509
EUT Z ANT Z 4TX
Setting 79
04-Z-1
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.52808G	46.88	54.00	-7.12	15.74	3	V	52	2.24	-
PK	15.53744G	60.37	74.00	-13.63	15.73	3	V	52	2.24	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5180MHz_TX




20170509
EUT Z ANT Z 4TX
Setting 79
04-Z-1
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.5512G	46.98	54.00	-7.02	15.73	3	H	97	1.04	-
PK	15.52296G	60.66	74.00	-13.34	15.74	3	H	97	1.04	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5200MHz_TX




20170509
EUT Z ANT Z 4TX
Setting 120
04-Z-1-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1208G	45.92	54.00	-8.08	4.67	3	V	217	2.30	-
AV	5.2068G	98.14	Inf	-Inf	4.96	3	V	217	2.30	-
PK	5.1432G	58.32	74.00	-15.68	4.75	3	V	217	2.30	-
PK	5.206G	108.45	Inf	-Inf	4.96	3	V	217	2.30	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5200MHz_TX




20170509
EUT Z ANT Z 4TX
Setting 120
04-Z-1-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1472G	50.48	54.00	-3.52	4.77	3	H	322	1.01	-
AV	5.198G	107.59	Inf	-Inf	4.94	3	H	322	1.01	-
PK	5.1476G	69.29	74.00	-4.71	4.77	3	H	322	1.01	-
PK	5.1924G	118.99	Inf	-Inf	4.92	3	H	322	1.01	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5200MHz_TX




20170509
EUT Z ANT Z 4TX
Setting 120
04-Z-1
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.61536G	46.73	54.00	-7.27	15.69	3	V	114	1.42	-
PK	15.60384G	59.74	74.00	-14.26	15.70	3	V	114	1.42	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5200MHz_TX




20170509
EUT Z ANT Z 4TX
Setting 120
04-Z-1
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.61784G	46.80	54.00	-7.20	15.69	3	H	17	2.25	-
PK	15.60824G	60.96	74.00	-13.04	15.70	3	H	17	2.25	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5240MHz_TX




20170509
EUT Z ANT Z 4TX
Setting 79
04-Z-1-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1182G	46.48	54.00	-7.52	4.66	3	V	92	2.57	-
AV	5.2364G	101.58	Inf	-Inf	4.99	3	V	92	2.57	-
AV	5.3858G	45.63	54.00	-8.37	5.13	3	V	92	2.57	-
PK	5.1098G	58.93	74.00	-15.07	4.63	3	V	92	2.57	-
PK	5.2358G	111.61	Inf	-Inf	4.99	3	V	92	2.57	-
PK	5.3834G	57.81	74.00	-16.19	5.13	3	V	92	2.57	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5240MHz_TX




20170509
EUT Z ANT Z 4TX
Setting 79
04-Z-1-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1182G	46.60	54.00	-7.40	4.66	3	H	337	2.50	-
AV	5.2436G	103.98	Inf	-Inf	5.00	3	H	337	2.50	-
AV	5.3816G	45.87	54.00	-8.13	5.13	3	H	337	2.50	-
PK	5.1008G	59.54	74.00	-14.46	4.60	3	H	337	2.50	-
PK	5.2442G	114.68	Inf	-Inf	5.00	3	H	337	2.50	-
PK	5.387G	58.53	74.00	-15.47	5.13	3	H	337	2.50	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5240MHz_TX




20170509
EUT Z ANT Z 4TX
Setting 79
04-Z-1
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.7316G	46.40	54.00	-7.60	15.63	3	V	47	1.79	-
PK	15.73152G	59.33	74.00	-14.67	15.63	3	V	47	1.79	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5240MHz_TX




20170509
EUT Z ANT Z 4TX
Setting 79
04-Z-1
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.72592G	46.38	54.00	-7.62	15.63	3	H	44	1.10	-
PK	15.72576G	59.29	74.00	-14.71	15.63	3	H	44	1.10	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5260MHz_TX




20170509
EUT Z ANT Z 4TX
Setting 120
04-Z-1-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1172G	45.78	54.00	-8.22	4.66	3	V	229	2.90	-
AV	5.2594G	101.52	Inf	-Inf	5.02	3	V	229	2.90	-
AV	5.4052G	46.11	54.00	-7.89	5.16	3	V	229	2.90	-
PK	5.1154G	58.30	74.00	-15.70	4.65	3	V	229	2.90	-
PK	5.254G	111.97	Inf	-Inf	5.01	3	V	229	2.90	-
PK	5.3872G	58.37	74.00	-15.63	5.13	3	V	229	2.90	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5260MHz_TX




20170509
EUT Z ANT Z 4TX
Setting 120
04-Z-1-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1184G	46.19	54.00	-7.81	4.66	3	H	193	2.68	-
AV	5.2564G	105.32	Inf	-Inf	5.01	3	H	193	2.68	-
AV	5.3644G	46.34	54.00	-7.66	5.11	3	H	193	2.68	-
PK	5.1352G	59.46	74.00	-14.54	4.72	3	H	193	2.68	-
PK	5.2618G	116.22	Inf	-Inf	5.02	3	H	193	2.68	-
PK	5.3608G	58.63	74.00	-15.37	5.11	3	H	193	2.68	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5260MHz_TX




20170509
EUT Z ANT Z 4TX
Setting 120
04-Z-1
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.79696G	46.69	54.00	-7.31	15.59	3	V	91	2.22	-
PK	15.78976G	60.11	74.00	-13.89	15.60	3	V	91	2.22	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5260MHz_TX




20170509
EUT Z ANT Z 4TX
Setting 120
04-Z-1
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.79952G	46.64	54.00	-7.36	15.59	3	H	338	1.41	-
PK	15.79912G	59.71	74.00	-14.29	15.59	3	H	338	1.41	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5300MHz_TX




20170509
EUT Z ANT Z 4TX
Setting 120
04-Z-1-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.2972G	103.37	Inf	-Inf	5.06	3	V	213	3.00	-
AV	5.352G	46.54	54.00	-7.46	5.10	3	V	213	3.00	-
PK	5.2972G	114.11	Inf	-Inf	5.06	3	V	213	3.00	-
PK	5.3516G	65.85	74.00	-8.15	5.10	3	V	213	3.00	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5300MHz_TX




20170509
EUT Z ANT Z 4TX
Setting 120
04-Z-1-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.2976G	103.92	Inf	-Inf	5.06	3	H	279	2.58	-
AV	5.3528G	47.09	54.00	-6.91	5.10	3	H	279	2.58	-
PK	5.2924G	114.56	Inf	-Inf	5.05	3	H	279	2.58	-
PK	5.352G	65.46	74.00	-8.54	5.10	3	H	279	2.58	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5300MHz_TX




20170509
EUT Z ANT Z 4TX
Setting 120
04-Z-1
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.8836G	46.52	54.00	-7.48	15.54	3	V	3	2.13	-
PK	15.89096G	60.32	74.00	-13.68	15.54	3	V	3	2.13	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5300MHz_TX




20170509
EUT Z ANT Z 4TX
Setting 120
04-Z-1
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.88136G	46.44	54.00	-7.56	15.55	3	H	57	1.84	-
PK	15.88128G	59.55	74.00	-14.45	15.55	3	H	57	1.84	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5320MHz_TX




20170509
EUT Z ANT Z 4TX
Setting 77
04-Z-1-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.317G	101.07	Inf	-Inf	5.07	3	V	210	3.00	-
AV	5.3518G	50.08	54.00	-3.92	5.10	3	V	210	3.00	-
PK	5.3174G	111.32	Inf	-Inf	5.07	3	V	210	3.00	-
PK	5.3514G	71.96	74.00	-2.04	5.10	3	V	210	3.00	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5320MHz_TX




20170509
EUT Z ANT Z 4TX
Setting 77
04-Z-1-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3172G	103.47	Inf	-Inf	5.07	3	H	189	2.67	-
AV	5.3524G	51.09	54.00	-2.91	5.10	3	H	189	2.67	-
PK	5.3148G	115.09	Inf	-Inf	5.07	3	H	189	2.67	-
PK	5.350005G	73.96	74.00	-0.04	5.10	3	H	189	2.67	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5320MHz_TX




20170509
EUT Z ANT Z 4TX
Setting 77
04-Z-1
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.9488G	46.81	54.00	-7.19	15.51	3	V	26	2.26	-
PK	15.96952G	60.08	74.00	-13.92	15.50	3	V	26	2.26	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5320MHz_TX




20170509
EUT Z ANT Z 4TX
Setting 77
04-Z-1
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.9504G	47.02	54.00	-6.98	15.51	3	H	196	2.39	-
PK	15.97752G	60.19	74.00	-13.81	15.49	3	H	196	2.39	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5500MHz_TX




20170509
EUT Z ANT Z 4TX
Setting 77
04-Z-1-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.426G	49.39	54.00	-4.61	5.26	3	V	276	2.62	-
AV	5.4668G	51.46	54.00	-2.54	5.45	3	V	276	2.62	-
AV	5.496G	101.44	Inf	-Inf	5.58	3	V	276	2.62	-
PK	5.4556G	61.72	74.00	-12.28	5.40	3	V	276	2.62	-
PK	5.4664G	67.03	74.00	-6.97	5.45	3	V	276	2.62	-
PK	5.496G	110.79	Inf	-Inf	5.58	3	V	276	2.62	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5500MHz_TX




20170509
EUT Z ANT Z 4TX
Setting 77
04-Z-1-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4228G	50.86	54.00	-3.14	5.24	3	H	328	2.67	-
AV	5.4684G	53.80	54.00	-0.20	5.45	3	H	328	2.67	-
AV	5.5036G	104.61	Inf	-Inf	5.62	3	H	328	2.67	-
PK	5.4548G	64.34	74.00	-9.66	5.39	3	H	328	2.67	-
PK	5.4696G	71.65	74.00	-2.35	5.46	3	H	328	2.67	-
PK	5.4984G	114.55	Inf	-Inf	5.59	3	H	328	2.67	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5500MHz_TX




20170509
EUT Z ANT Z 4TX
Setting 77
04-Z-1
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.99096G	38.75	54.00	-15.25	14.62	3	V	242	1.18	-
PK	10.9828G	51.26	74.00	-22.74	14.61	3	V	242	1.18	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5500MHz_TX




20170509
EUT Z ANT Z 4TX
Setting 77
04-Z-1
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.98792G	38.68	54.00	-15.32	14.61	3	H	311	2.09	-
PK	10.98368G	51.16	74.00	-22.84	14.61	3	H	311	2.09	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5580MHz_TX




20170509
EUT Z ANT Z 4TX
Setting 86
04-Z-1-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.424G	49.09	54.00	-4.91	5.25	3	V	101	2.18	-
AV	5.464G	47.05	54.00	-6.95	5.43	3	V	101	2.18	-
AV	5.5744G	100.91	Inf	-Inf	6.01	3	V	101	2.18	-
AV	5.74G	49.84	54.00	-4.16	6.32	3	V	101	2.18	-
PK	5.424G	59.62	74.00	-14.38	5.25	3	V	101	2.18	-
PK	5.4632G	59.21	74.00	-14.79	5.43	3	V	101	2.18	-
PK	5.5744G	111.85	Inf	-Inf	6.01	3	V	101	2.18	-
PK	5.7352G	61.37	74.00	-12.63	6.31	3	V	101	2.18	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5580MHz_TX




20170509
EUT Z ANT Z 4TX
Setting 86
04-Z-1-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4288G	53.02	54.00	-0.98	5.27	3	H	335	1.01	-
AV	5.464G	47.63	54.00	-6.37	5.43	3	H	335	1.01	-
AV	5.584G	106.84	Inf	-Inf	6.06	3	H	335	1.01	-
AV	5.74G	53.75	54.00	-0.25	6.32	3	H	335	1.01	-
PK	5.428G	63.13	74.00	-10.87	5.27	3	H	335	1.01	-
PK	5.4688G	59.90	74.00	-14.10	5.46	3	H	335	1.01	-
PK	5.5792G	117.33	Inf	-Inf	6.04	3	H	335	1.01	-
PK	5.7448G	64.16	74.00	-9.84	6.32	3	H	335	1.01	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5580MHz_TX




20170509
EUT Z ANT Z 4TX
Setting 86
04-Z-1
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.1748G	38.61	54.00	-15.39	14.67	3	V	283	1.42	-
PK	11.16664G	52.41	74.00	-21.59	14.67	3	V	283	1.42	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5580MHz_TX




20170509
EUT Z ANT Z 4TX
Setting 86
04-Z-1
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.17632G	38.68	54.00	-15.32	14.67	3	H	184	1.36	-
PK	11.16896G	51.95	74.00	-22.05	14.67	3	H	184	1.36	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5700MHz_TX




20170509
EUT Z ANT Z 4TX
Setting 73
04-Z-1-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.6958G	96.03	Inf	-Inf	6.26	3	V	81	1.01	-
AV	5.7252G	50.58	54.00	-3.42	6.30	3	V	81	1.01	-
PK	5.6954G	106.08	Inf	-Inf	6.26	3	V	81	1.01	-
PK	5.7254G	70.55	74.00	-3.45	6.30	3	V	81	1.01	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5700MHz_TX




20170509
EUT Z ANT Z 4TX
Setting 73
04-Z-1-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.704G	103.08	Inf	-Inf	6.27	3	H	330	1.03	-
AV	5.7252G	53.93	54.00	-0.07	6.30	3	H	330	1.03	-
PK	5.7038G	113.96	Inf	-Inf	6.27	3	H	330	1.03	-
PK	5.7288G	72.52	74.00	-1.48	6.30	3	H	330	1.03	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5700MHz_TX




20170509
EUT Z ANT Z 4TX
Setting 73
04-Z-1
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.40176G	42.35	54.00	-11.65	14.73	3	V	202	2.43	-
PK	11.39568G	55.13	74.00	-18.87	14.72	3	V	202	2.43	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5700MHz_TX




20170509
EUT Z ANT Z 4TX
Setting 73
04-Z-1
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.40704G	42.30	54.00	-11.70	14.73	3	H	43	1.66	-
PK	11.41432G	55.17	74.00	-18.83	14.73	3	H	43	1.66	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




20170509
EUT Z ANT Z 4TX
Setting 120
04-Z-1-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4476G	46.61	54.00	-7.39	5.36	3	V	270	2.66	-
AV	5.7164G	102.14	Inf	-Inf	6.29	3	V	270	2.66	-
PK	5.444G	58.73	74.00	-15.27	5.34	3	V	270	2.66	-
PK	5.4692G	58.15	68.20	-10.05	5.46	3	V	270	2.66	-
PK	5.7164G	113.19	Inf	-Inf	6.29	3	V	270	2.66	-
PK	5.9612G	61.09	68.20	-7.11	7.32	3	V	270	2.66	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




20170509
EUT Z ANT Z 4TX
Setting 120
04-Z-1-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.433G	46.76	54.00	-7.24	5.29	3	H	325	3.00	-
AV	5.714G	105.95	Inf	-Inf	6.29	3	H	325	3.00	-
PK	5.438G	59.11	74.00	-14.89	5.31	3	H	325	3.00	-
PK	5.468G	59.16	68.20	-9.04	5.45	3	H	325	3.00	-
PK	5.7188G	116.01	Inf	-Inf	6.29	3	H	325	3.00	-
PK	5.9648G	61.29	68.20	-6.91	7.35	3	H	325	3.00	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




20170509
EUT Z ANT Z 4TX
Setting 120
04-Z-1
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.4064G	42.47	54.00	-11.53	14.73	3	V	212	1.66	-
PK	11.40288G	55.56	74.00	-18.44	14.73	3	V	212	1.66	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TX




20170509
EUT Z ANT Z 4TX
Setting 120
04-Z-1
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.40296G	42.36	54.00	-11.64	14.73	3	H	100	1.75	-
PK	11.394G	55.76	74.00	-18.24	14.72	3	H	100	1.75	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5745MHz_TX




20170509
EUT Z ANT Z 4TX
Setting 120
04-Z-1-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.74G	102.41	Inf	-Inf	6.32	3	V	281	2.66	-
PK	5.54G	60.55	68.20	-7.65	5.82	3	V	281	2.66	-
PK	5.74G	113.81	Inf	-Inf	6.32	3	V	281	2.66	-
PK	5.972G	60.72	68.20	-7.48	7.39	3	V	281	2.66	-

802.11ac VHT20_Nss1,(MCS0)_4TX


5745MHz_TX



Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.74G	106.59	Inf	-Inf	6.32	3	H	152	2.69	-
PK	5.647G	62.97	68.20	-5.23	6.21	3	H	152	2.69	-
PK	5.747G	117.45	Inf	-Inf	6.33	3	H	152	2.69	-
PK	5.978G	61.02	68.20	-7.18	7.42	3	H	152	2.69	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5745MHz_TX




20170509
EUT Z ANT Z 4TX
Setting 120
04-Z-1
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.5036G	39.43	54.00	-14.57	14.75	3	V	65	1.42	-
PK	11.50352G	52.49	74.00	-21.51	14.75	3	V	65	1.42	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5745MHz_TX




20170509
EUT Z ANT Z 4TX
Setting 120
04-Z-1
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.50656G	39.55	54.00	-14.45	14.75	3	H	184	1.18	-
PK	11.50048G	52.20	74.00	-21.80	14.75	3	H	184	1.18	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5785MHz_TX




20170509
EUT Z ANT Z 4TX
Setting 120
04-Z-1-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.789G	99.75	Inf	-Inf	6.38	3	V	264	2.73	-
PK	5.631G	60.89	68.20	-7.31	6.19	3	V	264	2.73	-
PK	5.786G	110.65	Inf	-Inf	6.37	3	V	264	2.73	-
PK	5.952G	61.05	68.20	-7.15	7.27	3	V	264	2.73	-

802.11ac VHT20_Nss1,(MCS0)_4TX


5785MHz_TX



Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.789G	105.77	Inf	-Inf	6.38	3	H	153	2.76	-
PK	5.551G	62.10	68.20	-6.10	5.88	3	H	153	2.76	-
PK	5.787G	116.81	Inf	-Inf	6.37	3	H	153	2.76	-
PK	5.94G	60.61	68.20	-7.59	7.20	3	H	153	2.76	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5785MHz_TX




20170509
EUT Z ANT Z 4TX
Setting 120
04-Z-1
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.58912G	41.36	54.00	-12.64	14.77	3	V	20	1.80	-
PK	11.58304G	54.67	74.00	-19.33	14.77	3	V	20	1.80	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5785MHz_TX




20170509
EUT Z ANT Z 4TX
Setting 120
04-Z-1
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.58984G	41.65	54.00	-12.35	14.77	3	H	279	2.16	-
PK	11.58768G	54.17	74.00	-19.83	14.77	3	H	279	2.16	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5825MHz_TX




20170508
EUT Z ANT Z_4TX
Setting 120
05-M-01-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.833G	102.39	Inf	-Inf	6.58	3	V	99	2.38	-
PK	5.602G	60.88	68.20	-7.32	6.15	3	V	99	2.38	-
PK	5.818G	112.99	Inf	-Inf	6.49	3	V	99	2.38	-
PK	5.985G	61.79	68.20	-6.41	7.46	3	V	99	2.38	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5825MHz_TX




20170508
EUT Z ANT Z_4TX
Setting 120
05-M-01-10
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.829G	103.48	Inf	-Inf	6.56	3	H	328	2.99	-
PK	5.59G	60.84	68.20	-7.36	6.10	3	H	328	2.99	-
PK	5.829G	113.66	Inf	-Inf	6.56	3	H	328	2.99	-
PK	5.989G	60.66	68.20	-7.54	7.49	3	H	328	2.99	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5825MHz_TX




20170508
EUT Z ANT Z_4TX
Setting 120
05-M-01
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.63728G	42.10	54.00	-11.90	14.78	3	V	119	1.78	-
PK	11.63704G	54.73	74.00	-19.27	14.78	3	V	119	1.78	-

802.11ac VHT20_Nss1,(MCS0)_4TX

5825MHz_TX




20170508
EUT Z ANT Z_4TX
Setting 120
05-M-01
FSP(100304)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.63672G	42.05	54.00	-11.95	14.78	3	H	352	1.75	-
PK	11.63032G	55.22	74.00	-18.78	14.78	3	H	352	1.75	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5190MHz_TX




20170509
EUT Z ANT Z 4TX
Setting 58
04-Z-1-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1464G	46.98	54.00	-7.02	4.76	3	V	217	1.07	-
AV	5.1816G	89.02	Inf	-Inf	4.89	3	V	217	1.07	-
PK	5.1462G	63.92	74.00	-10.08	4.76	3	V	217	1.07	-
PK	5.1814G	99.61	Inf	-Inf	4.88	3	V	217	1.07	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5190MHz_TX




20170509
EUT Z ANT Z 4TX
Setting 58
04-Z-1-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.148G	53.60	54.00	-0.40	4.77	3	H	329	1.01	-
AV	5.1832G	97.18	Inf	-Inf	4.89	3	H	329	1.01	-
PK	5.1488G	71.32	74.00	-2.68	4.77	3	H	329	1.01	-
PK	5.1946G	108.45	Inf	-Inf	4.93	3	H	329	1.01	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5190MHz_TX




20170509
EUT Z ANT Z 4TX
Setting 58
04-Z-1
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.5592G	46.71	54.00	-7.29	15.72	3	V	333	1.74	-
PK	15.58408G	60.28	74.00	-13.72	15.71	3	V	333	1.74	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5190MHz_TX




20170509
EUT Z ANT Z 4TX
Setting 58
04-Z-1
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.55648G	46.84	54.00	-7.16	15.72	3	H	224	2.33	-
PK	15.58232G	60.32	74.00	-13.68	15.71	3	H	224	2.33	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5230MHz_TX




20170509
EUT Z ANT Z 4TX
Setting 78
04-Z-1-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1464G	49.79	54.00	-4.21	4.76	3	V	220	2.88	-
AV	5.2368G	99.69	Inf	-Inf	4.99	3	V	220	2.88	-
PK	5.1468G	61.67	74.00	-12.33	4.76	3	V	220	2.88	-
PK	5.2364G	109.31	Inf	-Inf	4.99	3	V	220	2.88	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5230MHz_TX




20170509
EUT Z ANT Z 4TX
Setting 78
04-Z-1-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.1472G	51.65	54.00	-2.35	4.77	3	H	321	1.00	-
AV	5.2176G	102.77	Inf	-Inf	4.97	3	H	321	1.00	-
PK	5.142G	64.49	74.00	-9.51	4.75	3	H	321	1.00	-
PK	5.2224G	112.66	Inf	-Inf	4.97	3	H	321	1.00	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5230MHz_TX




20170509
EUT Z ANT Z 4TX
Setting 78
04-Z-1
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.6772G	47.10	54.00	-6.90	15.66	3	V	68	1.31	-
PK	15.67032G	59.63	74.00	-14.37	15.66	3	V	68	1.31	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5230MHz_TX




20170509
EUT Z ANT Z 4TX
Setting 78
04-Z-1
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.67304G	47.54	54.00	-6.46	15.66	3	H	282	2.33	-
PK	15.68912G	59.44	74.00	-14.56	15.65	3	H	282	2.33	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5270MHz_TX




20170509
EUT Z ANT Z 4TX
Setting 110
04-Z-1-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.2792G	99.44	Inf	-Inf	5.04	3	V	226	3.00	-
AV	5.354G	51.05	54.00	-2.95	5.10	3	V	226	3.00	-
PK	5.284G	110.22	Inf	-Inf	5.04	3	V	226	3.00	-
PK	5.354G	67.96	74.00	-6.04	5.10	3	V	226	3.00	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5270MHz_TX




20170509
EUT Z ANT Z 4TX
Setting 110
04-Z-1-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.2768G	101.39	Inf	-Inf	5.03	3	H	339	2.72	-
AV	5.352G	53.76	54.00	-0.24	5.10	3	H	339	2.72	-
PK	5.2868G	112.30	Inf	-Inf	5.05	3	H	339	2.72	-
PK	5.356G	69.85	74.00	-4.15	5.10	3	H	339	2.72	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5270MHz_TX




20170509
EUT Z ANT Z 4TX
Setting 110
04-Z-1
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.79944G	46.48	54.00	-7.52	15.59	3	V	7	1.46	-
PK	15.81344G	59.60	74.00	-14.40	15.58	3	V	7	1.46	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5270MHz_TX




20170509
EUT Z ANT Z 4TX
Setting 110
04-Z-1
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.81608G	46.33	54.00	-7.67	15.58	3	H	206	1.77	-
PK	15.812G	59.76	74.00	-14.24	15.58	3	H	206	1.77	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5310MHz_TX




20170509
EUT Z ANT Z 4TX
Setting 60
04-Z-1-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3068G	95.09	Inf	-Inf	5.07	3	V	212	2.99	-
AV	5.352G	51.91	54.00	-2.09	5.10	3	V	212	2.99	-
PK	5.3016G	105.95	Inf	-Inf	5.06	3	V	212	2.99	-
PK	5.3512G	71.05	74.00	-2.95	5.10	3	V	212	2.99	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5310MHz_TX




20170509
EUT Z ANT Z 4TX
Setting 60
04-Z-1-10
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3188G	94.93	Inf	-Inf	5.08	3	H	164	2.46	-
AV	5.3504G	53.82	54.00	-0.18	5.10	3	H	164	2.46	-
PK	5.3052G	106.57	Inf	-Inf	5.06	3	H	164	2.46	-
PK	5.350005G	72.94	74.00	-1.06	5.10	3	H	164	2.46	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5310MHz_TX




20170509
EUT Z ANT Z 4TX
Setting 60
04-Z-1
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.94328G	47.45	54.00	-6.55	15.51	3	V	336	1.61	-
PK	15.93776G	60.16	74.00	-13.84	15.51	3	V	336	1.61	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5310MHz_TX




20170509
EUT Z ANT Z 4TX
Setting 60
04-Z-1
FSP(100142)

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.94048G	47.30	54.00	-6.70	15.51	3	H	192	1.87	-
PK	15.92496G	60.08	74.00	-13.92	15.52	3	H	192	1.87	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5510MHz_TX




20170509
EUT Z_ANT Z_4TX
Setting 61
02-W-3-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4152G	47.88	54.00	-6.12	9.47	3	V	53	3.00	-
AV	5.5172G	93.79	Inf	-Inf	9.71	3	V	53	3.00	-
PK	5.4596G	59.98	74.00	-14.02	9.58	3	V	53	3.00	-
PK	5.468G	61.71	68.20	-6.49	9.61	3	V	53	3.00	-
PK	5.522G	103.01	Inf	-Inf	9.71	3	V	53	3.00	-
PK	5.768G	60.32	68.20	-7.88	9.81	3	V	53	3.00	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5510MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 61
02-W-3-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4572G	51.59	54.00	-2.41	9.58	3	H	20	1.00	-
AV	5.5172G	110.13	Inf	-Inf	9.71	3	H	20	1.00	-
PK	5.4584G	63.84	74.00	-10.16	9.58	3	H	20	1.00	-
PK	5.468G	68.18	68.20	-0.02	9.61	3	H	20	1.00	-
PK	5.5172G	110.60	Inf	-Inf	9.71	3	H	20	1.00	-
PK	5.7956G	59.91	68.20	-8.29	9.82	3	H	20	1.00	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5510MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 61
02-W-3
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.02446G	42.67	54.00	-11.33	15.85	3	V	344	1.53	-
PK	11.02044G	55.40	74.00	-18.60	15.85	3	V	344	1.53	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5510MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 61
02-W-3
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.0152G	42.63	54.00	-11.37	15.85	3	H	82	2.35	-
PK	11.02358G	55.05	74.00	-18.95	15.85	3	H	82	2.35	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5550MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 80
02-W-3-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3964G	48.96	54.00	-5.04	9.42	3	V	46	2.98	-
AV	5.5416G	98.41	Inf	-Inf	9.73	3	V	46	2.98	-
PK	5.4468G	60.23	74.00	-13.77	9.55	3	V	46	2.98	-
PK	5.4696G	60.44	68.20	-7.76	9.61	3	V	46	2.98	-
PK	5.5428G	107.26	Inf	-Inf	9.73	3	V	46	2.98	-
PK	5.8452G	60.39	68.20	-7.81	9.88	3	V	46	2.98	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5550MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 80
02-W-3-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	53.84	54.00	-0.16	9.59	3	H	320	1.08	-
AV	5.556G	104.51	Inf	-Inf	9.74	3	H	320	1.08	-
PK	5.4504G	65.81	74.00	-8.19	9.56	3	H	320	1.08	-
PK	5.4648G	65.89	68.20	-2.31	9.60	3	H	320	1.08	-
PK	5.556G	114.28	Inf	-Inf	9.74	3	H	320	1.08	-
PK	5.7264G	62.19	68.20	-6.01	9.81	3	H	320	1.08	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5550MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 80
02-W-3
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.095826G	42.27	54.00	-11.73	15.92	3	V	242	1.61	-
PK	11.09626G	55.04	74.00	-18.96	15.93	3	V	242	1.61	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5550MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 80
02-W-3
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.10452G	42.34	54.00	-11.66	15.93	3	H	144	2.40	-
PK	11.09678G	54.49	74.00	-19.51	15.93	3	H	144	2.40	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5670MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 78
02-W-3-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4216G	47.66	54.00	-6.34	9.49	3	V	52	3.00	-
AV	5.4648G	47.45	54.00	-6.55	9.60	3	V	52	3.00	-
AV	5.6568G	97.34	Inf	-Inf	9.79	3	V	52	3.00	-
AV	5.7252G	51.40	54.00	-2.60	9.81	3	V	52	3.00	-
PK	5.4204G	59.87	74.00	-14.13	9.48	3	V	52	3.00	-
PK	5.4684G	58.15	74.00	-15.85	9.61	3	V	52	3.00	-
PK	5.6772G	106.66	Inf	-Inf	9.80	3	V	52	3.00	-
PK	5.7252G	68.49	74.00	-5.51	9.81	3	V	52	3.00	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5670MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 78
02-W-3-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.436G	49.18	54.00	-4.82	9.52	3	H	18	1.00	-
AV	5.460005G	48.28	54.00	-5.72	9.59	3	H	18	1.00	-
AV	5.6724G	102.77	Inf	-Inf	9.79	3	H	18	1.00	-
AV	5.7276G	53.54	54.00	-0.46	9.81	3	H	18	1.00	-
PK	5.4444G	61.05	74.00	-12.95	9.55	3	H	18	1.00	-
PK	5.4648G	59.24	74.00	-14.76	9.60	3	H	18	1.00	-
PK	5.6724G	111.24	Inf	-Inf	9.79	3	H	18	1.00	-
PK	5.7264G	73.92	74.00	-0.08	9.81	3	H	18	1.00	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5670MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 78
02-W-3
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.34194G	42.56	54.00	-11.44	16.17	3	V	73	1.75	-
PK	11.34124G	55.10	74.00	-18.90	16.17	3	V	73	1.75	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5670MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 78
02-W-3
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.338G	42.46	54.00	-11.54	16.16	3	H	114	2.12	-
PK	11.34334G	55.43	74.00	-18.57	16.17	3	H	114	2.12	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 120(Max setting)
02-W-3-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.4532G	48.32	54.00	-5.68	9.57	3	V	261	2.97	-
AV	5.7244G	100.57	Inf	-Inf	9.80	3	V	261	2.97	-
PK	5.4232G	59.35	74.00	-14.65	9.49	3	V	261	2.97	-
PK	5.4676G	60.19	68.20	-8.01	9.61	3	V	261	2.97	-
PK	5.6992G	110.09	Inf	-Inf	9.80	3	V	261	2.97	-
PK	5.9572G	60.55	68.20	-7.65	10.04	3	V	261	2.97	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 120(Max setting)
02-W-3-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.458G	51.19	54.00	-2.81	9.58	3	H	284	1.06	-
AV	5.698G	106.78	Inf	-Inf	9.80	3	H	284	1.06	-
PK	5.458G	62.23	74.00	-11.77	9.58	3	H	284	1.06	-
PK	5.4628G	62.60	68.20	-5.60	9.59	3	H	284	1.06	-
PK	5.7028G	116.67	Inf	-Inf	9.80	3	H	284	1.06	-
PK	5.944G	61.84	68.20	-6.36	10.02	3	H	284	1.06	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 120(Max setting)
02-W-3
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.41822G	43.40	54.00	-10.60	16.24	3	V	245	2.09	-
PK	11.42314G	56.04	74.00	-17.96	16.25	3	V	245	2.09	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 120(Max setting)
02-W-3
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.42492G	43.27	54.00	-10.73	16.25	3	H	312	1.72	-
PK	11.41902G	55.72	74.00	-18.28	16.24	3	H	312	1.72	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5755MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 120(Max setting)
02-W-3-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.761G	100.02	Inf	-Inf	9.81	3	V	222	2.79	-
PK	5.648G	61.63	68.20	-6.57	9.79	3	V	222	2.79	-
PK	5.746G	109.29	Inf	-Inf	9.81	3	V	222	2.79	-
PK	5.947G	60.44	68.20	-7.76	10.03	3	V	222	2.79	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5755MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 120(Max setting)
02-W-3-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.747G	105.18	Inf	-Inf	9.81	3	H	314	1.00	-
PK	5.65G	66.52	68.20	-1.68	9.79	3	H	314	1.00	-
PK	5.741G	114.89	Inf	-Inf	9.81	3	H	314	1.00	-
PK	5.964G	60.12	68.20	-8.08	10.05	3	H	314	1.00	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5755MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 120(Max setting)
02-W-3
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.5072G	43.21	54.00	-10.79	16.33	3	V	325	2.39	-
PK	11.5078G	56.15	74.00	-17.85	16.33	3	V	325	2.39	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5755MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 120(Max setting)
02-W-3
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.51082G	43.09	54.00	-10.91	16.34	3	H	51	2.22	-
PK	11.5056G	55.67	74.00	-18.33	16.33	3	H	51	2.22	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5795MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 120(Max setting)
02-W-3-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.786G	101.57	Inf	-Inf	9.82	3	V	224	2.77	-
PK	5.627G	61.56	68.20	-6.64	9.79	3	V	224	2.77	-
PK	5.791G	111.08	Inf	-Inf	9.82	3	V	224	2.77	-
PK	5.929G	64.42	68.20	-3.78	10.00	3	V	224	2.77	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5795MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 120(Max setting)
02-W-3-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.782G	103.44	Inf	-Inf	9.82	3	H	17	1.03	-
PK	5.617G	62.84	68.20	-5.36	9.78	3	H	17	1.03	-
PK	5.782G	112.37	Inf	-Inf	9.82	3	H	17	1.03	-
PK	5.932G	64.55	68.20	-3.65	10.00	3	H	17	1.03	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5795MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 120(Max setting)
02-W-3
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.59234G	43.10	54.00	-10.90	16.42	3	V	176	1.76	-
PK	11.5861G	55.55	74.00	-18.45	16.41	3	V	176	1.76	-

802.11ac VHT40_Nss1,(MCS0)_4TX

5795MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 120(Max setting)
02-W-3
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.59406G	42.98	54.00	-11.02	16.42	3	H	209	1.08	-
PK	11.5934G	55.71	74.00	-18.29	16.42	3	H	209	1.08	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5210MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 52
02-W-3-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.148G	48.46	54.00	-5.54	8.92	3	V	273	2.62	-
AV	5.193G	90.97	Inf	-Inf	9.04	3	V	273	2.62	-
AV	5.44G	47.15	54.00	-6.85	9.53	3	V	273	2.62	-
PK	5.146G	60.68	74.00	-13.32	8.92	3	V	273	2.62	-
PK	5.194G	101.00	Inf	-Inf	9.04	3	V	273	2.62	-
PK	5.417G	59.18	74.00	-14.82	9.47	3	V	273	2.62	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5210MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 52
02-W-3-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	53.75	54.00	-0.25	8.93	3	H	321	1.06	-
AV	5.196G	95.62	Inf	-Inf	9.05	3	H	321	1.06	-
AV	5.356G	47.99	54.00	-6.01	9.35	3	H	321	1.06	-
PK	5.146G	69.03	74.00	-4.97	8.92	3	H	321	1.06	-
PK	5.196G	106.96	Inf	-Inf	9.05	3	H	321	1.06	-
PK	5.351G	59.92	74.00	-14.08	9.34	3	H	321	1.06	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5210MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 52
02-W-3
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.62908G	44.09	54.00	-9.91	17.88	3	V	170	2.49	-
PK	15.6302G	57.76	74.00	-16.24	17.88	3	V	170	2.49	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5210MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 52
02-W-3
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.62594G	44.16	54.00	-9.84	17.89	3	H	15	1.44	-
PK	15.62982G	57.52	74.00	-16.48	17.88	3	H	15	1.44	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5290MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 48
02-W-3-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.148G	46.75	54.00	-7.25	8.92	3	V	64	2.98	-
AV	5.279G	88.25	Inf	-Inf	9.21	3	V	64	2.98	-
AV	5.355G	48.95	54.00	-5.05	9.35	3	V	64	2.98	-
PK	5.135G	58.91	74.00	-15.09	8.89	3	V	64	2.98	-
PK	5.279G	98.73	Inf	-Inf	9.21	3	V	64	2.98	-
PK	5.367G	61.25	74.00	-12.75	9.37	3	V	64	2.98	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5290MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 48
02-W-3-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.142G	47.26	54.00	-6.74	8.91	3	H	24	1.01	-
AV	5.307G	93.09	Inf	-Inf	9.26	3	H	24	1.01	-
AV	5.352G	53.81	54.00	-0.19	9.34	3	H	24	1.01	-
PK	5.077G	59.64	74.00	-14.36	8.74	3	H	24	1.01	-
PK	5.302G	103.85	Inf	-Inf	9.25	3	H	24	1.01	-
PK	5.362G	67.11	74.00	-6.89	9.36	3	H	24	1.01	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5290MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 48
02-W-3
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.87244G	43.40	54.00	-10.60	17.26	3	V	299	1.79	-
PK	15.86812G	56.95	74.00	-17.05	17.27	3	V	299	1.79	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5290MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 48
02-W-3
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.8721G	43.54	54.00	-10.46	17.26	3	H	226	2.17	-
PK	15.8676G	56.93	74.00	-17.07	17.27	3	H	226	2.17	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5530MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 55
02-W-3-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.452G	47.70	54.00	-6.30	9.57	3	V	50	2.98	-
AV	5.537G	87.47	Inf	-Inf	9.72	3	V	50	2.98	-
PK	5.439G	60.28	74.00	-13.72	9.53	3	V	50	2.98	-
PK	5.465G	60.70	68.20	-7.50	9.60	3	V	50	2.98	-
PK	5.537G	97.96	Inf	-Inf	9.72	3	V	50	2.98	-
PK	5.769G	59.70	68.20	-8.50	9.81	3	V	50	2.98	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5530MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 55
02-W-3-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459G	53.98	54.00	-0.02	9.58	3	H	355	1.00	-
AV	5.514G	93.70	Inf	-Inf	9.70	3	H	355	1.00	-
PK	5.454G	66.66	74.00	-7.34	9.57	3	H	355	1.00	-
PK	5.463G	67.73	68.20	-0.47	9.59	3	H	355	1.00	-
PK	5.517G	104.71	Inf	-Inf	9.71	3	H	355	1.00	-
PK	5.768G	60.13	68.20	-8.07	9.81	3	H	355	1.00	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5530MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 55
02-W-3
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.06014G	41.52	54.00	-12.48	15.89	3	V	323	2.07	-
PK	11.05556G	55.61	74.00	-18.39	15.89	3	V	323	2.07	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5530MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 55
02-W-3
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.05602G	41.48	54.00	-12.52	15.89	3	H	148	1.06	-
PK	11.05976G	55.14	74.00	-18.86	15.89	3	H	148	1.06	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5610MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 82
02-W-3-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.457G	50.16	54.00	-3.84	9.58	3	V	52	2.93	-
AV	5.597G	94.01	Inf	-Inf	9.78	3	V	52	2.93	-
PK	5.446G	62.52	74.00	-11.48	9.55	3	V	52	2.93	-
PK	5.467G	63.48	68.20	-4.72	9.60	3	V	52	2.93	-
PK	5.597G	105.31	Inf	-Inf	9.78	3	V	52	2.93	-
PK	5.73G	66.71	68.20	-1.49	9.81	3	V	52	2.93	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5610MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 82
02-W-3-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.46G	53.74	54.00	-0.26	9.59	3	H	323	1.10	-
AV	5.601G	100.23	Inf	-Inf	9.78	3	H	323	1.10	-
PK	5.445G	66.80	74.00	-7.20	9.55	3	H	323	1.10	-
PK	5.461G	67.51	68.20	-0.69	9.59	3	H	323	1.10	-
PK	5.606G	110.90	Inf	-Inf	9.78	3	H	323	1.10	-
PK	5.734G	67.66	68.20	-0.54	9.81	3	H	323	1.10	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5610MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 82
02-W-3
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.22142G	41.53	54.00	-12.47	16.05	3	V	169	1.26	-
PK	11.22178G	54.99	74.00	-19.01	16.05	3	V	169	1.26	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5610MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 82
02-W-3
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.2198G	41.48	54.00	-12.52	16.05	3	H	19	2.04	-
PK	11.22356G	54.76	74.00	-19.24	16.05	3	H	19	2.04	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 88
02-W-3-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.458G	47.93	54.00	-6.07	9.58	3	V	52	1.01	-
AV	5.698G	93.89	Inf	-Inf	9.80	3	V	52	1.01	-
PK	5.3956G	59.77	74.00	-14.23	9.42	3	V	52	1.01	-
PK	5.4644G	60.36	68.20	-7.84	9.60	3	V	52	1.01	-
PK	5.698G	103.90	Inf	-Inf	9.80	3	V	52	1.01	-
PK	5.9348G	61.29	68.20	-6.91	10.01	3	V	52	1.01	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 88
02-W-3-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.459995G	53.45	54.00	-0.55	9.59	3	H	319	1.03	-
AV	5.6756G	102.37	Inf	-Inf	9.80	3	H	319	1.03	-
PK	5.4452G	67.04	74.00	-6.96	9.55	3	H	319	1.03	-
PK	5.466G	67.99	68.20	-0.21	9.60	3	H	319	1.03	-
PK	5.6708G	112.40	Inf	-Inf	9.79	3	H	319	1.03	-
PK	5.9412G	61.82	68.20	-6.38	10.02	3	H	319	1.03	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 88
02-W-3
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.37792G	42.07	54.00	-11.93	16.20	3	V	181	1.03	-
PK	11.37844G	55.62	74.00	-18.38	16.20	3	V	181	1.03	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 88
02-W-3
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.37524G	42.22	54.00	-11.78	16.20	3	H	177	1.68	-
PK	11.37964G	55.60	74.00	-18.40	16.21	3	H	177	1.68	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5775MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 79
02-W-3-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7606G	96.24	Inf	-Inf	9.81	3	V	107	2.95	-
PK	5.6406G	66.83	68.20	-1.37	9.79	3	V	107	2.95	-
PK	5.7606G	106.55	Inf	-Inf	9.81	3	V	107	2.95	-
PK	5.9286G	64.38	68.20	-3.82	10.00	3	V	107	2.95	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5775MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 79
02-W-3-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.7474G	98.82	Inf	-Inf	9.81	3	H	17	1.00	-
PK	5.631G	68.04	68.20	-0.16	9.79	3	H	17	1.00	-
PK	5.7474G	109.51	Inf	-Inf	9.81	3	H	17	1.00	-
PK	5.9262G	65.94	68.20	-2.26	10.00	3	H	17	1.00	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5775MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 79
02-W-3
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.54982G	42.41	54.00	-11.59	16.37	3	V	265	2.11	-
PK	11.55236G	56.59	74.00	-17.41	16.38	3	V	265	2.11	-

802.11ac VHT80_Nss1,(MCS0)_4TX

5775MHz_TX




20170509
EUT_Z_ANT_Z_4TX
Setting 79
02-W-3
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	11.55396G	42.50	54.00	-11.50	16.38	3	H	156	1.93	-
PK	11.55398G	56.01	74.00	-17.99	16.38	3	H	156	1.93	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5180MHz_TX




20170607
EUT_Z_ANT_Z_4TX
Setting 81
02-W-3-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	51.50	54.00	-2.50	9.03	3	V	276	2.40	-
AV	5.1888G	102.39	Inf	-Inf	9.13	3	V	276	2.40	-
AV	5.350005G	46.30	54.00	-7.70	9.44	3	V	276	2.40	-
PK	5.1456G	72.62	74.00	-1.38	9.02	3	V	276	2.40	-
PK	5.188G	111.94	Inf	-Inf	9.13	3	V	276	2.40	-
PK	5.36G	57.98	74.00	-16.02	9.45	3	V	276	2.40	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5180MHz_TX




20170607
EUT_Z_ANT_Z_4TX
Setting 81
02-W-3-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.149995G	53.10	54.00	-0.90	9.03	3	H	359	2.20	-
AV	5.1736G	107.20	Inf	-Inf	9.09	3	H	359	2.20	-
AV	5.3504G	46.46	54.00	-7.54	9.44	3	H	359	2.20	-
PK	5.1488G	73.96	74.00	-0.04	9.03	3	H	359	2.20	-
PK	5.1744G	116.86	Inf	-Inf	9.10	3	H	359	2.20	-
PK	5.3744G	59.42	74.00	-14.58	9.48	3	H	359	2.20	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5180MHz_TX




20170607
EUT_Z_ANT_Z_4TX
Setting 81
02-W-3
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.5379G	43.27	54.00	-10.73	18.03	3	V	58	2.02	-
PK	15.54354G	57.67	74.00	-16.33	18.02	3	V	58	2.02	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5180MHz_TX




20170607
EUT_Z_ANT_Z_4TX
Setting 81
02-W-3
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.53654G	43.22	54.00	-10.78	18.04	3	H	226	1.30	-
PK	15.54128G	57.39	74.00	-16.61	18.03	3	H	226	1.30	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




20170607
EUT_Z_ANT_Z_4TX
Setting 120(Max setting)
02-W-3-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.144G	46.32	54.00	-7.68	9.02	3	V	273	2.02	-
AV	5.2056G	97.74	Inf	-Inf	9.17	3	V	273	2.02	-
AV	5.3584G	46.27	54.00	-7.73	9.45	3	V	273	2.02	-
PK	5.084G	58.81	74.00	-15.19	8.87	3	V	273	2.02	-
PK	5.2056G	107.11	Inf	-Inf	9.17	3	V	273	2.02	-
PK	5.3752G	58.47	74.00	-15.53	9.48	3	V	273	2.02	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




20170607
EUT_Z_ANT_Z_4TX
Setting 120(Max setting)
02-W-3-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.0472G	48.30	54.00	-5.70	8.76	3	H	359	2.18	-
AV	5.2064G	109.39	Inf	-Inf	9.17	3	H	359	2.18	-
AV	5.3672G	47.99	54.00	-6.01	9.46	3	H	359	2.18	-
PK	5.144G	60.41	74.00	-13.59	9.02	3	H	359	2.18	-
PK	5.208G	119.03	Inf	-Inf	9.18	3	H	359	2.18	-
PK	5.3656G	59.84	74.00	-14.16	9.46	3	H	359	2.18	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




20170607
EUT_Z_ANT_Z_4TX
Setting 120(Max setting)
02-W-3
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.60346G	42.85	54.00	-11.15	17.89	3	V	227	1.28	-
PK	15.60306G	56.70	74.00	-17.30	17.89	3	V	227	1.28	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5200MHz_TX




20170607
EUT_Z_ANT_Z_4TX
Setting 120(Max setting)
02-W-3
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.60316G	42.75	54.00	-11.25	17.89	3	H	46	2.27	-
PK	15.60276G	56.42	74.00	-17.58	17.89	3	H	46	2.27	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5240MHz_TX




20170607
EUT_Z_ANT_Z_4TX
Setting 69
02-W-3-10
FSU
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.0864G	46.39	54.00	-7.61	8.87	3	V	55	2.99	-
AV	5.2432G	100.54	Inf	-Inf	9.24	3	V	55	2.99	-
AV	5.3512G	46.38	54.00	-7.62	9.44	3	V	55	2.99	-
PK	5.1312G	58.63	74.00	-15.37	8.99	3	V	55	2.99	-
PK	5.244G	110.48	Inf	-Inf	9.24	3	V	55	2.99	-
PK	5.3688G	58.60	74.00	-15.40	9.47	3	V	55	2.99	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5240MHz_TX




20170607
EUT_Z_ANT_Z_4TX
Setting 69
02-W-3-10
FSU
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.0712G	47.63	54.00	-6.37	8.83	3	H	49	2.29	-
AV	5.232G	105.95	Inf	-Inf	9.22	3	H	49	2.29	-
AV	5.392G	46.80	54.00	-7.20	9.51	3	H	49	2.29	-
PK	5.1296G	59.08	74.00	-14.92	8.98	3	H	49	2.29	-
PK	5.232G	114.13	Inf	-Inf	9.22	3	H	49	2.29	-
PK	5.4328G	59.17	74.00	-14.83	9.61	3	H	49	2.29	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5240MHz_TX




20170607
EUT_Z_ANT_Z_4TX
Setting 69
02-W-3
FSU
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.72278G	42.83	54.00	-11.17	17.63	3	V	28	1.45	-
PK	15.7191G	57.89	74.00	-16.11	17.64	3	V	28	1.45	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5240MHz_TX




20170607
EUT_Z_ANT_Z_4TX
Setting 69
02-W-3
FSU
TXBF

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.72108G	42.89	54.00	-11.11	17.64	3	H	325	1.79	-
PK	15.71728G	56.17	74.00	-17.83	17.64	3	H	325	1.79	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




20170607
EUT_Z_ANT_Z_4TX
Setting 120(Max setting)
02-W-3-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.108G	46.66	54.00	-7.34	8.93	3	V	49	2.99	-
AV	5.2528G	105.44	Inf	-Inf	9.26	3	V	49	2.99	-
AV	5.4176G	46.67	54.00	-7.33	9.57	3	V	49	2.99	-
PK	5.1048G	59.36	74.00	-14.64	8.92	3	V	49	2.99	-
PK	5.2536G	116.05	Inf	-Inf	9.26	3	V	49	2.99	-
PK	5.4296G	58.66	74.00	-15.34	9.60	3	V	49	2.99	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




20170607
EUT_Z_ANT_Z_4TX
Setting 120(Max setting)
02-W-3-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.108G	48.49	54.00	-5.51	8.93	3	H	95	2.60	-
AV	5.268G	109.11	Inf	-Inf	9.29	3	H	95	2.60	-
AV	5.4272G	47.86	54.00	-6.14	9.59	3	H	95	2.60	-
PK	5.1008G	60.54	74.00	-13.46	8.91	3	H	95	2.60	-
PK	5.2672G	119.80	Inf	-Inf	9.29	3	H	95	2.60	-
PK	5.4152G	59.57	74.00	-14.43	9.56	3	H	95	2.60	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




20170607
EUT_Z_ANT_Z_4TX
Setting 120(Max setting)
02-W-3
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.78408G	44.92	54.00	-9.08	17.50	3	V	289	3.00	-
PK	15.78224G	58.85	74.00	-15.15	17.50	3	V	289	3.00	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5260MHz_TX




20170607
EUT_Z_ANT_Z_4TX
Setting 120(Max setting)
02-W-3
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	15.775G	42.98	54.00	-11.02	17.52	3	H	200	2.81	-
PK	15.78236G	56.54	74.00	-17.46	17.50	3	H	200	2.81	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




20170607
EUT_Z_ANT_Z_4TX
Setting 80
02-W-3-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.132G	47.06	54.00	-6.94	8.99	3	V	49	2.95	-
AV	5.2928G	105.13	Inf	-Inf	9.34	3	V	49	2.95	-
AV	5.350005G	46.68	54.00	-7.32	9.44	3	V	49	2.95	-
PK	5.1312G	59.05	74.00	-14.95	8.99	3	V	49	2.95	-
PK	5.2936G	114.63	Inf	-Inf	9.34	3	V	49	2.95	-
PK	5.3504G	60.11	74.00	-13.89	9.44	3	V	49	2.95	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




20170607
EUT_Z_ANT_Z_4TX
Setting 80
02-W-3-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.136G	47.59	54.00	-6.41	9.00	3	H	333	2.34	-
AV	5.2992G	108.62	Inf	-Inf	9.35	3	H	333	2.34	-
AV	5.350005G	53.68	54.00	-0.32	9.44	3	H	333	2.34	-
PK	5.1432G	60.26	74.00	-13.74	9.02	3	H	333	2.34	-
PK	5.3008G	118.58	Inf	-Inf	9.35	3	H	333	2.34	-
PK	5.3528G	72.06	74.00	-1.94	9.44	3	H	333	2.34	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




20170607
EUT_Z_ANT_Z_4TX
Setting 80
02-W-3
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.60063G	40.57	54.00	-13.43	15.90	3	V	275	1.01	-
AV	15.90298G	44.94	54.00	-9.06	17.24	3	V	126	1.40	-
PK	10.60104G	54.44	74.00	-19.56	15.90	3	V	275	1.01	-
PK	15.89692G	57.14	74.00	-16.86	17.25	3	V	126	1.40	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5300MHz_TX




20170607
EUT_Z_ANT_Z_4TX
Setting 80
02-W-3
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	10.60049G	40.52	54.00	-13.48	15.90	3	H	274	1.24	-
AV	15.90249G	42.41	54.00	-11.59	17.24	3	H	159	1.96	-
PK	10.60099G	54.68	74.00	-19.32	15.90	3	H	274	1.24	-
PK	15.89901G	55.72	74.00	-18.28	17.25	3	H	159	1.96	-

802.11ac VHT20-BF_Nss1,(MCS0)_4TX

5320MHz_TX



20170607
EUT_Z_ANT_Z_4TX
Setting 70
02-W-3-10
FSU

Type	Freq(Hz)	Level(dBuV/m)	Limit(dBuV/m)	Margin(dB)	Factor(dB)	Dist(m)	Pol.(H/V)	Azimuth(°)	Height(m)	Comments
AV	5.3116G	95.58	Inf	-Inf	9.37	3	V	276	1.02	-
AV	5.350005G	47.25	54.00	-6.75	9.44	3	V	276	1.02	-
PK	5.3216G	106.85	Inf	-Inf	9.39	3	V	276	1.02	-
PK	5.351G	69.89	74.00	-4.11	9.44	3	V	276	1.02	-