


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6865MHz	Pass	AV	13.72582G	39.69	68.20	-28.51	3	Horizontal	14	1.50
6865MHz	Pass	PK	13.73012G	52.73	88.20	-35.47	3	Horizontal	14	1.50
6945MHz	Pass	AV	13.89G	40.06	68.20	-28.14	3	Vertical	353	1.43
6945MHz	Pass	PK	13.8958G	51.48	88.20	-36.72	3	Vertical	353	1.43
6945MHz	Pass	AV	13.88328G	39.14	68.20	-29.06	3	Horizontal	62	1.50
6945MHz	Pass	PK	13.88106G	51.57	88.20	-36.63	3	Horizontal	62	1.50
7025MHz	Pass	AV	6.991G	96.02	Inf	-Inf	3	Vertical	303	1.50
7025MHz	Pass	AV	7.25G	49.75	54.00	-4.25	3	Vertical	303	1.50
7025MHz	Pass	AV	7.2575G	49.90	54.00	-4.10	3	Vertical	303	1.50
7025MHz	Pass	PK	7.0295G	108.94	Inf	-Inf	3	Vertical	303	1.50
7025MHz	Pass	PK	7.25G	61.89	74.00	-12.11	3	Vertical	303	1.50
7025MHz	Pass	PK	7.2645G	63.22	74.00	-10.78	3	Vertical	303	1.50
7025MHz	Pass	AV	6.997G	97.54	Inf	-Inf	3	Horizontal	321	3.00
7025MHz	Pass	AV	7.25G	49.76	54.00	-4.24	3	Horizontal	321	3.00
7025MHz	Pass	AV	7.275G	49.92	54.00	-4.08	3	Horizontal	321	3.00
7025MHz	Pass	PK	6.9955G	110.84	Inf	-Inf	3	Horizontal	321	3.00
7025MHz	Pass	PK	7.25G	61.51	74.00	-12.49	3	Horizontal	321	3.00
7025MHz	Pass	PK	7.2555G	63.86	74.00	-10.14	3	Horizontal	321	3.00
7025MHz	Pass	AV	14.04982G	39.02	68.20	-29.18	3	Vertical	345	1.50
7025MHz	Pass	PK	14.04808G	51.76	88.20	-36.44	3	Vertical	345	1.50
7025MHz	Pass	AV	14.04998G	38.96	68.20	-29.24	3	Horizontal	39	1.50
7025MHz	Pass	PK	14.04528G	51.52	88.20	-36.68	3	Horizontal	39	1.50
802.11be EHT160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9125G	53.47	68.20	-14.73	3	Vertical	45	1.00
6025MHz	Pass	AV	6.092G	97.00	Inf	-Inf	3	Vertical	45	1.00
6025MHz	Pass	PK	5.911G	67.50	88.20	-20.70	3	Vertical	45	1.00
6025MHz	Pass	PK	6.0505G	110.01	Inf	-Inf	3	Vertical	45	1.00
6025MHz	Pass	AV	5.925G	53.60	68.20	-14.60	3	Horizontal	333	2.48
6025MHz	Pass	AV	6.089G	96.64	Inf	-Inf	3	Horizontal	333	2.48
6025MHz	Pass	PK	5.9245G	65.73	88.20	-22.47	3	Horizontal	333	2.48
6025MHz	Pass	PK	6.0865G	108.88	Inf	-Inf	3	Horizontal	333	2.48
6025MHz	Pass	AV	12.05G	40.01	54.00	-13.99	3	Vertical	4	2.36
6025MHz	Pass	PK	12.07448G	51.68	74.00	-22.32	3	Vertical	4	2.36
6025MHz	Pass	AV	12.10568G	38.84	54.00	-15.16	3	Horizontal	355	1.50
6025MHz	Pass	PK	12.1352G	51.88	74.00	-22.12	3	Horizontal	355	1.50
6185MHz	Pass	AV	12.37G	38.87	54.00	-15.13	3	Vertical	331	1.49
6185MHz	Pass	PK	12.48544G	51.12	74.00	-22.88	3	Vertical	331	1.49
6185MHz	Pass	AV	12.25984G	38.27	54.00	-15.73	3	Horizontal	119	1.50
6185MHz	Pass	PK	12.48544G	50.78	74.00	-23.22	3	Horizontal	119	1.50
6345MHz	Pass	AV	12.80328G	38.63	68.20	-29.57	3	Vertical	168	1.50
6345MHz	Pass	PK	12.71136G	51.03	88.20	-37.17	3	Vertical	168	1.50
6345MHz	Pass	AV	12.79152G	38.58	68.20	-29.62	3	Horizontal	167	1.50
6345MHz	Pass	PK	12.76608G	51.83	88.20	-36.37	3	Horizontal	167	1.50
6505MHz	Pass	AV	13.01G	39.65	68.20	-28.55	3	Vertical	2	1.58
6505MHz	Pass	PK	12.98552G	53.15	88.20	-35.05	3	Vertical	2	1.58
6505MHz	Pass	AV	12.94232G	39.32	68.20	-28.88	3	Horizontal	331	1.06
6505MHz	Pass	PK	13.04168G	53.03	88.20	-35.17	3	Horizontal	331	1.06
6665MHz	Pass	AV	13.43104G	39.16	68.20	-29.04	3	Vertical	34	2.81
6665MHz	Pass	PK	13.23592G	52.60	88.20	-35.60	3	Vertical	34	2.81
6665MHz	Pass	AV	13.44232G	39.11	68.20	-29.09	3	Horizontal	272	1.50
6665MHz	Pass	PK	13.41112G	51.83	88.20	-36.37	3	Horizontal	272	1.50
6825MHz	Pass	AV	13.54416G	39.48	68.20	-28.72	3	Vertical	272	1.50
6825MHz	Pass	PK	13.6716G	53.23	88.20	-34.97	3	Vertical	272	1.50
6825MHz	Pass	AV	13.53936G	39.48	68.20	-28.72	3	Horizontal	360	1.14
6825MHz	Pass	PK	13.76952G	52.47	88.20	-35.73	3	Horizontal	360	1.14
6985MHz	Pass	AV	6.9085G	97.38	Inf	-Inf	3	Vertical	297	1.00
6985MHz	Pass	AV	7.128G	55.95	68.20	-12.25	3	Vertical	297	1.00
6985MHz	Pass	PK	6.949G	110.34	Inf	-Inf	3	Vertical	297	1.00
6985MHz	Pass	PK	7.1415G	69.98	88.20	-18.22	3	Vertical	297	1.00
6985MHz	Pass	AV	6.9595G	95.28	Inf	-Inf	3	Horizontal	346	2.49
6985MHz	Pass	AV	7.139G	53.71	68.20	-14.49	3	Horizontal	346	2.49
6985MHz	Pass	PK	6.9615G	108.12	Inf	-Inf	3	Horizontal	346	2.49

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6985MHz	Pass	PK	7.142G	67.16	88.20	-21.04	3	Horizontal	346	2.49
6985MHz	Pass	AV	13.97G	39.87	68.20	-28.33	3	Vertical	355	1.50
6985MHz	Pass	PK	14.06864G	52.01	88.20	-36.19	3	Vertical	355	1.50
6985MHz	Pass	AV	13.9976G	39.33	68.20	-28.87	3	Horizontal	311	1.13
6985MHz	Pass	PK	13.93352G	52.58	88.20	-35.62	3	Horizontal	311	1.13
802.11be EHT320_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.917G	63.98	68.20	-4.22	3	Vertical	31	1.01
6105MHz	Pass	AV	6.254G	96.73	Inf	-Inf	3	Vertical	31	1.01
6105MHz	Pass	PK	5.921G	77.53	88.20	-10.67	3	Vertical	31	1.01
6105MHz	Pass	PK	6.254G	109.97	Inf	-Inf	3	Vertical	31	1.01
6105MHz	Pass	AV	5.925G	65.46	68.20	-2.74	3	Horizontal	336	2.57
6105MHz	Pass	AV	6.108G	97.39	Inf	-Inf	3	Horizontal	336	2.57
6105MHz	Pass	PK	5.92G	79.50	88.20	-8.70	3	Horizontal	336	2.57
6105MHz	Pass	PK	6.189G	110.42	Inf	-Inf	3	Horizontal	336	2.57
6105MHz	Pass	AV	12.09768G	38.87	54.00	-15.13	3	Vertical	286	1.95
6105MHz	Pass	PK	11.9964G	51.89	74.00	-22.11	3	Vertical	286	1.95
6105MHz	Pass	AV	12.10056G	38.71	54.00	-15.29	3	Horizontal	52	1.50
6105MHz	Pass	PK	12.02952G	51.47	74.00	-22.53	3	Horizontal	52	1.50
6265MHz	Pass	AV	12.76664G	38.30	68.20	-29.90	3	Vertical	59	1.00
6265MHz	Pass	PK	12.73784G	51.16	88.20	-37.04	3	Vertical	59	1.00
6265MHz	Pass	AV	12.7676G	38.27	68.20	-29.93	3	Horizontal	245	1.50
6265MHz	Pass	PK	12.76712G	51.13	88.20	-37.07	3	Horizontal	245	1.50
6425MHz	Pass	AV	12.94168G	39.23	68.20	-28.97	3	Vertical	110	1.14
6425MHz	Pass	PK	12.86392G	51.62	88.20	-36.58	3	Vertical	110	1.14
6425MHz	Pass	AV	12.9436G	39.27	68.20	-28.93	3	Horizontal	272	1.68
6425MHz	Pass	PK	12.9292G	52.78	88.20	-35.42	3	Horizontal	272	1.68
6585MHz	Pass	AV	12.9372G	39.32	68.20	-28.88	3	Vertical	209	1.91
6585MHz	Pass	PK	12.94872G	52.76	88.20	-35.44	3	Vertical	209	1.91
6585MHz	Pass	AV	12.95208G	39.30	68.20	-28.90	3	Horizontal	237	1.50
6585MHz	Pass	PK	13.12488G	52.34	88.20	-35.86	3	Horizontal	237	1.50
6745MHz	Pass	AV	13.5428G	39.62	68.20	-28.58	3	Vertical	267	2.66
6745MHz	Pass	PK	13.622G	53.41	88.20	-34.79	3	Vertical	267	2.66
6745MHz	Pass	AV	13.54472G	39.60	68.20	-28.60	3	Horizontal	308	2.52
6745MHz	Pass	PK	13.59608G	53.14	88.20	-35.06	3	Horizontal	308	2.52
6905MHz	Pass	AV	6.7475G	100.56	Inf	-Inf	3	Vertical	40	1.00
6905MHz	Pass	AV	7.1255G	66.79	68.20	-1.41	3	Vertical	40	1.00
6905MHz	Pass	PK	6.7485G	107.33	Inf	-Inf	3	Vertical	40	1.00
6905MHz	Pass	PK	7.2045G	78.85	88.20	-9.35	3	Vertical	40	1.00
6905MHz	Pass	AV	6.9005G	97.49	Inf	-Inf	3	Horizontal	347	2.52
6905MHz	Pass	AV	7.1405G	63.15	68.20	-5.05	3	Horizontal	347	2.52
6905MHz	Pass	PK	6.9005G	104.36	Inf	-Inf	3	Horizontal	347	2.52
6905MHz	Pass	PK	7.2085G	72.79	88.20	-15.41	3	Horizontal	347	2.52
6905MHz	Pass	AV	13.7572G	39.53	68.20	-28.67	3	Vertical	17	1.50
6905MHz	Pass	PK	13.65112G	52.68	88.20	-35.52	3	Vertical	17	1.50
6905MHz	Pass	AV	13.75528G	39.53	68.20	-28.67	3	Horizontal	0	1.50
6905MHz	Pass	PK	13.61704G	52.97	88.20	-35.23	3	Horizontal	0	1.50


5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT20_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




5.925-6.425GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6205MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6025MHz_TX



5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.917G	63.98	68.20	-4.22	4.01	3	Vertical	31	1.01	59.97	34.47	6.73	37.19
AV	6.254G	96.73	Inf	-Inf	3.97	3	Vertical	31	1.01	92.76	34.60	6.51	37.14
PK	5.921G	77.53	88.20	-10.67	3.98	3	Vertical	31	1.01	73.55	34.46	6.71	37.19
PK	6.254G	109.97	Inf	-Inf	3.97	3	Vertical	31	1.01	106.00	34.60	6.51	37.14

5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX


6105MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.925G	65.46	68.20	-2.74	3.95	3	Horizontal	336	2.57	61.51	34.45	6.69	37.19
AV	6.108G	97.39	Inf	-Inf	3.57	3	Horizontal	336	2.57	93.82	34.33	6.39	37.15
PK	5.92G	79.50	88.20	-8.70	3.98	3	Horizontal	336	2.57	75.52	34.46	6.71	37.19
PK	6.189G	110.42	Inf	-Inf	3.79	3	Horizontal	336	2.57	106.63	34.50	6.44	37.15


5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6105MHz_TX




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6475MHz_TX




6.425-6.525GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6475MHz_TX




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6445MHz_TX




6.425-6.525GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6445MHz_TX




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6465MHz_TX




6.425-6.525GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6465MHz_TX




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6505MHz_TX




6.425-6.525GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6505MHz_TX




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6585MHz_TX




6.425-6.525GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6585MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT80_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6825MHz_TX




6.525-6.875GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6825MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




6.525-6.875GHz_802.11be EHT320_Nss1,(MCS0)_2TX

6905MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20_Nss1,(MCS0)_2TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40_Nss1,(MCS0)_2TX

7085MHz_TX



6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.991G	96.02	Inf	-Inf	7.22	3	Vertical	303	1.50	88.80	36.20	8.06	37.04
AV	7.25G	49.75	54.00	-4.25	7.92	3	Vertical	303	1.50	41.83	37.30	7.62	37.00
AV	7.2575G	49.90	54.00	-4.10	7.92	3	Vertical	303	1.50	41.98	37.29	7.62	36.99
PK	7.0295G	108.94	Inf	-Inf	7.28	3	Vertical	303	1.50	101.66	36.26	8.05	37.03
PK	7.25G	61.89	74.00	-12.11	7.92	3	Vertical	303	1.50	53.97	37.30	7.62	37.00
PK	7.2645G	63.22	74.00	-10.78	7.89	3	Vertical	303	1.50	55.33	37.27	7.61	36.99

6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX


7025MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	6.997G	97.54	Inf	-Inf	7.26	3	Horizontal	321	3.00	90.28	36.20	8.10	37.04
AV	7.25G	49.76	54.00	-4.24	7.92	3	Horizontal	321	3.00	41.84	37.30	7.62	37.00
AV	7.275G	49.92	54.00	-4.08	7.87	3	Horizontal	321	3.00	42.05	37.25	7.61	36.99
PK	6.9955G	110.84	Inf	-Inf	7.25	3	Horizontal	321	3.00	103.59	36.20	8.09	37.04
PK	7.25G	61.51	74.00	-12.49	7.92	3	Horizontal	321	3.00	53.59	37.30	7.62	37.00
PK	7.2555G	63.86	74.00	-10.14	7.92	3	Horizontal	321	3.00	55.94	37.29	7.62	36.99


6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80_Nss1,(MCS0)_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX



6.875-7.125GHz_802.11be EHT160_Nss1,(MCS0)_2TX

6985MHz_TX





Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	PK	78.5M	35.20	40.00	-4.80	3	Vertical	360	1.00

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	PK	78.5M	35.20	40.00	-4.80	3	Vertical	360	1.00
6025MHz	Pass	PK	177.44M	24.20	43.50	-19.30	3	Vertical	360	1.00
6025MHz	Pass	PK	414.12M	26.27	46.00	-19.73	3	Vertical	360	1.00
6025MHz	Pass	PK	526.64M	29.36	46.00	-16.64	3	Vertical	360	1.00
6025MHz	Pass	PK	596.48M	30.86	46.00	-15.14	3	Vertical	360	1.00
6025MHz	Pass	QP	41.66M	32.75	40.00	-7.25	3	Vertical	180	1.00
6025MHz	Pass	PK	41.64M	24.54	40.00	-15.46	3	Horizontal	0	1.00
6025MHz	Pass	PK	90.14M	32.97	43.50	-10.53	3	Horizontal	0	1.00
6025MHz	Pass	PK	181.32M	21.23	43.50	-22.27	3	Horizontal	0	1.00
6025MHz	Pass	PK	243.4M	22.04	46.00	-23.96	3	Horizontal	0	1.00
6025MHz	Pass	PK	410.24M	29.88	46.00	-16.12	3	Horizontal	0	1.00
6025MHz	Pass	PK	596.48M	33.09	46.00	-12.91	3	Horizontal	0	1.00


5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_PoE



5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_PoE





Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	11.91G	37.68	54.00	-16.32	3	Vertical	177	1.50
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	5.9218G	56.40	68.20	-11.80	3	Vertical	245	2.76
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	5.9225G	66.25	68.20	-1.95	3	Vertical	210	3.00
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	AV	5.922G	67.19	68.20	-1.01	3	Vertical	212	2.67
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	12.94428G	39.00	68.20	-29.20	3	Horizontal	284	2.79
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	12.9452G	38.94	68.20	-29.26	3	Vertical	218	1.50
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	12.95G	38.92	68.20	-29.28	3	Horizontal	210	1.50
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	AV	12.92048G	39.57	68.20	-28.63	3	Vertical	235	1.50
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	13.39966G	38.47	54.00	-15.53	3	Vertical	36	1.50
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	13.3616G	38.65	54.00	-15.35	3	Horizontal	275	2.02
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	13.28228G	38.54	54.00	-15.46	3	Vertical	29	1.50
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	PK	13.3024G	53.27	74.00	-20.73	3	Horizontal	336	1.50
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	7.1255G	67.62	68.20	-0.58	3	Vertical	191	2.93
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	7.1252G	54.81	68.20	-13.39	3	Vertical	191	2.87
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	7.1252G	51.10	68.20	-17.10	3	Vertical	195	2.81
802.11ax HEW160_Nss1,(MCS0)_2TX	Pass	AV	7.134G	64.85	68.20	-3.35	3	Vertical	199	3.00



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9154G	45.91	68.20	-22.29	3	Vertical	213	2.63
5955MHz	Pass	AV	5.9538G	97.59	Inf	-Inf	3	Vertical	213	2.63
5955MHz	Pass	PK	5.8242G	59.16	88.20	-29.04	3	Vertical	213	2.63
5955MHz	Pass	PK	5.9544G	110.88	Inf	-Inf	3	Vertical	213	2.63
5955MHz	Pass	AV	5.9145G	45.29	68.20	-22.91	3	Horizontal	160	2.95
5955MHz	Pass	AV	5.9538G	91.76	Inf	-Inf	3	Horizontal	160	2.95
5955MHz	Pass	PK	5.9196G	59.24	88.20	-28.96	3	Horizontal	160	2.95
5955MHz	Pass	PK	5.9523G	104.84	Inf	-Inf	3	Horizontal	160	2.95
5955MHz	Pass	AV	11.91G	37.68	54.00	-16.32	3	Vertical	177	1.50
5955MHz	Pass	PK	11.92328G	50.65	74.00	-23.35	3	Vertical	177	1.50
5955MHz	Pass	AV	11.9076G	37.28	54.00	-16.72	3	Horizontal	60	2.41
5955MHz	Pass	PK	11.89172G	51.50	74.00	-22.50	3	Horizontal	60	2.41
6195MHz	Pass	AV	12.39516G	37.40	54.00	-16.60	3	Vertical	186	1.50
6195MHz	Pass	PK	12.39668G	50.73	74.00	-23.27	3	Vertical	186	1.50
6195MHz	Pass	AV	12.37916G	37.36	54.00	-16.64	3	Horizontal	209	1.50
6195MHz	Pass	PK	12.38208G	50.57	74.00	-23.43	3	Horizontal	209	1.50
6415MHz	Pass	AV	12.83732G	38.60	68.20	-29.60	3	Vertical	46	1.50
6415MHz	Pass	PK	12.84196G	51.78	88.20	-36.42	3	Vertical	46	1.50
6415MHz	Pass	AV	12.83404G	38.55	68.20	-29.65	3	Horizontal	96	2.36
6415MHz	Pass	PK	12.81112G	52.64	88.20	-35.56	3	Horizontal	96	2.36
6435MHz	Pass	AV	12.86908G	38.61	68.20	-29.59	3	Vertical	183	1.50
6435MHz	Pass	PK	12.8878G	52.26	88.20	-35.94	3	Vertical	183	1.50
6435MHz	Pass	AV	12.87376G	38.61	68.20	-29.59	3	Horizontal	227	1.50
6435MHz	Pass	PK	12.87144G	52.68	88.20	-35.52	3	Horizontal	227	1.50
6475MHz	Pass	AV	12.94508G	38.98	68.20	-29.22	3	Vertical	88	2.77
6475MHz	Pass	PK	12.94108G	52.74	88.20	-35.46	3	Vertical	88	2.77
6475MHz	Pass	AV	12.94428G	39.00	68.20	-29.20	3	Horizontal	284	2.79
6475MHz	Pass	PK	12.93228G	52.65	88.20	-35.55	3	Horizontal	284	2.79
6515MHz	Pass	AV	13.02532G	38.46	68.20	-29.74	3	Vertical	309	1.25
6515MHz	Pass	PK	13.0124G	51.85	88.20	-36.35	3	Vertical	309	1.25
6515MHz	Pass	AV	13.01436G	38.45	68.20	-29.75	3	Horizontal	292	1.43
6515MHz	Pass	PK	13.01256G	52.32	88.20	-35.88	3	Horizontal	292	1.43
6535MHz	Pass	AV	13.06685G	38.75	68.20	-29.45	3	Vertical	97	2.90
6535MHz	Pass	PK	13.06811G	52.75	88.20	-35.45	3	Vertical	97	2.90
6535MHz	Pass	AV	13.0721G	38.58	68.20	-29.62	3	Horizontal	183	1.50
6535MHz	Pass	PK	13.06781G	52.26	88.20	-35.94	3	Horizontal	183	1.50
6695MHz	Pass	AV	13.39966G	38.47	54.00	-15.53	3	Vertical	36	1.50
6695MHz	Pass	PK	13.40041G	51.78	88.20	-36.42	3	Vertical	36	1.50
6695MHz	Pass	AV	13.40113G	38.47	68.20	-29.73	3	Horizontal	212	1.03
6695MHz	Pass	PK	13.40284G	52.75	88.20	-35.45	3	Horizontal	212	1.03
6875MHz	Pass	AV	13.7545G	39.00	68.20	-29.20	3	Vertical	202	2.76
6875MHz	Pass	PK	13.75627G	52.31	88.20	-35.89	3	Vertical	202	2.76
6875MHz	Pass	AV	13.75669G	38.73	68.20	-29.47	3	Horizontal	47	1.50
6875MHz	Pass	PK	13.73968G	51.75	88.20	-36.45	3	Horizontal	47	1.50
6895MHz	Pass	AV	13.79147G	38.67	68.20	-29.53	3	Vertical	57	3.00
6895MHz	Pass	PK	13.78787G	52.14	88.20	-36.06	3	Vertical	57	3.00
6895MHz	Pass	AV	13.79072G	38.60	68.20	-29.60	3	Horizontal	349	1.50
6895MHz	Pass	PK	13.79471G	52.20	88.20	-36.00	3	Horizontal	349	1.50
6995MHz	Pass	AV	13.99864G	38.50	68.20	-29.70	3	Vertical	216	1.54
6995MHz	Pass	PK	13.99918G	51.93	88.20	-36.27	3	Vertical	216	1.54
6995MHz	Pass	AV	13.9951G	38.50	68.20	-29.70	3	Horizontal	225	2.53
6995MHz	Pass	PK	13.97551G	52.06	88.20	-36.14	3	Horizontal	225	2.53
7095MHz	Pass	AV	7.0941G	97.18	Inf	-Inf	3	Vertical	192	2.67
7095MHz	Pass	AV	7.23G	49.53	68.20	-18.67	3	Vertical	192	2.67
7095MHz	Pass	PK	7.0941G	109.57	Inf	-Inf	3	Vertical	192	2.67
7095MHz	Pass	PK	7.2174G	63.39	88.20	-24.81	3	Vertical	192	2.67
7095MHz	Pass	AV	7.0941G	93.85	Inf	-Inf	3	Horizontal	175	2.80
7095MHz	Pass	AV	7.2324G	49.56	68.20	-18.64	3	Horizontal	175	2.80
7095MHz	Pass	PK	7.0938G	106.37	Inf	-Inf	3	Horizontal	175	2.80
7095MHz	Pass	PK	7.212G	63.21	88.20	-24.99	3	Horizontal	175	2.80



RSE TX above 1GHz_Non-Beamforming_Radio 5_Scan

Appendix E.7

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7095MHz	Pass	AV	14.19567G	38.77	68.20	-29.43	3	Vertical	138	1.50
7095MHz	Pass	PK	14.19369G	52.89	88.20	-35.31	3	Vertical	138	1.50
7095MHz	Pass	AV	14.19462G	38.76	68.20	-29.44	3	Horizontal	127	1.50
7095MHz	Pass	PK	14.19681G	52.06	88.20	-36.14	3	Horizontal	127	1.50
7115MHz	Pass	AV	7.1135G	99.04	Inf	-Inf	3	Vertical	191	2.93
7115MHz	Pass	AV	7.1255G	67.62	68.20	-0.58	3	Vertical	191	2.93
7115MHz	Pass	PK	7.1145G	104.86	Inf	-Inf	3	Vertical	191	2.93
7115MHz	Pass	PK	7.1255G	76.52	88.20	-11.68	3	Vertical	191	2.93
7115MHz	Pass	AV	7.1155G	95.61	Inf	-Inf	3	Horizontal	176	2.72
7115MHz	Pass	AV	7.1255G	65.41	68.20	-2.79	3	Horizontal	176	2.72
7115MHz	Pass	PK	7.1155G	101.58	Inf	-Inf	3	Horizontal	176	2.72
7115MHz	Pass	PK	7.1255G	74.72	88.20	-13.48	3	Horizontal	176	2.72
7115MHz	Pass	AV	14.24023G	38.74	68.20	-29.46	3	Vertical	143	1.50
7115MHz	Pass	PK	14.22847G	52.21	88.20	-35.99	3	Vertical	143	1.50
7115MHz	Pass	AV	14.23963G	38.72	68.20	-29.48	3	Horizontal	241	2.94
7115MHz	Pass	PK	14.23474G	51.93	88.20	-36.27	3	Horizontal	241	2.94
802.11ax.HEW40_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9218G	56.40	68.20	-11.80	3	Vertical	245	2.76
5965MHz	Pass	AV	5.9614G	97.29	Inf	-Inf	3	Vertical	245	2.76
5965MHz	Pass	PK	5.9221G	71.01	88.20	-17.19	3	Vertical	245	2.76
5965MHz	Pass	PK	5.9626G	109.32	Inf	-Inf	3	Vertical	245	2.76
5965MHz	Pass	AV	5.9218G	49.74	68.20	-18.46	3	Horizontal	202	1.01
5965MHz	Pass	AV	5.9605G	88.64	Inf	-Inf	3	Horizontal	202	1.01
5965MHz	Pass	PK	5.9212G	64.56	88.20	-23.64	3	Horizontal	202	1.01
5965MHz	Pass	PK	5.9605G	101.24	Inf	-Inf	3	Horizontal	202	1.01
5965MHz	Pass	AV	11.942G	37.18	54.00	-16.82	3	Vertical	23	1.82
5965MHz	Pass	PK	11.94368G	50.28	74.00	-23.72	3	Vertical	23	1.82
5965MHz	Pass	AV	11.94216G	37.20	54.00	-16.80	3	Horizontal	106	1.50
5965MHz	Pass	PK	11.94472G	50.45	74.00	-23.55	3	Horizontal	106	1.50
6205MHz	Pass	AV	12.39432G	37.35	54.00	-16.65	3	Vertical	25	2.63
6205MHz	Pass	PK	12.40672G	51.48	74.00	-22.52	3	Vertical	25	2.63
6205MHz	Pass	AV	12.4292G	37.35	54.00	-16.65	3	Horizontal	275	1.50
6205MHz	Pass	PK	12.44224G	50.50	74.00	-23.50	3	Horizontal	275	1.50
6405MHz	Pass	AV	12.8356G	38.53	68.20	-29.67	3	Vertical	302	1.50
6405MHz	Pass	PK	12.83864G	51.60	88.20	-36.60	3	Vertical	302	1.50
6405MHz	Pass	AV	12.8352G	38.53	68.20	-29.67	3	Horizontal	135	1.20
6405MHz	Pass	PK	12.8388G	51.96	88.20	-36.24	3	Horizontal	135	1.20
6445MHz	Pass	AV	12.92992G	38.85	68.20	-29.35	3	Vertical	3	1.75
6445MHz	Pass	PK	12.9152G	52.00	88.20	-36.20	3	Vertical	3	1.75
6445MHz	Pass	AV	12.92976G	38.85	68.20	-29.35	3	Horizontal	149	1.50
6445MHz	Pass	PK	12.86G	52.70	88.20	-35.50	3	Horizontal	149	1.50
6485MHz	Pass	AV	12.9452G	38.94	68.20	-29.26	3	Vertical	218	1.50
6485MHz	Pass	PK	12.9472G	52.68	88.20	-35.52	3	Vertical	218	1.50
6485MHz	Pass	AV	12.94504G	38.93	68.20	-29.27	3	Horizontal	6	1.14
6485MHz	Pass	PK	12.98008G	52.76	88.20	-35.44	3	Horizontal	6	1.14
6525MHz	Pass	AV	13.0264G	38.46	68.20	-29.74	3	Vertical	314	1.50
6525MHz	Pass	PK	13.02408G	51.42	88.20	-36.78	3	Vertical	314	1.50
6525MHz	Pass	AV	13.02632G	38.45	68.20	-29.75	3	Horizontal	295	2.40
6525MHz	Pass	PK	13.02104G	51.57	88.20	-36.63	3	Horizontal	295	2.40
6565MHz	Pass	AV	13.12688G	38.62	68.20	-29.58	3	Vertical	48	1.50
6565MHz	Pass	PK	13.12838G	52.44	88.20	-35.76	3	Vertical	48	1.50
6565MHz	Pass	AV	13.13294G	38.81	68.20	-29.39	3	Horizontal	70	1.50
6565MHz	Pass	PK	13.13006G	52.78	88.20	-35.42	3	Horizontal	70	1.50
6685MHz	Pass	AV	13.36016G	38.64	54.00	-15.36	3	Vertical	97	1.50
6685MHz	Pass	PK	13.3577G	52.32	74.00	-21.68	3	Vertical	97	1.50
6685MHz	Pass	AV	13.3616G	38.65	54.00	-15.35	3	Horizontal	275	2.02
6685MHz	Pass	PK	13.39754G	53.10	74.00	-20.90	3	Horizontal	275	2.02
6885MHz	Pass	AV	13.74012G	38.96	68.20	-29.24	3	Vertical	91	1.50
6885MHz	Pass	PK	13.76826G	52.40	88.20	-35.80	3	Vertical	91	1.50
6885MHz	Pass	AV	13.75698G	38.73	68.20	-29.47	3	Horizontal	217	1.04
6885MHz	Pass	PK	13.78416G	52.21	88.20	-35.99	3	Horizontal	217	1.04
6925MHz	Pass	AV	13.8206G	38.75	68.20	-29.45	3	Vertical	125	1.50



RSE TX above 1GHz_Non-Beamforming_Radio 5_Scan

Appendix E.7

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6925MHz	Pass	PK	13.8578G	51.94	88.20	-36.26	3	Vertical	125	1.50
6925MHz	Pass	AV	13.82162G	38.79	68.20	-29.41	3	Horizontal	174	1.54
6925MHz	Pass	PK	13.83962G	51.99	88.20	-36.21	3	Horizontal	174	1.54
7005MHz	Pass	AV	14.03538G	38.97	68.20	-29.23	3	Vertical	215	1.36
7005MHz	Pass	PK	14.03652G	52.11	88.20	-36.09	3	Vertical	215	1.36
7005MHz	Pass	AV	14.03316G	38.91	68.20	-29.29	3	Horizontal	138	1.44
7005MHz	Pass	PK	14.03112G	53.52	88.20	-34.68	3	Horizontal	138	1.44
7085MHz	Pass	AV	7.0844G	97.34	Inf	-Inf	3	Vertical	191	2.87
7085MHz	Pass	AV	7.1252G	54.81	68.20	-13.39	3	Vertical	191	2.87
7085MHz	Pass	PK	7.0844G	110.65	Inf	-Inf	3	Vertical	191	2.87
7085MHz	Pass	PK	7.1252G	69.33	88.20	-18.87	3	Vertical	191	2.87
7085MHz	Pass	AV	7.0841G	93.99	Inf	-Inf	3	Horizontal	176	2.79
7085MHz	Pass	AV	7.1252G	52.69	68.20	-15.51	3	Horizontal	176	2.79
7085MHz	Pass	PK	7.0859G	106.45	Inf	-Inf	3	Horizontal	176	2.79
7085MHz	Pass	PK	7.1261G	65.35	88.20	-22.85	3	Horizontal	176	2.79
7085MHz	Pass	AV	14.19598G	39.06	68.20	-29.14	3	Vertical	268	1.17
7085MHz	Pass	PK	14.149G	52.22	88.20	-35.98	3	Vertical	268	1.17
7085MHz	Pass	AV	14.158G	39.01	68.20	-29.19	3	Horizontal	360	1.50
7085MHz	Pass	PK	14.19652G	52.07	88.20	-36.13	3	Horizontal	360	1.50
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.9225G	66.25	68.20	-1.95	3	Vertical	210	3.00
5985MHz	Pass	AV	5.9835G	97.46	Inf	-Inf	3	Vertical	210	3.00
5985MHz	Pass	PK	5.923G	79.24	88.20	-8.96	3	Vertical	210	3.00
5985MHz	Pass	PK	5.984G	109.82	Inf	-Inf	3	Vertical	210	3.00
5985MHz	Pass	AV	5.922G	62.61	68.20	-5.59	3	Horizontal	157	2.73
5985MHz	Pass	AV	5.9825G	93.96	Inf	-Inf	3	Horizontal	157	2.73
5985MHz	Pass	PK	5.9215G	76.02	88.20	-12.18	3	Horizontal	157	2.73
5985MHz	Pass	PK	5.983G	106.10	Inf	-Inf	3	Horizontal	157	2.73
5985MHz	Pass	AV	12.02424G	37.66	54.00	-16.34	3	Vertical	293	1.50
5985MHz	Pass	PK	12.01656G	51.32	74.00	-22.68	3	Vertical	293	1.50
5985MHz	Pass	AV	12.02376G	37.62	54.00	-16.38	3	Horizontal	201	1.50
5985MHz	Pass	PK	11.93368G	51.31	74.00	-22.69	3	Horizontal	201	1.50
6225MHz	Pass	AV	12.50568G	37.61	54.00	-16.39	3	Vertical	17	1.96
6225MHz	Pass	PK	12.47688G	50.71	74.00	-23.29	3	Vertical	17	1.96
6225MHz	Pass	AV	12.50552G	37.61	54.00	-16.39	3	Horizontal	232	2.43
6225MHz	Pass	PK	12.47544G	50.97	74.00	-23.03	3	Horizontal	232	2.43
6385MHz	Pass	AV	12.83672G	38.51	68.20	-29.69	3	Vertical	109	1.50
6385MHz	Pass	PK	12.83032G	51.52	88.20	-36.68	3	Vertical	109	1.50
6385MHz	Pass	AV	12.83496G	38.52	68.20	-29.68	3	Horizontal	126	1.50
6385MHz	Pass	PK	12.77864G	52.15	88.20	-36.05	3	Horizontal	126	1.50
6465MHz	Pass	AV	12.93352G	38.91	68.20	-29.29	3	Vertical	41	1.99
6465MHz	Pass	PK	12.91896G	52.00	88.20	-36.20	3	Vertical	41	1.99
6465MHz	Pass	AV	12.95G	38.92	68.20	-29.28	3	Horizontal	210	1.50
6465MHz	Pass	PK	12.86232G	53.15	88.20	-35.05	3	Horizontal	210	1.50
6545MHz	Pass	AV	13.01016G	38.45	68.20	-29.75	3	Vertical	201	1.50
6545MHz	Pass	PK	13.03048G	51.55	88.20	-36.65	3	Vertical	201	1.50
6545MHz	Pass	AV	13.02536G	38.47	68.20	-29.73	3	Horizontal	250	2.56
6545MHz	Pass	PK	13.03976G	51.76	88.20	-36.44	3	Horizontal	250	2.56
6625MHz	Pass	AV	13.28228G	38.54	54.00	-15.46	3	Vertical	29	1.50
6625MHz	Pass	PK	13.26752G	51.83	74.00	-22.17	3	Vertical	29	1.50
6625MHz	Pass	AV	13.28204G	38.49	54.00	-15.51	3	Horizontal	190	2.89
6625MHz	Pass	PK	13.24304G	52.45	88.20	-35.75	3	Horizontal	190	2.89
6705MHz	Pass	AV	13.46664G	38.98	68.20	-29.22	3	Vertical	67	1.50
6705MHz	Pass	PK	13.46136G	52.42	88.20	-35.78	3	Vertical	67	1.50
6705MHz	Pass	AV	13.467G	38.98	68.20	-29.22	3	Horizontal	185	1.50
6705MHz	Pass	PK	13.434G	53.06	88.20	-35.14	3	Horizontal	185	1.50
6785MHz	Pass	AV	13.53904G	38.92	68.20	-29.28	3	Vertical	162	1.91
6785MHz	Pass	PK	13.5694G	52.19	88.20	-36.01	3	Vertical	162	1.91
6785MHz	Pass	AV	13.54096G	39.06	68.20	-29.14	3	Horizontal	351	1.50
6785MHz	Pass	PK	13.62628G	52.38	88.20	-35.82	3	Horizontal	351	1.50
6865MHz	Pass	AV	13.72424G	39.14	68.20	-29.06	3	Vertical	155	3.00
6865MHz	Pass	PK	13.72256G	52.44	88.20	-35.76	3	Vertical	155	3.00



RSE TX above 1GHz_Non-Beamforming_Radio 5_Scan

Appendix E.7

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6865MHz	Pass	AV	13.7504G	39.03	68.20	-29.17	3	Horizontal	154	1.50
6865MHz	Pass	PK	13.70744G	52.63	88.20	-35.57	3	Horizontal	154	1.50
6945MHz	Pass	AV	13.8672G	38.73	68.20	-29.47	3	Vertical	319	1.39
6945MHz	Pass	PK	13.83252G	52.81	88.20	-35.39	3	Vertical	319	1.39
6945MHz	Pass	AV	13.83708G	38.75	68.20	-29.45	3	Horizontal	202	1.50
6945MHz	Pass	PK	13.8444G	52.12	88.20	-36.08	3	Horizontal	202	1.50
7025MHz	Pass	AV	7.0241G	97.25	Inf	-Inf	3	Vertical	195	2.81
7025MHz	Pass	AV	7.1252G	51.10	68.20	-17.10	3	Vertical	195	2.81
7025MHz	Pass	PK	7.0241G	110.30	Inf	-Inf	3	Vertical	195	2.81
7025MHz	Pass	PK	7.1261G	64.13	88.20	-24.07	3	Vertical	195	2.81
7025MHz	Pass	AV	7.0259G	93.52	Inf	-Inf	3	Horizontal	173	2.72
7025MHz	Pass	AV	7.1252G	50.79	68.20	-17.41	3	Horizontal	173	2.72
7025MHz	Pass	PK	7.0268G	105.70	Inf	-Inf	3	Horizontal	173	2.72
7025MHz	Pass	PK	7.1258G	64.07	88.20	-24.13	3	Horizontal	173	2.72
7025MHz	Pass	AV	14.10796G	39.00	68.20	-29.20	3	Vertical	62	2.83
7025MHz	Pass	PK	14.04808G	52.62	88.20	-35.58	3	Vertical	62	2.83
7025MHz	Pass	AV	14.06836G	38.90	68.20	-29.30	3	Horizontal	269	1.12
7025MHz	Pass	PK	14.10124G	53.02	88.20	-35.18	3	Horizontal	269	1.12
802.11ax HEW160_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.922G	67.19	68.20	-1.01	3	Vertical	212	2.67
6025MHz	Pass	AV	6.023G	95.02	Inf	-Inf	3	Vertical	212	2.67
6025MHz	Pass	PK	5.923G	81.21	88.20	-6.99	3	Vertical	212	2.67
6025MHz	Pass	PK	6.013G	107.20	Inf	-Inf	3	Vertical	212	2.67
6025MHz	Pass	AV	5.925G	57.56	68.20	-10.64	3	Horizontal	216	1.01
6025MHz	Pass	AV	6.028G	87.60	Inf	-Inf	3	Horizontal	216	1.01
6025MHz	Pass	PK	5.9155G	70.64	88.20	-17.56	3	Horizontal	216	1.01
6025MHz	Pass	PK	6.037G	100.55	Inf	-Inf	3	Horizontal	216	1.01
6025MHz	Pass	AV	12.1112G	38.64	54.00	-15.36	3	Vertical	94	1.50
6025MHz	Pass	PK	11.99G	52.52	74.00	-21.48	3	Vertical	94	1.50
6025MHz	Pass	AV	12.10112G	38.72	54.00	-15.28	3	Horizontal	131	2.87
6025MHz	Pass	PK	12.02552G	52.28	74.00	-21.72	3	Horizontal	131	2.87
6185MHz	Pass	AV	12.25336G	38.54	54.00	-15.46	3	Vertical	3	2.41
6185MHz	Pass	PK	12.25624G	51.26	74.00	-22.74	3	Vertical	3	2.41
6185MHz	Pass	AV	12.25768G	38.50	54.00	-15.50	3	Horizontal	171	1.50
6185MHz	Pass	PK	12.36712G	51.13	74.00	-22.87	3	Horizontal	171	1.50
6345MHz	Pass	AV	12.80232G	38.90	68.20	-29.30	3	Vertical	97	1.50
6345MHz	Pass	PK	12.78936G	51.87	88.20	-36.33	3	Vertical	97	1.50
6345MHz	Pass	AV	12.79656G	38.97	68.20	-29.23	3	Horizontal	194	2.87
6345MHz	Pass	PK	12.77784G	51.38	88.20	-36.82	3	Horizontal	194	2.87
6505MHz	Pass	AV	12.92048G	39.57	68.20	-28.63	3	Vertical	235	1.50
6505MHz	Pass	PK	12.9524G	53.02	88.20	-35.18	3	Vertical	235	1.50
6505MHz	Pass	AV	12.91232G	39.50	68.20	-28.70	3	Horizontal	281	1.50
6505MHz	Pass	PK	12.92744G	52.95	88.20	-35.25	3	Horizontal	281	1.50
6665MHz	Pass	AV	13.44184G	39.16	68.20	-29.04	3	Vertical	224	2.42
6665MHz	Pass	PK	13.27216G	52.23	74.00	-21.77	3	Vertical	224	2.42
6665MHz	Pass	AV	13.43464G	39.24	68.20	-28.96	3	Horizontal	336	1.50
6665MHz	Pass	PK	13.3024G	53.27	74.00	-20.73	3	Horizontal	336	1.50
6825MHz	Pass	AV	13.54536G	39.32	68.20	-28.88	3	Vertical	28	1.52
6825MHz	Pass	PK	13.5684G	52.95	88.20	-35.25	3	Vertical	28	1.52
6825MHz	Pass	AV	13.53648G	39.31	68.20	-28.89	3	Horizontal	332	1.50
6825MHz	Pass	PK	13.54104G	52.91	88.20	-35.29	3	Horizontal	332	1.50
6985MHz	Pass	AV	6.982G	98.44	Inf	-Inf	3	Vertical	199	3.00
6985MHz	Pass	AV	7.134G	64.85	68.20	-3.35	3	Vertical	199	3.00
6985MHz	Pass	PK	6.983G	111.32	Inf	-Inf	3	Vertical	199	3.00
6985MHz	Pass	PK	7.125G	76.92	88.20	-11.28	3	Vertical	199	3.00
6985MHz	Pass	AV	6.9755G	94.13	Inf	-Inf	3	Horizontal	176	2.90
6985MHz	Pass	AV	7.125G	64.40	68.20	-3.80	3	Horizontal	176	2.90
6985MHz	Pass	PK	6.976G	106.28	Inf	-Inf	3	Horizontal	176	2.90
6985MHz	Pass	PK	7.1255G	76.36	88.20	-11.84	3	Horizontal	176	2.90
6985MHz	Pass	AV	14.03312G	39.24	68.20	-28.96	3	Vertical	27	1.53
6985MHz	Pass	PK	14.03282G	52.68	88.20	-35.52	3	Vertical	27	1.53
6985MHz	Pass	AV	14.03456G	39.24	68.20	-28.96	3	Horizontal	106	1.50




RSE TX above 1GHz_Non-Beamforming_Radio 5_Scan

Appendix E.7

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6985MHz	Pass	PK	14.03424G	52.32	88.20	-35.88	3	Horizontal	106	1.50


5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5955MHz_TX




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5965MHz_TX




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5985MHz_TX




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_TX




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6025MHz_TX




6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6475MHz_TX




6.425-6.525GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6475MHz_TX




6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6485MHz_TX




6.425-6.525GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6485MHz_TX




6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6465MHz_TX




6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6465MHz_TX




6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6505MHz_TX




6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6505MHz_TX




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX




6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6665MHz_TX




6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TX




6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TX




6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TX




6.875-7.125GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

7115MHz_TX




6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

7025MHz_TX




6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

7025MHz_TX




6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

7025MHz_TX




6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

7025MHz_TX




6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6985MHz_TX




6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6985MHz_TX




6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6985MHz_TX



6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_2TX

6985MHz_TX





Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	12.38997G	45.78	54.00	-8.22	3	Vertical	352	1.14
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	12.40994G	45.51	54.00	-8.49	3	Vertical	350	1.11
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	12.44988G	44.78	54.00	-9.22	3	Vertical	351	1.12
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	12.37G	46.29	54.00	-7.71	3	Vertical	352	1.09
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	AV	5.925G	56.56	68.20	-11.64	3	Vertical	37	2.66
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	12.94994G	41.89	68.20	-26.31	3	Vertical	357	2.89
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	12.96988G	40.85	68.20	-27.35	3	Vertical	326	1.44
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	12.92988G	42.10	68.20	-26.10	3	Horizontal	9	1.65
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	13.01G	41.31	68.20	-26.89	3	Vertical	348	1.40
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	PK	13.27304G	52.83	74.00	-21.17	3	Vertical	348	1.48
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	13.38991G	42.10	54.00	-11.90	3	Vertical	344	1.46
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	AV	13.36994G	42.41	54.00	-11.59	3	Vertical	346	1.43
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	13.24988G	43.36	68.20	-24.84	3	Vertical	347	1.49
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	13.32976G	43.21	54.00	-10.79	3	Vertical	345	1.41
802.11be EHT320-BF_Nss1,(MCS0)_2TX	Pass	AV	7.1275G	62.05	68.20	-6.15	3	Vertical	297	1.01
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-
802.11be EHT20-BF_Nss1,(MCS0)_2TX	Pass	AV	7.1255G	66.98	68.20	-1.22	3	Vertical	307	1.35
802.11be EHT40-BF_Nss1,(MCS0)_2TX	Pass	PK	7.1252G	70.06	88.20	-18.14	3	Vertical	44	1.50
802.11be EHT80-BF_Nss1,(MCS0)_2TX	Pass	AV	7.1642G	50.85	68.20	-17.35	3	Horizontal	67	1.84
802.11be EHT160-BF_Nss1,(MCS0)_2TX	Pass	AV	7.1425G	56.06	68.20	-12.14	3	Horizontal	5	2.93

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11be EHT20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5955MHz	Pass	AV	5.9223G	45.67	68.20	-22.53	3	Vertical	29	2.76
5955MHz	Pass	AV	5.9622G	97.63	Inf	-Inf	3	Vertical	29	2.76
5955MHz	Pass	PK	5.9235G	59.53	88.20	-28.67	3	Vertical	29	2.76
5955MHz	Pass	PK	5.9592G	110.15	Inf	-Inf	3	Vertical	29	2.76
5955MHz	Pass	AV	5.8941G	45.53	68.20	-22.67	3	Horizontal	0	3.00
5955MHz	Pass	AV	5.9535G	95.43	Inf	-Inf	3	Horizontal	0	3.00
5955MHz	Pass	PK	5.9151G	59.29	88.20	-28.91	3	Horizontal	0	3.00
5955MHz	Pass	PK	5.9517G	108.62	Inf	-Inf	3	Horizontal	0	3.00
5955MHz	Pass	AV	11.91006G	39.92	54.00	-14.08	3	Vertical	6	1.50
5955MHz	Pass	PK	11.90994G	51.86	74.00	-22.14	3	Vertical	6	1.50
5955MHz	Pass	AV	11.90994G	39.53	54.00	-14.47	3	Horizontal	52	1.56
5955MHz	Pass	PK	11.8971G	52.17	74.00	-21.83	3	Horizontal	52	1.56
6195MHz	Pass	AV	12.38997G	45.78	54.00	-8.22	3	Vertical	352	1.14
6195MHz	Pass	PK	12.39027G	53.42	74.00	-20.58	3	Vertical	352	1.14
6195MHz	Pass	AV	12.38994G	41.34	54.00	-12.66	3	Horizontal	360	1.50
6195MHz	Pass	PK	12.38994G	51.32	74.00	-22.68	3	Horizontal	360	1.50
6415MHz	Pass	AV	12.82991G	40.51	68.20	-27.69	3	Vertical	359	1.57
6415MHz	Pass	PK	12.83726G	52.09	88.20	-36.11	3	Vertical	359	1.57
6415MHz	Pass	AV	12.83003G	40.55	68.20	-27.65	3	Horizontal	338	1.49
6415MHz	Pass	PK	12.82697G	52.80	88.20	-35.40	3	Horizontal	338	1.49
6435MHz	Pass	AV	12.86991G	41.06	68.20	-27.14	3	Vertical	360	1.57
6435MHz	Pass	PK	12.87528G	52.33	88.20	-35.87	3	Vertical	360	1.57
6435MHz	Pass	AV	12.86982G	40.48	68.20	-27.72	3	Horizontal	337	1.40
6435MHz	Pass	PK	12.86082G	51.90	88.20	-36.30	3	Horizontal	337	1.40
6475MHz	Pass	AV	12.94994G	41.89	68.20	-26.31	3	Vertical	357	2.89
6475MHz	Pass	PK	12.94994G	52.49	88.20	-35.71	3	Vertical	357	2.89
6475MHz	Pass	AV	12.94994G	40.70	68.20	-27.50	3	Horizontal	314	1.60
6475MHz	Pass	PK	12.9575G	52.56	88.20	-35.64	3	Horizontal	314	1.60
6515MHz	Pass	AV	13.02994G	40.60	68.20	-27.60	3	Vertical	348	1.50
6515MHz	Pass	PK	13.01794G	52.78	88.20	-35.42	3	Vertical	348	1.50
6515MHz	Pass	AV	13.02997G	39.62	68.20	-28.58	3	Horizontal	8	1.50
6515MHz	Pass	PK	13.03366G	52.60	88.20	-35.60	3	Horizontal	8	1.50
6535MHz	Pass	AV	13.06997G	40.73	68.20	-27.47	3	Vertical	348	1.50
6535MHz	Pass	PK	13.07018G	51.90	88.20	-36.30	3	Vertical	348	1.50
6535MHz	Pass	AV	13.06991G	42.11	68.20	-26.09	3	Horizontal	351	2.23
6535MHz	Pass	PK	13.06988G	53.00	88.20	-35.20	3	Horizontal	351	2.23
6695MHz	Pass	AV	13.38991G	42.10	54.00	-11.90	3	Vertical	344	1.46
6695MHz	Pass	PK	13.39009G	52.02	74.00	-21.98	3	Vertical	344	1.46
6695MHz	Pass	AV	13.38991G	39.57	54.00	-14.43	3	Horizontal	59	1.46
6695MHz	Pass	PK	13.39609G	51.46	74.00	-22.54	3	Horizontal	59	1.46
6875MHz	Pass	AV	13.75003G	41.46	68.20	-26.74	3	Vertical	352	1.36
6875MHz	Pass	PK	13.74985G	52.83	88.20	-35.37	3	Vertical	352	1.36
6875MHz	Pass	AV	13.75G	40.34	68.20	-27.86	3	Horizontal	288	1.42
6875MHz	Pass	PK	13.74829G	53.13	88.20	-35.07	3	Horizontal	288	1.42
6895MHz	Pass	AV	13.78991G	41.40	68.20	-26.80	3	Vertical	353	1.43
6895MHz	Pass	PK	13.78997G	52.46	88.20	-35.74	3	Vertical	353	1.43
6895MHz	Pass	AV	13.78991G	39.90	68.20	-28.30	3	Horizontal	288	1.51
6895MHz	Pass	PK	13.77827G	52.08	88.20	-36.12	3	Horizontal	288	1.51
6995MHz	Pass	AV	13.9933G	39.00	68.20	-29.20	3	Vertical	116	1.50
6995MHz	Pass	PK	13.98943G	51.86	88.20	-36.34	3	Vertical	116	1.50
6995MHz	Pass	AV	13.98997G	39.99	68.20	-28.21	3	Horizontal	317	1.56
6995MHz	Pass	PK	13.98184G	52.01	88.20	-36.19	3	Horizontal	317	1.56
7095MHz	Pass	AV	7.1013G	99.84	Inf	-Inf	3	Vertical	303	1.75
7095MHz	Pass	AV	7.2354G	50.02	68.20	-18.18	3	Vertical	303	1.75
7095MHz	Pass	PK	7.0878G	113.37	Inf	-Inf	3	Vertical	303	1.75
7095MHz	Pass	PK	7.2216G	63.41	88.20	-24.79	3	Vertical	303	1.75
7095MHz	Pass	AV	7.0938G	94.63	Inf	-Inf	3	Horizontal	81	1.69
7095MHz	Pass	AV	7.2279G	49.87	68.20	-18.33	3	Horizontal	81	1.69
7095MHz	Pass	PK	7.1001G	108.28	Inf	-Inf	3	Horizontal	81	1.69
7095MHz	Pass	PK	7.1412G	63.65	88.20	-24.55	3	Horizontal	81	1.69

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
7095MHz	Pass	AV	14.20293G	39.10	68.20	-29.10	3	Vertical	78	1.50
7095MHz	Pass	PK	14.19708G	52.65	88.20	-35.55	3	Vertical	78	1.50
7095MHz	Pass	AV	14.20347G	39.21	68.20	-28.99	3	Horizontal	289	1.50
7095MHz	Pass	PK	14.1753G	51.55	88.20	-36.65	3	Horizontal	289	1.50
7115MHz	Pass	AV	7.1175G	96.61	Inf	-Inf	3	Vertical	307	1.35
7115MHz	Pass	AV	7.1255G	66.98	68.20	-1.22	3	Vertical	307	1.35
7115MHz	Pass	PK	7.1165G	104.97	Inf	-Inf	3	Vertical	307	1.35
7115MHz	Pass	PK	7.1255G	78.24	88.20	-9.96	3	Vertical	307	1.35
7115MHz	Pass	AV	7.1125G	93.70	Inf	-Inf	3	Horizontal	75	1.76
7115MHz	Pass	AV	7.1255G	64.64	68.20	-3.56	3	Horizontal	75	1.76
7115MHz	Pass	PK	7.1165G	101.17	Inf	-Inf	3	Horizontal	75	1.76
7115MHz	Pass	PK	7.1255G	75.30	88.20	-12.90	3	Horizontal	75	1.76
7115MHz	Pass	AV	14.24035G	39.15	68.20	-29.05	3	Vertical	145	1.50
7115MHz	Pass	PK	14.23123G	52.62	88.20	-35.58	3	Vertical	145	1.50
7115MHz	Pass	AV	14.24251G	39.18	68.20	-29.02	3	Horizontal	132	1.23
7115MHz	Pass	PK	14.23477G	51.82	88.20	-36.38	3	Horizontal	132	1.23
802.11be EHT40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5965MHz	Pass	AV	5.9224G	46.52	68.20	-21.68	3	Vertical	31	2.02
5965MHz	Pass	AV	5.9818G	98.19	Inf	-Inf	3	Vertical	31	2.02
5965MHz	Pass	PK	5.9233G	64.64	88.20	-23.56	3	Vertical	31	2.02
5965MHz	Pass	PK	5.9827G	111.78	Inf	-Inf	3	Vertical	31	2.02
5965MHz	Pass	AV	5.9194G	46.10	68.20	-22.10	3	Horizontal	345	2.20
5965MHz	Pass	AV	5.947G	96.57	Inf	-Inf	3	Horizontal	345	2.20
5965MHz	Pass	PK	5.9239G	64.72	88.20	-23.48	3	Horizontal	345	2.20
5965MHz	Pass	PK	5.9479G	109.56	Inf	-Inf	3	Horizontal	345	2.20
5965MHz	Pass	AV	11.93G	40.40	54.00	-13.60	3	Vertical	5	1.49
5965MHz	Pass	PK	11.93336G	50.85	74.00	-23.15	3	Vertical	5	1.49
5965MHz	Pass	AV	11.92988G	39.34	54.00	-14.66	3	Horizontal	52	1.54
5965MHz	Pass	PK	11.94122G	51.11	74.00	-22.89	3	Horizontal	52	1.54
6205MHz	Pass	AV	12.40994G	45.51	54.00	-8.49	3	Vertical	350	1.11
6205MHz	Pass	PK	12.41024G	52.67	74.00	-21.33	3	Vertical	350	1.11
6205MHz	Pass	AV	12.40994G	42.02	54.00	-11.98	3	Horizontal	360	2.42
6205MHz	Pass	PK	12.40976G	51.37	74.00	-22.63	3	Horizontal	360	2.42
6405MHz	Pass	AV	12.81006G	40.73	68.20	-27.47	3	Vertical	360	1.52
6405MHz	Pass	PK	12.80076G	53.25	88.20	-34.95	3	Vertical	360	1.52
6405MHz	Pass	AV	12.81G	40.56	68.20	-27.64	3	Horizontal	338	1.42
6405MHz	Pass	PK	12.8193G	52.32	88.20	-35.88	3	Horizontal	338	1.42
6445MHz	Pass	AV	12.90362G	39.60	68.20	-28.60	3	Vertical	203	1.50
6445MHz	Pass	PK	12.87686G	52.66	88.20	-35.54	3	Vertical	203	1.50
6445MHz	Pass	AV	12.90254G	39.72	68.20	-28.48	3	Horizontal	86	1.31
6445MHz	Pass	PK	12.89228G	52.34	88.20	-35.86	3	Horizontal	86	1.31
6485MHz	Pass	AV	12.96988G	40.85	68.20	-27.35	3	Vertical	326	1.44
6485MHz	Pass	PK	12.9862G	52.79	88.20	-35.41	3	Vertical	326	1.44
6485MHz	Pass	AV	12.96988G	40.22	68.20	-27.98	3	Horizontal	313	1.58
6485MHz	Pass	PK	12.98872G	52.96	88.20	-35.24	3	Horizontal	313	1.58
6525MHz	Pass	AV	13.02654G	39.38	68.20	-28.82	3	Vertical	327	1.89
6525MHz	Pass	PK	13.0707G	52.62	88.20	-35.58	3	Vertical	327	1.89
6525MHz	Pass	AV	13.02546G	39.36	68.20	-28.84	3	Horizontal	294	1.75
6525MHz	Pass	PK	13.07916G	52.18	88.20	-36.02	3	Horizontal	294	1.75
6565MHz	Pass	AV	13.12994G	41.10	68.20	-27.10	3	Vertical	348	1.50
6565MHz	Pass	PK	13.15064G	51.93	88.20	-36.27	3	Vertical	348	1.50
6565MHz	Pass	AV	13.12988G	40.41	68.20	-27.79	3	Horizontal	314	1.67
6565MHz	Pass	PK	13.1513G	52.68	88.20	-35.52	3	Horizontal	314	1.67
6685MHz	Pass	AV	13.36994G	42.41	54.00	-11.59	3	Vertical	346	1.43
6685MHz	Pass	PK	13.39238G	51.97	74.00	-22.03	3	Vertical	346	1.43
6685MHz	Pass	AV	13.36988G	40.24	54.00	-13.76	3	Horizontal	315	1.62
6685MHz	Pass	PK	13.39622G	51.70	74.00	-22.30	3	Horizontal	315	1.62
6885MHz	Pass	AV	13.76988G	41.79	68.20	-26.41	3	Vertical	351	1.31
6885MHz	Pass	PK	13.75188G	53.44	88.20	-34.76	3	Vertical	351	1.31
6885MHz	Pass	AV	13.76994G	40.31	68.20	-27.89	3	Horizontal	288	1.49
6885MHz	Pass	PK	13.7484G	52.45	88.20	-35.75	3	Horizontal	288	1.49
6925MHz	Pass	AV	13.84982G	41.16	68.20	-27.04	3	Vertical	353	1.38

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6925MHz	Pass	PK	13.86506G	52.81	88.20	-35.39	3	Vertical	353	1.38
6925MHz	Pass	AV	13.85G	42.65	68.20	-25.55	3	Horizontal	337	2.19
6925MHz	Pass	PK	13.83896G	53.12	88.20	-35.08	3	Horizontal	337	2.19
7005MHz	Pass	AV	14.00976G	39.46	68.20	-28.74	3	Vertical	1	1.50
7005MHz	Pass	PK	14.0385G	52.44	88.20	-35.76	3	Vertical	1	1.50
7005MHz	Pass	AV	14.00982G	39.51	68.20	-28.69	3	Horizontal	296	1.50
7005MHz	Pass	PK	14.02974G	52.51	88.20	-35.69	3	Horizontal	296	1.50
7085MHz	Pass	AV	7.067G	97.93	Inf	-Inf	3	Vertical	44	1.50
7085MHz	Pass	AV	7.235G	50.05	68.20	-18.15	3	Vertical	44	1.50
7085MHz	Pass	PK	7.0718G	111.28	Inf	-Inf	3	Vertical	44	1.50
7085MHz	Pass	PK	7.1252G	70.06	88.20	-18.14	3	Vertical	44	1.50
7085MHz	Pass	AV	7.0685G	97.70	Inf	-Inf	3	Horizontal	72	1.78
7085MHz	Pass	AV	7.2311G	50.05	68.20	-18.15	3	Horizontal	72	1.78
7085MHz	Pass	PK	7.0667G	109.74	Inf	-Inf	3	Horizontal	72	1.78
7085MHz	Pass	PK	7.1258G	65.84	88.20	-22.36	3	Horizontal	72	1.78
7085MHz	Pass	AV	14.15242G	39.47	68.20	-28.73	3	Vertical	312	1.47
7085MHz	Pass	PK	14.1466G	52.49	88.20	-35.71	3	Vertical	312	1.47
7085MHz	Pass	AV	14.15728G	39.64	68.20	-28.56	3	Horizontal	26	1.42
7085MHz	Pass	PK	14.14312G	52.68	88.20	-35.52	3	Horizontal	26	1.42
802.11be EHT80-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5985MHz	Pass	AV	5.922G	51.45	68.20	-16.75	3	Vertical	32	1.50
5985MHz	Pass	AV	6.0185G	96.58	Inf	-Inf	3	Vertical	32	1.50
5985MHz	Pass	PK	5.903G	67.02	88.20	-21.18	3	Vertical	32	1.50
5985MHz	Pass	PK	6.0185G	109.45	Inf	-Inf	3	Vertical	32	1.50
5985MHz	Pass	AV	5.92G	48.39	68.20	-19.81	3	Horizontal	351	2.84
5985MHz	Pass	AV	6.0055G	96.43	Inf	-Inf	3	Horizontal	351	2.84
5985MHz	Pass	PK	5.923G	68.00	88.20	-20.20	3	Horizontal	351	2.84
5985MHz	Pass	PK	6.006G	108.52	Inf	-Inf	3	Horizontal	351	2.84
5985MHz	Pass	AV	11.96988G	41.09	54.00	-12.91	3	Vertical	4	1.47
5985MHz	Pass	PK	12.018G	51.56	74.00	-22.44	3	Vertical	4	1.47
5985MHz	Pass	AV	11.96988G	39.85	54.00	-14.15	3	Horizontal	53	1.45
5985MHz	Pass	PK	11.98836G	51.34	74.00	-22.66	3	Horizontal	53	1.45
6225MHz	Pass	AV	12.44988G	44.78	54.00	-9.22	3	Vertical	351	1.12
6225MHz	Pass	PK	12.44964G	52.25	74.00	-21.75	3	Vertical	351	1.12
6225MHz	Pass	AV	12.45G	43.13	54.00	-10.87	3	Horizontal	360	2.42
6225MHz	Pass	PK	12.40032G	51.06	74.00	-22.94	3	Horizontal	360	2.42
6385MHz	Pass	AV	12.77G	41.34	68.20	-26.86	3	Vertical	360	1.50
6385MHz	Pass	PK	12.76244G	51.95	88.20	-36.25	3	Vertical	360	1.50
6385MHz	Pass	AV	12.76988G	40.72	68.20	-27.48	3	Horizontal	341	1.41
6385MHz	Pass	PK	12.75872G	51.47	88.20	-36.73	3	Horizontal	341	1.41
6465MHz	Pass	AV	12.92988G	42.06	68.20	-26.14	3	Vertical	360	2.73
6465MHz	Pass	PK	12.94608G	52.98	88.20	-35.22	3	Vertical	360	2.73
6465MHz	Pass	AV	12.92988G	42.10	68.20	-26.10	3	Horizontal	9	1.65
6465MHz	Pass	PK	12.87036G	52.40	88.20	-35.80	3	Horizontal	9	1.65
6545MHz	Pass	AV	13.08988G	41.58	68.20	-26.62	3	Vertical	349	1.55
6545MHz	Pass	PK	13.06324G	52.05	88.20	-36.15	3	Vertical	349	1.55
6545MHz	Pass	AV	13.09G	40.47	68.20	-27.73	3	Horizontal	314	1.66
6545MHz	Pass	PK	13.08568G	52.54	88.20	-35.66	3	Horizontal	314	1.66
6625MHz	Pass	AV	13.24988G	43.36	68.20	-24.84	3	Vertical	347	1.49
6625MHz	Pass	PK	13.24436G	52.88	88.20	-35.32	3	Vertical	347	1.49
6625MHz	Pass	AV	13.24988G	40.77	68.20	-27.43	3	Horizontal	33	1.40
6625MHz	Pass	PK	13.247G	52.82	88.20	-35.38	3	Horizontal	33	1.40
6705MHz	Pass	AV	13.40976G	41.67	68.20	-26.53	3	Vertical	348	1.50
6705MHz	Pass	PK	13.40976G	52.45	88.20	-35.75	3	Vertical	348	1.50
6705MHz	Pass	AV	13.41G	40.81	68.20	-27.39	3	Horizontal	58	1.50
6705MHz	Pass	PK	13.44204G	52.83	88.20	-35.37	3	Horizontal	58	1.50
6785MHz	Pass	AV	13.56988G	42.38	68.20	-25.82	3	Vertical	346	2.52
6785MHz	Pass	PK	13.59796G	52.48	88.20	-35.72	3	Vertical	346	2.52
6785MHz	Pass	AV	13.56988G	42.02	68.20	-26.18	3	Horizontal	293	1.50
6785MHz	Pass	PK	13.5874G	53.00	88.20	-35.20	3	Horizontal	293	1.50
6865MHz	Pass	AV	13.73G	41.36	68.20	-26.84	3	Vertical	36	1.18
6865MHz	Pass	PK	13.6964G	52.87	88.20	-35.33	3	Vertical	36	1.18

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6865MHz	Pass	AV	13.73G	41.15	68.20	-27.05	3	Horizontal	290	1.50
6865MHz	Pass	PK	13.69544G	52.88	88.20	-35.32	3	Horizontal	290	1.50
6945MHz	Pass	AV	13.88988G	41.30	68.20	-26.90	3	Vertical	352	1.31
6945MHz	Pass	PK	13.845G	51.86	88.20	-36.34	3	Vertical	352	1.31
6945MHz	Pass	AV	13.88988G	40.84	68.20	-27.36	3	Horizontal	332	1.50
6945MHz	Pass	PK	13.88688G	53.01	88.20	-35.19	3	Horizontal	332	1.50
7025MHz	Pass	AV	6.9956G	96.39	Inf	-Inf	3	Vertical	301	1.92
7025MHz	Pass	AV	7.1594G	50.40	68.20	-17.80	3	Vertical	301	1.92
7025MHz	Pass	PK	6.9869G	109.71	Inf	-Inf	3	Vertical	301	1.92
7025MHz	Pass	PK	7.1651G	63.51	88.20	-24.69	3	Vertical	301	1.92
7025MHz	Pass	AV	7.0037G	94.11	Inf	-Inf	3	Horizontal	67	1.84
7025MHz	Pass	AV	7.1642G	50.85	68.20	-17.35	3	Horizontal	67	1.84
7025MHz	Pass	PK	7.0016G	106.50	Inf	-Inf	3	Horizontal	67	1.84
7025MHz	Pass	PK	7.1489G	63.83	88.20	-24.37	3	Horizontal	67	1.84
7025MHz	Pass	AV	14.08276G	40.16	68.20	-28.04	3	Vertical	333	1.50
7025MHz	Pass	PK	14.02768G	52.42	88.20	-35.78	3	Vertical	333	1.50
7025MHz	Pass	AV	14.10808G	40.32	68.20	-27.88	3	Horizontal	313	1.40
7025MHz	Pass	PK	14.07736G	52.28	88.20	-35.92	3	Horizontal	313	1.40
802.11be EHT160-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6025MHz	Pass	AV	5.9205G	52.21	68.20	-15.99	3	Vertical	33	2.08
6025MHz	Pass	AV	6.04G	96.41	Inf	-Inf	3	Vertical	33	2.08
6025MHz	Pass	PK	5.9075G	66.35	88.20	-21.85	3	Vertical	33	2.08
6025MHz	Pass	PK	6.0225G	108.83	Inf	-Inf	3	Vertical	33	2.08
6025MHz	Pass	AV	5.9245G	50.24	68.20	-17.96	3	Horizontal	334	2.51
6025MHz	Pass	AV	6.0555G	95.79	Inf	-Inf	3	Horizontal	334	2.51
6025MHz	Pass	PK	5.9125G	61.66	88.20	-26.54	3	Horizontal	334	2.51
6025MHz	Pass	PK	6.052G	109.05	Inf	-Inf	3	Horizontal	334	2.51
6025MHz	Pass	AV	12.04976G	40.26	54.00	-13.74	3	Vertical	4	1.50
6025MHz	Pass	PK	12.05816G	51.98	74.00	-22.02	3	Vertical	4	1.50
6025MHz	Pass	AV	12.09848G	39.71	54.00	-14.29	3	Horizontal	295	1.50
6025MHz	Pass	PK	12.04304G	52.43	74.00	-21.57	3	Horizontal	295	1.50
6185MHz	Pass	AV	12.37G	46.29	54.00	-7.71	3	Vertical	352	1.09
6185MHz	Pass	PK	12.36976G	52.16	74.00	-21.84	3	Vertical	352	1.09
6185MHz	Pass	AV	12.37G	43.61	54.00	-10.39	3	Horizontal	60	1.73
6185MHz	Pass	PK	12.26152G	51.33	74.00	-22.67	3	Horizontal	60	1.73
6345MHz	Pass	AV	12.69G	42.58	54.00	-11.42	3	Vertical	0	1.47
6345MHz	Pass	PK	12.79872G	52.05	88.20	-36.15	3	Vertical	0	1.47
6345MHz	Pass	AV	12.68976G	41.23	54.00	-12.77	3	Horizontal	340	1.50
6345MHz	Pass	PK	12.594G	52.59	74.00	-21.41	3	Horizontal	340	1.50
6505MHz	Pass	AV	13.01G	41.31	68.20	-26.89	3	Vertical	348	1.40
6505MHz	Pass	PK	12.91184G	53.00	88.20	-35.20	3	Vertical	348	1.40
6505MHz	Pass	AV	13.01024G	40.65	68.20	-27.55	3	Horizontal	316	1.50
6505MHz	Pass	PK	12.96848G	52.36	88.20	-35.84	3	Horizontal	316	1.50
6665MHz	Pass	AV	13.32976G	43.21	54.00	-10.79	3	Vertical	345	1.41
6665MHz	Pass	PK	13.2712G	52.70	74.00	-21.30	3	Vertical	345	1.41
6665MHz	Pass	AV	13.33G	40.85	54.00	-13.15	3	Horizontal	58	1.49
6665MHz	Pass	PK	13.43368G	52.66	88.20	-35.54	3	Horizontal	58	1.49
6825MHz	Pass	AV	13.65G	42.05	68.20	-26.15	3	Vertical	0	2.90
6825MHz	Pass	PK	13.66344G	53.17	88.20	-35.03	3	Vertical	0	2.90
6825MHz	Pass	AV	13.64968G	41.63	68.20	-26.57	3	Horizontal	294	1.50
6825MHz	Pass	PK	13.5044G	52.57	88.20	-35.63	3	Horizontal	294	1.50
6985MHz	Pass	AV	7.0065G	95.27	Inf	-Inf	3	Vertical	309	1.50
6985MHz	Pass	AV	7.141G	54.06	68.20	-14.14	3	Vertical	309	1.50
6985MHz	Pass	PK	7.004G	108.46	Inf	-Inf	3	Vertical	309	1.50
6985MHz	Pass	PK	7.142G	66.29	88.20	-21.91	3	Vertical	309	1.50
6985MHz	Pass	AV	6.9065G	94.11	Inf	-Inf	3	Horizontal	5	2.93
6985MHz	Pass	AV	7.1425G	56.06	68.20	-12.14	3	Horizontal	5	2.93
6985MHz	Pass	PK	6.995G	106.33	Inf	-Inf	3	Horizontal	5	2.93
6985MHz	Pass	PK	7.1275G	67.26	88.20	-20.94	3	Horizontal	5	2.93
6985MHz	Pass	AV	13.98824G	41.25	68.20	-26.95	3	Vertical	360	2.46
6985MHz	Pass	PK	13.91944G	53.23	88.20	-34.97	3	Vertical	360	2.46
6985MHz	Pass	AV	13.97G	42.31	68.20	-25.89	3	Horizontal	337	2.19




RSE TX above 1GHz_Beamforming_Radio 3

Appendix E.8

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
6985MHz	Pass	PK	13.89224G	53.18	88.20	-35.02	3	Horizontal	337	2.19
802.11be EHT320-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
6105MHz	Pass	AV	5.925G	56.56	68.20	-11.64	3	Vertical	37	2.66
6105MHz	Pass	AV	6.205G	95.87	Inf	-Inf	3	Vertical	37	2.66
6105MHz	Pass	PK	5.92G	70.31	88.20	-17.89	3	Vertical	37	2.66
6105MHz	Pass	PK	6.247G	109.14	Inf	-Inf	3	Vertical	37	2.66
6105MHz	Pass	AV	5.925G	55.67	68.20	-12.53	3	Horizontal	329	2.56
6105MHz	Pass	AV	6.112G	95.21	Inf	-Inf	3	Horizontal	329	2.56
6105MHz	Pass	PK	5.921G	70.49	88.20	-17.71	3	Horizontal	329	2.56
6105MHz	Pass	PK	6.111G	108.19	Inf	-Inf	3	Horizontal	329	2.56
6105MHz	Pass	AV	12.21G	41.54	54.00	-12.46	3	Vertical	0	1.50
6105MHz	Pass	PK	12.12168G	52.54	74.00	-21.46	3	Vertical	0	1.50
6105MHz	Pass	AV	12.21G	39.78	54.00	-14.22	3	Horizontal	50	1.49
6105MHz	Pass	PK	12.51464G	52.22	74.00	-21.78	3	Horizontal	50	1.49
6265MHz	Pass	AV	12.53G	40.65	54.00	-13.35	3	Vertical	5	1.50
6265MHz	Pass	PK	12.82632G	52.36	88.20	-35.84	3	Vertical	5	1.50
6265MHz	Pass	AV	12.53G	41.63	54.00	-12.37	3	Horizontal	313	1.69
6265MHz	Pass	PK	12.82952G	51.96	88.20	-36.24	3	Horizontal	313	1.69
6425MHz	Pass	AV	12.85G	40.62	68.20	-27.58	3	Vertical	0	1.50
6425MHz	Pass	PK	13.12968G	52.61	88.20	-35.59	3	Vertical	0	1.50
6425MHz	Pass	AV	12.85G	40.25	68.20	-27.95	3	Horizontal	337	1.50
6425MHz	Pass	PK	12.91976G	52.67	88.20	-35.53	3	Horizontal	337	1.50
6585MHz	Pass	AV	13.17G	41.15	68.20	-27.05	3	Vertical	348	1.48
6585MHz	Pass	PK	13.27304G	52.83	74.00	-21.17	3	Vertical	348	1.48
6585MHz	Pass	AV	12.95432G	39.66	68.20	-28.54	3	Horizontal	339	1.50
6585MHz	Pass	PK	13.16616G	53.00	88.20	-35.20	3	Horizontal	339	1.50
6745MHz	Pass	AV	13.49G	41.11	68.20	-27.09	3	Vertical	348	1.76
6745MHz	Pass	PK	13.71208G	54.12	88.20	-34.08	3	Vertical	348	1.76
6745MHz	Pass	AV	13.54056G	39.50	68.20	-28.70	3	Horizontal	260	1.50
6745MHz	Pass	PK	13.50792G	52.96	88.20	-35.24	3	Horizontal	260	1.50
6905MHz	Pass	AV	6.7495G	100.35	Inf	-Inf	3	Vertical	297	1.01
6905MHz	Pass	AV	7.1275G	62.05	68.20	-6.15	3	Vertical	297	1.01
6905MHz	Pass	PK	6.8895G	108.01	Inf	-Inf	3	Vertical	297	1.01
6905MHz	Pass	PK	7.1915G	75.70	88.20	-12.50	3	Vertical	297	1.01
6905MHz	Pass	AV	6.7605G	96.19	Inf	-Inf	3	Horizontal	0	2.95
6905MHz	Pass	AV	7.1385G	59.86	68.20	-8.34	3	Horizontal	0	2.95
6905MHz	Pass	PK	6.7605G	104.07	Inf	-Inf	3	Horizontal	0	2.95
6905MHz	Pass	PK	7.1385G	73.09	88.20	-15.11	3	Horizontal	0	2.95
6905MHz	Pass	AV	13.81G	40.03	68.20	-28.17	3	Vertical	358	2.08
6905MHz	Pass	PK	13.5444G	52.89	88.20	-35.31	3	Vertical	358	2.08
6905MHz	Pass	AV	13.82856G	40.16	68.20	-28.04	3	Horizontal	8	1.81
6905MHz	Pass	PK	13.81704G	53.18	88.20	-35.02	3	Horizontal	8	1.81


5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6195MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




5.925-6.425GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6205MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




5.925-6.425GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6225MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




5.925-6.425GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6185MHz_TX




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




5.925-6.425GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6105MHz_TX




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6475MHz_TX




6.425-6.525GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6475MHz_TX




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




6.425-6.525GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6485MHz_TX




6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




6.425-6.525GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6465MHz_TX




6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz_TX




6.425-6.525GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6505MHz_TX




6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6585MHz_TX




6.425-6.525GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6585MHz_TX




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

6695MHz_TX




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

6685MHz_TX




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

6625MHz_TX




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




6.525-6.875GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6665MHz_TX




6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX




6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX




6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX




6.525-6.875GHz_802.11be EHT320-BF_Nss1,(MCS0)_2TX

6905MHz_TX




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT20-BF_Nss1,(MCS0)_2TX

7115MHz_TX




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT40-BF_Nss1,(MCS0)_2TX

7085MHz_TX




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT80-BF_Nss1,(MCS0)_2TX

7025MHz_TX




6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX




6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX



6.875-7.125GHz_802.11be EHT160-BF_Nss1,(MCS0)_2TX

6985MHz_TX



Antenna Gain (dBi)			
UNII5	UNII6	UNII7	UNII8
3.64	3.74	2.08	3.84

Contention Based protocol 802.11be EHT20											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-68.64	OFF	10	100	90	Pass
6	101	20	6455	Center	6455	-68.74	OFF	10	100	90	Pass
7	149	20	6695	Center	6695	-67.08	OFF	10	100	90	Pass
8	213	20	7015	Center	7015	-68.84	OFF	10	100	90	Pass

Contention Based protocol 802.11be EHT320											
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	31	320	6105	Low edge	5950	-72.64	OFF	10	100	90	Pass
				Center	6105	-71.64	OFF	10	100	90	Pass
				High edge	6260	-71.64	OFF	10	100	90	Pass
5,6,7	95	320	6425	Low edge	6270	-76.74	OFF	10	100	90	Pass
				Center	6425	-69.74	OFF	10	100	90	Pass
				High edge	6580	-71.74	OFF	10	100	90	Pass
6,7	127	320	6585	Low edge	6430	-75.08	OFF	10	100	90	Pass
				Center	6585	-68.08	OFF	10	100	90	Pass
				High edge	6740	-70.08	OFF	10	100	90	Pass
7,8	191	320	6905	Low edge	6750	-74.84	OFF	10	100	90	Pass
				Center	6905	-68.84	OFF	10	100	90	Pass
				High edge	7060	-70.84	OFF	10	100	90	Pass


Contention Based protocol 802.11be EHT20										
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-65.00	3.64	-68.64	≤ -62
						Minimal	-66.00	3.64	-69.64	≤ -62
						ON	-67.00	3.64	-70.64	≤ -62
6	101	20	6455	Center	6455	OFF	-65.00	3.74	-68.74	≤ -62
						Minimal	-66.00	3.74	-69.74	≤ -62
						ON	-67.00	3.74	-70.74	≤ -62
7	149	20	6695	Center	6695	OFF	-65.00	2.08	-67.08	≤ -62
						Minimal	-66.00	2.08	-68.08	≤ -62
						ON	-67.00	2.08	-69.08	≤ -62
8	213	20	7015	Center	7015	OFF	-65.00	3.84	-68.84	≤ -62
						Minimal	-66.00	3.84	-69.84	≤ -62
						ON	-67.00	3.84	-70.84	≤ -62

Contention Based protocol 802.11be EHT320										
UNII Band	Test Channel	Bandwidth (MHz)	Frequency (MHz)	Intetference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	31	320	6105	Low edge	5950	OFF	-69.00	3.64	-72.64	≤ -62
						Minimal	-70.00	3.64	-73.64	≤ -62
						ON	-72.00	3.64	-75.64	≤ -62
				Center	6105	OFF	-68.00	3.64	-71.64	≤ -62
						Minimal	-69.00	3.64	-72.64	≤ -62
						ON	-70.00	3.64	-73.64	≤ -62
				High edge	6260	OFF	-68.00	3.64	-71.64	≤ -62
						Minimal	-69.00	3.64	-72.64	≤ -62
						ON	-70.00	3.64	-73.64	≤ -62
5,6,7	95	320	6425	Low edge	6270	OFF	-73.00	3.74	-76.74	≤ -62
						Minimal	-74.00	3.74	-77.74	≤ -62
						ON	-75.00	3.74	-78.74	≤ -62
				Center	6425	OFF	-66.00	3.74	-69.74	≤ -62
						Minimal	-67.00	3.74	-70.74	≤ -62
						ON	-68.00	3.74	-71.74	≤ -62
				High edge	6580	OFF	-68.00	3.74	-71.74	≤ -62
						Minimal	-69.00	3.74	-72.74	≤ -62
						ON	-70.00	3.74	-73.74	≤ -62
6,7	127	320	6585	Low edge	6430	OFF	-73.00	2.08	-75.08	≤ -62
						Minimal	-74.00	2.08	-76.08	≤ -62
						ON	-75.00	2.08	-77.08	≤ -62
				Center	6585	OFF	-66.00	2.08	-68.08	≤ -62
						Minimal	-67.00	2.08	-69.08	≤ -62
						ON	-68.00	2.08	-70.08	≤ -62
				High edge	6740	OFF	-68.00	2.08	-70.08	≤ -62
						Minimal	-69.00	2.08	-71.08	≤ -62
						ON	-70.00	2.08	-72.08	≤ -62
7,8	191	320	6905	Low edge	6750	OFF	-71.00	3.84	-74.84	≤ -62
						Minimal	-72.00	3.84	-75.84	≤ -62
						ON	-73.00	3.84	-76.84	≤ -62
				Center	6905	OFF	-65.00	3.84	-68.84	≤ -62
						Minimal	-66.00	3.84	-69.84	≤ -62
						ON	-67.00	3.84	-70.84	≤ -62
				High edge	7060	OFF	-67.00	3.84	-70.84	≤ -62
						Minimal	-68.00	3.84	-71.84	≤ -62
						ON	-69.00	3.84	-72.84	≤ -62

Bandwidth 20MHz: Traffic Loading Plot - 6215MHz

Time Analysis

Main



22/06/2025

Sample Time

12.5us

All TX Time

96.7875ms

All TX Sample

7743

Duty Cycle

0.967754

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 6455MHz

Time Analysis

Main



22/06/2025

Sample Time

12.5us

All TX Time

97.1ms

All TX Sample

7768

Duty Cycle

0.970879

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 6695MHz

Time Analysis

Main



22/06/2025

Sample Time

12.5us

All TX Time

97.3625ms

All TX Sample

7789

Duty Cycle

0.973503

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 20MHz: Traffic Loading Plot - 7015MHz

Time Analysis

Main



22/06/2025

Sample Time

12.5us

All TX Time

97.45ms

All TX Sample

7796

Duty Cycle

0.974378

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6105MHz

Time Analysis

Main



22/06/2025

Sample Time

12.5us

All TX Time

95.25ms

All TX Sample

7620

Duty Cycle

0.952381

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6425MHz

Time Analysis

Main



22/06/2025

Sample Time

12.5us

All TX Time

95.2375ms

All TX Sample

7619

Duty Cycle

0.952256

T1[s] T2[s]

NaNs NaNs


T3[s] T4[s]

NaNs NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6585MHz

Time Analysis

Main




22/06/2025	
Sample Time	
12.5us	
All TX Time	
95.3375ms	
All TX Sample	
7627	
Duty Cycle	
0.953256	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

Bandwidth 320MHz: Traffic Loading Plot - 6905MHz


Time Analysis

Main




22/06/2025	
Sample Time	
12.5us	
All TX Time	
95.35ms	
All TX Sample	
7628	
Duty Cycle	
0.953381	
T1[s]	T2[s]
NaNs	NaNs
T3[s]	T4[s]
NaNs	NaNs

1. Incumbent signal (AWGN) Plot




Frequency (MHz): 6695 MHz



Date: 22.JUN.2025 10:58:36


Frequency (MHz): 7015 MHz



Date: 22.JUN.2025 11:00:48


802.11be EHT320

Frequency (MHz): 5950 MHz




Date: 22.JUN.2025 11:21:00

Frequency (MHz): 6105 MHz




Date: 22.JUN.2025 11:23:01

Frequency (MHz): 6260 MHz




Date: 22.JUN.2025 11:23:46

Frequency (MHz): 6270 MHz




Date: 22.JUN.2025 11:24:32

Frequency (MHz): 6425 MHz




Date: 22.JUN.2025 11:25:24

Frequency (MHz): 6430 MHz




Date: 22.JUN.2025 11:27:33

Frequency (MHz): 6580 MHz




Date: 22.JUN.2025 11:26:49

Frequency (MHz): 6585 MHz




Date: 22.JUN.2025 11:28:09

Frequency (MHz): 6740 MHz




Date: 22.JUN.2025 11:29:02

Frequency (MHz): 6750 MHz




Date: 22.JUN.2025 11:29:48

Frequency (MHz): 6905 MHz




Date: 22.JUN.2025 11:30:35

Frequency (MHz): 7060 MHz




Date: 22.JUN.2025 11:31:14

2. Contention-Based Protocol Plot




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 149 ; Incumbent signal 6695 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 213 ; Incumbent signal 7015 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 31 ; Incumbent signal 5950 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 31 ; Incumbent signal 6105 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 31 ; Incumbent signal 6260 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 95 ; Incumbent signal 6270 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 95 ; Incumbent signal 6425 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 95 ; Incumbent signal 6580 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 127 ; Incumbent signal 6430 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 127 ; Incumbent signal 6585 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 127 ; Incumbent signal 6740 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 191 ; Incumbent signal 6750 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 191 ; Incumbent signal 6905 MHz


Time Analysis



Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Test CH 191 ; Incumbent signal 7060 MHz

Time Analysis




Note : M1 : Inject AWGN signal ; M2 : Remove AWGN signal.

Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 20


Frequency (MHz): 6215 MHz (Threshold Level: -65 dBm)


Time Analysis



Frequency (MHz): 6215 MHz (Threshold Level: -66dBm)

Time Analysis




Contention Based Protocol Threshold Level Verify Plot**Bandwidth (MHz): 20****Frequency (MHz): 6215 MHz (Threshold Level: -67dBm)****Time Analysis**

Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 320


Frequency (MHz): 5950 MHz (Threshold Level: -69dBm)


Time Analysis



Frequency (MHz): 5950 MHz (Threshold Level: -70dBm)

Time Analysis




Contention Based Protocol Threshold Level Verify Plot**Bandwidth (MHz): 320****Frequency (MHz): 5950 MHz (Threshold Level: -72dBm)****Time Analysis**

Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 320


Frequency (MHz): 6105 MHz (Threshold Level: -68dBm)

Time Analysis



Frequency (MHz): 6105 MHz (Threshold Level: -69dBm)

Time Analysis




Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 320

Frequency (MHz): 6105 MHz (Threshold Level: -70dBm)

Time Analysis




Contention Based Protocol Threshold Level Verify Plot

Bandwidth (MHz): 320


Frequency (MHz): 6260 MHz (Threshold Level: -68dBm)


Time Analysis



Frequency (MHz): 6260 MHz (Threshold Level: -69dBm)

Time Analysis



Contention Based Protocol Threshold Level Verify Plot**Bandwidth (MHz): 320****Frequency (MHz): 6260 MHz (Threshold Level: -70dBm)****Time Analysis**



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	4.83396G	50.90	54.00	-3.10	Vertical
Mode 2	Pass	AV	12.08326G	53.87	54.00	-0.13	Horizontal

Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	4.83396G	50.90	54.00	-3.10	3	Vertical	42	1.84
Mode 1	Pass	AV	4.87946G	27.03	54.00	-26.97	3	Vertical	5	2.99
Mode 1	Pass	AV	7.24911G	34.30	68.20	-33.90	3	Vertical	7	1.75
Mode 1	Pass	AV	11.37224G	38.71	54.00	-15.29	3	Vertical	69	1.85
Mode 1	Pass	AV	11.91015G	38.46	54.00	-15.54	3	Vertical	10	1.59
Mode 1	Pass	AV	12.08314G	49.94	54.00	-4.06	3	Vertical	7	1.70
Mode 1	Pass	AV	17.0268G	39.99	68.20	-28.21	3	Vertical	100	2.89
Mode 1	Pass	AV	22.83928G	42.67	54.00	-11.33	3	Vertical	78	1.61
Mode 1	Pass	AV	34.14024G	38.05	68.20	-30.15	3	Vertical	326	1.50
Mode 1	Pass	PK	4.83393G	53.34	74.00	-20.66	3	Vertical	42	1.84
Mode 1	Pass	PK	4.88432G	41.35	74.00	-32.65	3	Vertical	5	2.99
Mode 1	Pass	PK	7.2492G	48.28	88.20	-39.92	3	Vertical	7	1.75
Mode 1	Pass	PK	11.43248G	52.56	74.00	-21.44	3	Vertical	69	1.85
Mode 1	Pass	PK	11.9181G	51.23	74.00	-22.77	3	Vertical	10	1.59
Mode 1	Pass	PK	12.0835G	57.57	74.00	-16.43	3	Vertical	7	1.70
Mode 1	Pass	PK	17.03016G	53.46	88.20	-34.74	3	Vertical	100	2.89
Mode 1	Pass	PK	22.81984G	55.82	74.00	-18.18	3	Vertical	78	1.61
Mode 1	Pass	PK	34.15968G	51.50	88.20	-36.70	3	Vertical	326	1.50
Mode 1	Pass	AV	4.834G	47.68	54.00	-6.32	3	Horizontal	172	1.55
Mode 1	Pass	AV	4.88051G	27.52	54.00	-26.48	3	Horizontal	18	1.49
Mode 1	Pass	AV	7.25019G	34.27	54.00	-19.73	3	Horizontal	80	2.40
Mode 1	Pass	AV	11.4968G	38.57	54.00	-15.43	3	Horizontal	59	1.50
Mode 1	Pass	AV	11.91006G	38.40	54.00	-15.60	3	Horizontal	345	1.51
Mode 1	Pass	AV	12.08314G	48.93	54.00	-5.07	3	Horizontal	20	1.49
Mode 1	Pass	AV	17.02536G	39.99	68.20	-28.21	3	Horizontal	125	3.00
Mode 1	Pass	AV	22.83232G	37.44	54.00	-16.56	3	Horizontal	189	1.66
Mode 1	Pass	AV	34.14096G	37.99	68.20	-30.21	3	Horizontal	316	1.15
Mode 1	Pass	PK	4.83391G	50.88	74.00	-23.12	3	Horizontal	172	1.55
Mode 1	Pass	PK	4.86782G	41.52	74.00	-32.48	3	Horizontal	18	1.49
Mode 1	Pass	PK	7.25004G	47.77	74.00	-26.23	3	Horizontal	80	2.40
Mode 1	Pass	PK	11.40992G	52.96	74.00	-21.04	3	Horizontal	59	1.50
Mode 1	Pass	PK	11.91525G	51.73	74.00	-22.27	3	Horizontal	345	1.51
Mode 1	Pass	PK	12.08362G	56.87	74.00	-17.13	3	Horizontal	20	1.49
Mode 1	Pass	PK	17.05704G	54.22	88.20	-33.98	3	Horizontal	125	3.00
Mode 1	Pass	PK	22.83304G	50.49	74.00	-23.51	3	Horizontal	189	1.66
Mode 1	Pass	PK	34.1676G	51.44	88.20	-36.76	3	Horizontal	316	1.15
Mode 2	Pass	AV	4.83394G	47.86	54.00	-6.14	3	Vertical	350	2.86
Mode 2	Pass	AV	4.96102G	24.28	54.00	-29.72	3	Vertical	27	1.39
Mode 2	Pass	AV	7.25172G	34.93	54.00	-19.07	3	Vertical	23	1.50
Mode 2	Pass	AV	11.40665G	38.24	54.00	-15.76	3	Vertical	113	1.50
Mode 2	Pass	AV	11.9061G	38.28	54.00	-15.72	3	Vertical	360	2.50
Mode 2	Pass	AV	12.08668G	52.75	54.00	-1.25	3	Vertical	15	1.50
Mode 2	Pass	AV	17.13038G	37.59	68.20	-30.61	3	Vertical	321	1.00
Mode 2	Pass	AV	22.85374G	37.20	54.00	-16.80	3	Vertical	30	1.55
Mode 2	Pass	AV	34.2613G	37.93	68.20	-30.27	3	Vertical	341	1.51
Mode 2	Pass	PK	4.83406G	51.14	74.00	-22.86	3	Vertical	350	2.86
Mode 2	Pass	PK	4.95682G	44.27	74.00	-29.73	3	Vertical	27	1.39
Mode 2	Pass	PK	7.25202G	48.74	74.00	-25.26	3	Vertical	23	1.50
Mode 2	Pass	PK	11.40845G	51.62	74.00	-22.38	3	Vertical	113	1.50
Mode 2	Pass	PK	11.91072G	51.13	74.00	-22.87	3	Vertical	360	2.50


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 2	Pass	PK	12.08662G	58.94	74.00	-15.06	3	Vertical	15	1.50
Mode 2	Pass	PK	17.13033G	51.47	68.20	-16.73	3	Vertical	321	1.00
Mode 2	Pass	PK	22.85308G	55.79	74.00	-18.21	3	Vertical	30	1.55
Mode 2	Pass	PK	34.2627G	50.87	68.20	-17.33	3	Vertical	341	1.51
Mode 2	Pass	AV	4.83394G	47.87	54.00	-6.13	3	Horizontal	328	2.01
Mode 2	Pass	AV	4.95802G	23.91	54.00	-30.09	3	Horizontal	296	1.80
Mode 2	Pass	AV	7.25154G	35.06	54.00	-18.94	3	Horizontal	343	2.60
Mode 2	Pass	AV	11.43485G	38.77	54.00	-15.23	3	Horizontal	353	1.04
Mode 2	Pass	AV	11.90982G	38.54	54.00	-15.46	3	Horizontal	360	2.50
Mode 2	Pass	AV	12.08326G	53.87	54.00	-0.13	3	Horizontal	341	1.50
Mode 2	Pass	AV	17.1435G	37.97	68.20	-30.23	3	Horizontal	295	1.61
Mode 2	Pass	AV	22.85242G	36.21	54.00	-17.79	3	Horizontal	6	1.50
Mode 2	Pass	AV	34.2664G	38.08	68.20	-30.12	3	Horizontal	336	1.50
Mode 2	Pass	PK	4.834G	51.31	74.00	-22.69	3	Horizontal	328	2.01
Mode 2	Pass	PK	4.96102G	43.92	74.00	-30.08	3	Horizontal	296	1.80
Mode 2	Pass	PK	7.2516G	49.10	74.00	-24.90	3	Horizontal	343	2.60
Mode 2	Pass	PK	11.40875G	51.16	74.00	-22.84	3	Horizontal	353	1.04
Mode 2	Pass	PK	11.90661G	51.26	74.00	-22.74	3	Horizontal	360	2.50
Mode 2	Pass	PK	12.08362G	59.83	74.00	-14.17	3	Horizontal	341	1.50
Mode 2	Pass	PK	17.1441G	52.10	68.20	-16.10	3	Horizontal	295	1.61
Mode 2	Pass	PK	22.85248G	55.02	74.00	-18.98	3	Horizontal	6	1.50
Mode 2	Pass	PK	34.275G	51.23	68.20	-16.97	3	Horizontal	336	1.50

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.83396G	50.90	54.00	-3.10	-1.35	3	Vertical	42	1.84	52.25	32.64	4.23	38.22
AV	4.87946G	27.03	54.00	-26.97	-1.14	3	Vertical	5	2.99	28.17	32.82	4.25	38.21
AV	7.24911G	34.30	68.20	-33.90	6.28	3	Vertical	7	1.75	28.02	37.40	5.93	37.05
AV	11.37224G	38.71	54.00	-15.29	9.84	3	Vertical	69	1.85	28.87	39.46	8.08	37.70
AV	11.91015G	38.46	54.00	-15.54	9.54	3	Vertical	10	1.59	28.92	39.12	8.35	37.93
AV	12.08314G	49.94	54.00	-4.06	9.91	3	Vertical	7	1.70	40.03	39.47	8.45	38.01
AV	17.0268G	39.99	68.20	-28.21	10.08	3	Vertical	100	2.89	29.91	37.81	10.54	38.27
AV	22.83928G	42.67	54.00	-11.33	-19.29	3	Vertical	78	1.61	61.96	38.94	12.34	61.03
AV	34.14024G	38.05	68.20	-30.15	-8.97	3	Vertical	326	1.50	47.02	42.90	16.67	59.00
PK	4.83393G	53.34	74.00	-20.66	-1.35	3	Vertical	42	1.84	54.69	32.64	4.23	38.22
PK	4.88432G	41.35	74.00	-32.65	-1.11	3	Vertical	5	2.99	42.46	32.84	4.25	38.20
PK	7.2492G	48.28	88.20	-39.92	6.28	3	Vertical	7	1.75	42.00	37.40	5.93	37.05
PK	11.43248G	52.56	74.00	-21.44	9.75	3	Vertical	69	1.85	42.81	39.34	8.11	37.70
PK	11.9181G	51.23	74.00	-22.77	9.56	3	Vertical	10	1.59	41.67	39.14	8.36	37.94
PK	12.0835G	57.57	74.00	-16.43	9.90	3	Vertical	7	1.70	47.67	39.47	8.45	38.02
PK	17.03016G	53.46	88.20	-34.74	10.09	3	Vertical	100	2.89	43.37	37.82	10.54	38.27
PK	22.81984G	55.82	74.00	-18.18	-19.23	3	Vertical	78	1.61	75.05	39.02	12.33	61.04
PK	34.15968G	51.50	88.20	-36.70	-9.05	3	Vertical	326	1.50	60.55	42.79	16.68	58.98

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.834G	47.68	54.00	-6.32	-1.35	3	Horizontal	172	1.55	49.03	32.64	4.23	38.22
AV	4.88051G	27.52	54.00	-26.48	-1.14	3	Horizontal	18	1.49	28.66	32.82	4.25	38.21
AV	7.25019G	34.27	54.00	-19.73	6.28	3	Horizontal	80	2.40	27.99	37.40	5.93	37.05
AV	11.4968G	38.57	54.00	-15.43	9.82	3	Horizontal	59	1.50	28.75	39.39	8.14	37.71
AV	11.91006G	38.40	54.00	-15.60	9.54	3	Horizontal	345	1.51	28.86	39.12	8.35	37.93
AV	12.08314G	48.93	54.00	-5.07	9.91	3	Horizontal	20	1.49	39.02	39.47	8.45	38.01
AV	17.02536G	39.99	68.20	-28.21	10.07	3	Horizontal	125	3.00	29.92	37.80	10.54	38.27
AV	22.83232G	37.44	54.00	-16.56	-19.26	3	Horizontal	189	1.66	56.70	38.97	12.34	61.03
AV	34.14096G	37.99	68.20	-30.21	-8.96	3	Horizontal	316	1.15	46.95	42.91	16.67	59.00
PK	4.83391G	50.88	74.00	-23.12	-1.35	3	Horizontal	172	1.55	52.23	32.64	4.23	38.22
PK	4.86782G	41.52	74.00	-32.48	-1.20	3	Horizontal	18	1.49	42.72	32.77	4.24	38.21
PK	7.25004G	47.77	74.00	-26.23	6.28	3	Horizontal	80	2.40	41.49	37.40	5.93	37.05
PK	11.40992G	52.96	74.00	-21.04	9.78	3	Horizontal	59	1.50	43.18	39.38	8.10	37.70
PK	11.91525G	51.73	74.00	-22.27	9.56	3	Horizontal	345	1.51	42.17	39.13	8.36	37.93
PK	12.08362G	56.87	74.00	-17.13	9.90	3	Horizontal	20	1.49	46.97	39.47	8.45	38.02
PK	17.05704G	54.22	88.20	-33.98	10.17	3	Horizontal	125	3.00	44.05	37.90	10.54	38.27
PK	22.83304G	50.49	74.00	-23.51	-19.26	3	Horizontal	189	1.66	69.75	38.97	12.34	61.03
PK	34.1676G	51.44	88.20	-36.76	-9.22	3	Horizontal	316	1.15	60.66	42.61	16.68	58.97

Radiated Emissions above 1GHz_Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.83394G	47.86	54.00	-6.14	-5.15	3	Vertical	350	2.86	53.01	32.64	6.33	44.12
AV	4.96102G	24.28	54.00	-29.72	-4.29	3	Vertical	27	1.39	28.57	33.34	6.48	44.11
AV	7.25172G	34.93	54.00	-19.07	0.97	3	Vertical	23	1.50	33.96	37.30	7.62	43.95
AV	11.40665G	38.24	54.00	-15.76	6.25	3	Vertical	113	1.50	31.99	39.29	9.50	42.54
AV	11.9061G	38.28	54.00	-15.72	6.51	3	Vertical	360	2.50	31.77	39.11	9.55	42.15
AV	12.08668G	52.75	54.00	-1.25	6.57	3	Vertical	15	1.50	46.18	39.47	9.57	42.47
AV	17.13038G	37.59	68.20	-30.61	5.35	3	Vertical	321	1.00	32.24	37.56	11.36	43.57
AV	22.85374G	37.20	54.00	-16.80	-18.14	3	Vertical	30	1.55	55.34	38.92	13.50	61.02
AV	34.2613G	37.93	68.20	-30.27	-8.42	3	Vertical	341	1.51	46.35	41.78	18.17	58.83
PK	4.83406G	51.14	74.00	-22.86	-5.15	3	Vertical	350	2.86	56.29	32.64	6.33	44.12
PK	4.95682G	44.27	74.00	-29.73	-4.30	3	Vertical	27	1.39	48.57	33.33	6.48	44.11
PK	7.25202G	48.74	74.00	-25.26	0.97	3	Vertical	23	1.50	47.77	37.30	7.62	43.95
PK	11.40845G	51.62	74.00	-22.38	6.24	3	Vertical	113	1.50	45.38	39.28	9.50	42.54
PK	11.91072G	51.13	74.00	-22.87	6.52	3	Vertical	360	2.50	44.61	39.12	9.55	42.15
PK	12.08662G	58.94	74.00	-15.06	6.57	3	Vertical	15	1.50	52.37	39.47	9.57	42.47
PK	17.13033G	51.47	68.20	-16.73	5.35	3	Vertical	321	1.00	46.12	37.56	11.36	43.57
PK	22.85308G	55.79	74.00	-18.21	-18.14	3	Vertical	30	1.55	73.93	38.92	13.50	61.02
PK	34.2627G	50.87	68.20	-17.33	-8.43	3	Vertical	341	1.51	59.30	41.77	18.17	58.83

Radiated Emissions above 1GHz_Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.83394G	47.87	54.00	-6.13	-5.15	3	Horizontal	328	2.01	53.02	32.64	6.33	44.12
AV	4.95802G	23.91	54.00	-30.09	-4.30	3	Horizontal	296	1.80	28.21	33.33	6.48	44.11
AV	7.25154G	35.06	54.00	-18.94	0.97	3	Horizontal	343	2.60	34.09	37.30	7.62	43.95
AV	11.43485G	38.77	54.00	-15.23	6.18	3	Horizontal	353	1.04	32.59	39.23	9.51	42.56
AV	11.90982G	38.54	54.00	-15.46	6.52	3	Horizontal	360	2.50	32.02	39.12	9.55	42.15
AV	12.08326G	53.87	54.00	-0.13	6.57	3	Horizontal	341	1.50	47.30	39.47	9.57	42.47
AV	17.1435G	37.97	68.20	-30.23	5.39	3	Horizontal	295	1.61	32.58	37.59	11.37	43.57
AV	22.85242G	36.21	54.00	-17.79	-18.15	3	Horizontal	6	1.50	54.36	38.91	13.50	61.02
AV	34.2664G	38.08	68.20	-30.12	-8.43	3	Horizontal	336	1.50	46.51	41.77	18.17	58.83
PK	4.834G	51.31	74.00	-22.69	-5.15	3	Horizontal	328	2.01	56.46	32.64	6.33	44.12
PK	4.96102G	43.92	74.00	-30.08	-4.29	3	Horizontal	296	1.80	48.21	33.34	6.48	44.11
PK	7.2516G	49.10	74.00	-24.90	0.97	3	Horizontal	343	2.60	48.13	37.30	7.62	43.95
PK	11.40875G	51.16	74.00	-22.84	6.24	3	Horizontal	353	1.04	44.92	39.28	9.50	42.54
PK	11.90661G	51.26	74.00	-22.74	6.51	3	Horizontal	360	2.50	44.75	39.11	9.55	42.15
PK	12.08362G	59.83	74.00	-14.17	6.57	3	Horizontal	341	1.50	53.26	39.47	9.57	42.47
PK	17.1441G	52.10	68.20	-16.10	5.39	3	Horizontal	295	1.61	46.71	37.59	11.37	43.57
PK	22.85248G	55.02	74.00	-18.98	-18.15	3	Horizontal	6	1.50	73.17	38.91	13.50	61.02
PK	34.275G	51.23	68.20	-16.97	-8.43	3	Horizontal	336	1.50	59.66	41.75	18.18	58.82