




TAIWAN TOKIN EMC ENG. CORP.
台灣東金科技股份有限公司


No.53-11, Tin-fu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttemc@ttemc.com.tw

Data#: 174 File#: D:\Lite-on-120V.emi



Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m UHALP 9108-A 0139 HORIZONTAL
EUT : CD-RW DRIVE M/N:LXR-40122A
POWER : 120V/60Hz
MEMO : CD PLAY (ADAPTOR/AK II-3PIN)
: USB NO CORE

Data#: 173 File#: D:\Lite-on-120V.emi




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m UHALP 9108-A 0139 VERTICAL
EUT : CD-RW DRIVE M/N:LXR-40122A
POWER : 120V/60Hz
MEMO : CD PLAY (ADAPTOR/AK II-3PIN)
: USB NO CORE



TAIWAN TOKIN EMC ENG. CORP.
台灣東金科技股份有限公司


No.53-11, Tin-fu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttemc@ttemc.com.tw

Data#: 185 File#: D:\Lite-on-120V.emi



Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m BBA9106B(1209) HORIZONTAL
EUT : CD-RW DRIVE M/N:LXR-40122A
POWER : 120V/60Hz
MEMO : READ (ADAPTOR/AK II-3PIN)
: USB WITH CORE

Data#: 186 File#: D:\Lite-on-120V.emi




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m BBA9106B(1209) VERTICAL
EUT : CD-RW DRIVE M/N:LXR-40122A
POWER : 120V/60Hz
MEMO : READ (ADAPTOR/AK II-3PIN)
: USB WITH CORE



TAIWAN TOKIN EMC ENG. CORP.
台灣東金科技股份有限公司


No.53-11, Tin-fu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttemc@ttemc.com.tw

Data#: 184 File#: D:\Lite-on-120V.emi



Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m UHALP 9108-A 0139 HORIZONTAL
EUT : CD-RW DRIVE M/N:LXR-40122A
POWER : 120V/60Hz
MEMO : READ (ADAPTOR/AK II-3PIN)
: USB WITH CORE


Data#: 183 File#: D:\Lite-on-120V.emi



Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m UHALP 9108-A 0139 VERTICAL
EUT : CD-RW DRIVE M/N:LXR-40122A
POWER : 120V/60Hz
MEMO : READ (ADAPTOR/AK II-3PIN)
: USB WITH CORE


TOKINTAIWAN TOKIN EMC ENG. CORP.
台灣東金科技股份有限公司No.53-11, Tin-fu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttemc@ttemc.com.tw

Data#: 237 File#: D:\Lite-on-120V.emi



Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m BBA9106B(1209) HORIZONTAL
EUT : CD-RW DRIVE M/N:LXR-40122A
POWER : 120V/60Hz
MEMO : WRITE (ADAPTOR/AK II-3PIN)
: USB WITH CORE

Data#: 238 File#: D:\Lite-on-120V.emi




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m BBA9106B(1209) VERTICAL
EUT : CD-RW DRIVE M/N:LXR-40122A
POWER : 120V/60Hz
MEMO : WRITE (ADAPTOR/AK II-3PIN)
: USB WITH CORE



TAIWAN TOKIN EMC ENG. CORP.
台灣東金科技股份有限公司


No.53-11, Tin-fu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttemc@ttemc.com.tw

Data#: 180 File#: D:\Lite-on-120V.emi



Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m UHALP 9108-A 0139 HORIZONTAL
EUT : CD-RW DRIVE M/N:LXR-40122A
POWER : 120V/60Hz
MEMO : WRITE (ADAPTOR/AK II-3PIN)
: USB WITH CORE

Data#: 179 File#: D:\Lite-on-120V.emi




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m UHALP 9108-A 0139 VERTICAL
EUT : CD-RW DRIVE M/N:LXR-40122A
POWER : 120V/60Hz
MEMO : WRITE (ADAPTOR/AK II-3PIN)
: USB WITH CORE



TAIWAN TOKIN EMC ENG. CORP.
台灣東金科技股份有限公司


No.53-11, Tin-fu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttemc@ttemc.com.tw

Data#: 188 File#: D:\Lite-on-120V.emi



Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m BBA9106B(1209) HORIZONTAL
EUT : CD-RW DRIVE M/N:LXR-40122A
POWER : 120V/60Hz
MEMO : CD PLAY (ADAPTOR/AK II-3PIN)
: USB WITH CORE

Data#: 187 File#: D:\Lite-on-120V.emi




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m BBA9106B(1209) VERTICAL
EUT : CD-RW DRIVE M/N:LXR-40122A
POWER : 120V/60Hz
MEMO : CD PLAY (ADAPTOR/AK II-3PIN)
: USB WITH CORE



TAIWAN TOKIN EMC ENG. CORP.
台灣東金科技股份有限公司


No.53-11, Tin-fu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttemc@ttemc.com.tw

Data#: 181 File#: D:\Lite-on-120V.emi



Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m UHALP 9108-A 0139 HORIZONTAL
EUT : CD-RW DRIVE M/N:LXR-40122A
POWER : 120V/60Hz
MEMO : CD PLAY (ADAPTOR/AK II-3PIN)
: USB WITH CORE


Data#: 182 File#: D:\Lite-on-120V.emi



Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m UHALP 9108-A 0139 VERTICAL
EUT : CD-RW DRIVE M/N:LXR-40122A
POWER : 120V/60Hz
MEMO : CD PLAY (ADAPTOR/AK II-3PIN)
: USB WITH CORE


TOKINTAIWAN TOKIN EMC ENG. CORP.
台灣東金科技股份有限公司No.53-11, Tin-fu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttemc@ttemc.com.tw

Data#: 212 File#: D:\Lite-on-120V.emi



Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m BBA9106B(1209) HORIZONTAL
EUT : CD-RW DRIVE M/N:LXR-40122A
POWER : 120V/60Hz
MEMO : READ (ADAPTOR/KENTEX-2PIN)
: USB NO CORE

Data#: 211 File#: D:\Lite-on-120V.emi




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m BBA9106B(1209) VERTICAL
EUT : CD-RW DRIVE M/N:LXR-40122A
POWER : 120V/60Hz
MEMO : READ (ADAPTOR/KENTEX-2PIN)
: USB NO CORE



TAIWAN TOKIN EMC ENG. CORP.
台灣東金科技股份有限公司


No.53-11, Tin-fu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttemc@ttemc.com.tw

Data#: 218 File#: D:\Lite-on-120V.emi



Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m UHALP 9108-A 0139 HORIZONTAL
EUT : CD-RW DRIVE M/N:LXR-40122A
POWER : 120V/60Hz
MEMO : READ (ADAPTOR/KENTEX-2PIN)
: USB NO CORE

Data#: 217 File#: D:\Lite-on-120V.emi




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m UHALP 9108-A 0139 VERTICAL
EUT : CD-RW DRIVE M/N:LXR-40122A
POWER : 120V/60Hz
MEMO : READ (ADAPTOR/KENTEX-2PIN)
: USB NO CORE



TAIWAN TOKIN EMC ENG. CORP.
台灣東金科技股份有限公司


No.53-11, Tin-fu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttemc@ttemc.com.tw

Data#: 210 File#: D:\Lite-on-120V.emi



Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m BBA9106B(1209) HORIZONTAL
EUT : CD-RW DRIVE M/N:LXR-40122A
POWER : 120V/60Hz
MEMO : WRITE (ADAPTOR/KENTEX-2PIN)
: USB NO CORE

Data#: 209 File#: D:\Lite-on-120V.emi




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m BBA9106B(1209) VERTICAL
EUT : CD-RW DRIVE M/N:LXR-40122A
POWER : 120V/60Hz
MEMO : WRITE (ADAPTOR/KENTEX-2PIN)
: USB NO CORE



TAIWAN TOKIN EMC ENG. CORP.
台灣東金科技股份有限公司


No.53-11, Tin-fu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttemc@ttemc.com.tw

Data#: 220 File#: D:\Lite-on-120V.emi



Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m UHALP 9108-A 0139 HORIZONTAL
EUT : CD-RW DRIVE M/N:LXR-40122A
POWER : 120V/60Hz
MEMO : WRITE (ADAPTOR/KENTEX-2PIN)
: USB NO CORE

Data#: 219 File#: D:\Lite-on-120V.emi




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m UHALP 9108-A 0139 VERTICAL
EUT : CD-RW DRIVE M/N:LXR-40122A
POWER : 120V/60Hz
MEMO : WRITE (ADAPTOR/KENTEX-2PIN)
: USB NO CORE



TAIWAN TOKIN EMC ENG. CORP.
台灣東金科技股份有限公司


No.53-11, Tin-fu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttemc@ttemc.com.tw

Data#: 214 File#: D:\Lite-on-120V.emi



Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m BBA9106B(1209) HORIZONTAL
EUT : CD-RW DRIVE M/N:LXR-40122A
POWER : 120V/60Hz
MEMO : CD PLAY (ADAPTOR/KENTEX-2PIN)
: USB NO CORE


Data#: 213 File#: D:\Lite-on-120V.emi



Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m BBA9106B(1209) VERTICAL
EUT : CD-RW DRIVE M/N:LXR-40122A
POWER : 120V/60Hz
MEMO : CD PLAY (ADAPTOR/KENTEX-2PIN)
: USB NO CORE


TOKINTAIWAN TOKIN EMC ENG. CORP.
台灣東金科技股份有限公司No.53-11, Tin-fu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttemc@ttemc.com.tw

Data#: 216 File#: D:\Lite-on-120V.emi



Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m UHALP 9108-A 0139 HORIZONTAL
EUT : CD-RW DRIVE M/N:LXR-40122A
POWER : 120V/60Hz
MEMO : CD PLAY (ADAPTOR/KENTEX-2PIN)
: USB NO CORE


Data#: 215 File#: D:\Lite-on-120V.emi



Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m UHALP 9108-A 0139 VERTICAL
EUT : CD-RW DRIVE M/N:LXR-40122A
POWER : 120V/60Hz
MEMO : CD PLAY (ADAPTOR/KENTEX-2PIN)
: USB NO CORE


TOKINTAIWAN TOKIN EMC ENG. CORP.
台灣東金科技股份有限公司No.53-11, Tin-fu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttemc@ttemc.com.tw

Data#: 230 File#: D:\Lite-on-120V.emi



Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m BBA9106B(1209) HORIZONTAL
EUT : CD-RW DRIVE M/N:LXR-40122A
POWER : 120V/60Hz
MEMO : READ (ADAPTOR/KENTEX-2PIN)
: USB WITH CORE

Data#: 229 File#: D:\Lite-on-120V.emi




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m BBA9106B(1209) VERTICAL
EUT : CD-RW DRIVE M/N:LXR-40122A
POWER : 120V/60Hz
MEMO : READ (ADAPTOR/KENTEX-2PIN)
: USB WITH CORE



TAIWAN TOKIN EMC ENG. CORP.
台灣東金科技股份有限公司


No.53-11, Tin-fu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttemc@ttemc.com.tw

Data#: 224 File#: D:\Lite-on-120V.emi



Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m UHALP 9108-A 0139 HORIZONTAL
EUT : CD-RW DRIVE M/N:LXR-40122A
POWER : 120V/60Hz
MEMO : READ (ADAPTOR/KENTEX-2PIN)
: USB WITH CORE

Data#: 223 File#: D:\Lite-on-120V.emi




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m UHALP 9108-A 0139 VERTICAL
EUT : CD-RW DRIVE M/N:LXR-40122A
POWER : 120V/60Hz
MEMO : READ (ADAPTOR/KENTEX-2PIN)
: USB WITH CORE



TAIWAN TOKIN EMC ENG. CORP.
台灣東金科技股份有限公司


No.53-11, Tin-fu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttemc@ttemc.com.tw

Data#: 232 File#: D:\Lite-on-120V.emi



Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m BBA9106B(1209) HORIZONTAL
EUT : CD-RW DRIVE M/N:LXR-40122A
POWER : 120V/60Hz
MEMO : WRITE (ADAPTOR/KENTEX-2PIN)
: USB WITH CORE

Data#: 231 File#: D:\Lite-on-120V.emi




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m BBA9106B(1209) VERTICAL
EUT : CD-RW DRIVE M/N:LXR-40122A
POWER : 120V/60Hz
MEMO : WRITE (ADAPTOR/KENTEX-2PIN)
: USB WITH CORE



TAIWAN TOKIN EMC ENG. CORP.
台灣東金科技股份有限公司


No.53-11, Tin-fu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttemc@ttemc.com.tw

Data#: 222 File#: D:\Lite-on-120V.emi



Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m UHALP 9108-A 0139 HORIZONTAL
EUT : CD-RW DRIVE M/N:LXR-40122A
POWER : 120V/60Hz
MEMO : WRITE (ADAPTOR/KENTEX-2PIN)
: USB WITH CORE

Data#: 221 File#: D:\Lite-on-120V.emi




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m UHALP 9108-A 0139 VERTICAL
EUT : CD-RW DRIVE M/N:LXR-40122A
POWER : 120V/60Hz
MEMO : WRITE (ADAPTOR/KENTEX-2PIN)
: USB WITH CORE



TAIWAN TOKIN EMC ENG. CORP.
台灣東金科技股份有限公司


No.53-11, Tin-fu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttemc@ttemc.com.tw

Data#: 228 File#: D:\Lite-on-120V.emi



Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m BBA9106B(1209) HORIZONTAL
EUT : CD-RW DRIVE M/N:LXR-40122A
POWER : 120V/60Hz
MEMO : CD PLAY (ADAPTOR/KENTEX-2PIN)
: USB WITH CORE

Data#: 227 File#: D:\Lite-on-120V.emi




Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m BBA9106B(1209) VERTICAL
EUT : CD-RW DRIVE M/N:LXR-40122A
POWER : 120V/60Hz
MEMO : CD PLAY (ADAPTOR/KENTEX-2PIN)
: USB WITH CORE



TAIWAN TOKIN EMC ENG. CORP.
台灣東金科技股份有限公司


No.53-11, Tin-fu Tsun, Lin-kou Hsiang,
Taipei Country, Taiwan, R.O.C.
Tel:02-26092133 Fax:02-26099303
Email:ttemc@ttemc.com.tw

Data#: 226 File#: D:\Lite-on-120V.emi



Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m UHALP 9108-A 0139 HORIZONTAL
EUT : CD-RW DRIVE M/N:LXR-40122A
POWER : 120V/60Hz
MEMO : CD PLAY (ADAPTOR/KENTEX-2PIN)
: USB WITH CORE

Data#: 225 File#: D:\Lite-on-120V.emi



Site : Anechoic Chamber
Condition : CISPR CLASS-B 3m UHALP 9108-A 0139 VERTICAL
EUT : CD-RW DRIVE M/N:LXR-40122A
POWER : 120V/60Hz
MEMO : CD PLAY (ADAPTOR/KENTEX-2PIN)
: USB WITH CORE