

	RB25#0	22.45	22.39	22.44		
	RB25#25	22.56	22.37	22.4		
	RB50#0	22.52	22.34	22.48		
10MHz 16QAM	RB1#0	22.51	21.94	22.63	21.4	33
	RB1#25	22.65	21.93	22.7		
	RB1#49	22.64	21.9	22.8		
	RB25#0	21.6	21.64	21.53		
	RB25#25	21.69	21.59	21.5		
	RB50#0	21.64	21.47	21.65		
15MHz QPSK	RB1#0	23.43	23.52	23.28	22.16	33
	RB1#38	23.46	23.45	23.43		
	RB1#74	23.56	23.45	23.43		
	RB36#0	22.41	22.36	22.39		
	RB36#39	22.53	22.35	22.39		
	RB75#0	22.44	22.35	22.37		
15MHz 16QAM	RB1#0	22.54	22.82	22.62	21.42	33
	RB1#38	22.63	22.81	22.66		
	RB1#74	22.76	22.76	22.76		
	RB36#0	21.61	21.56	21.59		
	RB36#39	21.69	21.48	21.59		
	RB75#0	21.61	21.43	21.65		
20MHz QPSK	RB1#0	23.52	23.56	23.45	22.27	33
	RB1#50	23.61	23.45	23.55		
	RB1#99	23.67	23.46	23.57		
	RB50#0	22.58	22.5	22.39		
	RB50#50	22.61	22.44	22.51		
	RB100#0	22.56	22.5	22.44		
20MHz 16QAM	RB1#0	22.43	23.17	22.53	21.77	33
	RB1#50	22.55	23.12	22.67		
	RB1#99	22.53	23.16	22.74		
	RB50#0	21.61	21.6	21.52		
	RB50#50	21.76	21.5	21.66		
	RB100#0	21.53	21.6	21.56		

Note: EIRP=Conducted Power(dBm) - Lc(dB) + Gr(dBi)

					Result:	Pass
Peak-to-average Ratio(PAR)						
Test Bandwidth & Modulation	Resource Block & RB offset	Peak-to-average Ratio(dB)			Limit (dB)	
		Lowest Channel	Middle Channel	Highest Channel		
20MHz QPSK	RB1#0	3.33	3.04	3.88	13	
	RB100#0	3.57	3.57	3.74	13	
20MHz 16QAM	RB1#0	4.55	4.06	4.64	13	
	RB100#0	5.33	5.25	5.39	13	
					Result:	Pass

FCC §2.1049, §24.238:Occupied Bandwidth						
Operation Mode	99% Occupied Bandwidth (MHz)			26 dB Occupied Bandwidth (MHz)		
	Low Channel	Middle channel	High Channel	Low Channel	Middle Channel	High Channel
1.4MHz QPSK	1.102	1.102	1.102	1.26	1.26	1.266
1.4MHz 16QAM	1.102	1.108	1.09	1.26	1.266	1.254
3MHz QPSK	2.695	2.695	2.695	3	3.024	3
3MHz 16QAM	2.683	2.695	2.695	3	3.024	3.024
5MHz QPSK	4.511	4.511	4.531	5.02	5	5.02
5MHz 16QAM	4.531	4.551	4.511	5.02	5.04	5
10MHz QPSK	8.942	8.982	8.982	9.76	9.8	9.8
10MHz 16QAM	8.942	8.982	8.942	9.84	9.88	9.76
15MHz QPSK	13.473	13.533	13.533	14.82	14.88	14.82
15MHz 16QAM	13.533	13.533	13.473	14.82	14.82	14.76
20MHz QPSK	18.044	18.044	17.964	19.84	19.76	19.6
20MHz 16QAM	17.964	18.044	17.964	19.76	19.76	19.76
Note: The test plots please refer to the Plots of Occupied Bandwidth						

FCC §2.1051, § 24.238 (a):Spurious Emissions at Antenna Terminal	
Result:	Pass, Please refer to the test plots of Spurious Emissions at Antenna Terminal.

FCC §2.1051, § 24.238 (a):Out of band emission, Band Edge	
Result:	Pass, Please refer to the test plots of Out of band emission, Band Edge.

FCC §2.1055, §24.235: Frequency Stability

Test Mode:	20M QPSK	Test Channel: Lowest for Lower Edge,Highest for Upper Edge				
Test Item	Temperature (°C)	Voltage (V _{bc})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
Frequency Stability vs. Temperature	-30	3.7	1850.909	1850.000	1909.012	1910.000
	-20	3.7	1850.943	1850.000	1909.038	1910.000
	-10	3.7	1850.900	1850.000	1909.020	1910.000
	0	3.7	1850.971	1850.000	1909.026	1910.000
	10	3.7	1850.916	1850.000	1909.063	1910.000
	20	3.7	1850.978	1850.000	1909.022	1910.000
	30	3.7	1850.960	1850.000	1909.003	1910.000
	40	3.7	1850.978	1850.000	1909.093	1910.000
	50	3.7	1850.954	1850.000	1909.069	1910.000
Frequency Stability vs. Voltage	20	3.3	1850.943	1850.000	1909.094	1910.000
	20	4.2	1850.967	1850.000	1909.079	1910.000
					Result:	Pass
Test Mode:	20M 16QAM	Test Channel: Lowest for Lower Edge,Highest for Upper Edge				
Test Item	Temperature (°C)	Voltage (V _{bc})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
Frequency Stability vs. Temperature	-30	3.7	1851.003	1850.000	1908.967	1910.000
	-20	3.7	1851.009	1850.000	1908.998	1910.000
	-10	3.7	1851.038	1850.000	1908.936	1910.000
	0	3.7	1851.057	1850.000	1908.953	1910.000
	10	3.7	1851.049	1850.000	1908.990	1910.000
	20	3.7	1851.058	1850.000	1908.942	1910.000
	30	3.7	1851.023	1850.000	1908.956	1910.000
	40	3.7	1851.045	1850.000	1908.930	1910.000
	50	3.7	1851.077	1850.000	1908.903	1910.000
Frequency Stability vs. Voltage	20	3.3	1851.043	1850.000	1908.939	1910.000
	20	4.2	1851.094	1850.000	1908.927	1910.000
					Result:	Pass

Test Plots(Note: The 7.5dB is the Insertion loss of the RF cable, Power Splitter and DC Block, which was offset into the Spectrum Analyzer):



Occupied Bandwidth

Channel



1.4MHz Bandwidth QPSK

1.4MHz Bandwidth 16QAM



Lowest



Middle



Highest





Occupied Bandwidth

Channel



3MHz Bandwidth QPSK

3MHz Bandwidth 16QAM



Lowest



Middle



Highest





Occupied Bandwidth

Channel



5MHz Bandwidth QPSK

5MHz Bandwidth 16QAM



Lowest



Middle



Highest





Occupied Bandwidth

Channel



10MHz Bandwidth QPSK

10MHz Bandwidth 16QAM



Lowest



Middle



Highest





Occupied Bandwidth

Channel



15MHz Bandwidth QPSK

15MHz Bandwidth 16QAM



Lowest



Middle



Highest





Occupied Bandwidth

Channel



20MHz Bandwidth QPSK

20MHz Bandwidth 16QAM



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

1.4MHz Bandwidth QPSK



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

3MHz Bandwidth QPSK



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

5MHz Bandwidth QPSK



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

10MHz Bandwidth QPSK



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

15MHz Bandwidth QPSK



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

20MHz Bandwidth QPSK



Lowest




Middle




Highest




Out of band emission, Band Edge




Out of band emission, Band Edge



Out of band emission, Band Edge



Out of band emission, Band Edge



4.6 Antenna Port Test Data and Results for LTE Band 4

Serial Number:	294Q-2	Test Date:	2023/08/07~2023/08/08
Test Site:	RF	Test Mode:	Transmitting
Tester:	One Luo	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	24.2~26.5	Relative Humidity: (%)	42~58	ATM Pressure: (kPa)	99.7~102.2
----------------------	-----------	------------------------------	-------	------------------------	------------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSV40	101474	2023/7/15	2024/7/14
zhuoxiang	Coaxial Cable	SMA-178	211001	Each time	N/A
YINSAIGE	Coaxial Cable	SS402	SJ0100001	Each time	N/A
Mini-Circuits	DC Block	BLK-18-S+	1554403	Each time	N/A
Weinschel	Power Splitter	1515	RA914	Each time	N/A
R&S	Wideband Radio Communication Tester	CMW500	149218	2023/7/15	2024/7/14
BACL	TEMP&HUMI Test Chamber	BTH-150-40	30174	2022/9/29	2023/9/28
UNI-T	Multimeter	UT39A+	C210582554	2023/7/15	2024/7/14
ZHAOXIN	DC Power Supply	RXN-6010D	21R6010D0912386	N/A	N/A

* Statement of Traceability: China Certification ICT Co., Ltd (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Frequency For Each Mode:

Operation Bandwidth	Lowest Frequency (MHz)	Middle Frequency (MHz)	Highest Frequency (MHz)
1.4MHz	1710.7	1732.5	1754.3
3MHz	1711.5	1732.5	1753.5
5MHz	1712.5	1732.5	1752.5
10MHz	1715	1732.5	1750
15MHz	1717.5	1732.5	1747.5
20MHz	1720	1732.5	1745

Test Data:**FCC §2.1046; § 27.50(d)(4)****RF Output Power:**

Test Bandwidth & Modulation	Resource Block & RB offset	Conducted Average Output Power(dBm)			Maximum EIRP (dBm)	EIRP Limit (dBm)
		Lowest Channel	Middle Channel	Highest Channel		
1.4MHz QPSK	RB1#0	23.47	23.42	23.49	22	30
	RB1#3	23.51	23.39	23.48		
	RB1#5	23.5	23.32	23.46		
	RB3#0	23.55	23.52	23.44		
	RB3#3	23.6	23.52	23.44		
	RB6#0	22.52	22.55	22.38		
1.4MHz 16QAM	RB1#0	23.16	22.3	23.3	21.7	30
	RB1#3	23.16	22.34	23.21		
	RB1#5	23.11	22.3	23.25		
	RB3#0	22.39	22.66	22.63		
	RB3#3	22.44	22.61	22.64		
	RB6#0	21.68	21.74	21.66		
3MHz QPSK	RB1#0	23.5	23.38	23.33	21.9	30
	RB1#8	23.48	23.41	23.32		
	RB1#14	23.43	23.37	23.31		
	RB6#0	22.58	22.55	22.5		
	RB6#9	22.52	22.51	22.38		
	RB15#0	22.51	22.56	22.47		
3MHz 16QAM	RB1#0	23.17	22.33	22.6	21.61	30
	RB1#8	23.21	22.27	22.65		
	RB1#14	23.12	22.26	22.48		
	RB6#0	21.72	21.79	21.53		
	RB6#9	21.67	21.81	21.57		
	RB15#0	21.65	21.74	21.6		
5MHz QPSK	RB1#0	23.6	23.46	23.45	22.04	30
	RB1#13	23.48	23.44	23.42		
	RB1#24	23.64	23.5	23.37		
	RB15#0	22.44	22.55	22.49		
	RB15#10	22.54	22.5	22.54		
	RB25#0	22.47	22.49	22.47		
5MHz 16QAM	RB1#0	22.68	22.2	21.74	21.08	30
	RB1#13	22.67	22.24	21.84		
	RB1#24	22.65	22.34	21.79		
	RB15#0	21.53	21.69	21.55		
	RB15#10	21.46	21.72	21.53		
	RB25#0	21.58	21.64	21.64		
10MHz QPSK	RB1#0	23.57	23.48	23.45	22	30
	RB1#25	23.51	23.45	23.39		
	RB1#49	23.6	23.57	23.37		

	RB25#0	22.43	22.52	22.39		
	RB25#25	22.57	22.61	22.47		
	RB50#0	22.55	22.57	22.48		
10MHz 16QAM	RB1#0	22.71	22.02	22.8	21.2	30
	RB1#25	22.67	21.97	22.74		
	RB1#49	22.7	21.97	22.74		
	RB25#0	21.65	21.79	21.55		
	RB25#25	21.72	21.71	21.54		
	RB50#0	21.67	21.72	21.55		
15MHz QPSK	RB1#0	23.54	23.42	23.38	21.99	30
	RB1#38	23.52	23.4	23.39		
	RB1#74	23.59	23.43	23.4		
	RB36#0	22.53	22.61	22.51		
	RB36#39	22.55	22.51	22.49		
	RB75#0	22.49	22.5	22.38		
15MHz 16QAM	RB1#0	22.68	22.84	22.76	21.25	30
	RB1#38	22.7	22.85	22.77		
	RB1#74	22.68	22.85	22.77		
	RB36#0	21.59	21.54	21.69		
	RB36#39	21.64	21.62	21.61		
	RB75#0	21.59	21.72	21.55		
20MHz QPSK	RB1#0	23.59	23.43	23.73	22.17	30
	RB1#50	23.64	23.49	23.77		
	RB1#99	23.63	23.53	23.68		
	RB50#0	22.48	22.54	22.54		
	RB50#50	22.51	22.5	22.55		
	RB100#0	22.58	22.45	22.57		
20MHz 16QAM	RB1#0	22.51	23.23	22.27	21.71	30
	RB1#50	22.55	23.31	22.26		
	RB1#99	22.57	23.27	22.31		
	RB50#0	21.54	21.64	21.65		
	RB50#50	21.67	21.54	21.63		
	RB100#0	21.56	21.75	21.64		

Note: EIRP=Conducted Power(dBm) - Lc(dB) + Gr(dBi)

					Result:	Pass
Peak-to-average Ratio(PAR)						
Test Bandwidth & Modulation	Resource Block & RB offset	Peak-to-average Ratio(dB)			Limit (dB)	
		Lowest Channel	Middle Channel	Highest Channel		
20MHz QPSK	RB1#0	3.3	3.86	4.32	13	
	RB100#0	3.59	3.88	3.83	13	
20MHz 16QAM	RB1#0	4.46	4.78	5.3	13	
	RB100#0	5.28	5.54	5.51	13	
					Result:	Pass

FCC §2.1049, §27.53:Occupied Bandwidth

Operation Mode	99% Occupied Bandwidth (MHz)			26 dB Occupied Bandwidth (MHz)		
	Low Channel	Middle channel	High Channel	Low Channel	Middle Channel	High Channel
1.4MHz QPSK	1.102	1.102	1.102	1.266	1.254	1.278
1.4MHz 16QAM	1.102	1.102	1.102	1.284	1.266	1.272
3MHz QPSK	2.695	2.695	2.695	3	3.024	3
3MHz 16QAM	2.683	2.683	2.695	3	3.024	3.036
5MHz QPSK	4.511	4.511	4.531	5.02	5	5
5MHz 16QAM	4.551	4.531	4.511	5.02	5.04	5
10MHz QPSK	8.942	8.942	8.942	9.8	9.8	9.84
10MHz 16QAM	8.982	8.982	8.942	9.84	9.88	9.76
15MHz QPSK	13.473	13.533	13.533	14.88	14.88	14.82
15MHz 16QAM	13.533	13.533	13.533	14.88	14.82	14.88
20MHz QPSK	17.964	18.044	18.044	19.68	19.84	19.6
20MHz 16QAM	18.044	17.964	18.044	19.6	19.6	19.76

Note: The test plots please refer to the Plots of Occupied Bandwidth

FCC §2.1051, §27.53:Spurious Emissions at Antenna Terminal

Result:	Pass, Please refer to the test plots of Spurious Emissions at Antenna Terminal.
----------------	--

FCC §2.1051, §27.53:Out of band emission, Band Edge

Result:	Pass, Please refer to the test plots of Out of band emission, Band Edge.
----------------	---