



AUDIX TECHNOLOGY (SHENZHEN) CO., LTD.


Shenzhen Science & Ind. Park.

Tel: 0755-6639495~7

Fax: 0755-6632877

Data#: 149 File#: Mivo350.EMI

Date: 2001-10-08 Time: 12:53:02



AUDIX TECHNOLOGY (SHENZHEN) CO., LTD. (3# Chamber)

Trace:

Ref Trace:

Condition: FCC 900MHz 3m 2598FACTOR HORIZONTAL

EUT: : Mivo350

M/N: : TWT2A

Power: : 120V/60Hz

Test Engineer: : Chris Du

Memo: : Wireless modem on and Printing

: Mobile: DC 7V Adaptor input 120V/60Hz

: Base: DC 7.5V Adaptor input 120V/60Hz

Page: 1

		Freq	Level	Limit	Over	Read	Cable	Probe	
		MHz	dBuV/m	Line	Limit	Level	Loss	Factor	Factor Remark
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB
1	!	124.095	39.60	43.50	-3.90	23.64	2.95	13.01	15.96
2	!	284.140	41.00	46.00	-5.00	23.45	4.20	13.35	17.55
3	!	424.795	41.30	46.00	-4.70	19.44	4.80	17.06	21.86
4	!	591.630	42.90	46.00	-3.10	19.00	5.31	18.59	23.90
5	!	649.832	42.70	46.00	-3.30	18.06	5.45	19.19	24.64
6	!	902.750	88.50	94.00	-5.50	61.45	5.94	21.11	27.05



AUDIX TECHNOLOGY (SHENZHEN) CO., LTD.


Shenzhen Science & Ind. Park.

Tel: 0755-6639495~7

Fax: 0755-6632877

Data#: 148 File#: Mivo350.EMI

Date: 2001-10-08 Time: 12:40:55



AUDIX TECHNOLOGY (SHENZHEN) CO., LTD. (3# Chamber)

Trace:

Ref Trace:

Condition: FCC 900MHz 3m 2598FACTOR VERTICAL

EUT: : Mivo350

M/N: : IWT2A

Power: : 120V/60Hz

Test Engineer:: Chris Du

Memo: : Wireless modem on and Printing
: Mobile: DC 7V Adaptor input 120V/60Hz
: Base: DC 7.5V Adaptor input 120V/60Hz

Page: 1


	Freq	Level	Limit	Over	Read	Cable	Probe	
	MHz	dBuV/m	Line	Limit	Level	Loss	Factor	Factor Remark
			dBuV/m	dB	dBuV	dB	dB	dB
1	61.045	32.70	40.00	-7.30	21.96	1.88	8.86	10.74
2	145.437	36.10	43.50	-7.40	21.40	3.19	11.52	14.71
3	252.138	39.20	46.00	-6.80	22.21	4.02	12.97	16.99
4	446.130	35.90	46.00	-10.10	14.52	4.88	16.51	21.38
5	902.780	85.20	94.00	-8.80	57.27	5.94	21.99	27.93



AUDIX TECHNOLOGY (SHENZHEN) CO., LTD.

Shenzhen Science & Ind Park
Nantou, Guangdong, China
Tel: 0755-6639495~7
Fax: 0755-6632877

Data#: 82 File#: Inventec.emi Date: 2001-10-08 Time: 17:14:33



AUDIX TECHNOLOGY (SHENZHEN) CO., LTD. (LEGEND SITE)

Trace:

Ref Trace:

Condition: FCC PART 15B (H) 3m 3115FACTOR HORIZONTAL

EUT: : MIVO350

M/N: : IWT2A

Power: : 120V/60Hz

Memo: : Wireless Modem On and Printing

Test Engineer:: Jimmy

Page: 1


	Freq	Level	Limit	Over	Read	Probe	Cable		
	MHz	dBuV/m	Line	Limit	Level	Factor	Loss	Factor	Remark
			dBuV/m	dB	dBuV	dB	dB	dB	
1	1350.931	39.80	54.00	-14.20	45.22	26.21	3.79	-5.42	Average
2	1809.140	50.24	54.00	-3.76	52.33	28.36	4.75	-2.09	Average
3	2307.680	42.50	54.00	-11.50	42.12	29.86	5.55	0.38	Average
4	2713.240	42.70	54.00	-11.30	40.69	30.84	6.08	2.01	Average
5	3147.560	42.80	54.00	-11.20	39.09	31.94	6.56	3.71	Average



AUDIX TECHNOLOGY (SHENZHEN) CO., LTD.

Shenzhen Science & Ind Park
Nantou, Guangdong, China
Tel: 0755-6639495~7
Fax: 0755-6632877

Data#: 83 File#: Inventec.emi Date: 2001-17-18 Time: 10:58:52



AUDIX TECHNOLOGY (SHENZHEN) CO., LTD. (LEGEND SITE)

Trace:

Ref Trace:

Condition: FCC PART 15B (H) 3m 3115FACTOR VERTICAL

EUT: : MIVO350

M/N: : IWT2A

Power: : 120V/60Hz

Memo: : Wireless Modem On and Printing

Test Engineer:: Jimmy

Page: 1

	Freq	Level	Limit	Over	Read	Probe	Cable		
	MHz	dBuV/m	Line	Limit	Level	Factor	Loss	Factor	Remark
			dBuV/m	dB	dBuV	dB	dB	dB	
1	1350.970	41.51	54.00	-12.49	46.93	26.21	3.79	-5.42	Average
2	1384.620	36.38	54.00	-17.62	41.66	26.25	3.87	-5.28	Average
3	1812.410	43.76	54.00	-10.24	45.82	28.38	4.76	-2.06	Average
4	1846.370	42.65	54.00	-11.35	44.43	28.59	4.81	-1.78	Average
5	2307.680	45.40	54.00	-8.60	45.02	29.86	5.55	0.38	Average




AUDIX TECHNOLOGY (SHENZHEN) CO., LTD.

Shenzhen Science & Ind Park
Nantou, Guangdong, China
Tel: 0755-6639495~7
Fax: 0755-6632877

Data#: 85 File#: Inventec.emi

Date: 2001-10-08 Time: 17:26:12



AUDIX TECHNOLOGY (SHENZHEN) CO., LTD. (OPEN SITE)

Trace:

Ref Trace:

Condition: FCC PART 15B (H) 3m 3115FACTOR HORIZONTAL

EUT: : MIVO350

M/N: : IWT2A

Power: : 120V/60Hz

Memo: : Wireless Modem On and Printing


Test Engineer:: Jimmy

Page: 1

	Freq	Level	Limit	Over	Read	Probe	Cable		
	MHz	dBuV/m	Line	Limit	Level	Factor	Loss	Factor	Remark
			dBuV/m	dB	dBuV	dB	dB	dB	
1	1350.911	39.64	54.00	-14.36	45.11	26.19	3.77	-5.47	Peak
2	1809.278	50.31	54.00	-3.69	52.44	28.34	4.74	-2.13	Peak
3	1826.068	46.87	54.00	-7.13	48.86	28.44	4.77	-1.99	Peak
4	2307.941	42.18	54.00	-11.82	41.80	29.85	5.55	0.38	Peak
5	2708.284	43.62	54.00	-10.38	41.64	30.81	6.07	1.98	Peak
6	3147.544	42.88	54.00	-11.12	39.17	31.94	6.56	3.71	Peak

Data#: 84 File#: Inventec.emi

Date: 2001-10-08 Time: 17:23:26



AUDIX TECHNOLOGY (SHENZHEN) CO., LTD. (OPEN SITE)

Trace:

Ref Trace:

Condition: FCC PART 15B (H) 3m 3115FACTOR VERTICAL

EUT: : MIVO350

M/N: : IWT2A

Power: : 120V/60Hz

Memo: : Wireless Modem On and Printing

Test Engineer:: Jimmy

Page: 1

	Freq	Level	Limit	Over	Read	Probe	Cable		
	MHz	dBuV/m	Line	Limit	Level	Factor	Loss	Factor	Remark
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB	dB	dB	
1	1350.911	41.45	54.00	-12.55	46.87	26.21	3.79	-5.42	Peak
2	1384.491	36.68	54.00	-17.32	41.96	26.25	3.87	-5.28	Peak
3	1809.278	43.92	54.00	-10.08	45.98	28.39	4.75	-2.06	Peak
4	1846.216	42.55	54.00	-11.45	44.31	28.61	4.82	-1.76	Peak
5	2307.941	45.80	54.00	-8.20	45.40	29.86	5.55	0.39	Peak



AUDIX TECHNOLOGY (SHENZHEN) CO., LTD.


Shenzhen Science & Ind. Park.

Tel: 0755-6639495~7

Fax: 0755-6632877

Data#: 146 File#: Mivo350.EMI

Date: 2001-10-08 Time: 12:01:52



AUDIX TECHNOLOGY (SHENZHEN) CO., LTD. (3# Chamber)

Trace:

Ref Trace:

Condition: FCC 900MHZ 3m 2176FACTOR HORIZONTAL

EUT: : Mivo350

M/N: : IWT2A

Power: : AC 120V/60Hz

Test Engineer: : Chris Du

Memo: : Wireless Modem On and Printing

: Mobile: DC 7V Adaptor Input: 120V/60Hz

: Base: DC 7.5V Adaptor Input: 120V/60Hz



AUDIX TECHNOLOGY (SHENZHEN) CO., LTD.


Shenzhen Science & Ind. Park.

Tel: 0755-6639495~7

Fax: 0755-6632877

Data#: 147 File#: Mivo350.EMI

Date: 2001-10-08 Time: 12:25:31



AUDIX TECHNOLOGY (SHENZHEN) CO., LTD. (#3 Chamber)

Trace:

Ref Trace:

Condition: FCC 900MHZ 3m 2176FACTOR VERTICAL

EUT: : Mivo350

M/N: : IWT2A

Power: : AC 120V/60Hz

Test Engineer:: Chris Du

Memo: : Wireless modem on and Printing
: Mobile: DC 7V Adaptor input 120V/60Hz
: Base: DC 7.5V Adaptor input 120V/60Hz

AUDIX[®]

AUDIX TECHNOLOGY (SHENZHEN) CO., LTD.

Shenzhen Science & Ind Park


Nantou, Guangdong, China

Tel: 0755-6639495~7

Fax: 0755-6632877

Data#: 78 File#: Inventec.emi

Date: 2001-10-08 Time: 16:47:32



AUDIX TECHNOLOGY (SHENZHEN) CO., LTD. (OPEN SITE)

Trace:

Ref Trace:

Condition: FCC PART 15B (H) 3m 3115FACTOR HORIZONTAL

EUT: : MIVO350

M/N: : IWT2A

Power: : 120V/60Hz

Memo: : Wireless Modem On and Printing


Test Engineer:: Jimmy



AUDIX TECHNOLOGY (SHENZHEN) CO., LTD.

Shenzhen Science & Ind Park
Nantou, Guangdong, China
Tel: 0755-6639495~7
Fax: 0755-6632877

Data#: 79 File#: Inventec.emi Date: 2001-10-08 Time: 16:48:40



AUDIX TECHNOLOGY (SHENZHEN) CO., LTD. (OPEN SITE)

Trace:

Ref Trace:

Condition: FCC PART 15B (H) 3m 3115FACTOR VERTICAL

EUT: : MIVO350

M/N: : IWT2A

Power: : 120V/60Hz

Memo: : Wireless Modem On and Printing


Test Engineer:: Jimmy



AUDIX TECHNOLOGY (SHENZHEN) CO., LTD.

Shenzhen Science & Ind Park
Nantou, Guangdong, China
Tel: 0755-6639495~7
Fax: 0755-6632877

Data#: 81 File#: Inventec.emi Date: 2001-10-08 Time: 16:01:11



AUDIX TECHNOLOGY (SHENZHEN) CO., LTD. (OPEN SITE)

Trace:

Ref Trace:

Condition: FCC PART 15B (H) 3m 3115FACTOR HORIZONTAL

EUT: : MIVO350

M/N: : IWT2A

Power: : 120V/60Hz

Memo: : Wireless Modem On and Printing

Test Engineer:: Jimmy

AUDIX[®]

AUDIX TECHNOLOGY (SHENZHEN) CO., LTD.

Shenzhen Science & Ind Park


Nantou, Guangdong, China

Tel: 0755-6639495-7

Fax: 0755-6632877

Data#: 80 File#: Inventec.emi

Date: 2001-10-08 Time: 16:59:40



AUDIX TECHNOLOGY (SHENZHEN) CO., LTD. (OPEN SITE)

Trace:

Ref Trace:

Condition: FCC PART 15B (H) 3m 3115FACTOR VERTICAL

EUT: : MIVO350

M/N: : IWT2A

Power: : 120V/60Hz

Memo: : Wireless Modem On and Printing

Test Engineer:: Jimmy