


1.4 Packages Contents

- 1.NAVIS-Pro board
- 2.Video/audio cable for input & output
- 3.User's manual
- 4.Program Install CD




2. NAVIS-Pro Installation

This chapter explains how to install NAVIS-Pro board.

Please read the instructions before installing board and follow the steps carefully.


2.1 Structure of NAVIS-Pro

1.Structure of NAVIS-Pro



NAVIS-Pro Board

2.Video/audio cable



NAVIS-Pro Board Input ← → The Outside input device

2.2 Board and driver installation


- 1.Turn off your PC and pull out the connected power cable.
- 2.Open your PC cover and insert NAVIS-Pro board into a free PCI slot then connect the respective video and audio terminals to NAVIS-Pro board as described in figure 4.

Tip

NAVIS-Pro generates considerable heat and if you have enough PCI slot please leave one near NAVIS-Pro empty.

■ Composite connection

If you want to use a composite terminal as video-input terminal, plug one end of the yellow video cable into the port of your camcorder, VCR or other video source then connect audio one end of audio cable to audio in port of NAVIS-Pro as shown in the following picture.




■ S-Video connection

In case there is an S-Video out terminal in the device of the video source, plug one end of video cable into the NAVIS-Pro's S-Video input port then plug the other end into the device of the video source. Connect audio at one end of the audio cable to the audio in port of NAVIS-Pro as shown in the following picture.

Tip

S-Video output is non-existent in normal devices but only in high quality devices.

It displays higher quality of video than general composite. If there is an S-Video output feature in a device, use this terminal to get better quality.



FCC NOTICE

THIS DEVICE COMPLIES WITH PART 15 OF THE FCC RULES.

OPERATION IS SUBJECT TO THE FOLLOWING TWO CONDITION:

(1) THIS DEVICE MAY NOT CAUSE HARMFUL INTERFERENCE, AND
(2) THIS DEVICE MUST ACCEPT ANY INTERFERENCE RECEIVED,
INCLUDING INTERFERENCE THAT MAY CAUSE UNDESIRDED OPERATION.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communication.

However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures :

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit difference from that to which the receiver is connected.
- Consult the dealer of an experienced radio/TV technician for help.

NOTE : The manufacturer is not responsible for any radio or TV interference caused by unauthorized modifications to this equipment.
Such modifications could void the user's authority to operate the equipment.