

INTERTEK TESTING SERVICES

Report No.: 0400534
Model No.: 2950

Pursuant to FCC Part 15 Section 15. 235 Emissions Requirement

HP

MKR 41.250 msec

REF 77.0 dB μ V

AT 10 dB

1.48 dB

PEAK

LOG


10

dB/

VA SB

SC FC

CORR



Tested By: LL
(Kevin Wong)

Date: 13-1-04

Checked By: [Signature]
([Signature])

Date: 16/1

Test Result : Pass / Fail / NA

CENTER 49.861 MHz

SPAN 0 Hz

#RES BW 3.0 MHz

#VBW 3 MHz

#SWP 150 msec

File: hndwidthplot_a / Effective Date: 15 Jul 2002

INTERTEK TESTING SERVICES


Report No.: 0400534
Model No.: 2950

Pursuant to FCC Part 15 Section 15. 235 Emissions Requirement

REF 77.0 dB μ V AT 10 dB MKR 338.00 μ sec
.05 dB

PEAK
LOG
10
dB/

VA SB
SC FC
CORR



CENTER 49.861 MHz

#RES BW 3.0 MHz

#VBW 3 MHz

SPAN 0 Hz

#SWP 15.0 msec

Tested By: LL
(Kenneth W. Long)
Date: 13-1-04

Checked By: [Signature]
(V. V. V.)
Date: 16/1

Test Result : Pass / Fail (NA)

INTERTEK TESTING SERVICES

Report No.: 0400534
Model No.: 2950

Pursuant to FCC Part 15 Section 15. 225 Emissions Requirement

hp

MKR 150.00 μ sec

REF 77.0 dB μ V

AT 10 dB

-.98 dB

PEAK

LOG


10

dB/

VA SB

SC FC

CORR



Tested By: L. L. Frank Wong

Date: 13-1-04

Checked By: [Signature]

Date: 16/1

Test Result : Pass / Fail / NA

CENTER 49.861 MHz

SPAN 0 Hz

#RES BW 3.0 MHz

#VBW 3 MHz

#SWP 15.0 msec

Code: bandwidth plot_a / Effective Date: 15 Jul 2002

INTERTEK TESTING SERVICES

Report No.: 0400534
Model No.: 2950

Pursuant to FCC Part 15 Section 15.23 Emissions Requirement

tip

MKA 38.000 μ sec

REF 77.0 dB μ V

AT 10 dB

.18 dB

PEAK

LOG


10

dB/

VA SB

SC FC

CORR



Tested By: KL

(Kenneth Wang)

Date: 13-1-04

Checked By: [Signature]

(Evan)

Date: 16/1

Test Result : Pass / Fail / NA

CENTER 49.861 MHz

SPAN 0 Hz

#RES BW 3.0 MHz

#VBW 3 MHz

#SWP 15.0 msec

Code: bandwidth plot_a / Effective Date: 15 Jul 2002