


NSM Technology DECT Phone OEBCA00172

Generic Twin Phantom; Left Hand usage; Position: (100°,65°); Frequency: 2400MHz
Probe: ET3DV5 - SN1319; Brain 2400 MHz: $\sigma = 2.30 \text{ mho/m}$ $\epsilon_r = 41.0$ $\rho = 1.00 \text{ g/cm}^3$
Coarse: Dx = 10.0, Dy = 10.0, Dz = 10.0

SAR (1g): 0.0521 mW/g, SAR (10g): 0.0223 mW/g




Touch, left Hand

Figure 5.

NSM Technology DECT Phone OEBCA00172

Generic Twin Phantom; Left Hand usage; Position: (90°,35°); Frequency: 2400MHz
Probe: ET3DV5 - SN1319; Brain 2400 MHz: $\sigma = 2.30$ mho/m $\epsilon_r = 41.0$ $\rho = 1.00$ g/cm³
Coarse: Dx = 10.0, Dy = 10.0, Dz = 10.0

SAR (1g): 0.0578 mW/g, SAR (10g): 0.0259 mW/g




Intended, Left Hand

Figure 6.

NSM Technology DECT Phone OEBCA00172

Generic Twin Phantom; Left Hand usage; Position: (100°,65°); Frequency: 2400MHz
Probe: ET3DV5 - SN1319; Brain 2400 MHz: $\sigma = 2.30 \text{ mho/m}$ $\epsilon_r = 41.0$ $\rho = 1.00 \text{ g/cm}^3$
Coarse: Dx = 10.0, Dy = 10.0, Dz = 10.0

SAR (1g): 0.0521 mW/g, SAR (10g): 0.0223 mW/g



100 degrees, Left Hand

Figure 7.